Double exposure blackjack specifications added at (d). Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1993 d.38, effective January 19, 1993.

See: 24 N.J.R. 2351(a), 25 N.J.R. 367(a).

Card reader device provisions added at (f).

Amended by R.1993 d.461, effective September 20, 1993.

See: 25 N.J.R. 2234(a), 25 N.J.R. 4508(c).

Amended by R.1994 d.80, effective February 22, 1994.

See: 25 N.J.R. 5454(b), 26 N.J.R. 1113(a).

Amended by R.1994 d.265, effective June 6, 1994.

See: 25 N.J.R. 5893(a), 26 N.J.R. 2463(a).

Amended by R.1996 d.315, effective July 15, 1996.

See: 28 N.J.R. 1947(a), 28 N.J.R. 3623(a).

Amended by R.1996 d.316, effective July 15, 1996.

See: 28 N.J.R. 1950(a), 28 N.J.R. 3625(a). Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Substituted references to blackjack layouts for references to cloths covering blackjack tables throughout; and rewrote (b).

Amended by R.1999 d.9, effective January 4, 1999.

See: 30 N.J.R. 1217(a), 31 N.J.R. 57(a).

Added (k).

Amended by R.1999 d.110, effective April 5, 1999.

See: 30 N.J.R. 4155(a), 31 N.J.R. 894(a).

In (i), deleted "immediately in front of or to the right of the dealer" at the end of the first sentence.

Amended by R.2001 d.24, effective January 16, 2001.

See: 32 N.J.R. 3754(a), 33 N.J.R. 287(a).

Added (l).

Petition for Rulemaking.

See: 35 N.J.R. 1598(a), 2375(a), 2534(a). Amended by R.2003 d.338, effective August 18, 2003.

See: 35 N.J.R. 1800(a), 35 N.J.R. 3835(a).

In (j)1, substituted "in a location approved by the Commission" for "directly in front of each respective betting area"

Amended by R.2004 d.285, effective July 19, 2004.

See: 36 N.J.R. 1311(a), 36 N.J.R. 3422(a).

Added (m).

Amended by R.2006 d.36, effective January 17, 2006.

See: 37 N.J.R. 2159(a), 38 N.J.R. 842(b).

In (b)2, added ", with the exception of the 6 to 5 blackjack variation, which shall contain no more than six betting areas"; added (n).

Amended by R.2006 d.205, effective June 5, 2006.

See: 38 N.J.R. 1177(a), 38 N.J.R. 2524(a).

Added (o).

Amended by R.2006 d. 217, effective June 19, 2006.

See: 38 N.J.R. 119(b), 38 N.J.R. 2738(a).

In (d), substituted "If" for "Notwithstanding the requirements of (c) above, if', deleted "additional" preceding "inscriptions" and added "instead of the inscriptions set forth in (c) above"; and added (p).

19:46-1.10A Three card poker table; physical characteristics

- (a) Three card poker shall be played at a table having betting positions for the players on one side of the table and a place for the dealer on the opposite side. Such betting positions shall not exceed nine in number depending on the size of the table.
- (b) The layout for a three card poker table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of "ante" wagers;

- 3. A separate designated betting area located immediately in front of each ante wager betting area for the placement of "play" wagers;
- 4. A separate designated betting area located immediately behind each ante wager betting area for the placement of "pair plus" wagers; and
- 5. Inscriptions that advise patrons, in accordance with N.J.A.C. 19:47-20.11 and as approved by the Commission, the payout odds for ante and play wagers, pair plus wagers and ante bonuses and that "Dealer Plays with Queen High or Better".
- (c) Each three card poker table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

New Rule, R.1997 d.134, effective March 17, 1997.

See: 28 N.J.R. 2531(a), 29 N.J.R. 928(a). Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph, and added "offering the game" at the end of 1; and rewrote (c).

Amended by R.2000 d.63, effective February 22, 2000.

See: 31 N.J.R. 3247(a), 32 N.J.R. 718(a).

Rewrote (b)5.

19:46-1.10B Spanish 21 table; physical characteristics

- (a) Spanish 21 shall be played at a table having betting positions for no more than six players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a spanish 21 table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of the following wagers:
 - The required spanish 21 wager; and
 - ii. An optional match-the-dealer wager;
 - 3. The following inscriptions:
 - i. "Blackjack Pays 3 to 2:"
 - ii. "Dealer Must Draw to 16 and Stand on All 17's;"
 - "Insurance Pays 2 to 1."
 - 4. The payout odds for each of the wagers listed in N.J.A.C. 19:47-19.5(f) and (g); and
 - 5. The payout odds for the match-the-dealer wager, unless the odds are included in the sign required by (c) below.
- (c) A casino licensee shall post a sign approved by the Commission at each spanish 21 table, which explains:

- 1. That doubled down hands are not eligible for the additional payouts in N.J.A.C. 19:47-19.5(f);
- 2. That doubled down hands and split hands are not eligible for the additional payouts in N.J.A.C. 19:47-19.5(g);
- 3. The payout odds for the match-the-dealer wager, if those payout odds are not imprinted on the layout.
- (d) Each spanish 21 table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, in locations approved by the Commission.
- (e) In order to collect the cards at the conclusion of a round of play as required by N.J.A.C. 19:47-19.7(h) and at such other times as provided in the rules of the Commission, each spanish 21 table shall have a discard rack securely attached at the top of the dealer's side of the table. The height of each discard rack shall equal the height of the cards, stacked one on top of the other, contained in the total number of decks that are to be used in the dealing shoe at that table; provided, however, that a taller discard rack may be used if such rack has a distinct and clearly visible mark on its side to show the exact height for a stack of cards equal to the total number of cards contained in the number of decks to be used in the dealing shoe at that table.
- (f) A spanish 21 table may have attached to it, as approved by the Commission, a card reader device which permits the dealer to read his or her hole card in order to determine if the dealer has a blackjack in accordance with N.J.A.C. 19:47-19.1. If a spanish 21 table has an approved card reader device attached to it, the floorperson assigned to the table shall inspect the card reader device at the beginning of each gaming day. The purpose of this inspection shall be to insure that there has been no tampering with the device and that it is in proper working order.

New Rule, R.2000 d.2, effective January 3, 2000. See: 30 N.J.R. 4149(a), 32 N.J.R. 71(a).

Administrative correction.

See: 32 N.J.R. 718(b).

Craps and mini-craps tables; physical 19:46-1.11 characteristics

- (a) Craps and mini-craps shall be played on an oblong table with rounded corners and high walled sides.
 - 1. A craps table shall not be larger than 14 feet in length.
 - 2. A mini-craps table shall be no longer than 9½ feet in length, and shall have seating locations for a maximum of nine players.
- (b) The layout for a craps or mini-craps table shall be approved by the Commission and shall contain, at a minimum:

- 1. The name or trade name of the casino licensee offering the game;
- 2. Specific areas designated for the placement of wagers as authorized by N.J.A.C. 19:47-1.2; and
 - 3. The words "No call bets".
- (c) Each craps and mini-craps table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

Amended by R.1981 d.388, effective November 2, 1981.

See: 13 N.J.R. 534(b), 13 N.J.R. 780(c).

Editor's Note amended to include new address for the Commission. Public Notice: Petition for Rulemaking of New Craps Wager "Over 7/ Under 7"

See: 18 N.J.R. 1315(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Trade name" and "licensee" added.

Amended by R.1996 d.356, effective August 5, 1996.

See: 28 N.J.R. 2352(b), 28 N.J.R. 3818(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b); and added (c).

Amended by R.2005 d.355, effective October 17, 2005.

See: 37 N.J.R. 1137(a), 37 N.J.R. 4041(a).

In (b)2, added "as" following "wagers"

Amended by R.2006 d.357, effective October 2, 2006.

See: 38 N.J.R. 2670(a), 38 N.J.R. 4249(a).

In (a)1, deleted "be at least 12 feet in length and shall" preceding

19:46-1.12 Baccarat and minibaccarat tables; physical characteristics

- (a) Baccarat-Punto Banco shall be played on a table having numbered places for 10 to 14 seated players.
- (b) Baccarat-Chemin de Fer shall be played on a table having numbered places for 9 to 14 seated players.
- (c) Minibaccarat shall be played at a table having on one side places for a maximum of nine seated players, and on the opposite side a place for the dealer; provided however, that unless the cards are changed after each shoe, a minibaccarat table using the dealing procedure in N.J.A.C. 19:47-7.7(c)3 shall have places for a maximum of six seated players. The dimensions of a minibaccarat table shall be approved by the Commission.
- (d) The layout for a baccarat or minibaccarat table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. For Baccarat-Punto Banco and minibaccarat layouts, specific areas designated for the placement of wagers on the "Banker's Hand," "Players Hand" and "Tie Hand";

- 3. For Baccarat-Chemin de Fer layouts, specific areas for the placement of the wagers authorized by N.J.A.C. 19:47-4.6 and 4.7;
- 4. For Baccarat-Punto Banco and minibaccarat layouts, the phrase "Tie Bets pay 8 to 1";
- 5. Numbered areas that correspond to the seat numbers for the purpose of marking vigorish; provided, however, that the numbered areas are not required if:
 - i. For Baccarat-Punto Banco, the casino licensee offers a no vigorish variation of the game in accordance with N.J.A.C. 19:47-3.3(e);
 - ii. For minibaccarat, the casino licensee only charges vigorish in accordance with the provisions of N.J.A.C. 19:47-7.3(d) or offers a no vigorish variation of the game in accordance with the provisions of N.J.A.C. 19:47-7.3(f); and
- 6. An area designated for the placement of cards for the "Player's" and "Banker's" hands.

- (e) If marker buttons are used for the purpose of marking vigorish, these marker buttons shall be placed in the table inventory float container or in a separate rack designed for the purpose of storing marker buttons and such rack shall be placed in front of the table inventory float container during gaming activity.
- (f) Each baccarat and minibaccarat table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

Amended by R.1986 d.308, effective August 4, 1986. See: 18 N.J.R. 1096(a), 18 N.J.R. 1614(b). (c) added. Amended by R.1987 d.395, effective October 5, 1987. See: 19 N.J.R. 54(b), 19 N.J.R. 1826(b), 19 N.J.R. 1914(b). Added (a)3; renumbered old 3. to 4. Added diagram.

See: 21 N.J.R. 2678(b). Amended by R.1990 d.101, effective February 5, 1990. See: 21 N.J.R. 3446(b), 22 N.J.R. 562(a).

Petition for Rulemaking: Requests clarification of terms.

In (c): revised language in (1) to form new (1) and (2), specifying types of betting areas to be designated on the minibaccarat table.

Recodified existing (c)2-4 as (c)3-5, with no change in text. Amended by R.1992 d.259, effective June 15, 1992.

Amended by R.1992 d.259, effective June 13 See: 24 N.J.R. 568(a), 24 N.J.R. 2298(a).

See: 24 N.J.R. 568(a), 24 N.J.R. 2298(a). In (a): revised address for the Commission.

In (c)2: Deletes specific designs for betting areas; adds "Tie Hand" to text and adds provision that each table may have a maximum of nine areas for players.

In (c)3i and ii: revises text to include references to "numbered boxes"

and to specify marking "vigorish."

In (c)5: revised text to specify location for the drop box and tip box of each minibaccarat table.

Added new (c)6 and deleted minibaccarat table diagram appearing at subsection (c)

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1993 d.655, effective December 20, 1993.

See: 25 N.J.R. 4474(b), 25 N.J.R. 5944(a).

Amended by R.1996 d.162, effective March 18, 1996.

See: 28 N.J.R. 77(b), 28 N.J.R. 1560(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote the section.

Amended by R.1998 d.474, effective September 21, 1998.

See: 30 N.J.R. 3514(a).

In (d)5, added i and ii.

Amended by R.1999 d.42, effective February 1, 1999.

See: 30 N.J.R. 4034(a), 31 N.J.R. 454(a).

In (c), inserted "; provided however, that a minibaccarat table using the dealing procedure in N.J.A.C. 19:47-7.7(c)3 shall have places for a maximum of six seated players" at the end of the first sentence.

Petition for Rulemaking.

See: 35 N.J.R. 2959(a), 4149(a).

Amended by R.2004 d.357, effective September 20, 2004.

See: 36 N.J.R. 1899(a), 36 N.J.R. 4325(b).

In (c), inserted "unless the cards are changed after each shoe" following "provided however, that".

19:46-1.13 Big Six Wheel and layout; physical characteristics

- (a) Gaming at Big Six shall be conducted at a wheel circular in shape and no less than five feet in diameter. The rim of the wheel shall be divided into 54 equally spaced sections with 23 sections containing a \$1.00 bill, 15 sections containing a \$2.00 bill, eight sections containing a \$5.00 bill, four sections containing a \$10.00 bill, two sections containing a \$20.00 bill, one section containing a picture of a flag or the name or logo of the casino licensee, and one section containing a picture of a joker, each of which sections shall be covered with glass.
- (b) The sections required by (a) above shall be arranged clockwise around the rim of the wheel in the following order: joker, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2, \$1, flag, \$2, \$5, \$2, \$1, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2 and \$1.
- (c) Each section of the Big Six Wheel shall also display the payout odds for the wager contained therein, pursuant to N.J.A.C. 19:47-5.5
- (d) Each Big Six Wheel table shall have a drop box and a tip box attached to it on the same side of the table as, but on

opposite sides of, the dealer, and in locations approved by the Commission.

- (e) The layout for a Big Six Wheel table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Spaces which shall be used by patrons to place their wagers, and which shall contain:
 - i. Depictions of a \$1.00 bill, \$2.00 bill, \$5.00 bill, \$10.00 bill, and \$20.00 bill, or numbers representing those monetary denominations, as approved by the Commission:
 - ii. A flag or the name or logo of the casino licensee, as it appears on the Big Six Wheel; and
 - iii. A joker; and
 - 3. The payout odds for each of the permitted wagers.

Amended by R.1979 d.429, eff. October 18, 1979.

See: 11 N.J.R. 478(a), 11 N.J.R. 600(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added; address updated. Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b) and (c). Amended by R.1998 d.553, effective November 16, 1998.

See: 30 N.J.R. 3178(a), 30 N.J.R. 4070(a).

Rewrote the section.

19:46-1.13A Sic bo table; sic bo shaker; physical characteristics

- (a) Each sic bo table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (b) Each sic bo table shall have an electrical device which, when the numeric value of each die has been entered, shall cause the winning combinations to be illuminated. The sic bo table shall have an area, as approved by the Commission, which depicts all permissible wagers pursuant to N.J.A.C. 19:47-9.2. Each combination shall have the capability to be illuminated, if it is a winning combination, after the numeric value of each die has been entered into the electrical device by the dealer.
- (c) The layout for a sic bo table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee; and
 - 2. Specific areas designated for the placement of the wagers authorized by N.J.A.C. 19:47-9.2; and
 - 3. The payout odds currently being offered in accordance with N.J.A.C. 19:47-9.4.

19:46-1.13A OTHER AGENCIES

(d) Sic bo shall be played with a sealed container, to be known as a "sic bo shaker," which shall be used to shake the dice in order to arrive at the winning combinations.

- 1. A manual sic bo shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game and shall, at a minimum, adhere to the following specifications:
 - i. The sic bo shaker shall have a compartment to secure the three dice required by N.J.A.C. 19:47-9.1 and a separate cover which conceals the dice while the dealer is shaking the sic bo shaker. The compartment to secure the three dice shall be transparent and the cover which conceals the dice shall be opaque;
 - ii. The sic bo shaker shall have the capability of being sealed or locked in order to ensure the integrity of the dice contained therein;
 - iii. The sic bo shaker shall have the name or trade name of the casino licensee or identifying logo imprinted or impressed thereon; and
 - iv. The sic bo shaker shall be secured to the sic bo table when the table is open for gaming activity.
- 2. An automated sic bo shaker may be used in the game of sic bo, provided that:
 - i. The shaker meets the requirements of (d)1 above, except that a separate opaque cover shall not be used; and
 - ii. The shaker, its location on the sic bo table and the procedures for shaking the dice are submitted to and approved by the Commission.

New Rule, R.1991 d.615, effective December 16, 1991. See: 23 N.J.R. 2922(a), 23 N.J.R. 3820(b). Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). "Trade name" and "licensee" added. Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). Rewrote (a) and (c). Petition for Rulemaking. See: 36 N.J.R. 1245(c), 2263(c). Amended by R.2005 d.240, effective July 18, 2005. See: 37 N.J.R. 882(b), 37 N.J.R. 2690(a). Rewrote (d).

19:46-1.13B Pai gow poker table; pai gow poker shaker; physical characteristics; computerized random number generator

- (a) Pai gow poker shall be played at a table having on one side places for the players and on the opposite side a place for the dealer.
- (b) The layout for a pai gow poker table shall be approved by the Commission and shall contain, at a minimum, the following:
 - 1. Six separate designated betting areas for the players at the table with each area being numbered one through six;

- 2. Two separate areas located below each betting area which shall be designated for the placement of the high and second highest or low hands of that player;
- 3. If the casino licensee offers the optional bonus wager authorized by N.J.A.C. 19:47-11.15:
 - i. A separate area for each player, located to the right of the numbered betting areas, designated for the placement of a bonus wager by each player;
 - ii. Notice of signage, as approved by the Commission, for payout odds for the bonus wager and payout amounts for the "envy bonus" as defined at N.J.A.C. 19:47-11.15; and
 - iii. The inscription indicating the payout limit per round of play for the bonus wager established by the casino licensee pursuant to N.J.A.C. 19:47-11.16(c) or a generic inscription indicating the wager is subject to the posted payout limit.
- 4. If the casino licensee offers the additional wager authorized by N.J.A.C. 19:47-11.13, a separate area for each player, designated for the placement of that additional wager by each player, as well as the payout odds for the additional wager; and
- 5. Two separate areas designated for the placement of the high and second highest or low hands of the dealer.
- 6. The name or trade name of the casino licensee offering the game.
- 7. If the casino licensee offers the optional bonus wagers authorized by N.J.A.C. 19:47-11.17, separate areas for each player, designated for the placement of the three-card bonus wager and seven-card bonus wager.
- (c) If a casino licensee offers an optional bonus wager authorized by N.J.A.C. 19:47-11.15 or 11.17, a sign shall be posted at each pai gow poker table offering the optional bonus wager authorized by N.J.A.C. 19:47-11.15 that explains, in a manner approved by the Commission, the following:
 - 1. For the optional bonus wager authorized by N.J.A.C. 19:47-11.15, the details of the payout limit established pursuant to N.J.A.C. 19:47-11.16(c) and, if a generic inscription is used pursuant to (b)3iii above, established payout limit; or
 - 2. For the optional wagers authorized by N.J.A.C. 19:47-11.17, the payout odds for each bonus wager.
- (d) Each pai gow poker table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (e) Pursuant to N.J.A.C. 19:47-11.4, pai gow poker may be played with a container, to be known as a "pai gow shaker," which shall be used to shake three dice before each hand of

New Rule, R.1994 d.141, effective March 21, 1994. See: 25 N.J.R. 5906(a), 26 N.J.R. 1380(a). Amended by R.1996 d.122, effective March 4, 1996. See: 27 N.J.R. 1775(a), 28 N.J.R. 1399(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). Rewrote (a) and (b).

19:46-1.13F Double down stud table; physical characteristics

- (a) Double down stud shall be played on a table having seven places on one side for the players, and a place for the dealer on the opposite side.
- (b) The layout for a double down stud table shall be approved by the Commission, and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Seven separate designated betting areas for the placement of wagers by the players;
 - 3. A separate designated area located below each betting area for the placement of double down wagers; and
 - 4. A separate designated area located directly in front of the table inventory container for the placement of the dealer's common cards.
- (c) The following inscription shall be conspicuously printed on each double down stud layout: "Payout Limit of \$100,000 Per Hand." A casino licensee shall post a sign, approved by the Commission, at each double down stud table explaining the details and the ramifications of this payout limit.
- (d) Each double down stud table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.

New Rule, R.1994 d.593, effective December 5, 1994. See: 26 N.J.R. 1323(a), 26 N.J.R. 4790(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). Rewrote (b).

19:46-1.13G Caribbean stud poker table; physical characteristics

- (a) Caribbean stud poker shall be played on a table having betting positions for six or seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a caribbean stud poker table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee;
 - 2. A separate designated betting area at each betting position for the placement of "ante" wagers;

- 3. A separate designated betting area located immediately behind each ante betting area for the placement of "bet" wagers; and
- 4. The inscriptions "Payout Limit of \$5,000 per Hand on Bet Wagers" and "Bet Wager Void Unless Dealer has Ace/King or Better."
- (c) A sign shall be posted at each caribbean stud poker table that explains, in a manner approved by the Commission, the details of the \$5,000 payout limit authorized by N.J.A.C. 19:47-16.12.
- (d) Each caribbean stud poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (e) Each caribbean stud poker table shall have for each betting position a separate acceptor device for the placement of a progressive wager mounted in a location approved by the Commission. Each acceptor device shall have a light which shall illuminate upon insertion and acceptance of a gaming chip.
- (f) Each caribbean stud poker table shall have a table controller panel located in an area of the table as approved by the Commission. The table controller panel shall be equipped with a "lock-out" button which, once activated by the dealer as set forth in N.J.A.C. 19:47-16.7, will prevent any player from depositing a gaming chip in the acceptor device.
- (g) Each caribbean stud poker table shall be equipped with a mechanical, electrical or electronic table inventory return device which shall permit all gaming chips deposited into the acceptor devices referenced in (e) above to be collected and immediately returned to a designated area within the table inventory container prior to the dealing of a hand. The table inventory return device shall be designed and constructed to contain any feature the Commission may require to maintain the security and integrity of the game. The procedures for the operation of all functions of the table inventory return device shall be submitted to and approved by the Commission.

New Rule, R.1995 d.430, effective August 7, 1995.
See: 27 N.J.R. 1767(b), 27 N.J.R. 2967(a).
Amended by R.1998 d.147, effective March 16, 1998.
See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).
In (b), rewrote the introductory paragraph.
Petition for Rulemaking.
See: 35 N.J.R. 1598(b), 2374(b).
Amended by R.2003 d.338, effective August 18, 2003.
See: 35 N.J.R. 1800(a), 35 N.J.R. 3835(a).
In (e), substituted "in a location approved by the Commission" for

19:46-1.13H Let it ride poker table; physical characteristics

"directly in front of the respective "ante" betting area".

(a) Let it ride poker shall be played on a table having betting positions for seven players on one side of the table and a place for the dealer on the opposite side.

19:46-1.13H OTHER AGENCIES

(b) The layout for a let it ride poker table shall be approved by the Commission and shall contain, at a minimum:

- 1. The name or trade name of the casino licensee;
- 2. Three separate designated betting areas at each betting position for the placement of wagers in accordance with N.J.A.C. 19:47-18.6;
- 3. A separate designated area at each betting position for the placement of the cards of each player;
- 4. A separate designated area located directly in front of the table inventory container for the placement of the community cards:
- 5. The payout odds for all authorized wagers, including the optional bonus wager authorized by N.J.A.C. 19:47-18.6A, if the casino licensee offers the optional wager; and
- 6. The inscription indicating the payout limit per hand established by the casino licensee pursuant to N.J.A.C. 19:47-18.11 or a generic inscription indicating the game is subject to the posted payout limit.
- (c) A sign shall be posted at each let it ride poker table that explains, in a manner approved by the Commission, the details of the payout limit established pursuant to N.J.A.C. 19:47-18.11 and if a generic inscription is used pursuant to (b) above, the sign shall also contain the established payout limit.
- (d) Each let it ride poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (e) If a casino licensee offers the optional bonus wager authorized by N.J.A.C. 19:47-18.6A, the let it ride poker table shall also include the following equipment or devices, which shall be submitted to and approved by the Commission, together with the procedures for their operation and use:
 - 1. A wagering device at each betting position that acknowledges or accepts the placement of the bonus wager;
 - 2. A control device that controls or monitors the placement of bonus wagers at the gaming table, including a mechanism that prevents the recognition of any bonus wager that a player attempts to place after the dealer has announced "No more bets;" and
 - 3. Any other equipment or device that contributes to the efficient operation or integrity of the game.

New Rule, R.1995, d.534, effective October 2, 1995. See: 27 N.J.R. 2119(a), 27 N.J.R. 3795(b). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph. Amended by R.1998 d.554, effective November 16, 1998. See: 30 N.J.R. 3176(a), 30 N.J.R. 4068(a).

In (b), rewrote 5; and added (e).

19:46-1.131 Mini-dice table; mini-dice dice shaker; physical characteristics

- (a) Mini-dice shall be played on a table having betting positions for six or seven players on one side and a place for the dealer on the opposite side.
- (b) The layout for a mini-dice table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of the following wagers:
 - i. Any 7;
 - ii. Over 7;
 - iii. Under 7: and
 - iv. Individual "place" wagers of 4, 5, 6, 8, 9 and 10;
 - 3. A separate betting area, known as "the field," located directly in front of the dealer for the placement of field wagers of 2, 3, 4, 9, 10, 11 and 12; and
 - 4. The payout odds for all authorized wagers.
- (c) Each mini-dice table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (d) Mini-dice shall be played with a sealed container, known as a "mini-dice shaker," which shall be used to shake the dice in order to arrive at the winning combinations. The shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game, and at a minimum, shall:
 - 1. Have a transparent compartment to secure the two dice required by N.J.A.C. 19:47-13.3, and a separate opaque cover that conceals the dice while the dealer or player is shaking the shaker;
 - 2. Have the capability of being sealed or locked to ensure the integrity of the dice contained therein; and
 - 3. Have the name or trade name of the casino licensee or its identifying logo imprinted or impressed thereon.

New Rule, R.1997 d.427, effective October 6, 1997. See: 28 N.J.R. 5060(a), 29 N.J.R. 4307(b).

Inserted references to mini-dice throughout. Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph, and added "offering the game" at the end of $\boldsymbol{1}$.

19:46-1.13J Fast action hold 'em table; physical characteristics

(a) Fast action hold 'em shall be played at a table having betting positions for the players on one side of the table and a