CHAPTER 46

GAMING EQUIPMENT

Authority

N.J.S.A. 5:12-63c, 69a, 70f, 70i and 100.

Source and Effective Date

R.2003 d.362, effective August 13, 2003. See: 35 N.J.R. 1210(a), 35 N.J.R. 4307(a).

Chapter Expiration Date

Chapter 46, Gaming Equipment, expires on August 13, 2008.

Chapter Historical Note

Chapter 46, Gaming Equipment, was adopted as R.1978 d.187, effective June 5, 1978. See: 10 N.J.R. 4(a), 10 N.J.R. 306(f).

Pursuant to Executive Order No. 66(1978), Chapter 46, Gaming Equipment, was readopted as R.1983 d.163, effective May 4, 1983. See: 15 N.J.R. 429(b), 15 N.J.R. 932(a).

Pursuant to Executive Order No. 66(1978), Chapter 46, Gaming Equipment, was readopted as R.1988 d.232, effective April 28, 1988. See: 20 N.J.R. 638(a), 20 N.J.R. 1209(c).

Pursuant to Executive Order No. 66(1978), Chapter 46, Gaming Equipment, was readopted as R.1993 d.204, effective April 15, 1993. See: 25 N.J.R. 918(a), 25 N.J.R. 1999(c).

Pursuant to Executive Order No. 66(1978), Chapter 46, Gaming Equipment, was readopted as R.1998 d.232, effective April 15, 1998. See: 30 N.J.R. 618(a), 30 N.J.R. 1853(a).

Chapter 46, Gaming Equipment, was readopted as R.2003 d.362, effective August 13, 2003. See: Source and Effective Date.

Petition for Rulemaking. See: 36 N.J.R. 5009(d).

Petition for Rulemaking. See: 37 N.J.R. 146(c), 917(c).

CHAPTER TABLE OF CONTENTS

SUBCHAP	TER 1	. (GEN	IERAL	PΙ	ROV	ISIC	1 C	12

SUBCHAP	IER I. GENERAL PROVISIONS
19:46–1.1	Gaming chips; physical characteristics applicable to all gaming chips; issuance and use; promotional nongaming chips
19:46-1.1A	Value chips; denominations; physical characteristics
19:46-1.1B	Non-value chips; physical characteristics
19:46–1.2	Non-value chips; permitted uses; inventory and impress- ment
19:46-1.3	Additional sets of gaming chips
19:46–1.4	Gaming plaques; issuance and use; denominations; physical characteristics
19:46–1.5	Nature, exchange and redemption of gaming chips, plaques and match play coupons
19:46–1.6	Receipt of gaming chips or plaques from manufacturer or distributor; inventory, security, storage and destruction of chips and plaques
19:46–1.7	Roulette table; physical characteristics; double zero roulette wheel used as a single zero roulette wheel
19:46-1.8	Roulette balls
19:46-1.9	Roulette; inspection procedures; security procedures
19:46–1.10	Blackjack table; card reader device; physical characteristics; inspection
19:46–1.10A	Three card poker table; physical characteristics
19:46–1.10B	Spanish 21 table; physical characteristics
19:46–1.11	Craps and mini-craps tables; physical characteristics

19:46–1.12	Baccarat and minibaccarat tables; physical characteristics
19:46–1.13	Big Six Wheel and layout; physical characteristics
19:46–1.13A	Sic bo table; sic bo shaker; physical characteristics
19:46–1.13B	Pai gow poker table; pai gow poker shaker; physical
19.40–1.13D	characteristics; computerized random number genera-
19:46-1.13C	Pai gow table; pai gow shaker; physical characteristics
19:46-1.13D	Pokette table; pokette wheel; physical characteristics
19:46-1.13E	Poker table; physical characteristics
19:46-1.13F	Double down stud table; physical characteristics
19:46-1.13G	Caribbean stud poker table; physical characteristics
19:46-1.13H	Let it ride poker table; physical characteristics
19:46–1.13I	Mini-dice table; mini-dice dice shaker, physical characteristics
19:46-1.13J	Fast action hold 'em table; physical characteristics
19:46-1.13K	Casino war table; physical characteristics
19:46-1.13L	Colorado hold 'em poker table; physical characteristics
19:46-1.13M	Boston 5 stud poker table; physical characteristics
19:46-1.13N	Double cross poker table; physical characteristics
19:46-1.13O	Double attack blackjack table; physical characteristics
19:46-1.13P	Four card poker table; physical characteristics
19:46-1.14	Red dog table; physical characteristics
19:46-1.15	Dice; physical characteristics
19:46–1.16	Dice; receipt; storage; inspections and removal from use
19:46–1.16A	Sic bo shaker and mini-dice shaker; security procedures
19:46–1.17	Cards; physical characteristics
19:46–1.18	Cards; receipt, storage, inspections, and removal from use
19:46–1.19	Dealing shoes; automated shuffling devices
19:46–1.19A	Pai gow tiles physical characteristics
19:46–1.19B	Pai gow tiles; receipt; storage; inspections and removal from use
19:46–1.20	Inspection and approval of gaming and simulcast wager- ing equipment and related devices and software; re- tention by Commission or Division; evidence of tam- pering
19:46–1.21	Expiration of slot machine main program approvals issued pursuant to N.J.A.C. 19:46–1.20; resubmission
19:46-1.22	Possession of slot machines
19:46–1.23	Transportation of slot machines into, within and out-of-State
19:46–1.24	Slot machine seals
19:46–1.25	(Reserved)
19:46–1.26	Slot machines and bill changers; identification; signs; meters; other devices
19:46–1.26A	Bill changers with electrically erasable/programmable storage media
19:46–1.26B	Gaming equipment and related devices utilizing alterable storage media
19:46–1.27	Slot machine areas; density; arrangement; floor plans
19:46–1.28	Testing of designated gaming or simulcast wagering equipment or related devices or software by the Divi- sion
19:46-1.28A	Standards for the approval of a slot machine game
19:46–1.29	Operation of gaming and simulcast wagering equipment and related devices and software in conformance with Commission approval
19:46-1.30	(Reserved)
19:46-1.31	Records and reports
19:46-1.32	(Reserved)
19:46–1.33	Issuance and use of slot tokens for gaming and simulcast wagering; prize tokens; slot token and prize token specifications; promotional non-gaming tokens
19:46–1.34	Wagering at slot machines; use of slot tokens and prize tokens
10.46 1 25	Pedemption of slot tokens and prize tokens from non

Redemption of slot tokens and prize tokens from nonpatrons; duty of patrons to surrender slot tokens and

Slot tokens and prize tokens; receipt, inventory, security,

prize tokens upon demand

storage and destruction

19:46-1.35

19:46-1.36

SUBCHAPTER 1. GENERAL PROVISIONS

Gaming chips; physical characteristics applicable to all gaming chips; issuance and use: promotional non-gaming chips

- (a) Each gaming chip issued by a casino licensee shall be in the form of a disk and, except as otherwise provided in N.J.A.C. 19:46-1.1A, shall have a uniform diameter of one and %ths inches. Each of the two surfaces of a gaming chip across which the diameter of the chip can be measured shall be known as a "face." The surface of a gaming chip across which its thickness can be measured in a perpendicular line from one face to the other shall be known as its "edge."
- (b) No gaming chip shall be issued by a casino licensee or utilized in a casino or casino simulcasting facility unless and until:
 - 1. The design specifications of the proposed gaming chip are, prior to the manufacture of the gaming chip, submitted to and approved by the Commission, which submission shall include a detailed schematic depicting the actual size and, as appropriate, location of the follow
 - i. Each face, including any indentations or impressions;
 - ii. The edge; and
 - iii. Any colors, words, designs, graphics or security measures contained on the gaming chip; and
 - 2. A sample stack of 20 gaming chips of each sample chip, manufactured in accordance with its approved design specifications, is submitted to and approved by the Commission.
- (c) Each gaming chip issued by a casino licensee shall be designed and manufactured with sufficient graphics or other security measures, including, at a minimum, those items specifically required to appear on the face or edge of a gaming chip pursuant to N.J.A.C. 19:46-1.1A or 1.1B, so as to prevent, to the greatest extent possible, the counterfeiting of the gaming chip.
- (d) No casino licensee shall issue, use or allow a patron to use in its casino or casino simulcasting facility any gaming chip that it knows, or reasonably should know, is materially different from the sample of that gaming chip approved by the Commission pursuant to this section.
- (e) No casino licensee or other person licensed by the Commission shall manufacture for, sell to, distribute to or use in any casino outside of Atlantic City, any gaming chips having the same edge spot and design specifications as those approved for use in Atlantic City casinos and casino simulcasting facilities.

- (f) A casino licensee may issue promotional non-gaming chips that are prohibited from use in gaming or simulcast wagering in any casino or casino simulcast facility. The physical characteristics of such chips shall be sufficiently distinguishable from approved design specifications of any gaming chip issued by a casino licensee so as to reasonably ensure that they will not be confused with authorized gaming chips. At a minimum, such chips shall:
 - 1. Be unique in terms of size or color;
 - 2. Have no edge designs unique to gaming chips; and
 - 3. Bear the name of the casino licensee issuing them and language on both faces stating that they have no redeemable value.

Amended by R.1979 d.358, effective September 11, 1979. See: 11 N.J.R. 419(a), 11 N.J.R. 531(a).

Amended by R.1983 d.539, effective November 21, 1983.

See: 15 N.J.R. 1239(a), 15 N.J.R. 1957(c). Substantially amended and recodified text.

Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

In subsection (l), recodified 1.i. and 1., deleting 1.ii. regarding the cage cashier; added new subparagraphs 2. and 3., deleting 2.i. Stylistic revisions through (1). Added new text regarding one-half hour prior notice for a roulette table impressment. In (m), deleted (m)5 and added specific signature requirements.

Amended by R.1992 d.453, effective November 16, 1992.

See: 24 N.J.R. 2140(a), 24 N.J.R. 4279(b).

Added new (h); redesignated existing (h) through (p) as (i) through (q). In (i), (j), and (l), added references to pokette. Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Simulcast provisions added.

Amended by R.1996 d.13, effective January 2, 1996.

See: 27 N.J.R. 3771(b), 28 N.J.R. 180(c).

In (m) deleted provision for notice to the commission prior to impressment.

Repeal and New Rule, R.1997 d.132, effective March 17, 1997.

See: 28 N.J.R. 5160(a), 29 N.J.R. 923(a).

Section was "Gaming chips; value and non-value; physical characteristics"

Administrative correction.

See: 29 N.J.R. 2847(a).

Amended by R.1999 d.221, effective July 19, 1999.

See: 30 N.J.R. 3171(a), 31 N.J.R. 1943(a).

Amended by R.2000 d.106, effective March 20, 2000.

See: 31 N.J.R. 3941(a), 32 N.J.R. 1052(a).

In (f)1., deleted ", weight and" following "of size".

19:46-1.1A Value chips; denominations; physical characteristics

- (a) Each gaming chip which contains a denomination on each face thereof shall be known as a "value chip."
- (b) Each casino licensee shall be authorized to issue and use value chips in denominations of \$1.00, \$2.50, \$5.00, \$10.00, \$20.00, \$25.00, \$100.00, \$500.00, \$1,000, \$5,000 and \$20,000 and in such quantities as the casino licensee may deem appropriate to conduct gaming or simulcast wagering in its casino or casino simulcasting facility.

- As part of the patron's credit application;
- ii. In a separate writing, which shall be maintained a in the patron's credit file; or
- iii. On a Counter Check or Slot Counter Check drawn by the patron and issued pursuant to N.J.A.C. 19:45–1.25 or 1.25A; provided that the patron specifically acknowledges the notice by signing his or her name thereunder or in any other manner approved by the Commission, and further provided that a photocopy of the signed Counter Check or Slot Counter Check shall be maintained in the patron's credit file.
- (h) Notwithstanding (g) above, if a patron requests by mail to redeem value chips in any amount, a casino licensee may effectuate such redemption, however, only by a cage supervisor as defined in N.J.A.C. 19:45-1.1, in accordance with internal controls approved by the Commission which, at a minimum, shall detail procedures for the issuance of a casino check and the transfer of the surrendered value chips to the chip bank in a transaction fully supported by proper documentation.
- (i) Each casino licensee shall accept, exchange, use or redeem only gaming chips or plaques that it has issued and shall not knowingly accept, exchange, use or redeem gaming chips or plaques, or objects purporting to be gaming chips or plaques, that have been issued by any other person, except that a casino licensee may accept and redeem gaming chips or plaques issued by another legally operated casino
- 1. A patron, upon the patron's representation that such chips or plaques had been purchased or received as payment in a gaming transaction from an employee of the casino licensee during the normal course of the employee's duties while on the premises of the casino licensee; or
- 2. One of its employees who is authorized to receive gratuities, upon the employee's representation that the gaming chips were received as gratuities in the normal course of his or her duties while on the premises of the casino licensee.
- (j) Employees of a casino licensee who are authorized to receive gaming chips as personal gratuities may redeem the gaming chips at the cashiers' cage or at another secure location in the casino hotel as approved by the Commission. Gaming chips redeemed by employees at a non-cage employee redemption site shall be exchanged on a daily basis with the cashiers' cage pursuant to N.J.A.C. 19:45-1.15 and in accordance with procedures approved by the Commission.
- (k) Each casino licensee shall redeem promptly its own genuine value chips and gaming plaques presented to it by any other legally operated casino licensee upon the representation that such chips and plaques were received or accepted unknowingly, inadvertently or in error or were redeemed in accordance with the provisions of (i) above. Each casino licensee shall submit to the Commission for approval a system for the exchange, with other legally

operated casino licensees, of value chips and gaming plaques:

- 1. That are in its possession and that have been issued by any other legally operated casino licensee; and
- 2. That it has issued and that are presented to it for redemption by any other legally operated casino licensee.
- (1) Each casino licensee shall cause to be posted and remain posted in a prominent place on the front of the cashiers' cage, any satellite cage, the simulcast counter, the keno booth and any satellite keno booth a sign that reads as follows:

"By law, gaming chips or plaques issued by another casino may not be used, exchanged or redeemed in this casino or casino simulcasting facility."

Amended by R.1984 d.564, effective December 17, 1984. See: 16 N.J.R. 41(a), 16 N.J.R. 3494(b). Substantially amended. Amended by R.1988 d.224, effective May 16, 1988. See: 20 N.J.R. 516(a), 20 N.J.R. 1099(c). Substantially amended. Amended by R.1991 d.232, effective May 6, 1991. See: 22 N.J.R. 3327(a), 23 N.J.R. 1463(b). In (c): added "slot" booth to text. Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). Simulcast provisions added; satellite cages added. Administrative correction to (b). See: 25 N.J.R. 1778(b) Amended by R.1993 d.431, effective September 7, 1993. See: 25 N.J.R. 2233(a), 25 N.J.R. 4126(a). Amended by R.1993 d.492, effective October 4, 1993. See: 25 N.J.R. 3107(b), 25 N.J.R. 4618(a). Amended by R.1994 d.137, effective March 21, 1994. See: 25 N.J.R. 5902(a), 26 N.J.R. 1373(b) Amended by R.1994 d.504, effective October 3, 1994. See: 26 N.J.R. 2872(a), 26 N.J.R. 3253(a), 26 N.J.R. 4089(a). Amended by R.1995 d.285, effective June 5, 1995. See: 26 N.J.R. 2218(a), 27 N.J.R. 2254(a) Amended by R.1996 d.269, effective June 17, 1996. See: 28 N.J.R. 1614(a), 28 N.J.R. 3175(a). Amended by R.1996 d.442, effective September 16, 1996. See: 28 N.J.R. 3246(a), 28 N.J.R. 4242(a). Amended by R.1997 d.132, effective March 17, 1997. See: 28 N.J.R. 5160(a), 29 N.J.R. 923(a).

In (a), amended N.J.A.C. references and inserted second sentence; in (b), substituted "gaming tables. Gaming plaques and value chips shall only be redeemed" for "gaming tables and shall only be redeemed" and inserted reference to keno wagers in public keno areas; inserted new (c) and (d); recodified former (c) through (i) as (d) through (k); and made conforming changes to subsection references and substituted references to value chips for references to gaming chips

Amended by R.1997 d.217, effective May 19, 1997.

Amended by R.1997 (1,217, effective)
See: 29 N.J.R. 325(b), 29 N.J.R. 2470(a).

See: 29 N.J.R. 325(b), 29 N.J.R. 2470(a).

See: 29 N.J.R. 325(b), 29 N.J.R. 2470(a).

See: 29 N.J.R. 325(b), 29 N.J.R. 2470(a). chips" for 'and', and "value chips may be" for "gaming chips may be"; inserted (b)1; and in (b)3, inserted "by a patron" and ", including keno wagers in public areas"

Petition for Rulemaking: Notice of Receipt of a Petition for Rulemak-

See: 29 N.J.R. 2571(c).

Amended by R.1997 d.250, effective June 16, 1997.

See: 29 N.J.R. 745(a), 29 N.J.R. 2675(a). In (b)3, deleted "including keno wagers in public keno areas"; recodified former (e) as (c), and former (c) and (d) as (d) and (e); in (e), inserted cite to (l); inserted new (j); and recodified former (j) and (k) as (k) and (*l*).

Amended by R.1997 d.423, effective October 6, 1997.

See: 28 N.J.R. 4181(b), 29 N.J.R. 4304(b).

Inserted (e)1 and 2. Amended by R.1997 d.490, effective November 17, 1997. See: 29 N.J.R. 3440(b), 29 N.J.R. 4863(a).

Added (g)2i through (g)2iii. Amended by R.1998 d.164, effective April 6, 1998.

See: 29 N.J.R. 2632(a), 30 N.J.R. 1304(a).

In (a), inserted a reference to keno in the first sentence, and substituted a reference to keno work stations for a reference to keno booths in the third sentence; and in (b)3, added a reference to keno wagers in public keno areas.

Amended by R.1999 d.379, effective November 1, 1999.

See: 30 N.J.R. 4147(b), 31 N.J.R. 3527(a).

In (b), rewrote the second sentence in the introductory paragraph. Amended by R.2001 d.450, effective December 3, 2001. See: 33 N.J.R. 3253(a), 33 N.J.R. 4155(b).

Rewrote (i) and (k).

Amended by R.2002 d.131, effective May 6, 2002

See: 33 N.J.R. 3882(a), 34 N.J.R. 1737(a).
In (b), inserted a new 2 and recodified former 2 and 3 as 3 and 4. Petition for Rulemaking. See: 34 N.J.R. 1750(b), 2154(b).

Petition for Rulemaking.

See: 34 N.J.R. 3396(a)

Amended by R.2003 d.284, effective July 21, 2003

See: 34 N.J.R. 3077(a), 35 N.J.R. 3410(b).

In (b), added language indicating that gaming chips may be issued by general cashiers as well as chippersons.

19:46-1.6 Receipt of gaming chips or plaques from manufacturer or distributor; inventory, security, storage and destruction of chips and plaques

- (a) When gaming chips or plaques are received from the manufacturer or distributor thereof, they shall be opened and checked by at least three people, one of whom shall be from the accounting or auditing department of the casino licensee. Any deviation between the invoice accompanying the chips and plaques and the actual chips or plaques received or any defects found in such chips or plaques shall be reported promptly to the Commission and Division.
- (b) After checking the gaming chips or plaques received, the casino licensee shall cause to be recorded in a chip inventory ledger the assigned alphabetical designation, the denomination of the value chips and gaming plaques received, the number of each denomination of value chip and gaming plaque received, the serial number, if required by N.J.A.C. 19:46-1.1A(i) or 1.4(b), of the value chips and gaming plaques received, the number and description of all non-value chips received, the date of any such receipt and the signatures of the individuals who checked any such chips and plaques. If the gaming chips will not be put into active use, the ledger shall also identify the storage location.
 - (c) Any gaming chips not in active use shall be stored in:
 - 1. An approved casino vault;
 - 2. The cashiers' cage; or
 - 3. A comparable secure area, approved by the Commission, which is adjacent to and accessible exclusively from the casino.
- (d) Whenever any gaming chips or plaques are taken from or returned to an approved storage area, at least two individuals shall be present, and the following information shall be recorded in the chip inventory ledger together with the date and signatures of the individuals involved:

- 1. The alphabetical designation, and if applicable, any numeric designation;
- 2. The number, dollar amount, and, if required by N.J.A.C. 19:46-1.1A(i) or 1.4(b), serial number for each denomination of value chip or gaming plaque removed or returned:
- The number and description of the non-value chips removed or returned;
 - The specific storage area being entered; and
 - The reason for the entry into the storage area.
- (e) At the end of each gaming day, a casino licensee shall compute and record the unredeemed liability for each denomination of value chips and gaming plaques. At least once every 30 days, at a minimum, each casino licensee shall inventory all sets of value chips and gaming plaques in its possession and shall record the result of such inventory in the chip inventory ledger. The procedures to be utilized to compute the unredeemed liability and to inventory value chips and gaming plaques shall be submitted to the Commission for approval. A physical inventory of value chips and gaming plaques not in active use shall only be required annually if the inventory procedures incorporate the sealing of the locked compartment.
 - 1. If a casino licensee elects to commingle gaming chips pursuant to N.J.A.C. 19:46-1.3(e), a member of the casino accounting department shall, on a quarterly basis, inventory all gaming chips of a particular sample and readjust the starting inventory for those gaming chips which are no longer in the possession of the casino licensee. The adjusted inventory figure shall be recorded in the chip inventory ledger and shall be the new beginning inventory figure for the next quarter for purposes of computing the daily outstanding chip liability required by this section.
- (f) Prior to the destruction of gaming chips and plaques, the casino licensee shall notify the Commission and the Division, in writing, of the date and the location at which the destruction will be performed, the denomination, number and amount of value chips and plaques to be destroyed, the description and number of non-value chips to be destroyed and a detailed explanation of the method of destruction. Unless otherwise authorized by the Commission, the destruction of gaming chips and plaques shall be carried out in the presence of at least two employees of the casino licensee, one of whom shall be from the accounting or auditing department of the casino licensee and one of whom shall be from any other mandatory department of the casino licensee. The denomination, number and amount of value chips and plaques or, in the case of non-value chips, the description and number so destroyed shall be recorded in the chip inventory ledger together with the signatures of the individuals carrying out such destruction, and the date on which said destruction took place. The casino licensee shall also maintain a written log of the names and license numbers of all casino personnel involved in each such destruction, as well as the names and addresses of all non-casino personnel involved.

(g) A casino licensee shall ensure that at all times there is adequate security, as approved by the Commission, for all gaming chips and plaques in its possession.

Amended by R.1983 d.299, effective August 1, 1983.

See: 14 N.J.R. 828(a), 15 N.J.R. 1259(b).

In (f), added requirement to compute and record the unredeemed liability of chips and plaques on a daily basis.

Amended by R.1984 d.564, effective December 17, 1984.

See: 16 N.J.R. 41(a), 16 N.J.R. 3494(b).

Section substantially amended.

Amended by R.1991 d.468, effective September 16, 1991

See: 23 N.J.R. 1780(a), 23 N.J.R. 2869(a).

In (g): added security department reference and text regarding the maintenance of a written log.

Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

In subsections (f) and (h), revised text to specify time frames for rule. Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Casino" changed to "casino licensee."

Amended by R.1993 d.254, effective June 7, 1993.

See: 25 N.J.R. 1083(a), 25 N.J.R. 2508(a).

Amended by R.1994 d.504, effective October 3, 1994.

See: 26 N.J.R. 2872(a), 26 N.J.R. 3253(a), 26 N.J.R. 4089(a).

Amended by R.1996 d.14, effective January 2, 1996.

See: 27 N.J.R. 3772(a), 28 N.J.R. 181(a).

In (g) substituted "two employees of the casino licensee" for "two people" and substituted "any other mandatory department" for "the security department".

Amended by R.1996 d.122, effective March 4, 1996.

See: 27 N.J.R. 1775(a), 28 N.J.R. 1399(a).

Amended by R.1997 d.132, effective March 17, 1997.

See: 28 N.J.R. 5160(a), 29 N.J.R. 923(a).

In (b), inserted reference to alphabetical designation and substituted "value chips and gaming plaques" for "chips and plaques", and added the last sentence; deleted (c), relating to reserved chips or plaques; recodified former (d) through (h) as (c) through (g); and substantially amended (c), (d), and (e).

Amended by R.1999 d.221, effective July 19, 1999.

See: 30 N.J.R. 3171(a), 31 N.J.R. 1943(a).

In (b), inserted a reference to serial numbers of value chips and gaming plaques; and in (d)2, inserted a reference to serial numbers.

19:46-1.7 Roulette table; physical characteristics; double zero roulette wheel used as a single roulette wheel

- (a) Roulette shall be played on a table having a roulette wheel of not less than 30 inches in diameter at one end of the table and a roulette layout imprinted on the opposite end of the table.
- (b) Each roulette wheel shall be of a single zero variety or a double zero variety as described and depicted below:
 - 1. Each single zero roulette wheel shall have 37 equally spaced compartments around the wheel where the roulette ball shall come to rest. The roulette wheel shall also have a ring of 37 equally spaced areas to correspond to the position of the compartments with one marked zero and colored green and the others marked 1 to 36 and colored alternately red and black which numbers shall be arranged around the wheel as depicted in the following diagram unless otherwise approved by the Commission. The color of each compartment shall either be a corresponding color to those depicted on the ring or a neutral color as approved by the Commission.

- 2. Each double zero roulette wheel shall have 38 equally spaced compartments around the wheel where the roulette ball shall come to rest. The roulette wheel shall also have a ring of 38 equally spaced areas to correspond to the position of the compartments with one marked zero and colored green, one marked double-zero (00) and colored green, and the others marked 1 to 36 and colored alternately red and black which numbers shall be arranged around the wheel as depicted in the following diagram unless otherwise approved by the Commission. The color of each compartment shall either be a corresponding color to those depicted on the ring or a neutral color as approved by the Commission.
- (c) A double zero roulette wheel may be used as a single zero roulette wheel, provided that:
 - 1. If a double zero table layout is used, the "00" wager area on the layout is obscured with a cover or other approved device which clearly indicates that such a wager is not available; and
 - 2. Appropriate signage is posted at the roulette table to notify players that:
 - i. A double zero roulette wheel is being used as a single zero roulette wheel, and that double zero (00) is not an available wager;
 - ii. If the roulette ball comes to rest in a compartment marked double zero (00), the spin will be declared void and the wheel will be respun; and
 - iii. Wagers on red, black, odd, even, 1 to 18 and 19 to 36 shall be lost if the roulette ball comes to rest in a compartment marked zero (0).
- (d) The layout for a roulette table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game; and
 - 2. Specific areas for the placement of the wagers authorized by N.J.A.C. 19:47-5.1.
- (e) Notwithstanding (d) above, if a casino licensee offers an optional wager authorized by N.J.A.C. 19:47–5.1, the layout for that roulette table shall also include, in a manner approved by the Commission, designated areas for the placement of such wagers.
- (f) Each roulette table shall have a drop box and a tip box attached to it, in locations approved by the Commission.

Petition for Rulemaking. To permit alternative color designations for the bases of the equally spaced compartments or pockets of the roulette wheel upon which the ball comes to rest.

See: 20 N.J.R. 824(c)

Amended by R.1989 d.96, effective February 21, 1989.

See: 20 N.J.R. 2445(a), 21 N.J.R. 461(a).

(b) substantially amended.

Amended by R.1992 d.452, effective November 16, 1992. See: 24 N.J.R. 3033(a), 24 N.J.R. 4279(a).

19:46-1.7

Added new (c); redesignated existing (c) as (d). Amended by R.1995 d.167, effective March 20, 1995. See: 27 N.J.R. 57(b), 27 N.J.R. 1202(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 33 N.J.R. 1057(a). Rewrote (d); and added (f).

19:46-1.8 Roulette balls

Balls used in gaming at roulette shall be made completely of a non-metallic substance and not be less than 12/16 of an inch nor more than 14/16 of an inch in diameter unless otherwise approved by the Commission.

19:46-1.9 Roulette; inspection procedures; security procedures

- (a) Prior to opening a roulette table for gaming activity, a casino supervisor or member of the casino security department shall:
 - 1. Inspect the roulette table and roulette wheel for any magnet or contrivance that would affect the fair operation of such wheel;
 - 2. Inspect the roulette wheel to assure that it is level and rotating freely and evenly;
 - 3. Inspect the roulette wheel to assure that all parts are secure and free from movement;
 - 4. Inspect the roulette ball by passing it over a magnet or compass to assure its non-magnetic quality; and
 - 5. Conform that the layout and signage comply with N.J.A.C. 19:46–1.7(c), if a double zero roulette wheel is being used as a single zero roulette wheel.
- (b) If a casino licensee uses a roulette wheel which has external movable parts, any adjustments to the movable parts shall be made by a casino supervisor or a member of the casino maintenance department, in the presence of a security department member. Adjustments to the movable parts of a roulette wheel that is located on the casino floor, or in a casino simulcasting facility, shall only be made:
 - 1. When the casino or casino simulcasting facility is not open to the public; or
 - 2. If the roulette wheel is moved to a secure location outside the casino or casino simulcasting facility as approved by the Commission.
- (c) All adjustments shall be completed prior to the required inspections in (a) above.
- (d) The casino licensee may replace any of the movable parts at any time, provided, however, if any one or more of the movable parts are external then an inspection must be completed by the Division prior to reopening the roulette wheel and table for gaming activity.

- (e) A log shall be maintained which shall include, at a minimum, the date, the roulette table number, whether an adjustment or replacement was completed and the signature of the person making the adjustment or replacement.
- (f) When a roulette table is not open for gaming activity, the roulette wheel shall be secured by placing a cover over the entire wheel and securely locking such cover to the roulette table.

Amended by R.1989 d.96, effective February 21, 1989.

See: 20 N.J.R. 2445(a), 21 N.J.R. 461(a).

Added new (a)3 and (b); recodified old (a)3 to (a)4 and (b) to (c). Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

Section amended to provide an option to casino licensees where it is necessary to make adjustments to roulette wheels with external movable parts. Added (b)1 and 2; recodified text of existing (b) as (c)–(e); recodified existing (c) as (f), revising text.

Amended by R.1992 d.452, effective November 16, 1992.

See: 24 N.J.R. 3033(a), 24 N.J.R. 4279(a).

Added (a)5.

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Simulcast provisions added.

19:46-1.10 Blackjack tables; card reader device; physical characteristics; inspections

- (a) Blackjack shall be played at a table having on one side places for the players and on the opposite side a place for the dealer.
- (b) The layout for a blackjack table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game; and
 - 2. Specific areas designated for the placement of wagers, which betting areas shall not exceed seven in number.
- (c) The following inscriptions shall appear on the blackjack layout:
 - 1. Blackjack pays 3 to 2.
 - 2. Dealer must draw to 16 and stand on all 17's; and
 - 3. Insurance pays 2 to 1.
- (d) Notwithstanding the requirements of (c) above, if a casino licensee offers blackjack rule variations in accordance with the requirements of N.J.A.C. 19:47–2.6(k), the blackjack layout shall be approved by the Commission and have imprinted on it, at a minimum, the following additional inscriptions:
 - 1. Blackjack pays 1 to 1;
 - 2. Dealer must draw to 16 and stand on all 17's; and
 - 3. Dealer's hole card dealt face up.

- (e) Each blackjack table shall have a drop box and a tip box attached to it with the location of said boxes on the same side of the gaming table, but on opposite sides of the dealer, as approved by the Commission.
- (f) If a casino licensee offers one of the additional wagers authorized by N.J.A.C. 19:47–2.17, the blackjack layout shall be approved by the Commission and shall have designated areas for the placement of the additional wager. If a casino licensee offers the additional wager authorized by N.J.A.C. 19:47–2.17(a)1, the layout shall also have the payout odds for the additional wager imprinted thereon. If a casino licensee offers the additional wager authorized by N.J.A.C. 19:47–2.17(a)3, the layout or a separate sign located at the table shall contain the payout odds for the additional wager.
- (g) A blackjack table may have attached to it, as approved by the Commission, a card reader device which permits the dealer to read his or her hole card in order to determine if the dealer has a blackjack in accordance with N.J.A.C. 19:47–2.6. If a blackjack table has an approved card reader device attached to it, the floorperson assigned to the table shall inspect the card reader device at the beginning of each gaming day. The purpose of this inspection shall be to insure that there has been no tampering with the device and that it is in proper working order. A card reader device shall not be used on a blackjack table offering a progressive blackjack wager pursuant to N.J.A.C. 19:47–2.19.
- (h) Notwithstanding the requirements of (b) above, if a casino licensee offers multiple action blackjack in accordance with the requirements of N.J.A.C. 19:47–2.18, the blackjack layout shall be approved by the Commission and shall contain, at a minimum:
 - 1. Three separate designated betting areas for each player position at the table with each separate betting area being numbered one through three, provided, however, that the number of player positions at each table shall not exceed six;
 - 2. A separate designated area on the layout, for each player position, for the placement of insurance wagers;
 - 3. A separate designated area on the layout, for each player position, for the placement of double down wagers;
 - 4. A separate designated area on the layout for each player position, for the placement of split pair wagers; and
 - 5. Three separate areas designated for the placement of the dealer's original face up card with each separate area being numbered one through three.
- (i) In order to collect the cards at the conclusion of a round of play as required by N.J.A.C. 19:47-2.6(i) and at such other times as provided in the rules of the Commission, each blackjack table shall have a discard rack securely attached to the top of the dealer's side of the table. The

height of each discard rack shall equal the height of the cards, stacked one on top of the other, contained in the total number of decks that are to be used in the dealing shoe at that table; provided, however, that a taller discard rack may be used if such rack has a distinct and clearly visible mark on its side to show the exact height for a stack of cards equal to the total number of cards contained in the number of decks to be used in the dealing shoe at that table. Whenever a double shoe is used at a blackjack table, the same number of decks shall be used in each side of the double shoe, and the height and marking requirements as set forth above for the table's discard rack shall be determined from the number of decks used in one side of the shoe.

- (j) If a casino licensee offers a progressive blackjack wager pursuant to N.J.A.C. 19:47–2.19, the blackjack layout shall be approved by the Commission. In addition, the blackjack layout shall have designated areas for the placement of the progressive blackjack wager and shall contain the following equipment in addition to the requirements of N.J.A.C. 19:45–1.39B:
 - 1. A separate acceptor device mounted in a location approved by the Commission for the placement of a progressive wager. Each acceptor device shall have a light which shall illuminate upon insertion and acceptance of a gaming chip;
 - 2. A method to ensure that only one progressive blackjack wager is made per person, per round of play;
 - 3. A device or method to indicate that a progressive blackjack wager has been won;
 - 4. A sign describing the winning wagers and the payouts to be awarded on winning progressive blackjack wagers at a location near the table as approved by the Commission;
 - 5. A table controller panel located in an area of the table as approved by the Commission. The table controller panel shall be equipped with a "lock-out" button which, once activated by the dealer, shall prevent any player from depositing a gaming chip in the acceptor device; and
 - 6. A mechanical, electrical or electronic table inventory return device which shall permit all gaming chips deposited into the acceptor devices referenced in (j)1 above to be collected and immediately returned to a designated area within the table inventory container prior to the dealing of a hand. The table inventory return device shall be designed and constructed to contain any feature the Commission may require to maintain the security and integrity of the game. The procedures for the operation of all functions of the table inventory return device shall be submitted to and approved by the Commission.

46-8.2.0.3

- (k) If a casino licensee offers a blackjack bonus wager pursuant to N.J.A.C. 19:47-2.20, the blackjack layout shall be approved by the Commission, shall have designated areas for the placement of the blackiack bonus wager, and shall contain the following equipment:
 - 1. A table controller located in an area of the table or the pit as approved by the Commission, which area shall be secured by dual key control, with one key being maintained and controlled by the Commission and the second key being maintained and controlled by a casino supervisor.
 - i. One table controller shall control no more than four blackjack tables. Procedures for the operation, security and control of the table controller shall be submitted to and approved by the Commission.
 - ii. Whenever it is required that a table controller or any device connected thereto which may affect the operation of the blackjack bonus system be accessed or opened, certain information shall be recorded on a form entitled "Controller Access Authorization Log," which shall include, at a minimum, the date, time, purpose of accessing or opening the controller or device, and the signature of the authorized employee accessing or opening the machine or device. The Controller Access Authorization Log shall be maintained in the same secured location as the table controller, and shall have recorded thereon a sequential number and the manufacturer's serial number or the asset number of the controller;
 - 2. A blackjack bonus button, which shall be located at the table by the dealer, and used by each player with a winning blackjack bonus wager to generate a bonus amount to be won by that player. The blackjack bonus button shall be attached to the table in a manner that will enable the dealer to place the blackjack bonus button directly in front of each winning player;
 - 3. A blackjack bonus display, which shall be located at the table and shall display the amount of the winning blackjack bonus on both sides of the device, so that the amount is visible to all players, the dealer and supervisory personnel; and
 - 4. A sign containing the amount of the blackjack bonus wager, as well as the minimum and maximum possible blackjack bonus amounts to be awarded, pursuant to N.J.A.C. 19:47-8.3.
- (1) If a casino licensee offers a streak wager pursuant to N.J.A.C. 19:47–2.22, the blackjack table shall also contain:
 - 1. A layout approved by the Commission which shall include, at a minimum:
 - i. Four additional separate designated betting areas for each of the player positions at the table, which areas shall be numbered "2" through "5"; and

- ii. The inscriptions "Two consecutive wins pays 3 to 1," "Three consecutive wins pays 7 to 1," "Four consecutive wins pays 17 to 1," and "Five consecutive wins pays 37 to 1";
- 2. The following equipment:
- i. Marker buttons ("lammers") with the casino licensee's name or logo, or other devices or methods approved by the Commission, to indicate how many consecutive blackjack hands a patron has won; and
- ii. A sign containing the permissible amount of the streak wager, posted pursuant to N.J.A.C. 19:47-8.3.
- (m) If a casino licensee offers a match-the-dealer wager pursuant to N.J.A.C. 19:47-2.23, the blackjack table shall contain:
 - 1. A layout approved by the Commission which shall include, at a minimum, an additional designated betting area bearing the inscription "Match-the-Dealer" at each of the player positions at the table; and
 - 2. A sign approved by the Commission setting forth the payout odds for the match-the-dealer wager.

Temporary amendment to (b).

See: 22 N.J.R. 2343(a).

Amended by R.1992 d.122, effective March 16, 1992.

See: 23 N.J.R. 3732(a), 24 N.J.R. 974(b)

In (b), revised text regarding shapes of blackjack betting areas. In (d), added new text concerning placement of drop and tip boxes. Deleted notes referring to blackjack diagram.

Amended by R.1992 d.174, effective April 20, 1992.

See: 23 N.J.R. 3251(a), 24 N.J.R. 1516(c).

Added new subsection (e).

Notice of Receipt of Petition for Rulemaking: to amend Blackjack Table Layouts rule to permit a casino licensee to utilize, after Commission approval, blackjack layouts with inscriptions different from those now set forth in N.J.A.C. 19:46-1.10(c), in conjunction with authorized blackjack variations.

See: 24 N.J.R. 2085(a).

Amended by R.1992 d.362, effective September 21, 1992.

See: 24 N.J.R. 2350(a), 24 N.J.R. 3338(a).

Double exposure blackjack specifications added at (d).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1993 d.38, effective January 19, 1993.

See: 24 N.J.R. 2351(a), 25 N.J.R. 367(a), Card reader device provisions added at (f).

Amended by R.1993 d.461, effective September 20, 1993.

See: 25 N.J.R. 2234(a), 25 N.J.R. 4508(c). Amended by R.1994 d.80, effective February 22, 1994.

See: 25 N.J.R. 5454(b), 26 N.J.R. 1113(a).

Amended by R.1994 d.265, effective June 6, 1994.

See: 25 N.J.R. 5893(a), 26 N.J.R. 2463(a).

Amended by R.1996 d.315, effective July 15, 1996.

See: 28 N.J.R. 1947(a), 28 N.J.R. 3623(a).

Amended by R.1996 d.316, effective July 15, 1996.

See: 28 N.J.R. 1950(a), 28 N.J.R. 3625(a).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Substituted references to blackjack layouts for references to cloths covering blackjack tables throughout; and rewrote (b).

Amended by R.1999 d.9, effective January 4, 1999.

See: 30 N.J.R. 1217(a), 31 N.J.R. 57(a).

Added (k).

Amended by R.1999 d.110, effective April 5, 1999.

See: 30 N.J.R. 4155(a), 31 N.J.R. 894(a).

In (i), deleted "immediately in front of or to the right of the dealer" at the end of the first sentence.

Amended by R.2001 d.24, effective January 16, 2001.

See: 32 N.J.R. 3754(a), 33 N.J.R. 287(a).

Added (l).

Petition for Rulemaking.

See: 35 N.J.R. 1598(a), 2375(a), 2534(a).

Amended by R.2003 d.338, effective August 18, 2003.

See: 35 N.J.R. 1800(a), 35 N.J.R. 3835(a).

In (j)1, substituted "in a location approved by the Commission" for "directly in front of each respective betting area".

Amended by R.2004 d.285, effective July 19, 2004.

See: 36 N.J.R. 1311(a), 36 N.J.R. 3422(a).

Added (m).

19:46–1.10A Three card poker table; physical characteristics

- (a) Three card poker shall be played at a table having betting positions for the players on one side of the table and a place for the dealer on the opposite side. Such betting positions shall not exceed nine in number depending on the size of the table.
- (b) The layout for a three card poker table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of "ante" wagers;
 - 3. A separate designated betting area located immediately in front of each ante wager betting area for the placement of "play" wagers;
 - 4. A separate designated betting area located immediately behind each ante wager betting area for the placement of "pair plus" wagers; and
 - 5. Inscriptions that advise patrons, in accordance with N.J.A.C. 19:47–20.11 and as approved by the Commission, the payout odds for ante and play wagers, pair plus wagers and ante bonuses and that "Dealer Plays with Queen High or Better".
- (c) Each three card poker table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

New Rule, R.1997 d.134, effective March 17, 1997.

See: 28 N.J.R. 2531(a), 29 N.J.R. 928(a).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph, and added "offering the game" at the end of 1; and rewrote (c).

Amended by R.2000 d.63, effective February 22, 2000.

See: 31 N.J.R. 3247(a), 32 N.J.R. 718(a).

Rewrote (b)5.

19:46-1.10B Spanish 21 table; physical characteristics

- (a) Spanish 21 shall be played at a table having betting positions for no more than six players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a spanish 21 table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of the following wagers:
 - i. The required spanish 21 wager; and
 - ii. An optional match-the-dealer wager;
 - 3. The following inscriptions:
 - i. "Blackjack Pays 3 to 2:"
 - ii. "Dealer Must Draw to 16 and Stand on All 17's;"
 - iii. "Insurance Pays 2 to 1."
 - 4. The payout odds for each of the wagers listed in N.J.A.C. 19:47–19.5(f) and (g); and
 - 5. The payout odds for the match-the-dealer wager, unless the odds are included in the sign required by (c) below.
- (c) A casino licensee shall post a sign approved by the Commission at each spanish 21 table, which explains:
 - 1. That doubled down hands are not eligible for the additional payouts in N.J.A.C. 19:47-19.5(f);
 - 2. That doubled down hands and split hands are not eligible for the additional payouts in N.J.A.C. 19:47–19.5(g); and
 - 3. The payout odds for the match-the-dealer wager, if those payout odds are not imprinted on the layout.
- (d) Each spanish 21 table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, in locations approved by the Commission.
- (e) In order to collect the cards at the conclusion of a round of play as required by N.J.A.C. 19:47–19.7(h) and at such other times as provided in the rules of the Commission, each spanish 21 table shall have a discard rack securely attached at the top of the dealer's side of the table. The height of each discard rack shall equal the height of the cards, stacked one on top of the other, contained in the total number of decks that are to be used in the dealing shoe at that table; provided, however, that a taller discard rack may be used if such rack has a distinct and clearly visible mark on its side to show the exact height for a stack of cards equal to the total number of cards contained in the number of decks to be used in the dealing shoe at that table.

(f) A spanish 21 table may have attached to it, as approved by the Commission, a card reader device which permits the dealer to read his or her hole card in order to determine if the dealer has a blackjack in accordance with N.J.A.C. 19:47–19.1. If a spanish 21 table has an approved card reader device attached to it, the floorperson assigned to the table shall inspect the card reader device at the beginning of each gaming day. The purpose of this inspection shall be to insure that there has been no tampering with the device and that it is in proper working order.

New Rule, R.2000 d.2, effective January 3, 2000. See: 30 N.J.R. 4149(a), 32 N.J.R. 71(a).

Administrative correction. See: 32 N.J.R. 718(b).

19:46-1.11 Craps and mini-craps tables; physical characteristics

- (a) Craps and mini-craps shall be played on an oblong table with rounded corners and high walled sides.
 - 1. A craps table shall be at least 12 feet in length, and shall not be larger than 14 feet in length.
 - 2. A mini-craps table shall be no longer than 9½ feet in length, and shall have seating locations for a maximum of nine players.
- (b) The layout for a craps or mini-craps table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Specific areas designated for the placement of wagers authorized by N.J.A.C. 19:47-1.2; and
 - 3. The words "No call bets".
- (c) Each craps and mini-craps table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

Amended by R.1981 d.388, effective November 2, 1981.

See: 13 N.J.R. 534(b), 13 N.J.R. 780(c).

Editor's Note amended to include new address for the Commission. Public Notice: Petition for Rulemaking of New Craps Wager "Over 7/Under 7".

See: 18 N.J.R. 1315(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1996 d.356, effective August 5, 1996.

See: 28 N.J.R. 2352(b), 28 N.J.R. 3818(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b); and added (c).

19:46-1.12 Baccarat and minibaccarat tables; physical characteristics

(a) Baccarat-Punto Banco shall be played on a table having numbered places for 10 to 14 seated players.

- (b) Baccarat-Chemin de Fer shall be played on a table having numbered places for 9 to 14 seated players.
- (c) Minibaccarat shall be played at a table having on one side places for a maximum of nine seated players, and on the opposite side a place for the dealer; provided however, that unless the cards are changed after each shoe, a minibaccarat table using the dealing procedure in N.J.A.C. 19:47–7.7(c)3 shall have places for a maximum of six seated players. The dimensions of a minibaccarat table shall be approved by the Commission.
- (d) The layout for a baccarat or minibaccarat table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. For Baccarat-Punto Banco and minibaccarat layouts, specific areas designated for the placement of wagers on the "Banker's Hand," "Players Hand" and "Tie Hand";
 - 3. For Baccarat-Chemin de Fer layouts, specific areas for the placement of the wagers authorized by N.J.A.C. 19:47-4.6 and 4.7;
 - 4. For Baccarat-Punto Banco and minibaccarat layouts, the phrase "Tie Bets pay 8 to 1";
 - 5. Numbered areas that correspond to the seat numbers for the purpose of marking vigorish; provided, however, that the numbered areas are not required if:
 - i. For Baccarat-Punto Banco, the casino licensee offers a no vigorish variation of the game in accordance with N.J.A.C. 19:47-3.3(e);
 - ii. For minibaccarat, the casino licensee only charges vigorish in accordance with the provisions of N.J.A.C. 19:47–7.3(d) or offers a no vigorish variation of the game in accordance with the provisions of N.J.A.C. 19:47–7.3(f); and
 - 6. An area designated for the placement of cards for the "Player's" and "Banker's" hands.
- (e) If marker buttons are used for the purpose of marking vigorish, these marker buttons shall be placed in the table inventory float container or in a separate rack designed for the purpose of storing marker buttons and such rack shall be placed in front of the table inventory float container during gaming activity.
- (f) Each baccarat and minibaccarat table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

Amended by R.1986 d.308, effective August 4, 1986. See: 18 N.J.R. 1096(a), 18 N.J.R. 1614(b).

(c) added.

46-8.2.0.4.0.2

Amended by R.1987 d.395, effective October 5, 1987.

See: 19 N.J.R. 54(b), 19 N.J.R. 1826(b), 19 N.J.R. 1914(b). Added (a)3: renumbered old 3. to 4. Added diagram.

Petition for Rulemaking: Requests clarification of terms.

See: 21 N.J.R. 2678(b).

Amended by R.1990 d.101, effective February 5, 1990.

See: 21 N.J.R. 3446(b), 22 N.J.R. 562(a).

In (c): revised language in (1) to form new (1) and (2), specifying types of betting areas to be designated on the minibaccarat table. Recodified existing (c)2-4 as (c)3-5, with no change in text.

Amended by R.1992 d.259, effective June 15, 1992.

See: 24 N.J.R. 568(a), 24 N.J.R. 2298(a).

In (a): revised address for the Commission.

In (c)2: Deletes specific designs for betting areas; adds "Tie Hand" to text and adds provision that each table may have a maximum of nine areas for players.

In (c)3i and ii: revises text to include references to "numbered boxes" and to specify marking "vigorish."

In (c)5: revised text to specify location for the drop box and tip box of each minibaccarat table.

Added new (c)6 and deleted minibaccarat table diagram appearing at subsection (c).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1993 d.655, effective December 20, 1993.

See: 25 N.J.R. 4474(b), 25 N.J.R. 5944(a).

Amended by R.1996 d.162, effective March 18, 1996.

See: 28 N.J.R. 77(b), 28 N.J.R. 1560(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote the section.

Amended by R.1998 d.474, effective September 21, 1998.

See: 30 N.J.R. 3514(a).

In (d)5, added i and ii.

Amended by R.1999 d.42, effective February 1, 1999.

See: 30 N.J.R. 4034(a), 31 N.J.R. 454(a).

In (c), inserted "; provided however, that a minibaccarat table using the dealing procedure in N.J.A.C. 19:47–7.7(c)3 shall have places for a maximum of six seated players" at the end of the first sentence. Petition for Rulemaking.

See: 35 N.J.R. 2959(a), 4149(a).

Amended by R.2004 d.357, effective September 20, 2004.

See: 36 N.J.R. 1899(a), 36 N.J.R. 4325(b).

In (c), inserted "unless the cards are changed after each shoe" following "provided however, that".

19:46-1.13 Big Six Wheel and layout; physical characteristics

- (a) Gaming at Big Six shall be conducted at a wheel circular in shape and no less than five feet in diameter. The rim of the wheel shall be divided into 54 equally spaced sections with 23 sections containing a \$1.00 bill, 15 sections containing a \$2.00 bill, eight sections containing a \$5.00 bill, four sections containing a \$10.00 bill, two sections containing a \$20.00 bill, one section containing a picture of a flag or the name or logo of the casino licensee, and one section containing a picture of a joker, each of which sections shall be covered with glass.
- (b) The sections required by (a) above shall be arranged clockwise around the rim of the wheel in the following order: joker, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2, \$1, flag, \$2, \$5, \$2, \$1, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2 and \$1.

- (c) Each section of the Big Six Wheel shall also display the payout odds for the wager contained therein, pursuant to N.J.A.C. 19:47–5.5
- (d) Each Big Six Wheel table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (e) The layout for a Big Six Wheel table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Spaces which shall be used by patrons to place their wagers, and which shall contain:
 - i. Depictions of a \$1.00 bill, \$2.00 bill, \$5.00 bill, \$10.00 bill, and \$20.00 bill, or numbers representing those monetary denominations, as approved by the Commission;
 - ii. A flag or the name or logo of the casino licensee, as it appears on the Big Six Wheel; and
 - iii. A joker; and
 - 3. The payout odds for each of the permitted wagers.

Amended by R.1979 d.429, eff. October 18, 1979.

See: 11 N.J.R. 478(a), 11 N.J.R. 600(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). "Trade name" and "licensee" added; address updated.

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b) and (c).

Amended by R.1998 d.553, effective November 16, 1998.

See: 30 N.J.R. 3178(a), 30 N.J.R. 4070(a).

Rewrote the section.

19:46-1.13A Sic bo table; sic bo shaker; physical characteristics

- (a) Each sic bo table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (b) Each sic bo table shall have an electrical device which, when the numeric value of each die has been entered, shall cause the winning combinations to be illuminated. The sic bo table shall have an area, as approved by the Commission, which depicts all permissible wagers pursuant to N.J.A.C. 19:47–9.2. Each combination shall have the capability to be illuminated, if it is a winning combination, after the numeric value of each die has been entered into the electrical device by the dealer.
- (c) The layout for a sic bo table shall be approved by the Commission and shall contain, at a minimum:

- 1. The name or trade name of the casino licensee; and
- 2. Specific areas designated for the placement of the wagers authorized by N.J.A.C. 19:47–9.2; and
- 3. The payout odds currently being offered in accordance with N.J.A.C. 19:47-9.4.
- (d) Sic bo shall be played with a sealed container, to be known as a "sic bo shaker," which shall be used to shake the dice in order to arrive at the winning combinations.
 - 1. A manual sic bo shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game and shall, at a minimum, adhere to the following specifications:
 - i. The sic bo shaker shall have a compartment to secure the three dice required by N.J.A.C. 19:47–9.1 and a separate cover which conceals the dice while the dealer is shaking the sic bo shaker. The compartment to secure the three dice shall be transparent and the cover which conceals the dice shall be opaque;
 - ii. The sic bo shaker shall have the capability of being sealed or locked in order to ensure the integrity of the dice contained therein;
 - iii. The sic bo shaker shall have the name or trade name of the casino licensee or identifying logo imprinted or impressed thereon; and
 - iv. The sic bo shaker shall be secured to the sic bo table when the table is open for gaming activity.
 - 2. An automated sic bo shaker may be used in the game of sic bo, provided that:
 - i. The shaker meets the requirements of (d)1 above, except that a separate opaque cover shall not be used; and
 - ii. The shaker, its location on the sic bo table and the procedures for shaking the dice are submitted to and approved by the Commission.

New Rule, R.1991 d.615, effective December 16, 1991.

See: 23 N.J.R. 2922(a), 23 N.J.R. 3820(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). "Trade name" and "licensee" added.

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (a) and (c). Petition for Rulemaking. See: 36 N.J.R. 1245(c), 2263(c).

Amended by R.2005 d.240, effective July 18, 2005.

See: 37 N.J.R. 882(b), 37 N.J.R. 2690(a).

Rewrote (d).

19:46–1.13B Pai gow poker table; pai gow poker shaker; physical characteristics; computerized random number generator

(a) Pai gow poker shall be played at a table having on one side places for the players and on the opposite side a place for the dealer.

- (b) The layout for a pai gow poker table shall be approved by the Commission and shall contain, at a minimum, the following:
 - 1. Six separate designated betting areas for the players at the table with each area being numbered one through six;
 - 2. Two separate areas located below each betting area which shall be designated for the placement of the high and second highest or low hands of that player;
 - 3. If the casino licensee offers the optional bonus wager authorized by N.J.A.C. 19:47–11.15:
 - i. A separate area for each player, located to the right of the numbered betting areas, designated for the placement of a bonus wager by each player;
 - ii. Notice of signage, as approved by the Commission, for payout odds for the bonus wager and payout amounts for the "envy bonus" as defined at N.J.A.C. 19:47–11.15; and
 - iii. The inscription indicating the payout limit per round of play for the bonus wager established by the casino licensee pursuant to N.J.A.C. 19:47–11.16(c) or a generic inscription indicating the wager is subject to the posted payout limit.
 - 4. If the casino licensee offers the additional wager authorized by N.J.A.C. 19:47–11.13, a separate area for each player, designated for the placement of that additional wager by each player, as well as the payout odds for the additional wager; and
 - 5. Two separate areas designated for the placement of the high and second highest or low hands of the dealer.
 - 6. The name or trade name of the casino licensee offering the game.
 - 7. If the casino licensee offers the optional bonus wagers authorized by N.J.A.C. 19:47–11.17, separate areas for each player, designated for the placement of the three-card bonus wager and seven-card bonus wager.
- (c) If a casino licensee offers an optional bonus wager authorized by N.J.A.C. 19:47–11.15 or 11.17, a sign shall be posted at each pai gow poker table offering the optional bonus wager authorized by N.J.A.C. 19:47–11.15 that explains, in a manner approved by the Commission, the following:
 - 1. For the optional bonus wager authorized by N.J.A.C. 19:47–11.15, the details of the payout limit established pursuant to N.J.A.C. 19:47–11.16(c) and, if a generic inscription is used pursuant to (b)3iii above, established payout limit; or
 - 2. For the optional wagers authorized by N.J.A.C. 19:47–11.17, the payout odds for each bonus wager.

- (d) Each pai gow poker table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (e) Pursuant to N.J.A.C. 19:47–11.4, pai gow poker may be played with a container, to be known as a "pai gow shaker," which shall be used to shake three dice before each hand of pai gow poker is dealt in order to determine the starting position for the dealing or delivery of the cards. The pai gow shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game and shall, at a minimum, adhere to the following specifications:
 - 1. The pai gow poker shaker shall be capable of housing three dice and shall be designed so as to prevent

- the dice from being seen while the dealer is shaking it; and
- 2. The pai gow poker shaker shall have the name or identifying logo of the casino imprinted or impressed thereon.
- (f) As an alternative to using the shaker and dice described in (e) above, a casino licensee may, unless the casino licensee offers the optional bonus wagers authorized by N.J.A.C. 19:47–11.17, determine the starting position for the dealing or delivery of the cards in pai gow poker by utilizing a computerized random number generator that automatically selects and displays a number from 1 through 7 inclusive. Any computerized random number generator proposed for use by a casino licensee shall be approved by the Commission.

- (g) If a casino licensee offers a progressive payout wager pursuant to N.J.A.C. 19:47–11.14, the pai gow poker table shall include the following features in addition to the requirements of N.J.A.C. 19:45–1.39B:
 - 1. A separate acceptor device mounted in a location approved by the Commission for the placement of the progressive wager, which acceptor device shall have a light that illuminates upon the insertion and acceptance of a gaming chip;
 - 2. A sign describing each winning progressive payout wager and the payout to be awarded therefor in a manner and location approved by the Commission;
 - 3. A table controller panel located in an area of the table as approved by the Commission and which shall be equipped with a "lock-out" button that, once activated by the dealer as set forth in N.J.A.C. 19:47–11.14, shall prevent any player from depositing a gaming chip in the acceptor device; and
 - 4. A mechanical, electrical or electronic table inventory return device which shall permit all gaming chips deposited into the acceptor device referenced in (g)1 above to be collected and immediately returned to a designated area within the table inventory container prior to the dealing of a hand. The table inventory return device shall be designed and constructed to contain any feature the Commission may require to maintain the security and integrity of the game. The procedures for the operation of all functions of the table inventory return device shall be submitted to and approved by the Commission.

New Rule, R.1992 d.406, effective October 19, 1992. See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a). Amended by R.1994 d.224, effective May 2, 1994. See: 26 N.J.R. 344(a), 26 N.J.R. 1853(b). Amended by R.1995 d.78, effective February 6, 1995. See: 26 N.J.R. 4343(a), 27 N.J.R. 549(c). Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (a), deleted a former second sentence; and in (b), substituted "The layout for a pai gow poker table" for "Each pai gow poker layout" at the beginning, and added 5.

Amended by R.2002 d.185, effective June 17, 2002.

See: 34 N.J.R. 980(a), 34 N.J.R. 2143(a).

Added (f).

Amended by R.2002 d.298, effective September 16, 2002. See: 33 N.J.R. 3253(b), 34 N.J.R. 3287(b).

Rewrote the section.

Amended by R.2003 d.338, effective August 18, 2003.

See: 35 N.J.R. 1800(a), 35 N.J.R. 3835(a).

In (g)1, substituted "in a location approved by the Commission" for "directly in front of each respective betting position". Amended by R.2004 d.286, effective July 19, 2004.

See: 36 N.J.R. 1186(a), 36 N.J.R. 3420(a).

In (b), added 7; rewrote (c); in (e), rewrote the first sentence; in (f), substituted "(e)" for "(f)" and inserted ", unless the casino licensee offers the optional bonus wagers authorized by N.J.A.C. 19:47–11.17," in the first sentence.

19:46-1.13C Pai gow table; pai gow shaker; physical characteristics

- (a) Pai gow shall be played at a table having on one side places for the players and on the opposite side a place for the dealer.
- (b) The layout for a pai gow table shall be approved by the Commission and shall contain, at a minimum, the following:
 - 1. Six separate designated betting areas for the players at the table with each area being numbered one through six:
 - 2. A separate area, located to the left of the dealer, for the placement of four tiles which shall be referred to as the "dead hand"; and
 - 3. The name or trade name of the casino licensee offering the game.
- (c) Each pai gow table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (d) Pai gow shall be played with a container, to be known as a "pai gow shaker," which shall be used to shake three dice before each hand of pai gow is dealt in order to determine the starting position for the dealing of the pai gow tiles. The pai gow shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game and shall, at a minimum, adhere to the following specifications:
 - 1. The pai gow shaker shall be capable of housing three dice and shall be designed so as to prevent the dice from being seen while the dealer is shaking it; and
 - 2. The pai gow shaker shall have the name or identifying logo of the casino imprinted or impressed thereon.

New Rule, R.1992 d.411, effective October 19, 1992. See: 24 N.J.R. 558(a), 24 N.J.R. 3753(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (a), deleted a former second sentence; and in (b), substituted "The layout for a pai gow table" for "Each pai gow layout" at the beginning, and added 3.

19:46–1.13D Pokette table; pokette wheel; physical characteristics

- (a) A pokette table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.
- (b) The layout for a pokette table shall be approved by the Commission and shall contain, at a minimum:
 - 1. Depictions of each of the 52 playing cards contained within a deck as depicted on the pokette wheel;

- 2. Two jokers as depicted on the pokette wheel;
- 3. The following poker hand wagers:
 - i. Pair in two;
 - ii. Pair in three;
 - iii. Three of a kind;
 - iv. Straight;
 - v. Flush; and
 - vi. Straight Flush;
- 4. The following nonpoker hand wagers:
 - i. Black;
 - ii. Red;
 - iii. Ace-King-Queen rank;
 - iv. Jack-10-9 rank;
 - v. 8-7-6 rank;
 - vi. 5-4-3 rank; and
 - vii. Each suit; and
- 5. The name or trade name of the casino licensee offering the game.
- (c) Pokette shall be played with a card stand and a container to house the cards to be placed in the card stand. The location of the card stand and card container at the pokette table shall be approved by the Commission. Notwithstanding these requirements, a device approved by the Commission may be used to indicate the winning card determined by each spin of the pokette wheel in lieu of cards and a card stand. The location of such a device shall be approved by the Commission.
- (d) Pokette shall be played with a wheel to be known as a "pokette wheel" which shall be circular in shape and no less than 48 inches in diameter. The rim of the pokette wheel shall be divided into 54 equally spaced sections with 52 sections containing a depiction of each of the 52 playing cards contained within a deck and two sections each containing a depiction of a joker that is different from the other joker. The background of each joker shall be of a different color from each other, so as to be distinguishable from each other, and shall not be red or black. All 54 sections shall be covered with glass or some other transparent covering. The sections shall be arranged around the rim of the pokette wheel as follows: joker, 7 of diamonds, 4 of spades, 9 of hearts, queen of clubs, 5 of diamonds, 8 of spades, ace of hearts, 10 of clubs, 3 of diamonds, king of spades, 6 of hearts, 2 of clubs, jack of diamonds, 7 of spades, 4 of hearts, 9 of clubs, queen of diamonds, 5 of spades, 8 of hearts, ace of clubs, 10 of diamonds, 3 of spades, king of hearts, 6 of clubs, 2 of diamonds, jack of spades, joker, 7 of hearts, 4 of clubs, 9 of diamonds, queen of spades, 5 of hearts, 8 of clubs, ace of diamonds, 10 of spades, 3 of hearts, king of clubs, 6 of diamonds, 2 of spades, jack of hearts, 7 of clubs, 4 of diamonds, 9 of spades, queen of hearts, 5 of clubs, 8 of diamonds, ace of spades, 10 of hearts, 3 of clubs, king of diamonds, 6 of spades, 2 of hearts and jack of clubs.

(e) The location and the necessary security measures over the non-value and value gaming chips at a pokette table shall be approved by the Commission.

New Rule, R.1992 d.453, effective November 16, 1992. See: 24 N.J.R. 2140(a), 24 N.J.R. 4279(b). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (a); and in (b), rewrote the introductory paragraph, and added 5

19:46-1.13E Poker table; physical characteristics

- (a) Poker shall be played on a table which is oval in shape and which has places for up to 11 players and a dealer. The design of each poker table shall be approved by the Commission. Each poker table shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game.
- (b) The layout for a poker table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game; and
 - 2. A designated holding area located to the right of the dealer for the collection of the rake prior to final placement of the rake in the table inventory container.
- (c) Each poker table shall have a designated area, in a location approved by the Commission, for the placement of at least one deck of cards. This area may be part of the table inventory container.
- (d) Each poker table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, in locations approved by the Commission.

New Rule, R.1994 d.141, effective March 21, 1994. See: 25 N.J.R. 5906(a), 26 N.J.R. 1380(a). Amended by R.1996 d.122, effective March 4, 1996. See: 27 N.J.R. 1775(a), 28 N.J.R. 1399(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). Rewrote (a) and (b).

19:46-1.13F Double down stud table; physical characteristics

- (a) Double down stud shall be played on a table having seven places on one side for the players, and a place for the dealer on the opposite side.
- (b) The layout for a double down stud table shall be approved by the Commission, and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Seven separate designated betting areas for the placement of wagers by the players;

- 3. A separate designated area located below each betting area for the placement of double down wagers; and
- 4. A separate designated area located directly in front of the table inventory container for the placement of the dealer's common cards.
- (c) The following inscription shall be conspicuously printed on each double down stud layout: "Payout Limit of \$100,000 Per Hand." A casino licensee shall post a sign, approved by the Commission, at each double down stud

table explaining the details and the ramifications of this payout limit.

(d) Each double down stud table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.

New Rule, R.1994 d.593, effective December 5, 1994. See: 26 N.J.R. 1323(a), 26 N.J.R. 4790(a). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b).

Next Page is 46-9 Supp. 7-19-04

19:46-1.13G Caribbean stud poker table; physical characteristics

- (a) Caribbean stud poker shall be played on a table having betting positions for six or seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a caribbean stud poker table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee;
 - 2. A separate designated betting area at each betting position for the placement of "ante" wagers;
 - 3. A separate designated betting area located immediately behind each ante betting area for the placement of "bet" wagers; and
 - 4. The inscriptions "Payout Limit of \$5,000 per Hand on Bet Wagers" and "Bet Wager Void Unless Dealer has Ace/King or Better."
- (c) A sign shall be posted at each caribbean stud poker table that explains, in a manner approved by the Commission, the details of the \$5,000 payout limit authorized by N.J.A.C. 19:47-16.12.
- (d) Each caribbean stud poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (e) Each caribbean stud poker table shall have for each betting position a separate acceptor device for the placement of a progressive wager mounted in a location approved by the Commission. Each acceptor device shall have a light which shall illuminate upon insertion and acceptance of a gaming chip.
- (f) Each caribbean stud poker table shall have a table controller panel located in an area of the table as approved by the Commission. The table controller panel shall be equipped with a "lock-out" button which, once activated by the dealer as set forth in N.J.A.C. 19:47-16.7, will prevent any player from depositing a gaming chip in the acceptor device.
- (g) Each caribbean stud poker table shall be equipped with a mechanical, electrical or electronic table inventory return device which shall permit all gaming chips deposited into the acceptor devices referenced in (e) above to be collected and immediately returned to a designated area within the table inventory container prior to the dealing of a hand. The table inventory return device shall be designed and constructed to contain any feature the Commission may require to maintain the security and integrity of the game. The procedures for the operation of all functions of the table inventory return device shall be submitted to and approved by the Commission.

New Rule, R.1995 d.430, effective August 7, 1995. See: 27 N.J.R. 1767(b), 27 N.J.R. 2967(a).

Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph. Petition for Rulemaking.

See: 35 N.J.R. 1598(b), 2374(b). Amended by R.2003 d.338, effective August 18, 2003.

See: 35 N.J.R. 1800(a), 35 N.J.R. 3835(a).

In (e), substituted "in a location approved by the Commission" for "directly in front of the respective "ante" betting area".

19:46-1.13H Let it ride poker table; physical characteristics

- (a) Let it ride poker shall be played on a table having betting positions for seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a let it ride poker table shall be approved by the Commission and shall contain, at a minimum:
 - The name or trade name of the casino licensee;
 - 2. Three separate designated betting areas at each betting position for the placement of wagers in accordance with N.J.A.C. 19:47-18.6;
 - 3. A separate designated area at each betting position for the placement of the cards of each player;
 - 4. A separate designated area located directly in front of the table inventory container for the placement of the community cards;
 - 5. The payout odds for all authorized wagers, including the optional bonus wager authorized by N.J.A.C. 19:47-18.6A, if the casino licensee offers the optional wager; and
 - 6. The inscription indicating the payout limit per hand established by the casino licensee pursuant to N.J.A.C. 19:47-18.11 or a generic inscription indicating the game is subject to the posted payout limit.
- (c) A sign shall be posted at each let it ride poker table that explains, in a manner approved by the Commission, the details of the payout limit established pursuant to N.J.A.C. 19:47–18.11 and if a generic inscription is used pursuant to (b) above, the sign shall also contain the established payout
- (d) Each let it ride poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (e) If a casino licensee offers the optional bonus wager authorized by N.J.A.C. 19:47-18.6A, the let it ride poker table shall also include the following equipment or devices, which shall be submitted to and approved by the Commission, together with the procedures for their operation and use:

- 1. A wagering device at each betting position that acknowledges or accepts the placement of the bonus wager;
- 2. A control device that controls or monitors the placement of bonus wagers at the gaming table, including a mechanism that prevents the recognition of any bonus wager that a player attempts to place after the dealer has announced "No more bets;" and
- 3. Any other equipment or device that contributes to the efficient operation or integrity of the game.

New Rule, R.1995, d.534, effective October 2, 1995. See: 27 N.J.R. 2119(a), 27 N.J.R. 3795(b). Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). In (b), rewrote the introductory paragraph. Amended by R.1998 d.554, effective November 16, 1998. See: 30 N.J.R. 3176(a), 30 N.J.R. 4068(a). In (b), rewrote 5; and added (e).

19:46-1.131 Mini-dice table; mini-dice dice shaker; physical characteristics

- (a) Mini-dice shall be played on a table having betting positions for six or seven players on one side and a place for the dealer on the opposite side.
- (b) The layout for a mini-dice table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. A separate designated betting area at each betting position for the placement of the following wagers:
 - i. Any 7;
 - ii. Over 7;
 - iii. Under 7; and
 - iv. Individual "place" wagers of 4, 5, 6, 8, 9 and 10;
 - 3. A separate betting area, known as "the field," located directly in front of the dealer for the placement of field wagers of 2, 3, 4, 9, 10, 11 and 12; and
 - 4. The payout odds for all authorized wagers.
- (c) Each mini-dice table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.
- (d) Mini-dice shall be played with a sealed container, known as a "mini-dice shaker," which shall be used to shake the dice in order to arrive at the winning combinations. The shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game, and at a minimum, shall:

- 1. Have a transparent compartment to secure the two dice required by N.J.A.C. 19:47–13.3, and a separate opaque cover that conceals the dice while the dealer or player is shaking the shaker;
- 2. Have the capability of being sealed or locked to ensure the integrity of the dice contained therein; and
- 3. Have the name or trade name of the casino licensee or its identifying logo imprinted or impressed thereon.

New Rule, R.1997 d.427, effective October 6, 1997. See: 28 N.J.R. 5060(a), 29 N.J.R. 4307(b). Inserted references to mini-dice throughout. Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

In (b), rewrote the introductory paragraph, and added "offering the game" at the end of 1.

19:46-1.13J Fast action hold'em table; physical characteristics

- (a) Fast action hold'em shall be played at a table having betting positions for the players on one side of the table and a place for the dealer on the opposite side. Such betting positions shall not exceed nine in number depending on the size of the table.
- (b) The cloth covering the fast action hold'em table (the layout) shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or tradename of the casino licensee;
 - 2. A separate designated betting area at each betting position;
 - 3. A separate area located immediately to the right of each betting area designated for the placement of cards to be discarded by a player pursuant to N.J.A.C. 19:47–21.8;
 - 4. Five separate areas aligned in a row in the center of the layout for placement of the five community cards; and
 - 5. An inscription indicating that a "natural" pays five to one.
- (c) Each fast action hold'em table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, in locations approved by the Commission.

New Rule, R.1998 d.371, effective July 20, 1998. See: 29 N.J.R. 4672(a), 30 N.J.R. 2639(b).

19:46-1.13K Casino war table; physical characteristics

- (a) Casino war shall be played at a table having betting positions for no more than seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a casino war table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:

- 1. The name or trade name of the casino licensee;
- 2. A separate designated betting area at each betting position for the placement of initial and war wagers;
- 3. A separate designated betting area for the placement of tie wagers; and
 - 4. The payout odds for a tie wager and war wager.
- (c) Each casino war table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, in locations approved by the Commission.

New Rule, R.1999 d.29, effective January 19, 1999. See: 30 N.J.R. 30(a), 31 N.J.R. 144(a).

19:46-1.13L Colorado hold 'em poker table; physical characteristics

- (a) Colorado hold 'em poker shall be played at a table having betting positions for six or seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The cloth covering the colorado hold 'em poker table (the layout) shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:
 - 1. The name or trade name of the casino licensee:
 - 2. A separate designated betting area at each betting position for ante and bet wagers, and if a casino licensee offers a bonus wager pursuant to N.J.A.C. 19:47–23.6A, a separate designated betting area for the bonus wager;
 - 3. A separate area located immediately to the left of each betting area designated for the placement of the card to be discarded by a player pursuant to N.J.A.C. 19:47–23.10(c) or 23.11(b);
 - 4. Three separate areas aligned in a row in the center of the layout for placement of the three community cards; and
 - 5. The payout odds for all winning authorized wagers, including an "immediate winner" as defined at N.J.A.C. 19:47–23.3(c).
- (c) Each colorado hold 'em poker table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposites sides of, the dealer, in locations approved by the Commission.

New Rule, R.2001 d.288, effective August 20, 2001. See: 32 N.J.R. 4240(a), 33 N.J.R. 2824(a).

19:46-1.13M Boston 5 stud poker table; physical characteristics

(a) Boston 5 stud poker shall be played on a table having positions for six players on one side of the table and a place for the dealer on the opposite side.

- (b) The layout for a boston 5 stud poker table shall be approved by the Commission and shall contain, at a minimum.
 - 1. The name or trade name of the casino licensee;
 - 2. A separate designated betting area at each betting position for the placement of ante wagers;
 - 3. A separate designated area shall be located immediately to the right of each ante betting area for the placement of first wagers;
 - 4. A separate designated area shall be located immediately to the right of each first wager betting area for the placement of second wagers;
 - 5. A separate designated area shall be located immediately above each ante betting area for the placement of optional bonus wagers; and
 - 6. Notice of signage, as approved by the Commission, for payout odds for all authorized wagers.
- (c) A sign shall be posted at each boston 5 stud poker table that lists the payout odds for all authorized wagers.
- (d) Each boston 5 stud poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.

New Rule, R.2003 d.243, effective June 16, 2003. See: 35 N.J.R. 1395(a), 35 N.J.R. 2740(a). Petition for Rulemaking. See: 35 N.J.R. 3419(b).

19:46-1.13N Double cross poker table; physical characteristics

- (a) Double cross poker shall be played on a table having positions for seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a double cross poker table shall be approved by the Commission and shall contain at a minimum:
 - 1. The name or trade name of the casino licensee;
 - 2. A separate designated betting area at each betting position for the placement of the ante wager;
 - 3. Four separate designated areas at each betting position for the placement of raise wagers, with one raise wager area located to the left of the ante betting area, one raise wager located to the right of the ante betting area, one raise wager area located above the ante betting area and one raise wager area located below the ante betting area, so that the ante betting area and the four raise wager areas, when viewed from above, form the shape of a cross;
 - 4. A separate designated area at each betting position for the placement of a three-card wager, located to the

right of the designated areas for the placement of the ante and raise wagers;

- 5. A separate designated area, located between the table inventory container and the player betting areas on the right hand side of the dealer, for the placement of the five community cards in the same type of cross formation created by the five wager areas described in b(2) and 3 above;
- 6. A separate designated area, located between the table inventory container and the player betting areas on the left hand side of the dealer, for the placement of the dealer's two cards; and
- 7. An inscription identifying the payout odds for all authorized wagers or the sign required in (c) below.
- (c) If payout odds are not inscribed on the layout as provided in (b)7 above, a sign identifying the payout odds for all authorized wagers shall be posted at each double cross poker table.
- (d) Each double cross poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.

New Rule, R.2004 d.326, effective August 16, 2004. See: 36 N.J.R. 1305(a), 36 N.J.R. 3889(a).

19:46-1.13O Double attack blackjack table; physical characteristics

- (a) Double attack blackjack shall be played on a table having positions for six or seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a double attack blackjack table shall be approved by the Commission and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee; and
 - 2. Separate designated betting areas at each betting position for the placement of the initial wager, the double attack wager, and the optional bonus wager, bust it!;
- (c) The following inscriptions shall appear on the double attack blackjack layout:
 - 1. Blackjack pays 1 to 1;
 - 2. Dealer must draw to 16, and stand on all 17's; and
 - 3. Insurance pays 5 to 2.
- (d) Payout odds for the optional bonus wager authorized by N.J.A.C. 19:47–26.6 shall be inscribed on the layout or posted on a sign at each double attack blackjack table.

(e) Each double attack blackjack table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of the dealer, in locations approved by the Commission.

New Rule, R.2004 d.340, effective September 7, 2004. See: 36 N.J.R. 2310(a), 36 N.J.R. 4166(a).

19:46-1.13P Four card poker table; physical characteristics

- (a) Four card poker shall be played on a table having positions for no more than seven players on one side of the table and a place for the dealer on the opposite side.
- (b) The layout for a four card poker table shall be approved by the Commission and shall contain at a minimum:
 - 1. The name or trade name of the casino licensee;
 - 2. Separate designated betting areas at each betting position for the placement of the ante wager and the play wager;
 - 3. Separate designated betting areas at each betting position for the placement of the aces up wager; and
 - 4. An inscription identifying the payout odds for all authorized wagers or the sign required in (c) below.
- (c) If payout odds are not inscribed on the layout as provided in (b)4 above, a sign identifying the payout odds for all authorized wagers shall be posted at each four card poker table.
- (d) Each four card poker table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of, the dealer, in locations approved by the Commission.

New Rule, R.2004 d.465, effective December 20, 2004. See: 36 N.J.R. 3639(a), 36 N.J.R. 5704(a).

19:46-1.14 Red dog table; physical characteristics

- (a) Red dog shall be played at a table having on one side places for no more than seven players and on the opposite side a place for the dealer.
- (b) The layout for a red dog table shall be approved by the Commission, and shall contain, at a minimum:
 - 1. The name or trade name of the casino licensee offering the game;
 - 2. Two separate designated betting areas for each player, clearly marked to distinguish between the original wager and the raise wager in a manner approved by the Commission, and situated so that the betting area for the raise wager is closer to the player than the betting area for the original wager;

- 3. An area designated for the placement of the first, second and third card; and
- 4. The payout odds currently being offered in accordance with N.J.A.C. 19:47-6.5.
- (c) Each red dog table shall have a drop box and a tip box attached to it with the location of said boxes on the same side of the gaming table but on opposite sides of the dealer, as approved by the Commission.

Repeal and New Rule, R.1991 d.532, effective November 4, 1991. See: 23 N.J.R. 2231(a), 23 N.J.R. 3348(a). Section was "Maximum and minimum wagers." Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). "Trade name" and "licensee" added. Amended by R.1998 d.147, effective March 16, 1998. See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a). Rewrote the section.

19:46-1.15 Dice; physical characteristics

- (a) Except as otherwise provided below, each die used in gaming shall:
 - 1. Be formed in the shape of a perfect cube and of a size no smaller than 0.750 of an inch on each side nor any larger than 0.775 of an inch on each side;
 - 2. Be transparent and made exclusively of cellulose except for the spots, name or trade name of the casino licensee and serial numbers or letters contained thereon;
 - 3. Have the surface of each of its sides perfectly flat and the spots contained in each side perfectly flush with the area surrounding them;
 - 4. Have all edges and corners perfectly square and forming perfect 90 degree angles;
 - 5. Have the texture and finish of each side exactly identical to the texture and finish of all other sides;
 - 6. Have its weight equally distributed throughout the cube and no side of the cube heavier or lighter than any other side of the cube;
 - 7. Have its six sides bearing what circular spots from one to six respectively with the diameter of each spot equal to the diameter of every other spot on the die;
 - 8. Have spots arranged so that the side containing one spot is directly opposite the side containing six spots, the side containing two spots is directly opposite the side containing five spots and the side containing three spots is directly opposite the side containing four spots; each spot shall be placed on the die by drilling into the surface of the cube and filling the drilled out portion with a compound which is equal in weight to the weight of the cellulose drilled out and which forms a permanent bond with the cellulose cube, and shall extend into the cube exactly the same distance as every other spot extends into the cube to an accuracy tolerance of .0004 of an inch;

- 9. Have the name or trade name of the casino licensee in which the die is being used imprinted or impressed thereon.
- (b) Each die used in gaming at pai gow or pai gow poker shall comply with the requirements of (a) above except as follows:
 - 1. Each die shall be formed in the shape of a perfect cube and of a size no smaller than .637 of an inch on each side nor any larger than .643 of an inch on each side;
 - 2. Instead of the name of the casino, a casino licensee may, with the approval of the Commission, have an identifying mark or logo imprinted or impressed on each die; and
 - 3. The spots on each die do not have to be equal in diameter.
- (c) Each die used in gaming at mini-dice shall comply with the requirements of (a) or (b) above.

Amended by R.1991 d.615, effective December 16, 1991. See: 23 N.J.R. 2922(a), 23 N.J.R. 3820(b). Revised (b) by adding sic bo. Amended by R.1992 d.406, effective October 19, 1992 See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a). Accuracy tolerance of .0002 inch deleted at (a)2; pai gow requirements differentiated. Amended by R.1992 d.411, effective October 19, 1992 See: 24 N.J.R. 558(a), 24 N.J.R. 3753(a). Pai gow requirements added. Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). 'Trade name" and "licensee" added. Administrative Correction. See: 26 N.J.R. 4788(a). Amended by R.1997 d.427, effective October 6, 1997. See: 28 N.J.R. 5060(a), 29 N.J.R. 4307(b).

Case Notes

Alteration of dice as basis for license revocation. Div. of Gaming Enforcement v. Matta, 5 N.J.A.R. 439 (1983).

19:46-1.16 Dice; receipt; storage; inspections and removal from use

In (b), inserted "or pai gow poker"; and rewrote (c).

(a) When dice for use in the casino or casino simulcasting facility are received from the manufacturer or distributor thereof, they shall, immediately following receipt, be inspected by a member of the casino security department or casino accounting department and a casino supervisor to assure that the seals on each box are intact, unbroken and free from tampering. Boxes that do not satisfy these criteria shall be inspected at this time to assure that the dice conform to Commission standards and are completely in a condition to assure fair play. Boxes satisfying these criteria, together with boxes having unbroken, intact and untampered seals shall then be placed for storage in a locked cabinet in the cashiers' cage or within a primary or secondary storage area. Dice which are to be distributed to gaming pits or tables for use in gaming shall be distributed

from a locked cabinet in the cashiers' cage or from another secure primary storage area, the location and physical characteristics of which shall be approved by the Commission. Secondary storage areas shall be used for the storage of surplus dice. Dice maintained in secondary storage areas shall not be distributed to gaming pits or tables for use in gaming until the dice have been moved to a primary storage area. All secondary storage areas shall be located in secure areas, the location and physical characteristics of which shall be approved by the Commission.

- (b) All primary and secondary storage areas, other than the cashiers' cage, shall have two separate locks. The casino security department shall maintain one key and the casino department or cashiers' cage shall maintain the other key; provided, however, that no person employed by the casino department below the table games shift manager in the organization hierarchy shall have access to the casino department key. Dice stored in a cabinet within the cashiers' cage shall be secured by a lock, the key to which shall be maintained by a table games shift manager or casino supervisor thereof.
- (c) Immediately prior to the commencement of each gaming day and at such other times as may be necessary, the table games shift manager or casino supervisor thereof, in the presence of a casino security officer, shall remove the appropriate number of dice for that gaming day from a primary storage area.
- (d) All envelopes and containers used in this section for dice preinspected at the pit stand or in a primary storage area and for those collected by security shall be transparent.
 - 1. The envelopes or containers and the method used to seal them shall be designed or constructed so that any tampering shall be evident.
 - 2. The envelopes or containers and seals shall be approved by the Commission.
- (e) All dice shall be inspected and distributed to the gaming tables in accordance with one of the following applicable alternatives:
 - 1. Alternative No. 1: Distribution to and inspection at craps, mini-craps, mini-dice or sic bo tables:
 - i. The table games shift manager or casino supervisor thereof and the casino security officer who removed the dice from the primary storage area shall distribute sufficient dice directly to the pit boss in each pit, or place them in a locked compartment in the pit stand, the keys to which shall be in the possession of the pit boss or a casino supervisor thereof;

ii. Immediately upon opening a table for gaming, the pit boss shall distribute a set of dice to the table. At the time of receipt, a boxperson at each craps table and the floorperson at each sic bo, mini-dice or minicraps table, in order to ensure that the dice are in a condition to assure fair play and otherwise conform to the Act and the rules of the Commission, shall, in the presence of the dealer, inspect the dice given to him or her with a micrometer or any other approved instrument which performs the same function, a balancing caliper, a steel set square and a magnet, which instruments shall be kept in a compartment at each craps table or pit stand and shall be at all times readily available for use by the Commission or the Division upon request of either;

iii. Following this inspection:

- (1) For craps, the boxperson shall, in the presence of the dealer, place the dice in a cup on the table for use in gaming, and while the dice are at the table, they shall never be left unattended;
- (2) For mini-craps, the floorperson shall, in the presence of the dealer, place the dice in a cup on the table for use in gaming, and while the dice are at the table, they shall never be left unattended; and
- (3) For sic bo and mini-dice, the floorperson shall in the presence of the dealer place the required number of dice into the shaker and seal or lock the shaker. For sic bo, the floorperson shall then secure the sic bo shaker to the table in a manner approved by the Commission, in the presence of the dealer who observed the inspection. For mini-dice, the floorperson shall then give the sealed mini-dice shaker to the dealer, who shall be primarily responsible for the security of the shaker at all times while the shaker is available for use at the table; and
- iv. The pit boss shall place extra dice for dice reserve in the pit stand. Dice in the pit stand shall be placed in a locked compartment, keys to which shall be in the possession of the pit boss or a casino supervisor thereof. No dice taken from the reserve shall be used for actual gaming until and unless inspected in accordance with (e)1ii above.
- 2. Alternative No. 2: Distribution to and inspection at the pit stand:
 - i. The table games shift manager or casino supervisor thereof and the casino security officer who removed the dice from the primary storage area shall distribute the dice directly to the casino supervisor identified in (e)2ii below who will perform the inspection in each pit.
 - ii. The inspection of the dice at the pit stand shall be performed by:

- (1) For craps and mini-craps, a boxperson or floorperson in the presence of another boxperson or floorperson, both of whom are assigned the responsibility of supervising the operation and conduct of a craps game; and
- (2) For sic bo, mini-dice, pai gow or pai gow poker, a floorperson, in the presence of another floorperson, both of whom are assigned the responsibility of supervising the operation and conduct of such games.
- iii. To ensure that the dice are in a condition to assure fair play and otherwise conform to the Act and the rules of the Commission, the dice shall be inspected with a micrometer or any other approved instrument which performs the same function, a balancing caliper, a steel set square and a magnet, which instruments shall be kept at the pit stand and shall be at all times readily available for use by the Commission or the Division upon request of either. The inspection shall be performed on a flat surface which allows the dice inspection to be observed through closed circuit television cameras and by any persons in the immediate vicinity of the pit stand.
- iv. After completion of the inspection, the dice shall be distributed as follows:
 - (1) For craps and mini-craps, the boxperson or floorperson who inspected the dice shall, in the presence of the other boxperson or floorperson who observed the inspection, distribute such dice to the boxperson assigned at each craps table or to the floorperson assigned at each mini-craps table. The craps boxperson or the mini-craps floorperson shall, in the presence of the dealer, place the dice in a cup on the table for use in gaming, and while the dice are at the table they shall never be left unattended;
 - (2) For six bo and mini-dice, the floorperson who inspected the dice shall, in the presence of the other floorperson who observed the inspection, place the required number of dice into the shaker and seal or lock the shaker. For sic bo, the floorperson shall then secure the sic bo shaker to the table in the presence of the other floorperson who observed the inspection. For mini-dice, the floorperson shall then give the sealed mini-dice shaker to the dealer, who shall be primarily responsible for the security of the shaker at all times while the shaker is available for use at the table; and
 - (3) For pai gow or pai gow poker, the floorperson who inspected the dice shall, in the presence of the other floorperson who observed the inspection, distribute such dice directly to the dealer at each pai gow or pai gow poker table. The dealer shall immediately place the dice in the pai gow or pai gow poker shaker.

- v. The pit boss shall place extra sets of dice for dice reserve in the pit stand, as follows:
 - (1) Dice in the pit stand shall be placed in a locked compartment, keys to which shall be in the possession of the pit boss or a casino supervisor thereof.
 - (2) Except as otherwise provided in (e)2vi and vii below, all dice taken from the reserve shall be reinspected by a casino supervisor in the presence of another casino supervisor in accordance with the inspection procedures set forth in (e)2ii and iii above, prior to their use for actual gaming.
- vi. Notwithstanding (e)2v(2) above, previously inspected reserve dice may be used for gaming without being reinspected if they are maintained in a locked compartment in the pit stand under dual key control as approved by the Commission, the keys for which shall be in the possession of the pit boss or casino supervisor thereof.
- vii. Notwithstanding (e)2v(2) above and as an additional alternative to (e)2vi above, previously inspected reserve dice may be used for gaming without being reinspected if they are maintained in a locked compartment in the pit stand in accordance with the following procedures.
 - (1) For craps and mini-craps, a set of at least five dice, after being inspected, shall be placed in a sealed envelope or container. A label that identifies the date of inspection and contains the signatures of those responsible for the inspection shall be attached to each envelope or container.
 - (2) For sic bo and mini-dice, the required number of dice, after being inspected, shall be placed in a sealed envelope or container or sealed or locked in a sic bo or mini-dice shaker. A label or seal that identifies the date of inspection and contains the signatures of those responsible for the inspection shall, respectively, be attached to each envelope or container or placed over the area that allows access to open the sic bo or mini-dice shaker.
 - (3) For pai gow and pai gow poker, a set of three dice, after being inspected, shall be placed in a sealed envelope or container. A label that identifies the date of inspection and contains the signatures of those responsible for the inspection shall be attached to each envelope or container.
- 3. Alternative No. 3: Inspection in primary storage area and distribution to tables:
 - i. Inspection of dice for all table games in an approved primary storage area shall be performed by a casino supervisor and a table games shift manager, in the presence of a casino security officer.

- ii. The dice shall be inspected with a micrometer or any other approved instrument which performs the same function, a balancing caliper, a steel set square and a magnet to ensure that the dice are in a condition to assure fair play and otherwise conform to the Act and the rules of the Commission. These instruments shall be maintained in the storage area and shall be at all times readily available for use by the Commission or the Division upon request of either.
- iii. After completion of the inspection, the person performing the inspection shall seal the dice as follows:
 - (1) For craps and mini-craps, after each set of at least five dice are inspected, they shall be placed in a sealed envelope or container; provided, however, that reserve dice may be placed in individual sealed envelopes or containers. A label that identifies the date of the inspection and contains the signatures of those responsible for the inspection shall be attached to each envelope or container;
 - (2) For sic bo and mini-dice, after each set of dice are inspected, they shall be sealed or locked in a manual shaker. A seal that identifies the date of the inspection and contains the signatures of those responsible for the inspection shall then be placed over the area that allows access to open the shaker; and
 - (3) For pai gow or pai gow poker, after each set of three dice are inspected, they shall be placed in a sealed envelope or container. A label that identifies the date of the inspection and contains the signatures of those responsible for the inspection shall be attached to each envelope or container.
- iv. At the beginning of each gaming day and at such other times as may be necessary, a table games shift manager or casino supervisor thereof and a casino security officer shall distribute the dice as follows:
 - (1) For craps and mini-craps, the sealed envelopes or containers of dice shall be distributed to a pit boss in each craps or mini-craps pit or placed in a locked compartment in the pit stand by the pit boss. When the sealed dice are distributed to the craps or mini-craps table, a boxperson at each craps table or a floorperson at each mini-craps table, after assuring the seals are intact and free from tampering, shall open the sealed envelope or container, in the presence of the dealer, and place the dice in a cup on the table for use in gaming. While dice are on the table, they shall never be left unattended.
 - (2) For sic bo and mini-dice, the sealed manual shakers shall be distributed to the pit boss supervising the game. For sic bo, the pit boss shall then secure the manual sic bo shaker to the table in a manner approved by the Commission. For mini-dice, the pit boss shall give the sealed mini-dice shaker to the dealer who shall be primarily responsible for the security of the shaker at all times while the shaker is available for use at the table.

- (3) For pai gow or pai gow poker, the sealed envelope or container shall be distributed to a pit boss in each pai gow or pai gow poker pit or placed in a locked compartment in the pit stand. When the sealed dice are distributed to the pai gow or pai gow poker table by the pit boss, a floorperson, after assuring the seal and envelopes or containers are intact and free from tampering, shall open the sealed envelope or container, in the presence of the dealer, and place the dice in the pai gow or pai gow poker shaker.
- v. When the envelope or container or the seal is damaged, broken or shows indication of tampering, the dice shall not be used for gaming activity unless the dice are reinspected as follows:
 - (1) For craps, mini-craps, mini-dice and sic bo, in accordance with the procedures in subsection (e)1 or (e)2 above; and
 - (2) For pai gow or pai gow poker, in accordance with the procedures in subsection (e)2 above.
- vi. The pit boss shall place extra sets of dice for dice reserve in the pit stand. Dice in the pit stand shall be placed in a locked compartment, keys to which shall be in the possession of the pit boss or casino supervisor thereof.
- vii. A micrometer or any other approved instrument which performs the same function, a balancing caliper, a steel set square and a magnet shall also be maintained in a locked compartment in each pit stand, and each such instrument shall be at all times readily available for use by the Commission or the Division upon request of either.
- viii. Any primary storage area in which dice are inspected in accordance with this alternative, shall be equipped with closed circuit television camera coverage capable of observing the entire inspection procedure.
- (f) The casino licensee shall remove any dice at any time of the gaming day if there is any indication of tampering, flaws or other defects that might affect the integrity or fairness of the game, or at the request of the Commission or Division.
- (g) At the end of each gaming day or at such other times as may be necessary, the casino supervisor identified in (g)1 below shall visually inspect each die for evidence of tampering. Such evidence discovered at this time or at any other time shall be immediately reported to the Commission and Division by the completion and delivery of an approved three-part Dice Discrepancy Report.
 - 1. The inspection required by this subsection shall be performed by a casino supervisor other than the one who originally inspected the dice.

- 2. Any dice showing evidence of tampering shall be placed in a sealed envelope or container.
 - i. A label shall be attached to each envelope or container which shall identify the table number, date and time and shall be signed by a person assigned to directly operate and conduct the game at that table and a casino supervisor assigned the responsibility for supervising the operation and conduct of such game.
 - ii. A casino supervisor or casino security officer responsible for delivering the dice to Commission shall also sign the label.
 - iii. The Commission Inspector receiving the dice shall sign the original, duplicate and triplicate copy of the Dice Discrepancy Report and retain the original at the Commission Booth. The duplicate copy shall be delivered to the Division office located within the casino hotel facility and the triplicate copy shall be returned to the pit and maintained in a secure place within the pit until collection by a casino security officer.
- 3. All other dice shall be put into envelopes or containers at this time.
 - i. A label shall be attached to each envelope or container which shall identify the table number, date and time and shall be signed by the appropriate persons identified in (g)2i above.
 - ii. The envelope or container shall be appropriately sealed and maintained in a secure place within the pit until collection by a casino security officer.
- (h) All extra dice in dice reserve that are to be destroyed or canceled shall be placed in a sealed envelope or container, with a label attached to each envelope or container which identifies the date and time and is signed by the pit boss.
- (i) At the end of each gaming day or, in the alternative, at least once each gaming day at the same time each day, as designated by the casino licensee and approved by the Commission, and at such other times as may be necessary, a casino security officer shall collect and sign all envelopes or containers of used dice and any dice in dice reserve that are to be destroyed or canceled and shall transport them to the casino security department for cancellation or destruction. The casino security officer shall also collect all triplicate copies of Dice Discrepancy Reports, if any. No dice that have been placed in a cup for use in gaming shall remain on a table for more than 24 hours.
- (j) At the end of each gaming day or, in the alternative, at least once each gaming day at the same time each day, as designated by the casino licensee and approved by the Commission, and at such other times as may be necessary, a table games shift manager or casino supervisor thereof may collect all extra dice in dice reserve.

- 1. If collected, dice shall be returned to the primary storage area; provided, however, that any dice which have not been inspected and sealed pursuant to the requirements in (e)3 (Alternative No. 3) above shall, prior to use for actual gaming, be inspected as follows:
 - i. For craps, mini-craps, mini-dice or sic bo, in accordance with the requirements in (e)1 or (e)2 above; or
 - ii. For pai gow or pai gow poker, in accordance with the requirements in (e)2 above.
- 2. If not collected, all dice in dice reserve must be reinspected in accordance with one of the alternatives listed in (e) above, prior to their use for gaming, except for those dice maintained in a locked compartment pursuant to (e)2v(2) or (e)3vi above.
- (k) The casino licensee shall submit to the Commission for approval procedures for:
 - 1. A dice inventory system which shall include, at a minimum, the recordation of the following:
 - i. The balance of dice on hand;
 - ii. The dice removed from storage;
 - iii. The dice returned to storage or received from the manufacturer;
 - iv. The date of the transaction; and
 - v. The signatures of the individuals involved.
 - 2. A reconciliation on a daily basis of the dice distributed, the dice destroyed and canceled, the dice returned to the primary storage area and, if any, the dice in dice reserve; and
 - 3. A physical inventory of the dice at least once every three months.
 - i. This inventory shall be performed by an individual with no incompatible functions and shall be verified to the balance of dice on hand required in (k)1i above.
 - ii. Any discrepancies shall immediately be reported to the Commission and Division.
- (l) All destruction and cancellation of dice, other than those retained for Commission or Division inspections, shall be completed within 48 hours of collection.
 - 1. Cancellation shall occur by drilling a circular hole of at least one fourth inch in diameter through the center of each dice.
 - 2. Destruction shall occur by shredding.
 - 3. The destruction and cancellation of dice shall take place in a secure place, the location and physical characteristics of which shall be approved by the Commission.

Amended by R.1983 d.308, effective August 1, 1983.

See: 14 N.J.R. 829(a), 15 N.J.R. 1259(a).

Text substantially amended.

Amended by R.1983 d.540, effective November 21, 1983.

See: 15 N.J.R. 1368(a), 15 N.J.R. 1958(a). Substantially amended and recodified text.

Amended by R.1987 d.336, effective August 17, 1987.

See: 19 N.J.R. 2121(a), 19 N.J.R. 1570(b).

Added "immediately" and "and delivery" to (g).

Amended by R.1991 d.615, effective December 16, 1991.

See: 23 N.J.R. 2922(a), 23 N.J.R. 3820(b).

Revised (e) and (g), added provisions for sic bo. Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

Revised procedures for handling dice in dice reserve. Stylistic revisions throughout section. Added new (h), recodifying (h)–(k) as (i)–(l). Added text in new (i) regarding dice in dice reserve. In (j): added new (j)2, subsuming existing (j)2 as (j)1. In (k), specified reconciliation procedures.

Amended by R.1992 d.406, effective October 19, 1992.

See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a),

Dice inspection and handling requirements specified by game type.

Amended by R.1992 d.411, effective October 19, 1992.

See: 24 N.J.R. 558(a), 24 N.J.R. 3753(a).

Inspection specified.

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Simulcast provisions added.

Amended by R.1993 d.86, effective February 16, 1993.

See: 24 N.J.R. 4339(a), 25 N.J.R. 719(a).

In (a), deleted language that primary storage area be "in or immediately adjacent to the casino floor". In (i) and (j), added alternative provision for collection of dice.

Amended by R.1994 d.265, effective June 6, 1994.

See: 25 N.J.R. 5893(a), 26 N.J.R. 2463(a)

Amended by R.1996 d.192, effective April 15, 1996.

See: 28 N.J.R. 810(a), 28 N.J.R. 2081(c).

Amended by R.1996 d.317, effective July 15, 1996.

See: 28 N.J.R. 1362(a), 28 N.J.R. 3627(a).

Amended by R.1996 d.356, effective August 5, 1996.

See: 28 N.J.R. 2352(b), 28 N.J.R. 3818(b).

Amended by R.1997 d.133, effective March 17, 1997.

See: 29 N.J.R. 110(a), 29 N.J.R. 921(a).

Amended by R.1997 d.427, effective October 6, 1997.

See: 28 N.J.R. 5060(a), 29 N.J.R. 4307(b).

Inserted references to mini-dice throughout (e) and (g); and in (e)1iii(3) and (e)2iv(2), deleted provision relating to maximum time a sic bo shaker may be secured to a table and inserted provision relating to security of a mini-dice shaker.

Amended by R.1998 d.18, effective January 5, 1998.

See: 29 N.J.R. 3432(b), 30 N.J.R. 112(b).

Amended by R.1998 d.561, effective December 7, 1998.

See: 30 N.J.R. 3002(b), 30 N.J.R. 4258(b).

Rewrote (d), (e) and (g).

Amended by R.2005 d.240, effective July 18, 2005.

See: 37 N.J.R. 882(b), 37 N.J.R. 2690(a).

In (e), inserted references to manual sic bo shakers throughout.

19:46-1.16A Sic bo shaker and mini-dice shaker; security procedures

(a) Manual sic bo shakers and mini-dice shakers which have been filled with dice in accordance with N.J.A.C. 19:46–1.16(e)3iii may only be stored in a locked compartment in the primary storage area. Manual sic bo shakers and mini-dice shakers which have not been filled with dice may be stored in a locked compartment in the pit stand. An automated dice shaker which has been filled with dice must be secured to the sic bo table at all times. An automated dice shaker which has not been filled with dice may be stored in a locked compartment in the pit stand.

- (b) At the end of each gaming day a pit boss shall inspect all sic bo shakers and mini-dice shakers that have been placed in use for gaming for evidence of tampering. Such evidence discovered at this time shall be immediately reported to the Commission and the Division. At a minimum, such reports shall include:
 - 1. The date and time when the tampering was discovered;
 - 2. The table number where the sic bo shaker or minidice shaker was used; and
 - 3. The name and license number of the individuals discovering the tampering.

New Rule, R.1991 d.615, effective December 16, 1991. See: 23 N.J.R. 2922(a), 23 N.J.R. 3820(b).

Amended by R.1997 d.427, effective October 6, 1997.

See: 28 N.J.R. 5060(a), 29 N.J.R. 4307(b).

Inserted references to mini-dice shakers throughout. Amended by R.2005 d.240, effective July 18, 2005. See: 37 N.J.R. 882(b), 37 N.J.R. 2690(a).

Rewrote (a).

19:46-1.17 Cards; physical characteristics

- (a) Cards used to play blackjack, spanish 21, double attack blackjack, baccarat, minibaccarat, pai gow poker, pokette, red dog, casino war, poker, caribbean stud poker, let it ride poker, three card poker, fast action hold 'em, colorado hold 'em poker, boston 5 stud poker, double cross poker, four card poker and double down stud shall be in decks of 52 cards with each card identical in size and shape to every other card in such deck. Notwithstanding the foregoing, decks of cards used to play the following games shall be modified as follows:
 - 1. A pai gow poker deck shall include one additional joker card, which shall be identical in size and shape to every other card in such deck;
 - 2. A spanish 21 deck shall consist of 48 cards, created by the removal of the 10 of each of the four suits in the deck.
- (b) Each deck shall be composed of four suits: diamonds, spades, clubs and hearts.
- (c) Each suit shall be composed of 13 cards: ace, king, queen, jack, 10, 9, 8, 7, 6, 5, 4, 3, 2. The face of the ace, king, queen, jack and 10 value cards may contain an additional marking, as approved by the Commission, which will permit a dealer, prior to exposing his or her hole card at the game of blackjack, to determine the value of that hole card.
- (d) The backs of each card in the deck shall be identical and no card shall contain any marking, symbol or design that will enable a person to know the identity of any element printed on the face of the card or that will in any way differentiate the back of that card from any other card in the deck.

- (e) The backs of all cards in the deck shall be designed so as to diminish as far as possible the ability of any person to place concealed markings thereon.
- (f) The design to be placed on the backs of cards used by casino licensees shall contain the name or trade name of the casino licensee and shall be submitted to the Commission for approval prior to use of such cards in gaming activity.
- (g) Each deck of cards shall be packaged separately and shall contain a seal affixed to the opening of such package. Notwithstanding this requirement, cards used at poker may be packaged and sealed in sets containing two decks of cards in accordance with the provisions of N.J.A.C. 19:47-14.2.
- (h) Nothing in this section shall prohibit a manufacturer from manufacturing decks of cards with one or more jokers contained therein; provided, however, such jokers shall not be used by the casino licensee in the play of any games other than pai gow poker in accordance with the provisions of N.J.A.C. 19:47-11.
- (i) In addition to satisfying the requirements of this section, the cards used by a casino licensee at poker must:
 - 1. Be visually distinguishable from the cards used by that casino licensee to play any other table game; and
 - 2. Be made of plastic.
- (i) Each casino licensee which elects to offer the game of poker shall be required to have and use on a daily basis at least six visually distinguishable card backings for the cards to be used at the game of poker. These card backings may be distinguished, without limitation, by different logos, different colors or different design patterns.

Amended by R.1991 d.532, effective November 4, 1991. See: 23 N.J.R. 2231(a), 23 N.J.R. 3348(a). Added "red dog" game to subsection (a). Amended by R.1992 d.406, effective October 19, 1992. See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a). Pai gow provisions moved from (a) to (h) Amended by R.1992 d.453, effective November 16, 1992. See: 24 N.J.R. 2140(a), 24 N.J.R. 4279(b). In (a), added reference to pokette. Amended by R.1993 d.37, effective January 19, 1993. See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b). Revised (f) and (h). Amended by R.1993 d.38, effective January 19, 1993. See: 24 N.J.R. 2351(a), 25 N.J.R. 367(a). Additional marking permitted on certain cards, at (c). Administrative correction to subsection (a). See: 25 N.J.R. 1778(b) Amended by R.1994 d.141, effective March 21, 1994. See: 25 N.J.R. 5906(a), 26 N.J.R. 1380(a). Temporary Amendment: Double Down Stud. See: 26 N.J.R. 1390(a). Temporary Amendment: Caribbean Stud Poker. See: 26 N.J.R. 3464(a). Temporary Amendment: Double Down Stud. See: 26 N.J.R. 4445(b). Amended by R.1994 d.593, effective December 5, 1994. See: 26 N.J.R. 1323(a), 26 N.J.R. 4790(a). Amended by R.1995 d.430, effective August 7, 1995.

19:46-1.18 See: 27 N.J.R. 1767(b), 27 N.J.R. 2967(a). Added caribbean stud poker. Amended by R.1995 d.534, effective October 2, 1995. See: 27 N.J.R. 2119(a), 27 N.J.R. 3795(b) Amended by R.1997 d.134, effective March 17, 1997. See: 28 N.J.R. 2531(a), 29 N.J.R. 928(a). In (a), added reference to three card poker. Amended by R.1998 d.371, effective July 20, 1998. See: 29 N.J.R. 4672(a), 30 N.J.R. 2639(b). In (a), inserted a reference to fast action hold 'em. Amended by R.1999 d.29, effective January 19, 1999. See: 30 N.J.R. 30(a), 31 N.J.R. 144(a). In (a), inserted references to casino war and fast action hold 'em. Amended by R.2000 d.2, effective January 3, 2000. See: 30 N.J.R. 4149(a), 32 N.J.R. 71(a). Rewrote (a) Amended by R.2001 d.288, effective August 20, 2001. See: 32 N.J.R. 4240(a), 33 N.J.R. 2824(a). In the introductory paragraph of (a), added reference to colorado hold 'em poker. Petition for Rulemaking. See: 34 N.J.R. 2871(b) Amended by R.2003 d.243, effective June 16, 2003. See: 35 N.J.R. 1395(a), 35 N.J.R. 2740(a) In (a), inserted ,"boston 5 stud poker" following "colorado hold 'em poker" in the introductory paragraph. Petition for Rulemaking. See: 35 N.J.R. 5171(a). Petition for Rulemaking. See: 36 N.J.R. 1617(b) Amended by R.2004 d.326, effective August 16, 2004. See: 36 N.J.R. 1305(a), 36 N.J.R. 3889(a). In (a), inserted "double cross poker" following "5 stud poker," in the introductory paragraph. Amended by R.2004 d.340, effective September 7, 2004.

19:46–1.18 Cards; receipt, storage, inspections, and removal from use

Amended by R.2004 d.465, effective December 20, 2004.

In (a), inserted "double attack blackjack" following "spanish 21" in

See: 36 N.J.R. 2310(a), 36 N.J.R. 4166(a).

See: 36 N.J.R. 3639(a), 36 N.J.R. 5704(a).

the introductory paragraph.

(a) When decks of cards are received for use in the casino or casino simulcasting facility from the manufacturer or distributor thereof, they shall be placed for storage in a locked cabinet in the cashiers' cage or within a primary or secondary storage area by at least two individuals, one of whom shall be from the casino department and the other from the casino security department or casino accounting department. The cabinet or primary storage area shall be located in the cashiers' cage or in another secure place, the location and physical characteristics of which shall be approved by the Commission. Secondary storage areas shall be used for the storage of surplus cards. Cards maintained in secondary storage areas shall not be distributed to gaming pits or tables for use in gaming until the cards have been moved to a primary storage area. All secondary storage areas shall be located in secure areas, the location and physical characteristics of which shall be approved by the Commission. Nothing herein shall preclude a casino licensee from having a separate storage area for the cards to be used at the game of poker; provided, however, the location and physical characteristics of the separate storage area shall be approved by the Commission.

46-17

19:46–1.18 OTHER AGENCIES

- (b) All primary, secondary and poker storage areas, other than the cashiers' cage, shall have two separate locks. The casino security department shall maintain one key and the casino department or cashiers' cage shall maintain the other key; provided, however, that no person employed by the casino department below the table games shift manager in the organizational hierarchy shall have access to the casino department key for the primary and secondary storage areas and no person below the poker shift supervisor in the organizational hierarchy shall have access to the casino department key to the poker storage area. Cards stored in a cabinet within the cashiers' cage shall be secured by a lock, the key to which shall be maintained by a tables games shift manager or casino supervisor thereof.
- (c) Immediately prior to the commencement of each gaming day and at other times as may be necessary, the assistant shift manager or casino supervisor thereof, in the presence of a casino security officer, shall remove the appropriate number of decks of cards for that gaming day from a primary storage area, and if applicable, the poker shift supervisor or supervisor thereof, in the presence of a casino security officer, shall remove the appropriate number of decks of cards to be used at poker for that gaming day from the poker storage area.
- (d) If removed from the primary storage area, the table games shift manager or casino supervisor thereof and the casino security officer who removed the decks shall distribute sufficient decks to the poker shift supervisor and to the pit boss who shall then distribute the decks to the dealer at each table. If removed from the poker storage area, the decks shall be removed by the poker shift supervisor, in the presence of the casino security officer, and transported to the poker pit stand. Subsequently, the poker shift supervisor shall distribute the decks to the dealer at each poker table either directly or through the floorperson assigned to supervise the dealer. The distribution of the decks to the poker tables shall comply with the provisions of N.J.A.C. 19:47–14.2.
 - 1. The poker shift supervisor or pit boss shall place extra decks for card reserve into the pit stand.

- 2. Prior to distributing the decks to each table, the poker shift supervisor or floorperson shall examine each package to determine if any replacement cards are necessary pursuant to (n)5 below. If needed, the poker shift supervisor or floorperson shall place the appropriate replacement cards into the deck from the cards held in reserve at the pit stand. Upon insertion of the replacement cards into the deck, the poker shift supervisor or floorperson shall re-examine the front of each card and the back of each card to ensure a consistent shading pattern and to ensure that the condition of the deck with the inclusion of the replacement cards has sufficient quality in order to maintain the integrity of gaming at poker. If the integrity of gaming at poker would in any way be compromised by the use of the deck with the replacement cards, the entire deck of cards shall be placed in a sealed envelope or container, identified with the date and time and shall be signed by the poker shift supervisor. The poker shift supervisor shall maintain the envelope or container in a secure place within the pit stand until collection by a casino security officer.
- 3. Cards in the pit stand shall be placed in a locked compartment, keys to which shall be in the possession of the poker shift supervisor or supervisor thereof or the pit boss or casino supervisor thereof.
- (e) With the exception of cards used to game at pokette, which are governed by the requirements of N.J.A.C. 19:47–12.3, prior to their use at a table, all decks shall be inspected by the dealer, and the inspection verified by a floorperson. Card inspection at the gaming table shall require each pack to be used to be sorted into sequence and into suit to assure that all cards are in the deck. The dealer shall also check the back of each card to assure that it is not flawed, scratched or marked in any way.
 - 1. If, after checking the cards, the dealer finds that a card is unsuitable for use, a poker shift supervisor or casino supervisor shall bring a substitute card from the card reserve in the pit stand.
 - 2. The unsuitable card shall be placed in a sealed envelope or container, identified by table number, date, and time and shall be signed by the dealer and floorperson assigned to that table. The poker shift supervisor or casino supervisor shall maintain the envelope or container in a secure place within the pit until collection by a casino security officer.
- (f) All envelopes and containers used to hold or transport cards collected by security shall be transparent.
 - 1. The envelopes or containers and the method used to seal them shall be designed or constructed so that any tampering shall be evident.
 - 2. The envelopes or containers and seals shall be approved by the Commission.

46-18

- (g) Any cards which have been opened and placed on a gaming table shall be changed at least every 24 hours. In addition:
 - 1. Except as otherwise provided for in (g)5 below for baccarat and in N.J.A.C. 19:46–1.12(c) for minibaccarat, cards opened for use on a baccarat, minibaccarat or fast action hold em table shall be changed at least once during the gaming day;
 - 2. Cards opened for use on a pai gow poker, caribbean stud poker, let it ride poker, colorado hold 'em poker, boston 5 stud poker, four card poker or three card poker table and dealt from a dealing shoe shall be changed at least every eight hours;
 - 3. Cards opened for use on a pai gow poker, caribbean stud poker, let it ride poker, colorado hold 'em poker, boston 5, stud poker, four card poker, double cross poker, or three card poker table and dealt from the dealer's hand shall be changed at least every four hours;
 - 4. Cards opened for use on a poker table shall be changed at least every four hours; and
 - 5. Cards opened for use on a baccarat table using the alternative dealing procedure set forth at N.J.A.C. 19:47–3.7(d) shall be changed after each shoe.
- (h) Cards damaged during course of play shall be replaced by the dealer who shall request a floorperson or supervisor thereof for the game of poker or casino supervisor for all other games to bring cards in substitution from the pit stand.
 - 1. The damaged cards shall be placed in a sealed envelope, identified by table number, date and time and shall be signed by the dealer and the individual who brought the replacement card to the table.
 - 2. The poker shift supervisor or casino supervisor shall maintain the envelopes or containers in a secure place within the pit until collection by a casino security officer.
- (i) At the end of each gaming day or, in the alternative, at least once each gaming day at the same time each day, as designated by the casino licensee and approved by the Commission, and at such other times as may be necessary, the floorperson or supervisor thereof for the game of poker or casino supervisor for all other games shall collect all used cards.
 - 1. These cards shall be placed in a sealed envelope or container. A label shall be attached to each envelope or container which shall identify the table number, date and time and shall be signed by the dealer and floorperson assigned to the table.
 - 2. The poker shift supervisor or casino supervisor shall maintain the envelopes or containers in a secure place within the pit until collection by a casino security officer.

- (j) The casino licensee shall remove any cards at any time during the day if there is any indication of tampering, flaws, scratches, marks or other defects that might affect the integrity or fairness of the game, or at the request of the Commission or Division.
- (k) All extra decks in card reserve with broken seals shall be placed in a sealed envelope or container, with a label attached to each envelope or container which identifies the date and time and is signed by the floorperson or supervisor thereof for poker and the pit boss for all other games.
- (1) At the end of each gaming day or, in the alternative, at least once each gaming day at the same time each day, as designated by the casino licensee and approved by the Commission, and at such other times as may be necessary, a casino security officer shall collect and sign all envelopes or containers with damaged cards, cards used during the gaming day, and all extra decks in card reserve with broken seals and shall return the envelopes or containers to the casino security department.
- (m) At the end of each gaming day or, in the alternative, at least once each gaming day at the same time each day, as designated by the casino licensee and approved by the Commission, and at such other times as may be necessary, a table games shift manager or casino supervisor thereof may collect all extra decks in card reserve. If the casino maintains a separate storage area for poker cards, a poker shift supervisor or supervisor thereof may collect all extra decks in card reserve for the game of poker. If collected, all sealed decks shall either be canceled or destroyed or returned to the storage area.
- (n) When the envelopes or containers of used cards and reserve cards with broken seals are returned to the casino security department, they shall be inspected for tampering, marks, alterations, missing or additional cards or anything that might indicate unfair play.
 - 1. For cards used in blackjack, spanish 21, double attack blackjack, red dog, casino war, fast action hold 'em or minibaccarat using the dealing procedures in N.J.A.C. 19:47–7.7(c)1 or 2, the casino licensee shall cause to be inspected either:
 - i. All decks used during the day; or
 - ii. A sample of decks selected at random or in accordance with an approved stratification plan, provided that the procedures for selecting the sample size and for assuring a proper selection of the sample are submitted to and approved by the Commission. This sample shall be collected, stored and inspected separately from the sample required by (n)2ii below, and shall not be commingled with any cards from that sample.
 - 2. For cards used in baccarat, or cards used in minibaccarat using the dealing procedures in N.J.A.C.

19:47-7.7(c)3, the casino licensee shall cause to be inspected either:

- i. All decks used during the day; or
- ii. A sample of decks selected at random or in accordance with an approved stratification plan, provided that the procedures for selecting the sample size and for assuring a proper selection of the sample are submitted to and approved by the Commission. This sample shall be collected, stored and inspected separately from the sample required by (n)1ii above, and shall not be commingled with any cards from that sample.
- 3. The casino licensee shall also inspect:
- i. Any cards which the Commission or Division requests the casino licensee to remove for the purpose of inspection;
- ii. Any cards the casino licensee removed for indication of tampering;
- iii. All cards used for pai gow poker, caribbean stud poker, let it ride poker, colorado hold 'em poker, boston 5 stud poker, double cross poker, four card poker or three card poker;
- iv. All cards used for pokette, which must be inspected by sorting the cards sequentially by suit; and
 - v. All cards used for poker.
- 4. The procedures for inspecting all decks required to be inspected under this subsection, with the exception of pokette cards, shall, at a minimum, include:
 - i. The sorting of cards sequentially by suit or utilizing a machine approved by the Commission capable of reading the cards to determine whether any deck contains missing or additional cards;
 - ii. The inspection of the backs with an ultraviolet light;
 - iii. The inspection of the sides of the cards for crimps, bends, cuts and shaving; and
 - iv. The inspection of the front and back of all plastic cards for consistent shading and coloring.
- 5. If, during the inspection procedures required in (n)3 above, one or more plastic cards in a deck are determined to be unsuitable for continued use, those cards shall be placed in a sealed envelope or container and a three-part Card Discrepancy Report shall be completed in accordance with n(9) below.
- 6. Upon completion of the inspection procedures required in (n)3 above, each deck of plastic cards which is determined suitable for continued use shall be placed in sequential order, repackaged and returned to the primary or poker storage area for subsequent use. If a deck has any missing cards pursuant to n(4) above, the individual who repackages the cards shall indicate the need for the appropriate replacement card(s) in a manner approved by the Commission.

- 7. The casino licensee shall develop internal control procedures for returning the repackaged cards to the storage area.
- 8. The individuals performing said inspection shall complete a work order form which shall detail the procedures performed and list the tables from which the cards were removed and the results of the inspection. The individual shall sign the form upon completion of the inspection procedures.
- 9. The casino licensee shall submit the training procedures for those employees performing the inspection, which shall be approved by the Commission;
- 10. Evidence of tampering, marks, alterations, missing or additional cards or anything that might indicate unfair play discovered at this time, or at any other time, shall be immediately reported to the Commission and Division by the completion and delivery of a three-part Card Discrepancy Report.
 - i. The report shall accompany the cards when delivered to the Commission.
 - ii. The cards shall be retained for further inspection by the Commission.
 - iii. The Commission inspector receiving the cards shall sign the original, duplicate and triplicate copy of the Card Discrepancy Report and retain the original at the Commission Booth. The duplicate copy shall be delivered to the Division office located within the casino hotel facility. The triplicate copy shall be retained by the casino licensee.
- (o) The casino licensee shall submit to the Commission for approval procedures for:
 - 1. A card inventory system which shall include, at a minimum, the recordation of the following:
 - i. The balance of cards on hand;
 - ii. The cards removed from storage;
 - iii. The cards returned to storage or received from the manufacturer;
 - iv. The date of the transaction; and
 - v. The signatures of the individuals involved;
 - 2. A reconciliation on a daily basis of the cards distributed, the cards destroyed and canceled, the cards returned to the storage area and, if any, the cards in card reserve; and
 - 3. A physical inventory of the cards at least once every three months.
 - i. This inventory shall be performed by an individual with no incompatible functions and shall be verified to the balance of cards on hand required in (0)1i above.

- ii. Any discrepancies shall immediately be reported to the Commission and Division.
- (p) Where cards in an envelope or container are inspected and found to be without any indication of tampering marks, alterations, missing or additional cards or anything that might indicate unfair play, those cards with the exception of plastic cards used at poker which are of sufficient quality for reuse, shall within 48 hours of collection be destroyed or canceled. Once released by the Commission and Division, the cards submitted as evidence shall immediately be destroyed or canceled.
 - 1. Destruction of cards shall be by shredding.
 - 2. Cancellation of cards shall be by drilling a circular hole of at least one fourth of an inch in diameter through the center of each card in the deck.
 - 3. The destruction and cancellation of cards shall take place in a secure place, the location and physical characteristics of which shall be approved by the Commission.
- (q) If a deck of plastic cards has been reused 12 or more times and the deck has been determined to be suitable for reuse by the individual performing the inspection procedures required by (n)3 above, before that deck may be reused at a poker table, the deck must be inspected by a poker shift supervisor or floorperson. A satisfactory inspection shall be documented by the poker shift supervisor or floorperson. If the poker shift supervisor or floorperson determines that the deck may not be reused, the deck shall be placed in a sealed envelope or container, with a label attached which identifies the date and time and shall be signed by the poker shift supervisor or floorperson. At the end of the gaming day or at such other times as may be necessary, said envelope or container shall be collected by a casino security officer and be returned to the casino security department for destruction or cancellation pursuant to (p) above.

Amended by R.1983 d.308, effective August 1, 1983.

See: 14 N.J.R. 829(a), 15 N.J.R. 1259(a).

Text substantially amended.

Amended by R.1983 d.538, effective November 21, 1983.

See: 15 N.J.R. 1370(a), 15 N.J.R. 1958(b).

Substantially amended text.

Amended by R.1987 d.336, effective August 17, 1987.

See: 19 N.J.R. 2121(a), 19 N.J.R. 1570(b).

Added "immediately" and "and delivery" to (1).

Experimental 90-day implementation (N.J.A.C. 19:46-1.18(k) and (n)), pursuant to N.J.S.A. 5:12-69(e), 5:12-70(f) and 5:12-100(e), effective March 12, 1990 (expired June 10, 1990).

See: 22 N.J.R. 841(b)

Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

Revised text to modify procedures for handling extra cards in card reserve. Stylistic revisions throughout text. Restructured section through (g)-(p).

Amended by R.1992 d.406, effective October 19, 1992.

See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a).

Added text, throughout section, regarding games of pai gow poker and pokette.

Amended by R.1992 d.453, effective November 16, 1992.

See: 24 N.J.R. 2140(a), 24 N.J.R. 4279(b).

In (e) and (n), added text regarding cards used in pokette. Experimental implementation pursuant to N.J.S.A. 5:12-69(e), effective on or after November 24, 1992.

See: 24 N.J.R. 4283(a).

Dealing pai gow poker from the hand.

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Revised (a).

Amended by R.1993 d.86, effective February 16, 1993.

See: 24 N.J.R. 4339(a), 25 N.J.R. 719(a).

In (a), deleted language stipulating that primary storage area be located "in or immediately adjacent to the casino floor". In (i), (l) and (m), added alternative provision for collection of cards.

Amended by R.1993 d.192, effective May 3, 1993.

See: 24 N.J.R. 4247(a), 25 N.J.R. 1887(b).

Revised (g)2 and added (g)3.

Amended by R.1994 d.141, effective March 21, 1994.

See: 25 N.J.R. 5906(a), 26 N.J.R. 1380(a).

Amended by R.1995 d.430, effective August 7, 1995.

See: 27 N.J.R. 1767(b), 27 N.J.R. 2967(a).

Added caribbean stud poker.

Amended by R.1995 d.534, effective October 2, 1995.

See: 27 N.J.R. 2119(a), 27 N.J.R. 3795(b).

Amended by R.1996 d.317, effective July 15, 1996.

See: 28 N.J.R. 1362(a), 28 N.J.R. 3627(a).

Amended by R.1997 d.134, effective March 17, 1997.

See: 28 N.J.R. 2531(a), 29 N.J.R. 928(a).

In (g)2, (g)3 and (n)2iii, added reference to three card poker.

Petition for Rulemaking: Notice of Receipt of a Petition for Rulemaking.

See: 29 N.J.R. 2571(d).

Amended by R.1998 d.18, effective January 5, 1998.

See: 29 N.J.R. 3432(b), 30 N.J.R. 112(b).

Amended by R.1998 d.371, effective July 20, 1998.

See: 29 N.J.R. 4672(a), 30 N.J.R. 2639(b).

In (g)1 and (n)1, inserted references to fast action hold 'em.

Amended by R.1999 d.29, effective January 19, 1999.

See: 30 N.J.R. 30(a), 31 N.J.R. 144(a).

In (n)1, inserted references to casino war and fast action hold 'em.

Amended by R.1999 d.42, effective February 1, 1999.

See: 30 N.J.R. 4034(a), 31 N.J.R. 454(a).

In (n), inserted a reference to casino war, deleted "baccarat" preceding "fast action" and inserted "using the dealing procedures in N.J.A.C. 19:47-7.7(c)1 or (c)2" in the introductory paragraph of 1, added a new last sentence in 1ii, added a new 2, and recodified former 2 through 9 as 3 through 10.

Amended by R.2000 d.2, effective January 3, 2000.

See: 30 N.J.R. 4149(a), 32 N.J.R. 71(a).

In (n)1, rewrote the introductory paragraph.

Amended by R.2001 d.288, effective August 20, 2001.

See: 32 N.J.R. 4240(a), 33 N.J.R. 2824(a).

In (g)2, (g)3 and (n)3iii, added references to colorado hold 'em poker.

Petition for Rulemaking.

See: 34 N.J.R. 2871(b).

Amended by R.2003 d.243, effective June 16, 2003.

See: 35 N.J.R. 1395(a), 35 N.J.R. 2740(a).

In (g)2 and 3 and (n)3iii, inserted ", boston 5 stud poker" following "colorado hold 'em poker".

Amended by R.2004 d.326, effective August 16, 2004.

See: 36 N.J.R. 1305(a), 36 N.J.R. 3889(a).

Inserted "double cross poker" following "5 stud poker," throughout. Amended by R.2004 d.340, effective September 7, 2004.

See: 36 N.J.R. 2310(a), 36 N.J.R. 4166(a).

In (n), inserted "double attack blackjack" in 1 and "double cross poker" in 3iii.

Amended by R.2004 d.465, effective December 20, 2004.

See: 36 N.J.R. 3639(a), 36 N.J.R. 5704(a).

Inserted "four card poker" following "boston 5 stud poker" throughout.

Amended by R.2005 d.102, effective April 4, 2005.

See: 36 N.J.R. 4699(a), 37 N.J.R. 1087(a).

Rewrote (g).

Amended by R.2005 d.241, effective July 18, 2005.

19:46-1.19 Dealing shoes; automated shuffling devices

(a) The following words and terms when used in this section shall have the following meanings:

"Base plate" means the interior shelf of the dealing shoe on which the cards rest.

"Face plate" means the front wall of the dealing shoe against which the next card to be dealt rests and which typically contains a cutout.

- (b) Cards used to game at blackjack, spanish 21, double attack blackjack, pai gow poker, minibaccarat, red dog, caribbean stud poker, let it ride poker, three card poker, fast action hold 'em, colorado hold 'em poker, casino war, boston 5 stud poker, double cross poker, four card poker and double down stud shall be dealt from a manual or automated dealing shoe which shall be secured to the gaming table when the table is open for gaming activity and secured in a locked compartment when the table is not open for gaming activity. Cards used to game at baccarat shall be dealt from a dealing shoe which shall be secured in a locked compartment when the table is not open for gaming activity. Notwithstanding the foregoing, cards used to game at pai gow poker, double down stud, three card poker, colorado hold 'em poker, double cross poker and four card poker may be dealt from the dealer's hand in accordance with N.J.A.C. 19:47–11.8A, 17.8, 20.8, 23.8, 25.8 and 27.8, respectively.
- (c) A device which automatically shuffles cards may be utilized at the games of blackjack, spanish 21, double attack blackjack, baccarat, pai gow poker, minibaccarat, red dog, poker, caribbean stud poker, let it ride poker, three card poker, fast action hold 'em, colorado hold 'em poker, casino war, boston 5 stud poker, double cross poker, four card poker and double down stud in addition to a manual or automated dealing shoe, provided that:
 - 1. The automated card shuffling device and the procedures for shuffling and dealing the cards through the use of the device are submitted to and approved by the Commission; and
 - 2. The security of an automated card shuffling device conforms to the security of any dealing shoe used at the gaming table pursuant to (b) above.
- (d) Each manual or automated dealing shoe shall be designed and constructed with such features as the Commission may require to maintain the integrity of the game at which such shoe is used. Such features shall include, at a minimum, the following:
 - 1. At least the first four inches of the base plate shall be white;
 - 2. The sides of the shoe below the base plate shall be transparent or have a transparent sealed cutout unless the dealing shoe is otherwise constructed to prevent any

- object from being placed into or removed from the portion of the dealing shoe below the base plate and to permit the inspection of this portion of the shoe; and
- 3. A stop underneath the top of the face plate shall preclude the next card to be dealt from being moved upwards for more than one-eighth inch distance; and
- 4. Each dealing shoe used in blackjack and spanish 21 shall have a mark on the side of the shoe that enables the dealer, after aligning the stack of cards against the shoe in accordance with N.J.A.C. 19:47–2.5(d), to insert the cutting card in such stack so that approximately one quarter of the stack is behind the cutting card.
- (e) A baccarat dealing shoe, in addition to meeting the requirements of (d)1 through 3 above, shall also adhere to the following specifications:
 - 1. A removable lid shall be opaque from the point where it meets the face plate to a point at least four inches from the face plate;
 - 2. The sides and back above the base plate shall be opaque; and
 - 3. A device within the shoe shall, when engaged, prevent the cards from moving backward in the shoe.
- (f) A pai gow poker dealing shoe, in addition to meeting the requirements of (d) above, may, in the discretion of the casino licensee, also contain a device approved by the Commission on the front of the face plate so as to preclude the players from viewing the next card to be dealt.
- (g) All dealing shoes and shuffling devices in the casino and casino simulcasting facility shall be inspected at the beginning of each gaming day by a floorperson assigned to the table prior to cards being placed in them. The purpose of this inspection shall be to assure that there has been no tampering with the shoe or shuffling device.
- (h) For gaming tables at which a manual dealing shoe is utilized, the shoe shall be located on the side of the gaming table to the left of the dealer, and the discard rack shall be located on the side of the gaming table to the right of the dealer. For gaming tables at which either an automated card shuffling device or an automated dealing shoe is utilized, the location of the automated device or shoe shall be approved by the Commission, and the discard rack shall be on the side of the gaming table opposite such device or shoe.

Amended by R.1983 d.238, effective June 20, 1983. See: 14 N.J.R. 559(b), 15 N.J.R. 1040(c).

Added last sentence to (a). Added reference to "shuffling devices". Amended by R.1986 d.308, effective August 4, 1986. See: 18 N.J.R. 1096(a), 18 N.J.R. 1614(b).

Added text to (a) "Cards used to ... during non-gaming hours." Amended by R.1988 d.468, effective October 3, 1988 (operative January 31, 1989).

See: 20 N.J.R. 1069(a), 20 N.J.R. 2468(a).

46-23

Added new (a) and renumbered old (a) to (b); Deleted text in (b) "A dealing shoe ... ; Deleted old (b); added new (c)-(e) and renumbered old (c) to (f).

Amended by R.1991 d.532, effective November 4, 1991.

See: 23 N.J.R. 2231(a), 23 N.J.R. 3348(a).

Added "red dog" game to (b) and (c)

Amended by R.1992 d.110, effective March 2, 1992.

See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

In (b): added text regarding specific times when and when not the table is open for gaming that the dealing shoe must be secured. Amended by R.1992 d.406, effective October 19, 1992.

See: 24 N.J.R. 569(a), 24 N.J.R. 1517(a), 24 N.J.R. 3742(a).

Pai gow provisions added.

Experimental implementation pursuant to N.J.S.A. 5:12-69(e), effective on or after November 24, 1992.

See: 24 N.J.R. 4283(a).

Dealing pai gow poker from the hand.

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

Simulcast provisions added.

Amended by R.1993 d.192, effective May 3, 1993.

See: 24 N.J.R. 4247(a), 25 N.J.R. 1887(b).

In (b), added reference regarding pai gow poker.

Administrative Correction to subsection (b).

See: 26 N.J.R. 492(a).

Temporary Amendment: Double Down Stud.

See: 26 N.J.R. 1390(a).

Amended by R.1994 d.172, effective April 4, 1994

See: 26 N.J.R. 349(a), 26 N.J.R. 1539(a).

Amended by R.1994 d.224, effective May 2, 1994

See: 26 N.J.R. 344(a), 26 N.J.R. 1853(b)

Amended by R.1994 d.265, effective June 6, 1994.

See: 25 N.J.R. 5893(a), 26 N.J.R. 2463(a).

Amended by R.1994 d.345, effective July 5, 1994.

See: 26 N.J.R. 1622(a), 26 N.J.R. 2805(a).

Temporary Amendment: Caribbean Stud Poker.

See: 26 N.J.R. 3464(a).

Temporary Amendment: Double Down Stud.

See: 26 N.J.R. 4445(a)

Amended by R.1994 d.593, effective December 5, 1994.

See: 26 N.J.R. 1323(a), 26 N.J.R. 4790(a).

Amended by R.1995 d.430, effective August 7, 1995.

See: 27 N.J.R. 1767(b), 27 N.J.R. 2967(a).

Added caribbean stud poker.

Amended by R.1995 d.534, effective October 2, 1995.

See: 27 N.J.R. 2119(a), 27 N.J.R. 3795(b).

Administrative Correction to (b) and (c).

See: 28 N.J.R. 2404(a).

Administrative Correction to (b) and (c).

See: 28 N.J.R. 3976(a).

Amended by R.1997 d.134, effective March 17, 1997.

See: 28 N.J.R. 2531(a), 29 N.J.R. 928(a).

In (b) and (c), added reference to three card poker. Amended by R.1997 d.519, effective December 1, 1997.

See: 29 N.J.R. 4082(a), 29 N.J.R. 5075(b).

In (c), added "poker'

Amended by R.1998 d.371, effective July 20, 1998.

See: 29 N.J.R. 4672(a), 30 N.J.R. 2639(b).

In (b), inserted a reference to fast action hold 'em; and in (c), inserted references to poker and fast action hold 'em.

Amended by R.1999 d.29, effective January 19, 1999.

See: 30 N.J.R. 30(a), 31 N.J.R. 144(a).

In (b) and (c), inserted references to casino war.

Amended by R.1999 d.110, effective April 5, 1999.

See: 30 N.J.R. 4155(a), 31 N.J.R. 894(a).

Rewrote (c); and added (h).

Amended by R.2000 d.2, effective January 3, 2000.

See: 30 N.J.R. 4149(a), 32 N.J.R. 71(a).

In (b) through (d), inserted references to spanish 21 throughout; in (b) and (c), inserted references to casino war; and in (c), inserted 1 designation and added 2.

Administrative correction.

See: 32 N.J.R. 718(b).

Amended by R.2001 d.288, effective August 20, 2001.

See: 32 N.J.R. 4240(a), 33 N.J.R. 2824(a).

In (b), inserted N.J.A.C. reference in the last sentence; in (b) and the introductory paragraph of (c), added references to colorado hold 'em poker.

Petition for Rulemaking.

See: 34 N.J.R. 2871(b)

Amended by R.2003 d.243, effective June 16, 2003.

See: 35 N.J.R. 1395(a), 35 N.J.R. 2740(a).

In (b) and the introductory paragraph of (c), inserted ", boston 5 stud poker" following "casino war".

Petition for Rulemaking.

See: 35 N.J.R. 5171(a)

Amended by R.2004 d.326, effective August 16, 2004.

See: 36 N.J.R. 1305(a), 36 N.J.R. 3889(a).

In (b) and (c), inserted references to double cross poker following 5 stud poker and colorado hold' em poker throughout and inserted a N.J.A.C. reference in (b).

Amended by R.2004 d.340, effective September 7, 2004.

See: 36 N.J.R. 2310(a), 36 N.J.R. 4166(a).

Inserted references to double cross poker and double attack blackjack throughout; in (b), added "and 25.8" following "23.8.

Amended by R.2004 d.465, effective December 20, 2004 See: 36 N.J.R. 3639(a), 36 N.J.R. 5704(a).

19:46–1.19A Pai gow tiles physical characteristics

- (a) Pai gow shall be played with a set of 32 rectangular blocks to be known as tiles. Each tile in a set shall be identical in size and shading to every other tile in the set.
 - (b) Each tile used in gaming at pai gow shall:
 - 1. Be made of a non-transparent black material, formed in the shape of a rectangle, and be of a size no smaller than 2.500 inches in length, 1.000 inch in width and .375 of an inch in thickness;
 - 2. Have the surface of each of its sides perfectly flat, except that the front side of each tile shall contain spots which shall extend into the tile exactly the same distance as every other spot;
 - 3. Have on the back of each tile an identifying feature unique to each casino;
 - 4. Have the texture and finish of each side, with the exception of the front side, exactly identical to the texture and finish of all other sides;
 - 5. Have the back and sides of each tile within a set be identical and no tile within a set shall contain any marking, symbol or design that will enable a person to know the identity of any element on the front side of the tile or that will distinguish any tile from any other tile within a set: and
 - 6. Have identifying spots on the front of the tiles which are either red or white or both.
- (c) Each set of tiles shall be composed of 32 tiles as set forth in N.J.A.C. 19:47–10.2(g).
- (d) Each set of tiles shall be packaged separately and completely sealed in such a manner so that any tampering shall be evident.

New Rule, R.1992 d.411, effective October 19, 1992. See: 24 N.J.R. 558(a), 24 N.J.R. 3753(a).

19:46-1.19B Pai gow tiles; receipt; storage; inspections and removal from use

(a) When sets of tiles to be used at pai gow are received from the manufacturer or distributor thereof, they shall immediately following receipt be inspected by a member of the casino security department and a casino supervisor to assure that the seals on each package are intact, unbroken and free from tampering. Packages that do not satisfy these criteria shall be inspected at this time to assure that the tiles conform to Commission standards and there is no evidence of tampering. Packages satisfying these criteria, together with packages having unbroken, intact and untampered seals shall then be placed for storage in a locked cabinet within a primary or secondary storage area. Sets of tiles which are to be distributed to gaming pits or tables for use in gaming shall be distributed from a locked cabinet in the cashiers' cage, or from another secure primary storage area, the location and physical characteristics of which shall be approved by the Commission. Secondary storage areas shall be used for the storage of surplus tiles. Tiles maintained in secondary storage areas shall be distributed to gaming pits or tables for use in gaming until the tiles have been moved to a primary storage area. All secondary storage areas shall be located in secure areas, the location and physical characteristics of which shall be approved by the Commission.

- (b) All primary and secondary storage areas, other than the cashiers' cage, shall have two separate locks. The casino security department shall maintain one key and the casino department or cashiers' cage shall maintain the other key; provided, however, that no person employed by the casino department below the table games shift manager in the organization hierarchy shall have access to the casino department key. Tiles stored in a cabinet within the cashiers' cage shall be secured by a lock, the key to which shall be maintained by a table games shift manager or casino supervisor thereof.
- (c) Immediately prior to the commencement of each gaming day and at such other times as may be necessary, the table games shift manager or casino supervisor thereof, in the presence of a casino security officer, shall remove the appropriate number of sets of tiles for that gaming day from a primary storage area.
- (d) All envelopes and containers used to hold or transport tiles shall be transparent.
 - 1. The envelopes or containers and the method used to seal them shall be designed or constructed so that any tampering shall be evident.
 - 2. The envelopes or containers and seals shall be approved by the Commission.

Next Page is 46-25 46-24.1 Supp. 12-20-04