

**CHAPTER 23**  
**UNIFORM CONSTRUCTION CODE**

**Authority**

N.J.S.A. 52:27D-123, 123a, 123.2, 123.5, 123.8, 124 and 124f.

**Source and Effective Date**

R.1997 d.409, effective September 9, 1997.  
See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

**Executive Order No. 66(1978) Expiration Date**

Chapter 23, Uniform Construction Code, expires on September 9, 2002.

**Chapter Historical Note**

Chapter 23, Uniform Construction Code, was adopted as R.1976 d.344, d.345, d.346 and d.347, effective January 1, 1977 and codified as Subchapter 1, General Provisions; Subchapter 2, Administration and Enforcement Process; Subchapter 3, Subcodes, and Subchapter 4, Enforcing Agencies: Duties, Powers, Procedures. See: 8 N.J.R. 216(b), 319(a), 370(d), 414(a); 8 N.J.R. 546(a). Chapter 23 superseded N.J.A.C. 5:16, Standard Building Code and N.J.A.C. 5:20, Safety Glazing Materials, which were repealed by R.1978 d.360, effective October 6, 1978. See: 10 N.J.R. 377(a), 10 N.J.R. 470(a). Chapter 23 also superseded N.J.A.C. 5:21, Uniform Standards Code for Mobile Homes, which was repealed by R.1982 d.7, effective February 1, 1982. See: 13 N.J.R. 717(a), 14 N.J.R. 142(a). Subchapter 5, Licensing of Code Enforcement Officials, was adopted as R.1977 d.304, effective October 1, 1977. See: 9 N.J.R. 257(b), 9 N.J.R. 413(b). Subchapter 6, Tax Exemption for Solar Facilities, was adopted as R.1978 d.334, effective September 18, 1978. See: 10 N.J.R. 222(b), 10 N.J.R. 418(a). Pursuant to Executive Order No. 66(1978), Subchapter 6 was readopted as R.1980 d.303, effective July 1, 1980. See: 12 N.J.R. 249(c), 12 N.J.R. 452(c).

Pursuant to Executive Order No. 66(1978), Chapter 23 was readopted as R.1983 d.144, effective April 26, 1983. See: 14 N.J.R. 1247(a), 15 N.J.R. 803(c). Subchapter 7, Barrier Free Subcode, was adopted as R.1986 d.448, effective November 3, 1986. See: 18 N.J.R. 757(a), 18 N.J.R. 2194(a). Subchapter 8, Asbestos Hazard Abatement Subcode, was adopted as Emergency New Rules R.1985 d.362, effective June 18, 1985 (expired August 17, 1985). See: 17 N.J.R. 1782(a). The provisions of R.1985 d.362 were readopted as R.1985 d.472, effective August 16, 1985. See: 17 N.J.R. 2249(a).

Pursuant to Executive Order No. 66(1978), Chapter 23 was readopted as R.1988 d.168, effective March 22, 1988. N.J.A.C. 5:23-6.1, 6.2 and 6.3, concerning tax exemption for solar facilities, were not readopted and expired on April 1, 1988. See: 20 N.J.R. 223(a), 20 N.J.R. 893(a). Subchapter 9, Code Interpretations, was adopted as R.1988 d.195, effective May 2, 1988. See: 20 N.J.R. 224(a), 20 N.J.R. 977(a). Subchapter 10, Radon Hazard Subcode, was adopted as R.1990 d.226, effective May 7, 1990. See: 21 N.J.R. 3696(a), 22 N.J.R. 1356(a). Subchapter 4A, Industrialized/Modular Buildings and Building Components, was adopted as R.1990 d.313, effective June 18, 1990, (operative July 1, 1990). See: 22 N.J.R. 691(a), 22 N.J.R. 1915(b). Subchapter 11, Indoor Air Quality Standards and Procedures for Buildings Occupied by Public Employees, was adopted as R.1992 d.33, effective January 21, 1992. See: 23 N.J.R. 1730(b), 24 N.J.R. 229(c). Subchapter 12, Elevator Safety Subcode, was adopted as R.1991 d.325, effective July 1, 1991. See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Pursuant to Executive Order No. 66(1978), Chapter 23 was readopted as R.1993 d.106, effective February 3, 1993. See: 24 N.J.R. 1420(b), 25 N.J.R. 920(a). Subchapter 4B, Manufactured Homes and Manufactured Home Add-On Units Not Subject to Federal Regulation, and Subchapter 4C, Enforcement of Federal Manufactured Home

Standards, were adopted as R.1994 d.96, effective February 22, 1994. See: 25 N.J.R. 5388(a), 26 N.J.R. 1073(a). N.J.A.C. 5:23-7.1 through 7.99 were repealed and 7.100 through 7.116 were recodified as 7.2 through 7.18 by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995). See: 26 N.J.R. 2698(a), 26 N.J.R. 2524(a), 27 N.J.R. 1180(a). Subchapter 11, Indoor Air Quality Standards and Procedures for Buildings Occupied by Public Employees, was repealed by R.1995 d.612, effective December 4, 1995 (operative July 1, 1995). See: 27 N.J.R. 3518(a), 27 N.J.R. 4885(a).

Pursuant to Executive Order No. 66(1978), Chapter 23 was readopted as R.1997 d.409, effective September 9, 1997. See: Source and Effective Date. As a part of R.1997 d.409, effective October 6, 1997, Subchapter 6, Tax Exemption, was repealed. See, also, section annotations.

**Cross References**

Child care center physical facility requirements, see N.J.A.C. 10:122-5.1 et seq.

Children's group home physical facility requirements, see N.J.A.C. 10:128-4.1 et seq.

Children's shelter physical facility requirements, see N.J.A.C. 10:124-5.1 et seq.

Residential child care facility maintenance and sanitation requirements, see N.J.A.C. 10:127-4.4.

**CHAPTER TABLE OF CONTENTS**

**SUBCHAPTER 1. GENERAL PROVISIONS**

- 5:23-1.1 Title; division into subchapters
- 5:23-1.2 Authority
- 5:23-1.3 Intent and purpose
- 5:23-1.4 Definitions
- 5:23-1.5 Effective date
- 5:23-1.6 Grace period
- 5:23-1.7 Validity

**SUBCHAPTER 2. ADMINISTRATION AND ENFORCEMENT; PROCESS**

- 5:23-2.1 Title; scope; intent
- 5:23-2.2 Matter covered
- 5:23-2.3 Applicability
- 5:23-2.4 Alterations, replacements and damages
- 5:23-2.5 Concerning increase in size
- 5:23-2.6 Change of use
- 5:23-2.7 Ordinary maintenance
- 5:23-2.8 Installation of equipment
- 5:23-2.9 Variations and exceptions
- 5:23-2.10 Applications for variations
- 5:23-2.11 Review of variation applications
- 5:23-2.12 Final decision on variations
- 5:23-2.13 Authority to grant variations
- 5:23-2.14 Construction permits—when required
- 5:23-2.15 Construction permits—application
- 5:23-2.16 Construction permits—procedure
- 5:23-2.17 Demolition or removal of structures; abandoned wells
- 5:23-2.17A Minor work
- 5:23-2.18 Inspections
- 5:23-2.18A Utility load management device installation programs
- 5:23-2.18B Utility area lighting facility installation program
- 5:23-2.19 Special technical services
- 5:23-2.20 Tests and special inspections
- 5:23-2.21 Construction control
- 5:23-2.22 Premanufactured construction
- 5:23-2.23 Certificate requirements
- 5:23-2.24 Conditions of certificate of occupancy

- 5:23-2.25 Establishment of fees
- 5:23-2.26 Plan review fees
- 5:23-2.27 Refunds
- 5:23-2.28 Volume computation
- 5:23-2.29 Entry
- 5:23-2.30 Violation, notice and orders
- 5:23-2.31 Compliance
- 5:23-2.32 Unsafe structures
- 5:23-2.33 Service of notice
- 5:23-2.34 through 5:23-2.37 (Reserved)
- 5:23-2.38 Departmental appeal
- 5:23-2.39 Automatic fire suppression systems

**SUBCHAPTER 3. SUBCODES**

- 5:23-3.1 Title; scope; intent
- 5:23-3.2 Matters covered; exceptions
- 5:23-3.3 Enforcement
- 5:23-3.4 Responsibility
- 5:23-3.5 Posting structures
- 5:23-3.6 Standards; accepted practice
- 5:23-3.7 Municipal approvals of nonconforming materials
- 5:23-3.8 Departmental approval of nonconforming materials
- 5:23-3.8A Products violating the Code
- 5:23-3.9 Interpretations and opinions
- 5:23-3.10 (Reserved)
- 5:23-3.11 Enforcement activities reserved to the Department
- 5:23-3.11A Enforcement activities reserved to other State agencies; alternative public school facility plan review; Uniform Construction Code enhancements in public school facilities
- 5:23-3.11B Underground storage tank systems
- 5:23-3.12 Amended rules
- 5:23-3.13 State-sponsored code change proposals
- 5:23-3.14 Building subcode
- 5:23-3.15 Plumbing subcode
- 5:23-3.16 Electrical subcode
- 5:23-3.17 Fire protection subcode
- 5:23-3.18 Energy Subcode
- 5:23-3.19 Manufactured home subcode
- 5:23-3.20 Mechanical subcode
- 5:23-3.20A Indoor air quality subcode
- 5:23-3.21 One and two-family dwelling subcode

**SUBCHAPTER 4. ENFORCING AGENCIES; DUTIES; POWERS; PROCEDURES**

- 5:23-4.1 Title; scope; intent
- 5:23-4.2 Matter covered; exceptions
- 5:23-4.3 Municipal enforcing agencies—establishment
- 5:23-4.3A Enforcing agency classification
- 5:23-4.4 Municipal enforcing agencies—organization
- 5:23-4.5 Municipal enforcing agencies—administration and enforcement
- 5:23-4.5A Selection of private on-site inspection and plan review agencies
- 5:23-4.6 Interlocal enforcing agencies—establishment
- 5:23-4.7 Interlocal enforcing agencies—organization
- 5:23-4.8 Interlocal enforcing agencies—administration and enforcement
- 5:23-4.9 State enforcing agencies—establishment
- 5:23-4.10 State enforcing agencies—organization
- 5:23-4.11 State enforcing agencies—administration and enforcement
- 5:23-4.12 Private on-site inspection and plan review agencies; establishment
- 5:23-4.13 Private on-site inspection and plan review agencies; organization
- 5:23-4.14 Private on-site inspection and plan review agencies; administration and enforcement
- 5:23-4.15 Suspension and revocation
- 5:23-4.16 (Reserved)
- 5:23-4.17 Municipal enforcing agency fees
- 5:23-4.18 Standards for municipal fees
- 5:23-4.19 State of New Jersey training fees
- 5:23-4.20 Departmental fees

- 5:23-4.21 Private enforcing agency authorization and reauthorization fees
- 5:23-4.22 (Reserved)
- 5:23-4.23 Payment of fees
- 5:23-4.24 Plan review by the Department of Community Affairs
- 5:23-4.25 (Reserved)
- 5:23-4.26 Certification of building elements
- 5:23-4.27 through 5:23-4.40 (Reserved)

**SUBCHAPTER 4A. INDUSTRIALIZED/MODULAR BUILDINGS AND BUILDING COMPONENTS**

- 5:23-4A.1 Purpose
- 5:23-4A.2 Findings; functions of the Commission
- 5:23-4A.3 Scope
- 5:23-4A.4 Definitions
- 5:23-4A.5 Standards
- 5:23-4A.6 Amendments
- 5:23-4A.7 Certification required
- 5:23-4A.8 Product control and identification
- 5:23-4A.9 Compliance assurance documents
- 5:23-4A.10 Uniform Administrative Procedures
- 5:23-4A.11 Appeals
- 5:23-4A.12 Conduct of hearings
- 5:23-4A.13 through 5:23-4A.27 (Reserved)

**SUBCHAPTER 4B. MANUFACTURED HOMES AND MANUFACTURED HOME ADD-ON UNITS NOT SUBJECT TO FEDERAL REGULATION**

- 5:23-4B.1 Scope
- 5:23-4B.2 Applicability
- 5:23-4B.3 Standards
- 5:23-4B.4 Administration and enforcement
- 5:23-4B.5 Acceptability
- 5:23-4B.6 Approvals of building systems and compliance assurance program
- 5:23-4B.7 Certification
- 5:23-4B.8 Labels; fees
- 5:23-4B.9 Requirements for submission of compliance assurance documents
- 5:23-4B.10 Appeals
- 5:23-4B.11 Conduct of hearings

**SUBCHAPTER 4C. ENFORCEMENT OF FEDERAL MANUFACTURED HOME STANDARDS**

- 5:23-4C.1 Delegation of authority
- 5:23-4C.2 Relation to Federal law
- 5:23-4C.3 Complaint procedure
- 5:23-4C.4 Hearing and appeal procedures
- 5:23-4C.5 Monitoring inspection fee

**SUBCHAPTER 5. LICENSING OF CODE ENFORCEMENT OFFICIALS**

- 5:23-5.1 Title; scope; intent
- 5:23-5.2 Licensing unit; hearings
- 5:23-5.3 Types of licenses
- 5:23-5.4 Licenses required
- 5:23-5.5 General license requirements
- 5:23-5.6 Construction official requirements
- 5:23-5.7 Subcode official requirements
- 5:23-5.8 Building inspector H.H.S. requirements
- 5:23-5.9 Building inspector I.C.S. requirements
- 5:23-5.10 Building inspector R.C.S. requirements
- 5:23-5.11 Electrical inspector H.H.S. requirements
- 5:23-5.12 Electrical inspector I.C.S. requirements
- 5:23-5.13 Fire protection inspector H.H.S. requirements
- 5:23-5.14 Fire protection inspector I.C.S. requirements
- 5:23-5.15 Fire protection inspector R.C.S. requirements
- 5:23-5.16 Plumbing inspector H.H.S. requirements
- 5:23-5.17 Plumbing inspector I.C.S. requirements
- 5:23-5.18 Inplant inspector requirements
- 5:23-5.19 Elevator inspector H.H.S. requirements

# UNIFORM CONSTRUCTION CODE

- 5:23-5.19A Mechanical inspector requirements
- 5:23-5.20 Standards for educational programs
- 5:23-5.21 Renewal of license
- 5:23-5.22 Fees
- 5:23-5.23 Examination requirements
- 5:23-5.24 Procedure for approving educational programs
- 5:23-5.25 Revocation of licenses and alternative sanctions

## SUBCHAPTER 6. REHABILITATION SUBCODE

- 5:23-6.1 Introduction; using this Subcode
- 5:23-6.2 Applicability and compliance
- 5:23-6.3 Definitions
- 5:23-6.4 Repairs
- 5:23-6.5 Renovations
- 5:23-6.6 Alterations
- 5:23-6.7 Reconstruction
- 5:23-6.8 Materials and methods
- 5:23-6.9 New building elements
- 5:23-6.10 Basic requirements and supplemental requirements—general
- 5:23-6.11 Basic requirements in all Use Groups
- 5:23-6.11A Supplemental requirements in all Use Groups
- 5:23-6.12 Basic requirements—Use Group A-1
- 5:23-6.12A Supplemental requirements—Use Group A-1
- 5:23-6.13 Basic requirements—Use Group A-2
- 5:23-6.13A Supplemental requirements—Use Group A-2
- 5:23-6.14 Basic requirements—Use Group A-3
- 5:23-6.14A Supplemental requirements—Use Group A-3
- 5:23-6.15 Basic requirements—Use Group A-4
- 5:23-6.15A Supplemental requirements—Use Group A-4
- 5:23-6.16 Basic requirements—Use Group A-5
- 5:23-6.16A Supplemental requirements—Use Group A-5
- 5:23-6.17 Basic requirements—Use Group B
- 5:23-6.17A Supplemental requirements—Use Group B
- 5:23-6.18 Basic requirements—Use Group E
- 5:23-6.18A Supplemental requirements—Use Group E
- 5:23-6.19 Basic requirements—Use Group F
- 5:23-6.19A Supplemental requirements—Use Group F
- 5:23-6.20 Basic requirements—Use Group H
- 5:23-6.20A Supplemental requirements—Use Group H
- 5:23-6.21 Basic requirements—Use Group I-1
- 5:23-6.21A Supplemental requirements—Use Group I-1
- 5:23-6.22 Basic requirements—Use Group I-2
- 5:23-6.22A Supplemental requirements—Use Group I-2
- 5:23-6.23 Basic requirements—Use Group I-3
- 5:23-6.23A Supplemental requirements—Use Group I-3
- 5:23-6.24 Basic requirements—Use Group M
- 5:23-6.24A Supplemental requirements—Use Group M
- 5:23-6.25 Basic requirements—Use Group R-1
- 5:23-6.25A Supplemental requirements—Use Group R-1
- 5:23-6.26 Basic requirements—Use Group R-2
- 5:23-6.26A Supplemental requirements—Use Group R-2
- 5:23-6.27 Basic requirements—Use Groups R-3/R-4
- 5:23-6.27A Supplemental requirements—Use Groups R-3/R-4
- 5:23-6.28 Basic requirements—Use Group S
- 5:23-6.28A Supplemental requirements—Use Group S
- 5:23-6.29 Mixed use buildings
- 5:23-6.30 Special technical requirements—all use groups
- 5:23-6.31 Change of use
- 5:23-6.32 Additions
- 5:23-6.33 Historic buildings

## SUBCHAPTER 7. BARRIER FREE SUBCODE

- 5:23-7.1 Applicability
- 5:23-7.2 Accessibility standards
- 5:23-7.3 Exemptions
- 5:23-7.4 Nonresidential buildings
- 5:23-7.5 Multi-family residential buildings
- 5:23-7.6 Exterior accessible route
- 5:23-7.7 Accessible building entrances
- 5:23-7.8 Interior accessible routes
- 5:23-7.9 Accessible parking

- 5:23-7.10 Requirements applicable to specific nonresidential use groups and Use Group R-1
- 5:23-7.11 Requirements applicable to all nonresidential use groups, including spaces other than guestrooms in Use Group R-1
- 5:23-7.12 Existing facilities
- 5:23-7.13 Variations
- 5:23-7.14 Enforcement
- 5:23-7.15 Recreation
- 5:23-7.16 Recreation: definitions
- 5:23-7.17 Recreation: exceptions
- 5:23-7.18 Recreation: route of travel
- 5:23-7.19 Recreation: pools
- 5:23-7.20 Recreation: swimming and skating areas
- 5:23-7.21 Recreation: boating areas
- 5:23-7.22 Recreation: fishing areas
- 5:23-7.23 Recreation: court games
- 5:23-7.24 Recreation: ice rinks and roller rinks
- 5:23-7.25 Recreation: playing fields
- 5:23-7.26 Recreation: golf facilities
- 5:23-7.27 Recreation: ski lifts, aerial tramways, and conveyors
- 5:23-7.28 Recreation: trails
- 5:23-7.29 Recreation: camping sites
- 5:23-7.30 Recreation: equipment
- 5:23-7.31 Recreation: equestrian facilities

## SUBCHAPTER 8. ASBESTOS HAZARD ABATEMENT SUBCODE

- 5:23-8.1 Title; scope; intent
- 5:23-8.2 Definitions
- 5:23-8.3 Enforcement; licensing; special technical services
- 5:23-8.4 Variations
- 5:23-8.5 Construction permit for asbestos abatement
- 5:23-8.6 Coordination with other permits
- 5:23-8.7 Inspections; violations
- 5:23-8.8 Certificate of occupancy; certificate of completion
- 5:23-8.9 Fees
- 5:23-8.10 Asbestos safety technician
- 5:23-8.11 Asbestos safety control monitor
- 5:23-8.12 Application of asbestos
- 5:23-8.13 Pre-project procedures
- 5:23-8.14 Operations and maintenance activities
- 5:23-8.15 Asbestos hazard abatement projects
- 5:23-8.16 Asbestos encapsulation and enclosure
- 5:23-8.17 Limited containment removals
- 5:23-8.18 Demolition
- 5:23-8.19 Abatement in occupied buildings
- 5:23-8.20 Removal of non-friable asbestos-containing material
- 5:23-8.21 Air monitoring methodology
- 5:23-8.22 Disposal of asbestos waste

## SUBCHAPTER 9. CODE INTERPRETATIONS

- 5:23-9.1 Interpretation: Application of the Plumbing Subcode to certain mobile homes
- 5:23-9.2 Interpretation: Construction Permit for a single family residence
- 5:23-9.3 Interpretation: Ordinary maintenance
- 5:23-9.4 (Reserved)
- 5:23-9.5 Interpretation: Records retention
- 5:23-9.6 Interpretations: Construction requirements for new and existing casinos
- 5:23-9.7 Interpretation: Manufacturing, production and process equipment
- 5:23-9.8 Bed and breakfast guest houses, change in use group requirements

## SUBCHAPTER 10. RADON HAZARD SUBCODE

- 5:23-10.1 Title; scope; intent
- 5:23-10.2 Definitions
- 5:23-10.3 Enforcement
- 5:23-10.4 Construction techniques

APPENDIX 10-A. NEW JERSEY MUNICIPALITIES IN  
TIER 1

SUBCHAPTER 11. PLAYGROUND SAFETY SUBCODE

- 5:23-11.1 Subcode adopted
- 5:23-11.2 Definition
- 5:23-11.3 Enforcement of subcode
- 5:23-11.4 Compliance schedule

SUBCHAPTER 12. ELEVATOR SAFETY SUBCODE

- 5:23-12.1 Title; scope; intent
- 5:23-12.2 Referenced standards
- 5:23-12.3 Inspection and test schedule
- 5:23-12.4 Registration of elevator devices
- 5:23-12.5 Registration fee
- 5:23-12.6 Test and inspection fees
- 5:23-12.7 Licensing
- 5:23-12.8 Alterations, replacements, damages, increases in size, changes in use group, minor work, ordinary repairs
- 5:23-12.9 Certificate of compliance requirements
- 5:23-12.10 Inspections in seasonal facilities
- 5:23-12.11 Notice concerning accidents
- 5:23-12.12 Special safety equipment

SUBCHAPTER 12A. OPTIONAL ELEVATOR  
INSPECTION PROGRAM

- 5:23-12A.1 Title; scope; intent
- 5:23-12A.2 Qualified elevator device inspection firms
- 5:23-12A.3 Qualified elevator device inspector
- 5:23-12A.4 Enrollment of devices
- 5:23-12A.5 Permit process and monitoring
- 5:23-12A.6 Special inspection and compliance procedures

SUBCHAPTER 1. GENERAL PROVISIONS

**5:23-1.1 Title; division into subchapters**

(a) These regulations shall be known as the "Regulations for the New Jersey Uniform Construction Code" and are referred to herein as "the regulations".

(b) The chapter consists of the following subchapters:

1. "General provisions" which may be cited throughout the regulations as N.J.A.C. 5:23-1 and when referred to in subchapter 1 of this chapter may be cited as this subchapter.

2. "Administration and enforcement; process" which may be cited throughout the regulations as N.J.A.C. 5:23-2 and when referred to in subchapter 2 of this chapter may be cited as this subchapter.

3. "Subcodes" which may be cited throughout the regulations as N.J.A.C. 5:23-3 and when referred to in subchapter 3 of this chapter may be cited as this subchapter.

i. N.J.A.C. 5:23-3.11B contains references to the Department of Environmental Protection's rules concerning underground storage tanks, codified at N.J.A.C. 7:14B, which are jointly enforced by this Department and local enforcing agencies pursuant to this chapter.

4. "Enforcing agencies: duties, powers, and procedures" which may be cited throughout the regulations as N.J.A.C. 5:23-4 of this chapter and when referred to in subchapter 4 of this chapter may be cited as this subchapter.

5. "Industrialized/Modular Buildings and Building Components" which may be cited throughout the regulations as N.J.A.C. 5:23-4A and when referred to N.J.A.C. 5:23-4A may be cited as this subchapter.

6. "Manufactured Homes and Manufactured Home Add-On Units Not Subject to Federal Regulations" which may be cited throughout the regulations as N.J.A.C. 5:23-4B and when referred to in subchapter 4B may be cited as this subchapter.

7. "Enforcement of Federal Manufactured Home Standards" which may be cited throughout the regulations as N.J.A.C. 5:23-4C and when referred to in subchapter 4C may be cited as this subchapter.

8. "Licensing of Code Enforcement Officials" which may be cited throughout the regulations as N.J.A.C. 5:23-5 and when referred to in subchapter 5 of this chapter may be cited as this subchapter.

9. "Rehabilitation Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-6 and, when referred to in subchapter 6 of this chapter, may be cited as this subchapter.

10. "Barrier Free Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-7 and when referred to in subchapter 7 of this chapter may be cited as this subchapter.

11. "Asbestos Hazard Abatement Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-8 and when referred to in subchapter 8 of this chapter may be cited as this subchapter.

12. "Code Interpretations" which may be cited throughout the regulations as N.J.A.C. 5:23-9 and when referred to in subchapter 9 of this chapter may be cited as this subchapter.

13. "Radon Hazard Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-10 and when referred to in subchapter 10 of this chapter may be cited as this subchapter.

14. "Playground safety subcode" which may be cited throughout this chapter as N.J.A.C. 5:23-11 and, when referred to in subchapter 11 of this chapter, may be cited as "this subchapter."

15. "Elevator Safety Subcode" which may be cited throughout the rules as N.J.A.C. 5:23-12 and when referred to in subchapter 12 of this chapter may be cited as this subchapter.

iii. Any additional inspections, as permitted by this chapter and as may be required by the municipality, shall be of the type and nature that construction may continue without interruption;

iv. Special inspection schedule: Where buildings proposed for construction exceed two stories in height or by their nature pose complex or unusual inspection problems, the construction official or appropriate subcode official may specify additional or special inspections to the applicant in writing prior to the issuance of a permit and during construction in the case of unforeseeable circumstances. Where Class I structures incorporate construction techniques covered under the special inspection provisions of the building subcode, such special inspections shall be provided for. The applicant shall provide a list of special inspections required by the building subcode when applying for the permit.

(c) Notice for inspection:

1. The owner or other responsible person in charge of work shall notify the enforcing agency when the work is ready for any required inspection specified herein or required by the construction official or appropriate subcode official. This notice shall be given at least 24 hours prior to the time the inspection is desired. Inspections shall be performed within three business days of the time for which it was requested. The work shall not proceed in a manner which will preclude the inspection until it has been made.

(d) Final inspection: Upon completion of the building or structure, and before the issuance of a certificate of use and occupancy required herein, a final inspection shall be made, and any violations of the approved plans and permit shall be noted and the holder of the permit shall be notified of any discrepancies by the construction official.

1. The final inspection shall include a review for compliance with N.J.A.C. 5:23-7, the Barrier Free Subcode, for all buildings required by N.J.A.C. 5:23-7.1 to be accessible.

(e) Inspections records: The enforcing agency shall make a written record of all inspections, including any discrepancies or violations noted and shall maintain those reports as a public record which shall be available for public inspection during normal business hours.

(f) Department inspections: At the request of an enforcing agency, the Department may assist the enforcing agency in the inspection of any construction, provided that the enforcing agency has submitted the plans and specifications for such construction to the Department.

(g) The construction official shall serve as an agent of the Bureau of Housing Inspection of the Department of Community Affairs for the purpose of inspecting newly constructed and altered hotels and multiple dwellings in order

to enforce the provisions of the regulations for the maintenance of hotels and multiple dwellings (N.J.A.C. 5:10). Responsibility for inspection may be delegated to the appropriate subcode official(s).

Amended by R.1981 d.182, effective June 4, 1981.

See: 13 N.J.R. 187(b), 13 N.J.R. 333(b).

Amended by R.1992 d.244, effective June 15, 1992.

See: 24 N.J.R. 1147(a), 24 N.J.R. 2243(a).

Class I inspections added to (b)1v.

Amended by R.1996 d.323, effective July 15, 1996 (operative January 1, 1997).

See: 28 N.J.R. 2112(a), 28 N.J.R. 3549(a).

Amended by R.1997 d.304, effective July 21, 1997.

See: 29 N.J.R. 2204(a), 29 N.J.R. 3248(a).

Added (b)1iii(1) and (d)1.

**5:23-2.18A Utility load management device installation programs**

(a) Whenever a public utility proposes to undertake a program of installing load management devices at the properties of a substantial number of service customers within a limited period of time, it may apply to the Department for permission to utilize the procedure set forth in this section.

(b) A utility with a program to install load management devices shall submit detailed information to the Department on the design of the device.

(c) The utility shall provide an educational program acceptable to the Department to acquaint any interested Department personnel and municipal subcode officials with the device and with installation and operating procedures.

(d) The utility shall insure that all devices to be installed are identical in design, listed and labeled or otherwise approved according to this chapter for their intended use.

(e) At least one month in advance of any installations, the utility shall submit to the Department, and to each affected municipality, notice of the anticipated number of installations to be performed in each municipality. A maximum and a minimum figure may be submitted where there is uncertainty about the number to be scheduled by customers. An approximate number of weeks for installations in that municipality shall be given along with an approximate number of installations per week.

1. Each week, in advance of installation, the utility shall notify the municipality of any change in the anticipated number of installations for that week. No weekly number of installations shall be so great that the cumulative number of installations in the municipality shall exceed the maximum anticipated number submitted.

2. Prior to the commencement of any installation, and as soon as may be practicable, the utility or its contractors will provide to each municipality notice of the actual sites of installations.

3. The Department and the municipalities shall be notified as soon as possible in the event of any change in existing schedules by the utility or its contractors.

(f) On the Monday following installations, the utility shall submit to each municipality a completed permit application for all installations completed in the municipality's jurisdiction during the preceding week.

1. A listing of all permits so delivered shall be filed by the utility with the Department.

2. All devices installed during that week, by a single contractor, shall be included on that application. The application shall include the Construction Permit Application and an Electrical Subcode Technical Section.

3. Since the permit is not, typically, for work at a single location, the block number shall be entered as "UCC 2.18" and the lot as "A." The work site location shall be the name of the municipality and the owner in fee shall be the utility.

4. In addition to the Construction Permit Application, the utility or contractor shall supply the municipality a complete listing of locations where the devices, listed on this permit, were installed. This list shall include owner's name, owner's address, block and lot, date of installation, type of device(s) installed, and the contractor's name.

(g) If, for any reason, a permit application, or any part, is found to have been submitted in error, the utility or its contractors shall notify the municipality as soon as possible.

(h) When all required municipal and utility inspections have been approved, a single certificate of approval, for that permit, shall be issued to the utility.

(i) If any municipality or the Department has reason to suspect that permit applications are being mishandled or carelessly accounted for, an investigation may be conducted of the utility's permit files for this project and of any permits in the possession of individual contractors in the utility's employ for this project.

(j) The utility shall pay to each municipality 30 percent of the permit fees otherwise due and owing.

(k) The municipality shall inspect 30 percent of the installations performed and shall record the results of those inspections. The utility shall inspect at least 10 percent of the installations performed and shall record the results of those inspections and forward those results concurrently to the municipality and to the Department weekly.

(l) If a municipality or a utility discovers a defect rate of not less than seven percent for any contractor employed by the utility, the Department shall be immediately notified. The Department shall investigate and, in the interest of public safety, shall be authorized to order that:

1. The offending contractor cease to be employed by the utility for this project;

2. The utility remit the fees necessary to inspect all existing installations of the offending contractor in all municipalities where that contractor has performed work;

3. That each municipality affected perform inspections of all the offending contractor's existing installations; and

4. That the utility or its designees correct or remove all defective installations to the satisfaction of the municipal officials.

(m) If, at any time, the Department tabulates a program-wide defect rate equal to or exceeding three percent, the utility shall be notified and the inspection rate and fee rate in (j) and (k) above shall rise to 50 percent.

(n) If the three percent or greater program-wide defect rate cannot be reduced within two weeks, the program may be terminated by the Department by notifying the utility and all affected municipalities.

(o) A municipality in which a defect rate equal to or greater than seven percent has been twice reported to the Department and which has reason to believe that the program cannot be successfully implemented within its jurisdiction may notify the Department and the utility of the need for termination of the program in that municipality. The Department, upon verifying the accuracy of the municipality's claim, shall issue a notice to the utility and to the municipality ordering the termination of the program in that municipality.

New Rule, R.1989 d.550, effective November 6, 1989.  
See: 21 N.J.R. 233(a), 21 N.J.R. 3458(a).  
Amended by R.1994 d.28, effective January 18, 1994.  
See: 25 N.J.R. 4546(b), 26 N.J.R. 352(a).  
Amended by R.1996 d.512, effective November 4, 1996.  
See: 28 N.J.R. 3697(a), 28 N.J.R. 4782(a).

### **5:23-2.18B Utility area lighting facility installation program**

(a) Whenever an electric utility proposes to undertake installation of area lighting facilities located on private property on metal poles with an underground electric feed, having no ancillary utility facilities attached to said poles, the utility shall follow the procedures set forth in this section.

(b) Installation of an area lighting facility shall be treated as minor work in accordance with N.J.A.C. 5:23-2.17A. The utility shall, within five business days after verbal notice to the enforcing agency of a proposed installation, mail a permit application to the enforcing agency setting forth, at a minimum, the identity of the utility, the street address and location of the site lighting facilities, the number of facilities to be installed and a description of the installation.

(c) The utility shall pay a fee which shall be computed at 25 percent of the otherwise applicable permit fee chargeable for such installations as per the Department fee schedule established under N.J.A.C. 5:23-4.20(c)2i(2) and iii(1).

(d) If any violations are noted by an inspector, the inspector shall notify the affected utility and the Department. Code officials shall not issue "Stop Construction Orders" or "Notices of Violation" for such installations unless expressly authorized to do so by the Department.

New Rule, R.1998 d.362, effective July 20, 1998.  
See: 30 N.J.R. 1122(a), 30 N.J.R. 2644(b).

**5:23-2.19 Special technical services**

(a) Whenever the construction official and the appropriate subcode official determine that a need for special techni-

cal services exists with regard to a particular project for which the municipal enforcing agency is classified to perform plan review, the construction official may require the applicant to obtain and furnish to the construction official, at the applicant's expense, a report from a licensed engineer or registered architect. Such report shall contain the information deemed necessary by the construction official to aid in his determination. Such may include, but not be limited to:

1. Analysis of materials and installation or design methods not covered by the provisions of the subcodes;
2. Site investigation;
3. Structural analysis;

4. Building systems analysis (that is, mechanical, electrical, vertical transportation, and so forth).

(b) The commissioner reserves the right to further regulate the performance of special technical services.

Amended by R.1998 d.28, effective January 5, 1998.  
See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

#### 5:23-2.20 Tests and special inspections

(a) All tests and special inspections required by the provisions of the regulations shall be made and conducted under the supervision of the enforcing agency and in accordance with such inspection and test procedures as may be prescribed by the provisions of the regulations, with the expense of all test and inspections to be borne by the owner or lessee, or the contractor performing the work.

(b) The construction official may accept tests and test reports of the Department and other government agencies, as well as signed statements and supporting inspection and test reports filed by qualified licensed professionals or approved agencies or firms.

(c) The construction official may accept a Chimney Certification for Replacement of Fuel-Fired Equipment (Form F-370), signed by the contractor who installed the replacement fuel-fired equipment, in lieu of requiring the removal and reinstallation of the chimney vent connector for purposes of inspection of the chimney or vent. Certifications from homeowners shall not be accepted in lieu of the required inspection.

Amended by R.1992 d.244, effective June 15, 1992.  
See: 24 N.J.R. 1147(a), 24 N.J.R. 2243(a).

Special inspections added.

Amended by R.1995 d.249, effective June 5, 1995, (operative October 1, 1995).

See: 27 N.J.R. 619(a), 27 N.J.R. 2187(a).

Added (c).

Amended by R.1996 d.512, effective November 4, 1996.

See: 28 N.J.R. 3697(a), 28 N.J.R. 4782(a).

Amended by R.1997 d.376, effective September 15, 1997.

See: 29 N.J.R. 2741(a), 29 N.J.R. 4102(a).

In (c), inserted "Form (F-370)", substituted "contractor" for "person" and added last sentence.

#### 5:23-2.21 Construction control

(a) Responsibilities: The provisions of this section shall define the construction controls required for all buildings involving professional architecture/engineering services and delineate the responsibilities of such professional services together with those services that are the responsibility of the contractor during construction.

(b) Professional architecture or engineering services:

1. Design: All new, renovation, alteration, reconstruction, expansion, addition or modification work involving the practice of professional architecture or engineering, as defined by the statutory requirements of the professional registration and licensing laws of this State, shall be

prepared by registered architects or licensed engineers. All plans, computations and specifications required for a construction permit application must be prepared by or under the direct supervision of a registered architect or licensed engineer and bear his or her signature and seal in accordance with the State's statutes and regulations governing the professional registration and licensing of architects and engineers.

(c) Responsible person in charge of work: The owner shall designate a person to be in charge of the work who shall be responsible for:

1. Review and approval of all shop drawings, documents, and details pertaining to the construction phase;
2. Verification of all controlled materials per building subcode requirements of testing, certification and identification; and
3. Special inspection of critical construction components;
4. The responsible person in charge of work shall perform the necessary services and be present on the construction site on a regular and periodic basis to determine that, generally, the work is proceeding in accordance with the documents approved for the construction permit.

(d) Reporting: At the completion of the construction, the responsible person in charge of work shall submit to the construction official a report as to the satisfactory completion and the readiness of the project for occupancy. Major deviations from the approved permit documents shall be listed in the report; minor exceptions to the permit documents not endangering occupancy need not be included.

(e) Construction contractor services: The actual construction of the work shall be the responsibility of the contractor(s) as identified on the approved construction permit and shall involve:

1. Execution of work in accordance with the regulations;
2. Execution and control of all methods of construction in a safe and satisfactory manner;
3. Execution of all work in accordance with the approved construction documents and directives of the architect or engineer;
4. In general, render all such construction services as required to effect a safe and satisfactory installation of the project;
5. Upon completion of the construction, he shall certify to the best of his knowledge and belief that such has been done in substantial accord with the above, with all pertinent deviations specifically noted.

(f) The provisions of this section do not relieve the enforcing agency of any of the responsibilities required by the regulations.

Amended by R.1998 d.28, effective January 5, 1998.  
See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

### 5:23-2.22 Premanufactured construction

(a) Premanufactured construction certified in accordance with N.J.A.C. 5:23-4A or 4B, and carrying an appropriate label, shall be accepted as conforming to the requirements of the regulations to the extent provided for by the particular label for purposes of local construction inspection approval.

1. Prior to accepting the unit, the appropriate subcode official may require the performance of nondestructive tests.

2. In the case of visible signs of damage and/or any visible code violations, the construction official shall consider the seriousness of the nonconformance or damage and accordingly issue a Temporary Certificate of Occupancy or Certificate of Occupancy or deny such Certificate. If a Temporary Certificate is issued or a Certificate is denied, the construction official shall request that the label-issuing agency reaffirm in writing that the assembly still conforms to the regulations and notify the Department in writing.

3. No inspection requiring disassembly, damage to, or destruction of certified premanufactured construction shall be conducted.

(b) The appropriate subcode officials shall inspect the installation of any premanufactured unit or assembly and all work installed or completed on site to determine compliance with the regulations and the approved plans.

Amended by R.1994 d.96, effective February 22, 1994.  
See: 25 N.J.R. 5388(a), 26 N.J.R. 1073(a).

### 5:23-2.23 Certificate requirements

(a) New buildings: A building or structure hereafter erected shall not be used or occupied in whole or part until a form of certificate of occupancy shall have been issued by the construction official.

1. The enforcing agency shall upon application by the owner issue a certificate of occupancy when all requirements of the regulations have been met.

(b) Buildings hereafter renovated or altered: A building or structure hereafter renovated or altered shall not be occupied or used until the certificate of approval shall have been issued by the construction official, certifying that the work has been completed in accordance with the provisions of the approved permit, except as is otherwise provided in the regulations. Any use or occupancy which was not discontinued during the work of renovation or alteration shall be discontinued within 30 calendar days after the completion of the alteration, unless the certificate of approval is secured from the enforcing agency.

(c) Building hereafter reconstructed: A building or structure, or portion thereof, hereafter reconstructed shall not be used until a certificate of occupancy shall have been issued for the entire building or structure or the portion being reconstructed, as the case may be, by the construction official, certifying that the work has been completed in accordance with the provisions of the approved permit, except as otherwise provided in these rules.

(d) Building hereafter extended: No addition which increases the height or area of an existing building or structure shall be used until a certificate of occupancy shall have been issued by the construction official certifying that the work has been completed in accordance with the provisions of the approved permit, except as otherwise provided in these rules.

(e) Existing buildings: Upon request of the owner of an existing building or structure, the construction official, with the approval of the subcode officials, shall issue a certificate of continued occupancy provided that there are not violations of law or orders of the construction official pending and it is established after inspection and investigation of available municipal records that the alleged use of the building or structure has lawfully existed. The certificate of continued occupancy shall evidence only that a general inspection of the visible parts of the building has been made, and that no violations of N.J.A.C. 5:23-2.14 have been determined to have occurred and no unsafe conditions violative of N.J.A.C. 5:23-2.32(a) have been found. Nothing in this subsection shall prevent the continued lawful use and occupancy of any such lawfully existing building or structure.

(f) Change of use: After a change of use has been made in a building or structure, the reestablishment of a prior use is prohibited unless the building complies with the provisions of N.J.A.C. 5:23-6, Rehabilitation Subcode, for the prior use.

(g) Temporary certificate of occupancy: Upon the request of a holder of a permit, the construction official may issue a temporary certificate of occupancy for a building or structure or part thereof before the entire work covered by the permit shall have been completed, provided such portion or portions may be occupied safely prior to full completion of the building or structure without endangering life or public welfare.

(h) Application: A written application for a certificate of occupancy shall be filed with the enforcing agency by the owner or his agent. The application shall include the following:

1. The name and address of the owner or his agent;
2. The location of the building or structure;
3. If a change of use is contemplated, the current and proposed use groups;

4. The statement by the responsible person in charge of work, that to the best of his knowledge all work has been completed in accordance with the permit, the approved plans, and the regulations;

5. A statement of the final cost of construction work, including the basic structure, all on-site improvements, built-in furnishings and fixtures and all integral equipment exclusive of process or manufacturing equipment;

6. A set of "as built" or amended drawings if the building or structure deviates from the approved plans filed with the construction permit application; and

7. A test and balance report for mechanically ventilated Class I and II buildings of Use Groups B and E submitted by a licensed professional engineer or by a test and balance professional certified by the Associated Air Balance Council or the National Environmental Balancing Bureau. The signed report shall include:

- i. Minimum quantity of outdoor air required by code;
- ii. Minimum quantity of outdoor air specified in the design;
- iii. Actual measured outdoor cubic feet/minute (CFM) or a derived quantity, if actual measurement is not possible; and
- iv. Actual measured total CFM.

(i) Contents of certificate: When a building or structure is entitled thereto, the construction official shall issue a certificate of occupancy within 10 business days after written application therefor.

1. The certificate shall certify the purpose for which the building or structure may be used in its several parts.
2. The certificate of occupancy shall specify: the use group(s), in accordance with the provisions of the building subcode; the maximum live load on all floors as prescribed in the building subcode; the occupancy load in the building and all parts thereof as defined in the building subcode; and any special stipulations and conditions of the construction permit.
3. The construction official shall affix his signature to the certificate and, by so doing, shall certify that the building or structure has been approved for occupancy by all applicable subcode officials in accordance with the provisions of N.J.A.C. 5:23-3.

(j) No temporary or final certificate of occupancy shall be granted until all required utilities, including but not limited to water, sewer, electric and gas are installed and in service.

(k) Equipment listed below, which has been determined by the Department to create a significant potential hazard to public health and safety, shall be granted a certificate of compliance by the construction official based upon the

findings of the appropriate subcode official or approved agency for the time period specified. Such equipment shall periodically be reinspected or tested in accordance with the provisions of the regulations, prior to the expiration of a certificate of compliance, and any violations shall be corrected, before a new certificate may be issued. No device shall continue in operation unless a valid certificate of compliance has been reissued.

1. High pressure boilers: 12 months;
2. Refrigeration systems: 12 months;
3. Pressure vessels: 12 months;
4. Cross-connections and backflow preventers: 12 months.

(l) Certificate of Approval: A certificate of approval shall be issued for all work that requires a construction permit but does not require a certificate of occupancy. No application shall be required for a certificate of approval.

(m) Revocation: The enforcing agency may revoke a certificate of occupancy whenever a condition of a certificate has been violated.

(n) Time limit: The provisions of the regulations do not preclude periodic certification pursuant to other applicable laws and ordinances.

(o) Lead Abatement Clearance Certificate: Following a lead hazard abatement job performed by a business firm or by an employee or employees of the owner of a property, a written application for a lead abatement clearance certificate shall be filed with the enforcing agency by the owner or the owner's agent. The application shall include a certification by the firm or person performing the work that all applicable provisions of N.J.A.C. 5:17 have been met, including the clearance requirements, and that the components or areas in the scope of work submitted in the permit application are lead safe.

1. When the lead hazard abatement work includes encapsulation or enclosure, the certification by the firm or person performing the work shall include any recommendations for on-going maintenance or precautions to be taken to maintain the integrity of the encapsulation or enclosure.

2. When all lead hazards identified in an evaluation report prepared by a firm licensed by the Department pursuant to N.J.A.C. 5:17 have been totally and permanently abated, the certification shall so state.

3. When an owner-occupant of a single-family house is performing the work, a lead abatement clearance certificate may be requested by the owner. The application for a lead abatement clearance certificate shall include a statement signed by a lead evaluation contractor certified by the Department pursuant to N.J.A.C. 5:17, or signed by an individual inspector/risk assessor certified by the

New Jersey Department of Health pursuant to N.J.A.C. 8:62 indicating that the clearance standards contained in N.J.A.C. 5:17 have been met and that all components or areas in the scope of work submitted in the permit application have been rendered lead-safe.

i. When lead abatement work has been performed by an owner-occupant pursuant to an order issued by a local health department, a lead abatement clearance certificate shall be required.

4. When lead abatement work has been performed pursuant to an order issued by a local health department, no lead abatement clearance certificate shall be issued without the approval of the local health department.

5. When lead abatement work has been performed on a steel structure or other superstructure or in a commercial building, no lead abatement clearance certificate shall be required.

Amended by R.1984 d.120, effective April 16, 1984.

See: 16 N.J.R. 179(a), 16 N.J.R. 873(a).

(c): "N.J.A.C. 5:23-2.14 have been determined ... have been found," "lawful" added.

Amended by R.1987 d.91, effective February 2, 1987.

See: 18 N.J.R. 2348(a), 19 N.J.R. 289(c).

Added new (i)2; renumbered (i)2.-9. as (i)3.-10.

Amended by R.1988 d.167, effective April 18, 1988.

See: 20 N.J.R. 223(b), 20 N.J.R. 893(b).

Added text to (b) "after the completion of the alteration".

Amended by R.1991 d.180, effective April 1, 1991.

See: 23 N.J.R. 257(a), 23 N.J.R. 1028(b).

In (i), deleted inspections of sprinkler systems, hazardous uses and places of assembly.

Amended by R.1991 d.325, effective July 1, 1991.

See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Potentially hazardous equipment approvals time-limited at (i); elevator requirements added at (j).

Amended by R.1992 d.147, effective April 6, 1992.

See: 24 N.J.R. 170(a), 24 N.J.R. 1397(a).

Elevators wholly within R-2 residences exempt.

Amended by R.1993 d.421, effective September 7, 1993.

See: 25 N.J.R. 2161(a), 25 N.J.R. 4073(a).

Amended by R.1993 d.662, effective December 20, 1993.

See: 25 N.J.R. 3891(a), 25 N.J.R. 5918(a).

Amended by R.1994 d.434, effective September 6, 1994 (operative January 1, 1995).

See: 26 N.J.R. 1911(a), 26 N.J.R. 3706(b).

Amended by R.1995 d.381, effective July 17, 1995.

See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).

Amended by R.1995 d.476, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1846(a), 27 N.J.R. 3325(b).

Rewrote (j).

Amended by R.1997 d.302, effective July 21, 1997 (operative September 24, 1997).

See: 29 N.J.R. 2202(a), 29 N.J.R. 3242(b).

Added (m)5.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Amended (b); added new (c) and (d); recodified existing (c) as (e); recodified existing (d) as (f) and amended it to include reference to N.J.A.C. 5:23-6; recodified existing (e) through (m) as (g) through (o).

#### Law Review and Journal Commentaries

Arbitration—Condominiums—Consumer Fraud Act. Steven P. Bann, 137 N.J.L.J. No. 2, 65 (1994).

Attorneys fees—Condominiums—Damages—DCA—PREDFDA. 132 N.J.L.J. No. 9, 45 (1992).

#### Case Notes

Civil rights action challenging township actions regarding use of property as church were not ripe for adjudication until township planning board decided site plan application and any need for variance. *Trinity Resources, Inc. v. Township of Delanco*, D.N.J.1994, 842 F.Supp. 782.

Condominium vendor committed unconscionable practice within scope of Consumer Fraud Act. *Cybul v. Atrium Palace Syndicate*, 272 N.J.Super. 330, 639 A.2d 1146 (A.D.1994), certification denied 137 N.J. 311, 645 A.2d 140.

Penalties could not be imposed on condominium vendor for failure to obtain temporary certificates of occupancy. *Department of Community Affairs, Div. of Housing and Urban Development v. Atrium Palace Syndicate*, 259 N.J.Super. 578, 614 A.2d 1069 (A.D.1992).

Purchasers were entitled to return of deposit for failure of vendors to timely perform. *Department of Community Affairs, Div. of Housing and Development v. Atrium Palace Syndicate*, 247 N.J.Super. 511, 589 A.2d 1046 (A.D.1991), certification denied 126 N.J. 338, 598 A.2d 895.

Not substantially complete condominium unit could not be occupied. *Department of Community Affairs, Div. of Housing and Development v. Atrium Palace Syndicate*, 247 N.J.Super. 511, 589 A.2d 1046 (A.D. 1991), certification denied 126 N.J. 338, 598 A.2d 895.

Certificates of occupancy cannot bar occupancy. *Department of Community Affairs, Div. of Housing and Department v. Atrium Palace Syndicate*, 247 N.J.Super. 511, 589 A.2d 1046 (A.D.1991), certification denied 126 N.J. 338, 598 A.2d 895.

Developer's failure to timely issue temporary certificate of occupancy (TCO) required refund of purchasers' deposits. *Department of Community Affairs, Div. of Housing and Development v. Atrium Palace Syndicate*, 244 N.J.Super. 329, 582 A.2d 821 (A.D.1990), certification denied 126 N.J. 317, 598 A.2d 878.

Building does not qualify for property tax exemption if certificate of occupancy issued after assessment date; use of building for exempt purposes prior to issuance of certificate irrelevant to exemption issue (citing former N.J.A.C. 5:23-2.7). *Grace & Peace Fellowship Church, Inc. v. Cranford Twp.*, 4 N.J.Tax 391 (Tax Ct.1982).

#### 5:23-2.24 Conditions of certificate of occupancy

(a) Certificate of occupancy shall be conditioned upon the following:

1. That the completed project meets the conditions of the construction permit, the approved drawings including all amendments, and all prior approvals;

2. That all required fees have been paid in full;

3. That all necessary inspections have been completed and that the completed project meets the requirements of the regulations;

4. That all violations have been corrected and that any assessed penalties have been paid;

5. That all protective devices and equipment required to be installed by the regulations will continue to be operational as required by the regulations.

(b) No certificate of occupancy shall be issued for any new home, built by a builder, as such terms are defined in N.J.A.C. 5:25-1.3, except after filing by the builder with the construction official of proof that the new home has been enrolled in either the State New Home Warranty Security Plan or a private plan approved by the Department of Community Affairs. If the new home is enrolled in the State New Home Warranty Security Plan, proof shall be in the form of a validated copy of the Certificate of Participation, required pursuant to N.J.A.C. 5:25-5.5, and proof of payment of the warranty premium.

(c) No certificate of occupancy shall be issued for any new home built by an owner or in which any design, construction, plumbing or electrical work has been done by the owner unless the owner shall file with the construction official an affidavit in which he certifies that all work has been done in conformity with applicable law, acknowledges that work done by him or by any subcontractor working under his supervision, is not covered under the New Home Warranty and Builders' Registration Act (N.J.S.A. 46:3B-1 et seq.) and states that he will disclose this to any person purchasing the property from him within 10 years of the date of issuance of a certificate of occupancy. The affidavit shall be filed on a form prescribed by the Department of Community Affairs.

(d) No certificate of occupancy shall be issued for any building used or intended to be used as a rooming house or a boarding house, as such terms are defined in section 3 of the Rooming and Boarding House Act of 1979 (P.L. 1979, c.496; N.J.S.A. 55:13B-1 et seq.), except after filing by the owner with the construction official of a photocopy of a license to own a rooming or boarding house issued to the owner by the Department of Community Affairs.

(e) No certificate of occupancy shall be issued for a hotel or multiple dwelling, as defined in the Hotel and Multiple Dwelling Law (N.J.S.A. 55:13A-1 et seq.), except after filing by the owner with the construction official of a photocopy of a certificate of registration issued by the Bureau of Housing Inspection of the Department of Community Affairs.

(f) No certificate of occupancy shall be issued for any building containing one or more elevators unless all of the elevators in the building have been registered with the Department in accordance with N.J.A.C. 5:23-12.

(g) No certificate of occupancy shall be required in the case of minor work as provided for by N.J.A.C. 5:23-2.17A.

Amended by R.1991 d.509, effective October 7, 1991.  
See: 23 N.J.R. 2236(a), 23 N.J.R. 3001(a).

Text added at (f).  
Amended by R.1995 d.476, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1846(a), 27 N.J.R. 3325(b).  
Rewrote (f).

#### Case Notes

Citation to former N.J.A.C. 5:23-2.7; municipal requirement for payment of property taxes before permit issuance invalid as preempted by legislation. Home Builders League of South Jersey, Inc. v. Evesham Twp., 174 N.J.Super. 252, 416 A.2d 81 (Law Div.1980).

#### 5:23-2.25 Establishment of fees

The municipality in accordance with this chapter shall by ordinance establish enforcing agency fees for the following activities: plan review; construction permit; certificate of occupancy; elevator device inspections and tests; demolition permit; moving of buildings permit; lead abatement clearance certificate; and sign permit. The fee shall be collected prior to the issuance of the permit or certificate. A schedule of such fees shall be posted in the office of the construction official and shall be accessible to the public.

Amended by R.1991 d.325, effective July 1, 1991.  
See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Elevator activities added.  
Amended by R.1995 d.381, effective July 17, 1995.  
See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).  
Administrative correction.  
See: 29 N.J.R. 2267(a).  
Administrative correction.  
See: 29 N.J.R. 3721(a).

Deleted reference to certificate of compliance and certificate of approval.

#### Case Notes

Citation to former N.J.A.C. 5:23-4.8 fee standards; municipal requirement for payment of property taxes before permit issuance invalid as preempted by legislation. Home Builders League of South Jersey, Inc. v. Evesham Twp., 174 N.J.Super. 252, 416 A.2d 81 (Law Div.1980).

#### 5:23-2.26 Plan review fees

Twenty percent of the construction permit fee shall be deemed to be the plan review fee. When a department plan review fee has been collected pursuant to the regulations or when a plan review is waived, then the enforcing agency construction permit fee shall be reduced by 20 percent from the amount otherwise specified in the municipal enforcing agency fee schedule.

#### 5:23-2.27 Refunds

In the case of discontinuance of a building project, the volume of the work actually completed shall be computed. Any excess for the uncompleted work shall be returned to the permit holder; except that all penalties that may have been imposed on the permit holder under the requirements of the regulations shall first be collected. Plan review fees are not refundable.

#### 5:23-2.28 Volume computation

(a) General: For the determination of the permit fees, the volume of the structure shall be computed as provided in this section.

(b) Structures with basements: The volume of the structure shall include all enclosed dormers, porches, penthouses

and other enclosed portions of the structure extending from the basement or cellar floor to the mean height of a pitched roof, or the average height of the top of the roof beams of a flat roof.

(c) Structures without basements: For structures without basements or cellars, the volume shall be based on the height measured to a level located one-fifth the distance from the first floor level to the bottom of the footings, but not to exceed 2½ feet below the first floor level.

(d) Open sheds: For open sheds and structures of a similar character, the volume shall be measured within the perimeter of the roof for a height from the grade line to the mean roof level.

(e) No fee shall be required for premanufactured construction, assembly or components transported to a construction site. A fee shall be required for work performed at the site, including, but not limited to, foundation systems, structural installations and external utility connections.

(f) No fee shall be required for commercial farm buildings, or portions of, constructed of pre-engineered systems specified in N.J.A.C. 5:23-3.2(d)3. A fee shall be required, unless exempted, for commercial farm building work performed at the site.

As amended, R.1982 d.7, eff. February 1, 1982.  
See: 13 N.J.R. 717(a), 14 N.J.R. 142(a).

(e) added.

Amended by R.1995 d.603, effective November 20, 1995 (operative March 20, 1996).  
See: 27 N.J.R. 2655(a), 27 N.J.R. 4699(a).

### 5:23-2.29 Entry

(a) The owner of any premises upon which a building or structure is to be constructed shall be deemed to have consented to inspection, by the enforcing agency, of the entire premises and of any and all construction being performed on it until a certificate of occupancy has been issued.

(b) An inspector, or team of inspectors, on presentation of proper credentials, shall have the right to enter and inspect such premises, and any and all construction thereon, for purposes of insuring compliance with the provisions of the applicable construction permit, and the regulations. All inspection pursuant to the act and the regulations shall be between the hours of 9:00 A.M. and 5:00 P.M. on business days, or when construction is actually being undertaken; provided, however, that inspections may be conducted at other times if the enforcing agency has reasonable cause to believe that an immediate danger to life, limb or property exists, or if permission is given by an owner, or his agent, architect, engineer or builder. No person shall accompany an inspector or team of inspectors on any inspection pursuant to the regulations, unless his presence is necessary for the enforcement of the regulations, or unless consent is given by an owner or his agent, architect, engineer or builder.

(c) Any construction official, subcode official or any inspector, presenting themselves for inspection of any occupied building shall present to the owner the owner's agent or occupant their personal identification as provided by the municipality.

(d) After the certificate of occupancy shall have been granted, the construction official shall not enter upon such premises for purpose of inspection, unless upon reasonable grounds to believe that a condition of the certificate of occupancy has been violated, or in the case of equipment granted approvals of limited duration pursuant to this subchapter, or in the case of emergencies, or unsafe buildings, or upon reasonable cause to believe construction work is underway without a permit having been issued.

(e) Nothing herein is intended to limit the right of a municipality to adopt property maintenance regulations and provide for inspection, pursuant to any other law, ordinance or judicial decision of this State. However, no such regulation shall conflict with any provision of the regulations.

Administrative Correction to (b): Changed "than" to "that".  
See: 22 N.J.R. 2503(b).

### 5:23-2.30 Violation, notice and orders

(a) Whenever the construction official or the appropriate subcode official shall determine that there exists a violation of the provisions of the regulations, or of a detailed statement or plan approved thereunder, or where there exists a violation of a permit or certificate issued under the regulations, the construction official shall issue a notice of violation and orders to terminate directing the discontinuance of the illegal action or condition and the correction of the violation.

(b) The notice and orders shall contain at least the following information:

1. The name and address of the owner; the address at which the violation occurred; the name and address of the person to whom the order is directed, and if it be other than the owner, a copy shall be delivered to the owner or his agent stating that the owner bears joint responsibility for bringing about compliance with the person named and that if a penalty is imposed, the enforcing agency will not issue a certificate of occupancy until such penalty has been paid; the permit number, a citation to the sections of the regulations violated; an order to terminate violations within a time specified in the order; the amount of penalty assessed, if any, and if cumulative, an explanation of the method of computation; and shall be signed by the appropriate subcode official and the construction official.

2. Unless an immediate hazard to health and safety is posed, the construction official shall permit such time period for correction as is reasonable within the context of the situation.

See: 26 N.J.R. 4872(a), 27 N.J.R. 1179(b).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

In (g), deleted reference to exception to exclusive authority provided in N.J.A.C. 5:23-3.11(h).

Amended by R.1997 d.418, effective October 6, 1997.

See: 29 N.J.R. 3402(a), 29 N.J.R. 4286(a).

In (f), inserted reference to (j); and added (j)1.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Inserted (k) stating responsibility for the enforcement of the rehabilitation subcode.

Repeal and New Rule, R.1998 d.332, effective July 6, 1998.

See: 30 N.J.R. 1377(a), 30 N.J.R. 2421(b).

Section was "Responsibility".

Amended by R.1999 d.259, effective August 16, 1999.

See: 31 N.J.R. 825(a), 31 N.J.R. 2330(a).

In (d)1 and (d)2, under "MECHANICAL SUBCODE", added references to N.J.A.C. 5:23-3.20(c).

### 5:23-3.5 Posting structures

(a) Posted use and occupancy: Every building and structure and part thereof designed for business, factory and industrial, high hazard, mercantile, or storage use, (use groups B, F, H, M and S) as defined in article 2 of the building subcode shall be posted on all floors by the owner with a suitably designed placard in a form designated by the building subcode official, which shall be securely fastened to the structure in a readily visible place, stating the use group and the live load and occupancy load.

(b) Posted occupancy load: Every building and structure and part thereof designed for use as a place of public assembly or as an institutional building for harboring people for penal, correctional, educational, medical or other care or treatment (use groups A, E and I) shall be posted with an approved placard designating the maximum occupancy load.

(c) Replacement of posted signs: All posting signs shall be furnished by the owner and shall be of permanent design; they shall not be removed, or defaced and, if lost, removed or defaced, shall be immediately replaced.

(d) Periodic inspections: The building subcode official or fire protection subcode official may periodically inspect all existing buildings and structures, except one and two-family dwellings, for compliance with the regulations in respect to posting; or they may accept the report of such inspection from an authorized licensed professional engineer or architect; and such inspection and report shall specify any violation of the requirements of the regulations in respect to the posting of floor load, occupancy load and use group of the building.

(e) Identification: Any building official or fire protection official making periodic inspections, shall present personal identification as provided by the municipality.

Amended by R.1989 d.555, effective November 6, 1989.

See: 21 N.J.R. 2783(a), 21 N.J.R. 3460(a).

Added reference to E Use Group (educational facilities) at (b).

Amended by R.1990 d.507, effective October 15, 1990.

See: 22 N.J.R. 2208(a), 22 N.J.R. 3214(a).

Text conformed to BOCA National Code/1990.

### 5:23-3.6 Standards; accepted practice

(a) This chapter, together with the subcodes, national standards and appendices it adopts by reference, shall be the primary guide to accepted engineering practice in respect to any material, equipment, system or method of construction therein specified.

(b) When this chapter and the subcodes, national standards and appendices it adopts by reference are silent, a manufacturer's recommendations for the installation of any material or assembly may be considered to be accepted engineering practice; provided, however, that a manufacturer's recommendations shall not be read to overrule this chapter or any subcode, national standard or appendix which it adopts by reference.

New Rule, R.1988 d.283, effective June 20, 1988.

See: 20 N.J.R. 699(a), 20 N.J.R. 1343(c).

Old text repealed and new text substituted.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

#### Case Notes

Contractor not liable for injuries caused by failure of subcontractor to provide and install material in conformance with State building code. *Miltz v. Borroughs—Shelving*, a Div. of Lear Siegler, Inc., 203 N.J.Super. 451, 497 A.2d 516 (App.Div.1985).

### 5:23-3.7 Municipal approvals of nonconforming materials

(a) Approvals: Except as otherwise provided in N.J.A.C. 5:23-3.8, the appropriate subcode official may approve the use of fixtures, appurtenance, materials and methods of a type not conforming with the requirements of, nor expressly prohibited by, the regulations after determination that such fixture, appurtenance, material or method is of such design or quality, or both, as to appear to be suitable and safe for the use for which it is intended. A record of such approvals shall be maintained and shall be available to the public.

1. Any person desiring to install or use a fixture, appurtenance, material or method of a type not conforming with the requirements of, nor expressly prohibited by, the regulations shall, prior to such installation or use, submit to the appropriate subcode official such proof as may be required to determine whether such fixture, appurtenance, material or method is of such design or quality, or both, as to appear to be suitable and safe for the use for which it is intended.

(b) Research and investigations: The appropriate subcode official shall require that sufficient technical data be submitted to substantiate the proposed use of any material or assembly, and if it is determined that the evidence submitted is satisfactory proof of performance for the use intended, he may approve its use subject to the requirements of the regulations. The cost of all tests, reports and investigations required under these provisions shall be paid by the applicant.

(c) Research reports: The appropriate subcode official may accept, as supporting data to assist in this determination, duly authenticated research reports from approved authoritative sources for all materials or assemblies proposed for use which are not specifically provided for in the regulations.

Amended by R.1992 d.390, effective October 5, 1992.

See: 24 N.J.R. 1844(a), 24 N.J.R. 3515(b).

Reference to exception in 3.8 added.

### 5:23-3.8 Departmental approval of nonconforming materials

(a) Approval: Whenever the commissioner shall approve any fixture, appurtenance, material or method, such shall be binding and accepted in each municipality.

(b) Notice: Notice of intention to approve any such fixture, appurtenance, material or method shall be published in the New Jersey Register at least 45 calendar days prior to its final approval. Thereafter, notice of final approval, stating operative date, shall be published in the New Jersey Register.

(c) Prospective effect: Any approval issued pursuant to this section shall be prospective in nature and shall not alter the ruling of a subcode official already rendered in a specific instance relating to a specific permit or structure.

(d) The Department shall have exclusive authority to approve systems for indirect apportionment of heating costs in multiple dwellings.

Amended by R.1992 d.390, effective October 5, 1992.

See: 24 N.J.R. 1844(a), 24 N.J.R. 3515(b).

Exception added at (d).

Amended by R.1995 d.544, effective October 16, 1995.

See: 27 N.J.R. 2827(a), 27 N.J.R. 3933(a).

### 5:23-3.8A Products violating the Code

(a) The Department shall, after public hearing and in accordance with the Administrative Procedure Act (P.L. 1968, c.410, as amended), establish and distribute to all enforcing agencies a list of items, devices and materials the regular and intended use of which would violate any provision of the State Uniform Construction Code. A list of such items is set forth in (d) below.

(b) Upon determining that any manufacturer or distributor in the State is selling or offering for retail sale any product on the list which does not have a regular and intended use that does not violate the Code, or any product which may have one or more such non-violative regular and intended use but which is being advertised or promoted for a use that does violate the Code, the Department or any enforcing agency having jurisdiction shall give written notice of the violation of N.J.S.A. 52:27D-138a(5) to such seller. Such notice shall forbid the further sale or offering for retail sale of such product within the State and shall specify a date and time by which such product shall be removed from display to customers.

(c) Any person who, having received a notice of violation pursuant to this section, continues to sell or offer for retail sale products specified in such notice, shall be deemed to be knowingly selling or offering the product for sale in violation of the Code and shall be subject to penalty as provided by statute, in accordance with the procedures set forth in N.J.A.C. 5:23-2.31.

(d) The Commissioner has determined that the following materials and supplies are not in conformance with the State Uniform Construction Code:

#### 1. Building materials and supplies:

i. Wood paneling being used as an interior finish not in conformance with section 803.2 of the building subcode. This section specifies that finish shall be classified in accordance with ASTM E84;

ii. Carpeting used as an interior floor finish material not in conformance with section 805.2 of the building subcode. This section specifies that interior floor finish shall be classified in accordance with ASTM E648; and

#### 2. Electrical materials/supplies:

i. As stated in the National Electric Code (sections 90-7, 110-2, 110-3, and 100), only products listed, labeled, approved, and identified are acceptable. Approval is to be based on tests and listings of testing laboratories such as Underwriters Laboratories Inc. (UL), Factory Mutual (FM), or Canadian Standards Association/Nationally Recognized Testing Laboratory (CSA/NRTL), etc.

#### 3. Plumbing materials/supplies:

i. All purpose solvent cement, except transition glues permitted in the plumbing subcode;

ii. Clear PB piping;

iii. Flexible traps and tailpieces;

iv. Sheet and tubular copper and brass trap and tailpiece fittings less than B & S 17 gauge (.045 in.);

v. Water closets requiring in excess of an average of 1.6 gallons per flush, that either have a manufacturer's date stamp of July 1, 1991 or later or were not purchased by the distributor prior to July 1, 1991;

vi. Plumbing fixtures that do not meet the standards listed in the plumbing subcode.

#### 4. Miscellaneous materials and supplies:

i. Portable unvented natural gas, liquified petroleum gas and kerosene heaters when offered for sale for use in buildings for human occupancy, unless they are tested, listed, labeled and certified by a nationally recognized testing laboratory such as the American Gas Association Laboratories (AGA), Underwriters Laboratories Inc. (UL) or Factory Mutual (FM);

17.1 Obstructions and entrapment avoidance: There shall be no obstructions that can cause the user to be entrapped or injured. Types of entrapment can include but not be limited to such things as wedge or pinch-type openings and rigid, nongiving cantilevered protrusions."

9. Chapter 10 of the plumbing subcode, entitled "Water Supply and Distribution," is amended as follows:

i. Section 10.2 is amended to add the words "in accordance with N.J.A.C. 5:23-3.3" after the words "Administrative Authority" on line 3.

ii. Section 10.4.2 is amended to delete the words "with the approval of the administrative authority" and in lieu thereof, substitute "in accordance with the rules of the New Jersey Department of Environmental Protection at N.J.A.C. 7:10-10";

iii. Section 10.4.3 is amended to read: "Potable water supplies shall be protected in accordance with the provisions of this code and where applicable the Safe Drinking Water Regulations (N.J.A.C. 7:10). The requirements of this code shall establish requirements for individual outlet protection. The requirements of the Safe Drinking Water Act shall establish the requirements for containment.";

iv. Section 10.4.4b is amended to delete the words "administrative authority" and in lieu thereof, substitute "authority having jurisdiction in accordance with N.J.A.C. 7:10-10.2(e)."

v. Section 10.4.9 is amended to delete the words "administrative authority" and in lieu thereof, substitute "authority having jurisdiction".

vi. Section 10.5.6d. is amended to delete the words "and repair" on the first line, and to delete the third sentence.

vii. Section 10.8.1 is amended to add the phrase "as required by the authority having jurisdiction" after the word "practice" on line 4.

10. Chapter 11 of the plumbing subcode, entitled "Sanitary Drainage Systems," is amended as follows:

i. Section 11.3.1 is amended to delete the words "administrative authority" and substitute in lieu thereof, the words "authority having jurisdiction" on line 4.

ii. Section 11.4.3 is amended at the end to add the sentence "Diversity factors shall be established in accordance with N.J.A.C. 5:23-3.3."

iii. Section 11.7.1a is amended to delete the words "administrative authority" on line 4 and in lieu thereof, substitute the words "authority having jurisdiction".

11. Chapter 12 of the plumbing subcode, entitled "Vents and Venting," is amended as follows:

i. Section 12.4.5 is amended to delete the phrase "when approved by the administrative authority".

ii. Section 12.5 is amended to delete the phrase "a fitting acceptable to the administrative authority", and in lieu thereof substitute "an approved fitting".

12. Chapter 13 of the plumbing subcode, entitled "Storm Water Drainage," is amended as follows:

i. Section 13.1.5a through c is amended to read "subsoil drains shall be provided in accordance with the building subcode."

ii. Section 13.1.10.1 is amended to delete the last sentence and to substitute in lieu thereof "Rainfall rates shall be based on Appendix A of the 1993 edition of the National Standard Plumbing Code. Appendix A shall be applied so that the applicable rainfall rate for Burlington and Ocean counties and all counties south shall be six inches per hour and for Mercer and Monmouth counties and all counties north, the applicable rainfall rate shall be five inches per hour."

iii. Section 13.1.10.2, "Secondary Roof Drainage," is deleted.

iv. Section 13.1.10.4, "Equivalent Systems," is deleted.

v. Section 13.9.1 is amended to add the phrase "in accordance with N.J.A.C. 5:23-3.3" after the word "authority" on line 5.

13. Chapter 14 of the plumbing subcode, entitled "Special Requirements for Health Care Facilities," is amended as follows:

i. Section 14.13 is amended to replace the term "administrative authority" with the term "authority having jurisdiction."

14. Except as otherwise indicated in (b) 14i below, sections 16.1 through 16.12.1.13 of chapter 16 of the plumbing subcode, entitled "Regulations Governing Individual Sewage Disposal Systems for Homes and Other Establishments Where Public Sewer Systems Are Not Available" are deleted in their entirety.

i. Section 16.1.7 is retained and amended to read as follows: "When a sewage disposal system is being abandoned and a connection is being made to the public sewer system, the plumbing subcode official shall ensure that the abandoned septic system is disconnected from the building, pumped out and filled with gravel, stones or soil material."

Note: Existing standards of the Department of Environmental Protection and boards of health with respect to individual on-site sewage disposal systems remain in effect.

15. Chapter 17 of the plumbing subcode, entitled "Potable Water Supply System" and comprising sections 17.1 through 17.15.2 is deleted in its entirety.

Note: Existing standards of the Department of Environmental Protection and boards of health with respect to individual on-site water supply systems remain in effect.

16. Chapter 18 of the plumbing subcode, entitled "Mobile Home and Trailer Park Plumbing Standards," is amended as follows:

- i. Section 18.2.1 is amended to delete the last sentence beginning "Trailer home park".
- ii. Section 18.2.2 is amended to delete the words "or sewerage disposal" on line 1.
- iii. Section 18.5.8 is amended to add the phrase "and as provided by the authority having jurisdiction" after the words "chapter 10 of this code."
- iv. Section 18.8.1.2 is deleted.
- v. Section 18.8.3 is amended to add the phrase "for dependent trailers" after the word "park" on line 1.
- vi. Section 18.8.4 is amended to add the phrase "for dependent trailers" after the word "park" on line 1.
- vii. Section 18.9 is deleted.
- viii. Section 18.10 is deleted.

17. Appendix E of the plumbing subcode, entitled "Special Design Plumbing Systems", is amended as follows:

- i. Section E.2.1 is amended to delete the words "local administrative authority" on line 2 and in lieu thereof, substitute "authority having jurisdiction".
- ii. Section E.4.2 is amended to delete the term "Administrative Authority" and substitute in lieu thereof "Authority Having Jurisdiction."

Amended by R.1981 d.132, effective May 7, 1981.

See: 13 N.J.R. 121(a), 13 N.J.R. 258(d).

Amended by R.1983 d.12, eff. February 7, 1983, operative February 22, 1983.

See: 14 N.J.R. 1326(a), 15 N.J.R. 141(c).

Added (a) 3 and (c).

Amended by R.1984 d.314, eff. August 6, 1984.

See: 16 N.J.R. 1139(a), 16 N.J.R. 2084(b).

Section substantially amended.

Amended by R.1986 d.12, effective February 3, 1986.

See: 17 N.J.R. 2714(a), 18 N.J.R. 267(a).

(a)li had a change of address; (a)3 and (c) added.

Amended by R.1987 d.81, effective February 2, 1987.

See: 18 N.J.R. 2237(b), 19 N.J.R. 289(d).

Amended by R.1987 d.374, effective September 21, 1987.

See: 19 N.J.R. 1024(a), 19 N.J.R. 1720(b).

Model subcode revisions.

Amended by R.1989 d.66, effective February 6, 1989.

See: 20 N.J.R. 2846(a), 21 N.J.R. 288(a).

Added (c).

Amended by R.1990 d.58, effective February 5, 1990.

See: 21 N.J.R. 3346(a), 22 N.J.R. 351(a).

Added (d) adopting the 1989 Supplement to the 1987 National Standard Plumbing Code.

Amended by R.1990 d.253, effective May 21, 1990.

See: 22 N.J.R. 909(b), 22 N.J.R. 1554(a).

Text added at (a)3; (d)3ii amended.

Amended by R.1990 d.507, effective October 15, 1990.

See: 22 N.J.R. 2208(a), 22 N.J.R. 3214(a).

Text conformed to BOCA National Code/1990.

Amended by R.1991 d.326, effective July 1, 1991.

See: 23 N.J.R. 804(a), 23 N.J.R. 2044(a).

GPF set at 1.6; gravity water closets not permitted in commercial uses.

Amended by R.1991 d.571, effective November 18, 1991.

See: 23 N.J.R. 2619(a), 23 N.J.R. 3444(b).

Added new (c).

Amended by R.1992 d.67, effective February 3, 1992.

See: 23 N.J.R. 3602(a), 24 N.J.R. 404(b).

Low volume water closet exception added at (b)18i(1).

Amended by R.1993 d.662, effective December 20, 1993.

See: 25 N.J.R. 3891(a), 25 N.J.R. 5918(a).

Amended by R.1995 d.122, effective March 6, 1995 (operative July 1, 1995).

See: 26 N.J.R. 4874(a), 27 N.J.R. 894(a).

Amended by R.1998 d.136, effective March 16, 1998.

See: 30 N.J.R. 4(a), 30 N.J.R. 1038(a).

In (b)9, added xii.

Amended by R.1998 d.332, effective July 6, 1998.

See: 30 N.J.R. 1377(a), 30 N.J.R. 2421(b).

Rewrote the section.

#### Case Notes

Statute providing that only licensed master plumbers could be plumbing contractors was unconstitutional. *Mechanical Contractors Ass'n of New Jersey, Inc. v. State*, 255 N.J.Super. 488, 605 A.2d 743 (A.D.1992).

#### 5:23-3.16 Electrical subcode

(a) Rules concerning the subcode adopted are as follows:

1. Pursuant to authority of P.L. 1975, c.217, as modified by P.L. 1996 c.53, the Commissioner hereby adopts the model code of the National Fire Protection Association, known as "The National Electrical Code 1996," as the electrical subcode for New Jersey.

i. Copies of this code may be obtained from the sponsors at NFPA, Batterymarch Park, Quincy, Massachusetts 02269.

2. The National Electrical Code/1996 may be known and cited as "the electrical subcode."

3. The Commissioner hereby adopts the National Electrical Safety Code (ANSI C2-1997) for the installation of area lighting facilities by an electric utility on private property on metal poles with an underground electric feed.

i. Copies of the National Electrical Safety Code may be obtained from the Institute of Electrical and Electronic Engineers, Inc., PO Box 1331, 445 Hoes Lane, Piscataway, New Jersey 08855-1331.

(b) The following chapters or articles of the electrical subcode are amended as follows:

1. Article 90 of the electrical subcode, entitled "Introduction," is amended as follows:

i. Section 90-4, Enforcement, is amended to delete in the first paragraph the phrase, "authority having jurisdiction of enforcement of the code" and substitute in lieu thereof, the term "electrical subcode official." And add a new last sentence in the first paragraph: "Approval shall be in accordance with N.J.A.C. 5:23-2.9." Delete in the second paragraph the phrase "authority having jurisdiction" and substitute in lieu thereof the term "electrical subcode official" and add after "effective safety" the phrase "as provided in N.J.A.C. 5:23-2.9." Delete in the third paragraph the phrase "authority having jurisdiction" and substitute in lieu thereof the term "electrical subcode official" and delete the phrase "by the jurisdiction" after the word "adopted."

2. Chapter 1 of the electrical subcode, Article 100, entitled "Definitions" is amended as follows:

i. The definition of the term "approved" is amended to delete the phrase "the authority having jurisdiction" and substitute in lieu thereof, the phrase "electrical subcode. Approval shall be in accordance with N.J.A.C. 5:23-3.7, 3.8 and 3.8A."

ii. Amend to include the following definition: "Authority having jurisdiction: Unless otherwise specifically noted the authority having jurisdiction for the Electrical Subcode shall be the Electrical Subcode Official".

iii. The definition of the term "building" is deleted and in lieu thereof, substitute the definition of the term "building" found in N.J.A.C. 5:23-1.4".

iv. The definition of the term "garage" is amended to add the sentence, "The term cutoff is intended to refer to the appropriate fire separation as required by the building subcode."

3. Chapter 3 of the electrical subcode, entitled "Wiring Methods and Materials," is amended as follows:

i. Section 300-4(a)(1) is amended to delete the wording from "so that the edge ..." on line three through "... cannot be maintained" on line five and in lieu thereof substitute "as required by the building subcode. Where the distance from the edge of the hole to the nearest edge of the wood member is less than 1¼ inches (31.8 mm)."

4. Chapter 5 of the electrical subcode, entitled "Special Occupancies" is amended as follows:

i. Exception to the section 500-3(a)(4), section 514-5(b) and section 514-5(c) are amended to delete the phrase "authority having jurisdiction" and substitute in lieu thereof the phrase "fire protection subcode officials."

ii. Part B of Article 550, entitled "Mobile Homes, Manufactured Homes, and Mobile Home Parks" comprising sections 550-5 through 550-15 is deleted in its

entirety with the exception of section 550-5 which shall be retained.

(1) Exception—Part B is retained in its entirety in the case of mobile/manufactured homes undergoing repair or alteration work.

iii. In Article 551, entitled "Recreation Vehicles and Recreation Vehicle Parks," delete from the title the words "Recreation Vehicles and."

(1) Section 551-1 is amended to delete the phrase "within or on recreational vehicles" on line 2.

(2) Parts B, C, D, E and F, comprising sections 551-10 through 551-60, are deleted in their entirety, with the exception of Figure 551-46(c), which shall be retained.

iv. The following amendments are made to Article 552, entitled "Park Trailers":

(1) Parts B and C comprising Sections 552-10 through 552-20 are deleted in their entirety.

(2) Part D comprising Sections 552-40 through 552-59 is deleted with the exception of Sections 552-43, 552-44 and 552-47 which shall be retained.

(3) Part E is deleted in its entirety.

Amended by R.1981 d.132, effective May 7, 1981.

See: 13 N.J.R. 121(a), 13 N.J.R. 258(d).

Amended by R.1984 d.314, effective August 6, 1984.

See: 16 N.J.R. 1139(a), 16 N.J.R. 2084(b).

Section substantially amended.

Amended by R.1987 d.374, effective September 21, 1987.

See: 19 N.J.R. 1024(a), 19 N.J.R. 1720(b).

Model subcode revisions.

Amended by R.1990 d.253, effective May 21, 1990.

See: 22 N.J.R. 909(b), 22 N.J.R. 1554(a).

Amendments to (b)4i(2), ii(2).

Administrative Correction to (b)4i(2).

See: 22 N.J.R. 2503(b).

Amended by R.1990 d.507, effective October 15, 1990.

See: 22 N.J.R. 2208(a), 22 N.J.R. 3214(a).

Text conformed to BOCA National Code/1990.

Amended by R.1993 d.662, effective December 20, 1993.

See: 25 N.J.R. 3891(a), 25 N.J.R. 5918(a).

Amended by R.1998 d.332, effective July 6, 1998.

See: 30 N.J.R. 1377(a), 30 N.J.R. 2421(b).

Rewrote the section.

Amended by R.1998 d.362, effective July 20, 1998.

See: 30 N.J.R. 1122(a), 30 N.J.R. 2644(b).

In (a), inserted a new 3.

#### Case Notes

Former N.J.A.C. 5:23-3.6 designated "National Electrical code of 1975" as controlling code; statute of limitations. *Brown v. Jersey Central Power and Light Co.*, 163 N.J.Super. 179 394 A.2d 397 (App. Div.1978) certification denied 79 N.J. 489 401 A.2d 244.

#### 5:23-3.17 Fire protection subcode

(a) Rules concerning the subcode adopted are as follows:

1. Pursuant to authority of P.L. 1975, c.217 as modified by P.L. 1996, c.53, the Commissioner hereby adopts the following portions of the building, electric, and mechani-

cal subcodes, to the extent delineated in N.J.A.C. 5:23-3.4, as the fire protection subcode for New Jersey.

i. BOCA National Building Code/1996 of the Building Officials and Code Administrators International Inc. (N.J.A.C. 5:23-3.14):

- (1) Chapter 3 entitled, "Use or Occupancy"
- (2) Chapter 4—Special Use and Occupancy;
- (3) Chapter 7—Fire resistant Materials and Construction;
- (4) Chapter 8—Interior Finishes;
- (5) Chapter 9—Fire Protection Systems;
- (6) Chapter 10—Means of Egress;
- (7) Sections 2113.0 through 2117.0 of Chapter 21—Masonry;
- (8) Sections 2603.0 through 2605.0 of Chapter 26—Plastic;
- (9) Section 3106.0 of Chapter 31—Special Construction;
- (10) Section 3305.0 of Chapter 33—Site Work, Demolition and Construction;
- (11) Section 3406.0 of Chapter 34—Existing Structures.

ii. National Electric Code/1996 of the National Fire Protection Association (N.J.A.C. 5:23-3.16).

- (1) Section 300-21 of Chapter 3—Wiring Methods and Materials;
- (2) Article 450, Part C—Transformer Vaults of Chapter 4—Equipment for General Use;
- (3) Chapter 5—Special Occupancies;
- (4) Article 695—Fire Pumps of Chapter 6—Special Equipment;
- (5) Article 760—Fire Alarm Systems of Chapter 7—Special Conditions;

iii. BOCA National Mechanical Code/1993 of the Building Officials and Code Administrators International Inc. (N.J.A.C. 5:23-3.20):

- (1) Chapter 3 entitled "Air Distribution Systems"
- (2) Chapter 4—Mechanical Equipment;
- (3) Chapter 5—Kitchen Exhaust Equipment;
- (4) Section M-802.1 of Chapter 8
- (5) Chapter 9—Flammable and Combustible Liquid Storage and Piping Systems;
- (6) Chapter 10—Combustion Air;
- (7) Chapter 11—Clearance Reduction

(8) Chapter 12—Chimneys and Vents;

(9) Chapter 14—Fireplaces, Solid Fuel-Burning and Gas Accessory Appliances.

(10) Chapter 15—Incinerators and Crematories

2. The model code portions listed above may be known as "the fire protection subcode."

(b) Rules concerning modifications to subcodes are as follows:

1. The modifications made to the appropriate portion of the adopted model code in N.J.A.C. 5:23-3.14 (Building Subcode), N.J.A.C. 5:23-3.16 (Electrical Subcode) and N.J.A.C. 5:23-3.20 (Mechanical Subcode) will apply also to those portions as regards this adoption.

Amended by R.1981 d.132, effective May 7, 1981.

See: 13 N.J.R. 121(a), 13 N.J.R. 258(d).

Amended by R.1984 d.314, effective August 6, 1984.

See: 16 N.J.R. 1139(a), 16 N.J.R. 2084(b).

Section substantially amended.

Amended by R.1986 d.380, effective September 22, 1986.

See: 18 N.J.R. 1235(a), 18 N.J.R. 1931(a).

Substantially amended.

Amended by R.1987 d.374, effective September 21, 1987.

See: 19 N.J.R. 1024(a), 19 N.J.R. 1720(b).

Model subcode revisions.

Amended by R.1990 d.253, effective May 21, 1990.

See: 22 N.J.R. 909(b), 22 N.J.R. 1554(a).

Reference to 1989 Supplement added; (a)li(7) amended.

Amended by R.1990 d.507, effective October 15, 1990.

See: 22 N.J.R. 2208(a), 22 N.J.R. 3214(a).

Text conformed to BOCA National Code/1990.

Amended by R.1993 d.662, effective December 20, 1993.

See: 25 N.J.R. 3891(a), 25 N.J.R. 5918(a).

Amended by R.1998 d.332, effective July 6, 1998.

See: 30 N.J.R. 1377(a), 30 N.J.R. 2421(b).

Rewrote (a).

#### Case Notes

Zoning ordinance's definition of family violated Constitution. *Cherry Hill Tp. v. Oxford House, Inc.*, 263 N.J.Super. 25, 621 A.2d 952 (A.D.1993).

#### 5:23-3.18 Energy Subcode

(a) Rules concerning the subcode adopted are as follows:

1. Pursuant to authority of P.L. 1975, c.217, as modified by P.L. 1996, c.53, the Commissioner hereby adopts the model code of the Building Officials and Code Administrators International, Inc., known as the BOCA National Energy Conservation Code/1993, as the energy subcode for New Jersey.

i. Copies of the BOCA National Energy Conservation Code/1993 may be obtained from the sponsor at BOCA, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60477-5795.

ii. The model code listed above may be known and cited as the "energy subcode."

(b) On or before February 10 of each year, in a municipality that budgets according to the calendar year (January 1 to December 31), or on or before August 10 of each year, in a municipality that budgets according to the State fiscal year (July 1 to June 30), the construction official shall, with the advice of the subcode officials and in consultation with the municipal finance officer, prepare and submit to the governing body a report detailing the receipts and expenditures of the enforcing agency and indicating his recommendations for a fee schedule, based on the operating expense of the agency.

1. The report shall be structured in accordance with (c) below and with such guidelines as shall be issued from time-to-time by the Commissioner so as to accurately portray true enforcing agency expenses in general and for structures of different use groups. This report shall serve as the basis for the ordinance to be enacted by the municipality, as it may deem appropriate, establishing the fee schedule.

2. A copy of the construction official's report recommending a fee schedule and setting forth enforcing agency revenues and expenses shall be filed with the Department when prepared and a copy of the ordinance, together with the fee schedule, shall be filed with the Department when enacted or amended.

3. The appropriation and expenditure of construction code fee revenues generated from the fee schedule established pursuant to (b)1 above shall be audited annually by an independent auditor acceptable to the Department and a copy of the auditor's report shall be provided to the Department when it is issued to the municipality. Submission of a copy of the annual municipal audit required

to be submitted to the Division of Local Government Services at the time that it is required to be submitted to that Division shall constitute compliance with this requirement provided, however, that the annual municipal audit tests and contains an opinion that all expenditures of construction code fees have been made for purposes herein permitted.

(c) Costs: The fee schedule shall be calculated to reasonably cover the municipal costs of enforcing the regulations.

1. It is the purpose and intent of this subsection to facilitate the accumulation by municipalities of the funds necessary to offset future construction code enforcement expenses, to ensure that construction code revenue is used only for construction code enforcement purposes, and to provide a means of making such revenue readily available for such purposes from year to year.

2. All fees collected pursuant to the fee schedule established in accordance with (b)1 above shall be appropriated in accordance with the requirements of the Uniform Construction Code Act and the Local Budget Law to be applied solely to meet the municipal costs of enforcing the regulations, which costs shall be defined as including only the following:

i. Salaries and employee benefits for licensed code enforcement officials and inspectors and clerical personnel assigned to the enforcing agency, in an amount proportionate to the time spent in performing work for the enforcing agency provided, however, that detailed time records are kept where employees divide their time between Uniform Construction Code and Non-Uniform Construction Code duties;

ii. Cost of motor vehicles in an amount proportionate to their use by or for the enforcing agency. Payments for this purpose may be in the form of mileage reimbursement paid to employees for use of their own motor vehicles, cost of purchase of motor vehicles by the municipality for the exclusive use of the enforcing agency (which cost may not be amortized), depreciation and operating expenses of motor vehicles made available to the enforcing agency by another municipal agency, and cost of rental of motor vehicles for use by the enforcing agency;

iii. Direct costs in support of the agency such as equipment, supplies, furniture, office equipment maintenance, standardized forms, printing, and safety equipment that are supplied directly to the enforcing agency for its sole use;

iv. Professional expenses of enforcing agency personnel that are directly related to the enforcement of the regulations, including publications, membership dues, license fees, and authorized travel to conferences, meetings and seminars;

v. Fees for services performed under contract by private on-site inspection agencies;

vi. Documented charges for legal services required in connection with construction code enforcement litigation;

vii. Fees for the annual audit of the dedicated fund by an independent auditor; and

viii. Subject to the limitations set forth in (c)3 below, indirect, overhead, and other expenses of the municipality in support of the enforcing agency, including:

(1) Legislative and Executive expenses;

(2) Administration, including personnel, payroll, and general training services provided to the agency in common with all other municipal offices;

(3) Central services shared jointly with other municipal offices, such as telephone, reproduction, centralized computer services, etc.;

(4) Insurance except for group insurance premiums included under employer fringe benefits;

(5) General building maintenance expenses;

(6) Finance, including bookkeeping, purchasing, and auditing;

(7) Office space expenses, including rent or interest and debt service on municipal capital facilities; and

(8) Such other expenses as may be properly allocable to construction code enforcement.

3. Indirect and overhead expenses charged to the construction code fee revenues shall not exceed 12 percent of all other costs of the enforcing agency unless the indirect and overhead expenses of the municipality exceed 12 percent of the entire municipal budget, in which case indirect and overhead expense may be charged to construction code fee revenues in proportion to the general municipal overhead and expense ratio. A detailed written justification for any charge for indirect and overhead expenses in excess of 12 percent shall be prepared and made available for inspection both by the Department and by the public.

4. This subsection shall not be construed as precluding the use of money from the general fund of the municipality to pay costs of code enforcement when the construction code fee revenues generated from the fee schedule established pursuant to (b)1 above are insufficient for that purpose or when necessary to compensate the enforcing agency for work done without fee pursuant to statute or ordinance.

(d) Interlocal enforcement: When two or more municipalities or a county and one or more municipalities enter into an agreement to administer and enforce this chapter pursuant to N.J.A.C. 5:23-4.4(a)2 and the Interlocal Service Act (N.J.S.A. 40:8A-1 et seq.), there shall be one uniform fee schedule which shall be applied by all parties to the agreement. Said fee shall be collected by the interlocal enforcing agency performing the administration and enforcement of the regulations. No additional fee shall be required to be paid or be paid by an applicant to any municipality or county for any Uniform Construction Code enforcement service. The enforcing agency shall maintain financial records showing for each municipality the amounts of money collected and expended in the enforcement of this chapter.

Amended by R.1982 d.401, effective November 15, 1982.  
See: 14 N.J.R. 495(a), 14 N.J.R. 1300(a).

Added (d). Prior to recodification of N.J.A.C. 5:23, this section was codified at 5:23-4.8.

Amended by R.1982 d.402, effective November 15, 1982.  
See: 14 N.J.R. 943(a), 14 N.J.R. 1300(b).

Added to (b)2 that copy of report . . . must be filed every two years.  
Emergency amendment, R.1989 d.405, effective July 3, 1989 (expires September 1, 1989).

See: 21 N.J.R. 2127(b).

In (a): added "certificates of continued occupancy, certificate of approval" and deleted "moving of building permit . . .".

In (a)1: added language regarding rounding of dollar amounts in fees.

Adopted concurrent proposal, R.1989 d.512, effective September 1, 1989.

See: 21 N.J.R. 2127(a), 21 N.J.R. 3086(a).

Provisions of emergency amendment R.1989 d.405 readopted without change.

Amended by R.1990 d.115, effective February 5, 1990 (operative March 1, 1990).

See: 21 N.J.R. 3348(a), 22 N.J.R. 352(a).

Requirements added at (c) for the establishment of a mechanism (dedication by rider) to ensure construction fees are used for no other purpose than to fund annual costs for the operation of enforcing agencies.

Amended by R.1990 d.489, effective October 1, 1990.

See: 22 N.J.R. 1871(a), 22 N.J.R. 3147(a).

Amended to state that appropriation of municipal construction code fees may be done by rider or by estimates in advance, in accordance with the Local Budget Law, N.J.S.A. 40A:4-1 et seq.

Amended by R.1992 d.148, effective April 6, 1992.

See: 24 N.J.R. 169(a), 24 N.J.R. 1399(a).

Construction official may report based on the municipality's fiscal year.

Amended by R.1996 d.544, effective December 2, 1996 (operative February 1, 1997).

See: 28 N.J.R. 3996(a), 28 N.J.R. 5071(a).

#### Case Notes

Fee schedules must be calculated to reasonably cover municipal code enforcement costs. *Bureau of Construction Code Enforcement v. Hasbrouck Heights*, 4 N.J.A.R. 282 (1983).

### 5:23-4.18 Standards for municipal fees

#### (a) General:

1. The fee for plan review, computed as a percentage of the fee for a construction permit, shall be paid at the time of submission of an application for a permit. The amount of this fee shall then be deducted from the amount of the fee due for a construction permit, when the permit is issued; provided however, that the municipality may provide by ordinance that the plan review fee be paid at the time of granting the permit. Plan review fees are not refundable.

2. The fee to be charged for a construction permit will be the sum of the basic construction fee computed in accordance with (c) below herein plus any applicable special fees, such as elevator or sign fees. This fee shall be paid before a permit is issued.

3. The fee to be charged for a certificate of occupancy shall be paid before a certificate is issued. This fee shall be in addition to the construction permit fee;

4. The fee to be charged for an annual construction permit shall be charged annually. This fee shall be a flat fee based upon the number of maintenance workers employed by the facility and who are primarily engaged in work that is governed by a subcode. Managers, engineers and clericals shall not be considered maintenance workers for the purposes of establishing the annual construction permit fee. Annual permits may be issued for building/fire protection, electrical and plumbing. Annual permit fees shall be non-refundable.

5. Prior to the issuance of the annual permit, a training registration fee of \$140.00 per subcode and a list of not more than three individuals to be trained per subcode shall be submitted by the applicant to the municipal construction official, who shall forward the fee and list to the Department of Community Affairs, Bureau of Code Services, Training Section along with a copy of the construction permit (Form F170). Checks shall be made payable to "Treasurer, State of New Jersey." The Department shall register these individuals and notify them of the courses being offered.

#### (b) Plan review fees:

1. Plan review fees shall be computed as a percentage of the fee to be charged for the construction permit. This percentage shall, to the extent possible, approximate the actual costs incurred in plan review activities, but in any case shall be not less than five percent nor more than 25 percent of the amount that would be charged for the construction permit. For projects which do not require plan review for all subcodes, the fee shall be the appropriate percentage of the subcode fee which is applicable.

2. N.J.A.C. 5:23-2.26 requires the designation of 20 percent of the construction permit fee as the plan review fee for the purpose of providing for plan review by the department or waiver of plan review.

3. If a municipality has not established a plan review fee by ordinance, 20 percent of the construction permit fee shall be designated as the plan review fee for prototype plans, in accordance with N.J.A.C. 5:23-2.26.

(c) Basic construction fee: The basic construction fee shall be computed on the basis of the volume of the building or, in the case of alterations, the estimated construction cost, and the number and types of plumbing, electrical and fire protection fixtures or devices as herein provided.

1. Fees for new construction or alterations shall be as follows:

i. Fees for renovations, alterations, reroofing, repairs, and site construction associated with pre-engineered systems of commercial farm buildings, pre-manufactured construction, and the external utility connections for premanufactured construction, shall be based upon the estimated cost of the work. The fee shall be computed as a unit rate per \$1,000 of estimated cost.

ii. Fees for renovations, alterations, and repairs shall be based upon the estimated cost of the work. The fee shall be computed as a unit rate per \$1,000 of estimated cost.

iii. Fees for additions shall be computed on the same basis as for new construction for the added portion;

iv. Fees for combination renovations and additions shall be computed as the sum of the fees for the addition and alteration computed separately in accordance with (b) and (c) above;

v. The unit rates may vary for different occupancy groups or structures of different sizes within the same occupancy group, but this shall be clearly indicated in the ordinance and schedule;

vi. Temporary structures and all structures for which volume cannot be computed, such as swimming pools and open structural towers, shall be charged a flat rate;

vii. Fees for minor construction work shall be based upon the estimated cost of the work. The fee shall be computed as a unit rate per \$1,000 of estimated cost or fraction thereof.

2. Plumbing fixtures and stacks: Fees shall be based upon the number of plumbing fixtures, devices, plumbing stacks and utility service connections to be installed. Utility service connections include sewer connections and water service connections. The fee shall be a unit rate per fixture, stack, and utility service connection. The unit rate may vary for different types of fixtures and utility service pipes, but this shall be clearly indicated in the ordinance and schedule. There shall be no inspection fee charged for gas service entrances.

3. Electrical fixtures and devices: Fees shall be based upon the number of electrical fixtures and devices to be installed. The fee shall be a unit rate per fixture and device. The unit rate may vary for different types of fixtures, but this shall be clearly indicated in the ordinance and schedule.

4. Fees shall be based upon the number of sprinkler heads, standpipes, and detectors (smoke and heat) and shall be reasonable unit charges. Fees may also be charged for the inspection of premanufactured fire suppression systems, for gas and oil fired appliances not connected to the plumbing system, for kitchen exhaust systems and for incinerators and crematoriums. The municipal ordinance shall clearly set forth what fees are to be charged for what devices.

5. The municipality shall set a flat fee for a mechanical inspection in a Use Group R-3 or R-4 structure by a mechanical inspector or a plumbing inspector. No separate fee shall be charged for gas, fuel oil, or water piping connections associated with the mechanical equipment inspected.

(d) Demolition permit fees: Permit fees for demolition of a building or structure shall be a flat fee. This fee may vary according to type of structure or whether there has been a condemnation, but this shall be clearly indicated in the ordinance and schedule.

(e) Sign permit fees: The fee for a permit to construct a sign shall be either based upon the square foot area of the surface of the sign, computed on one side only for double-faced signs, or a flat fee per sign.

(f) Certificate fees:

1. The fee for a certificate of occupancy for new construction shall be computed as a percentage of the fee to be charged for the construction permit. This percentage shall be an amount sufficient to cover the actual costs for processing the certificate of occupancy. The municipality may, in the alternative, establish a flat fee for the certificate of occupancy.

2. The municipality shall establish a flat fee for certificate of continued occupancy, for certificate of occupancy granted pursuant to a change of use, for multiple certificates of occupancy (as for a shopping center), and similar conditions.

3. There shall be no fee charged for a certificate of approval issued pursuant to N.J.A.C. 5:23-2.23(j).

4. There shall be no fee for a certificate of compliance.

(g) Elevator, backflow preventer and cross connection fees are as follows:

1. The fee for a permit to install an elevator device shall be a flat fee. The fee may vary for different types of inspections, tests and elevator devices.

2. The fees for inspections and witnessing of tests for an elevator, escalator, moving walk, dumbwaiter or other elevator device shall be flat fees. These fees may vary for different required inspections and tests, but any variation shall be set forth in the ordinance and the schedule.

3. The categories of municipal elevator fees shall be identical to the categories of elevator fees listed at N.J.A.C. 5:23-12.6(a) and (b).

4. For cross-connections and backflow preventers that are subject to testing and require reinspection, the fee shall be a flat fee.

(h) No special fee shall be established for any class or type of work which is undertaken as a part of work authorized by a construction permit, except elevator and sign permits as herein provided. Other special fees may be established for work regulated by the code but not undertaken as a part of the new construction project. Such special fees shall be flat fees.

(i) Whenever a permit is received based on an approved prototype plan, the permit fee shall be reduced by the amount of the plan review fee.

(j) Rules concerning the appeal of fees are:

1. Whenever any person shall believe that the fees established by a municipality, pursuant to this subsection, fail to meet the standards of this section for establishing fees, that person shall be entitled to petition the commissioner for a review of the fee schedule in question.

i. Any such petition shall state the name, place of residence and the manner in which the fee schedule affects the petitioner. It shall further state the manner in which the petitioner believes the fees established to be inconsistent with the standards established herein.

ii. If, upon investigation, the commissioner determines that there is reason to believe that the fees in question do not meet the standards established herein, then the commissioner shall set a time and the place for

a hearing. The purpose of the hearing shall be to determine the facts.

iii. No such hearing shall be called except upon 30 days notice to the municipality and the petitioner. The municipality shall be required to furnish such information concerning construction volume, construction activity, and local enforcing agency costs as the commissioner may require in order that a determination may be made.

iv. As soon as practical after the conclusion of such a hearing, the commissioner shall make a finding and determination as to whether the fee schedule in question, as a whole or in any of its parts, conforms or fails to conform to the standards established in this section.

2. In addition to any other actions that he may take upon determining that the fees established by a municipality fail to meet the standards of this section, the commissioner may order the repayment of the excess amount of such fees to the persons who have paid them.

(k) Fees to be charged by municipalities where private on-site inspection and plan review agencies carry out sub-code official responsibilities shall not exceed the amounts to be paid to those private agencies for those services, pursuant to the contract between the private agency and the municipality, by more than 15 percent.

Amended by R.1984 d.260, effective July 2, 1984.  
See: 16 N.J.R. 3(a), 16 N.J.R. 1714(c).

Section substantially amended.

Amended by R.1985 d.351, effective July 15, 1985.  
See: 17 N.J.R. 1029(a), 17 N.J.R. 1756(b).

Old (a)4 deleted and new text substituted.

Amended by R.1986 d.213, effective June 16, 1986.  
See: 17 N.J.R. 2490(a), 18 N.J.R. 1266(a).

Added text to (a)4 "annual permit-fees shall be non-refundable" and (a)5 "Prior to the issuance of the annual permit" and "Bureau of Construction Code Enforcement."

Emergency amendment, R.1989 d.405, effective July 3, 1989 (expires September 1, 1989).  
See: 21 N.J.R. 2127(b).

Minor technical changes made throughout section.

Adopted concurrent proposal, R.1989 d.512, effective September 1, 1989 (operative January 1, 1990 for 4.18(c)-(e)).  
See: 21 N.J.R. 2127(a), 21 N.J.R. 3086(a).

Provisions of emergency amendment R.1989 d.405 readopted with change.

Added sections (c)4; (k)iv and v.

Deleted sections (e), "Removal permit fees"; (l)iii, "Fire subcode"; and (l)4, "Elevator fees . . .", with renumbering and recodification.  
Amended by R.1991 d.325, effective July 1, 1991.

See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Uniform flat fees for elevators to be set forth in ordinance and schedule.

Amended by R.1992 d.230, effective June 1, 1992.  
See: 24 N.J.R. 168(a), 24 N.J.R. 2052(a).

Form numbers changed in (a)5.

Amended by R.1992 d.313, effective August 3, 1992.  
See: 24 N.J.R. 1846(a), 24 N.J.R. 2712(b).

No inspection fee for gas service entrances.

Amended by R.1993 d.187, effective May 3, 1993.  
See: 25 N.J.R. 624(a), 25 N.J.R. 1875(a).

Added (c)5.

Amended by R.1993 d.353, effective July 19, 1993.  
See: 25 N.J.R. 1629(a), 25 N.J.R. 3147(a).

Amended by R.1993 d.665, effective December 20, 1993.

See: 25 N.J.R. 4548(a), 25 N.J.R. 5928(a).

Amended by R.1994 d.96, effective February 22, 1994.

See: 25 N.J.R. 5388(a), 26 N.J.R. 1073(a).

Amended by R.1994 d.323, effective July 5, 1994 (operative January 1, 1995).

See: 25 N.J.R. 2162(a), 26 N.J.R. 2780(a).

Amended by R.1995 d.381, effective July 17, 1995.

See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).

Amended by R.1995 d.475, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1716(a), 27 N.J.R. 3325(a).

In (a)5 added individuals to be trained and registered.

Amended by R.1995 d.476, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1846(a), 27 N.J.R. 3325(b).

Rewrote (f) and (g).

Amended by R.1995 d.603, effective November 20, 1995 (operative March 20, 1996).

See: 27 N.J.R. 2655(a), 27 N.J.R. 4699(a).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

Amended by R.1997 d.418, effective October 6, 1997.

See: 29 N.J.R. 3402(a), 29 N.J.R. 4286(a).

In (c)5, inserted reference plumbing inspector.

#### Case Notes

Owner was not entitled to hearing before administrative law judge to review adverse determination of Department of Community Affairs regarding its challenge to permit fees charged in connection with construction of new building absent evidence that township's permit fee revenues exceeded its expenditures, in violation of governing law. *Toys R Us, Inc. v. Township of Mount Olive*, 300 N.J.Super. 585, 693 A.2d 539 (A.D.1997).

Fee standards violation. Bureau of Construction Code Enforcement v. Hasbrouck Heights, 4 N.J.A.R. 282 (1983).

#### 5:23-4.19 State of New Jersey training fees

(a) In order to provide for the training and certification and technical support programs required by the Act, an enforcing agency, including the Department when acting as the local agency, shall collect a surcharge fee to be based upon the volume of new construction within the municipality. Said fee shall be accounted for and forwarded to the Bureau of Regulatory Affairs in the manner herein provided.

(b) Amount: This fee shall be in the amount of \$0.0016 per cubic foot volume of new buildings and additions. Volume shall be computed in accordance with N.J.A.C. 5:23-2.28. The fee for all other construction shall be \$0.80 per \$1,000 of value of construction.

1. No fee shall be collected for preengineered systems of commercial farm buildings.

2. No fee shall be collected for permits to perform asbestos abatement or lead abatement.

(c) Remitting and reporting:

1. The municipality shall remit fees to the Bureau on a quarterly basis, in conjunction with report number R-840B State Training Fee Report in accordance with N.J.A.C. 5:23-4.5(e). Fees remitted shall be for the quarter. Checks shall be made payable to "Treasurer, State of New Jersey."

Amended by R.1982 d.220, effective July 19, 1982.

See: 14 N.J.R. 456(a), 14 N.J.R. 755(b).

In (c)3i deleted "state fiscal" and "third and fourth quarter" and added "quarters of the calendar" year. In (c)3ii deleted reporting on an annual basis and added quarterly report. Also added iii and (1). Prior to recodification of N.J.A.C. 5:23, this section was codified at 5:23-4.8(c).

Amended by R.1983 d.611, effective January 3, 1984.

See: 15 N.J.R. 1789(a), 16 N.J.R. 45(b).

In (c), deleted old 1.-3. and added new 1.

Emergency adoption, R.1989 d.405, effective July 3, 1989 (expires September 1, 1989).

See: 21 N.J.R. 2127(b).

In (b): changed "will" to "shall" and changed "\$0.0006" to "\$0.0014" per cubic foot.

Adopted concurrent proposal, R.1989 d.512, effective September 1, 1989.

See: 21 N.J.R. 2127(a), 21 N.J.R. 3086(a).

Provisions of emergency amendment R.1989 d.405 readopted without change.

Amended by R.1990 d.61, effective February 5, 1990.

See: 21 N.J.R. 3346(b), 22 N.J.R. 351(b).

At (c)1, monthly reporting and fee submissions changed to quarterly.

Amended by R.1991 d.181, effective April 1, 1991, operative July 1, 1991.

See: 23 N.J.R. 257(b), 23 N.J.R. 1029(a).

In (b) increased fee amount from \$0.0014 to \$0.0016 per cubic foot.

Amended by R.1992 d.47, effective February 3, 1992.

See: 23 N.J.R. 3440(a), 24 N.J.R. 405(a).

Fees to be paid to Regulatory Affairs.

Amended by R.1992 d.392, effective October 5, 1992.

See: 24 N.J.R. 2657(a), 24 N.J.R. 3521(b).

Fee amount amended at (b).

Amended by R.1995 d.603, effective November 20, 1995 (operative March 20, 1996).

See: 27 N.J.R. 2655(a), 27 N.J.R. 4699(a).

Administrative Correction.

See: 28 N.J.R. 1981(b).

Amended by R.1997 d.303, effective July 21, 1997.

See: 29 N.J.R. 1437(b), 29 N.J.R. 3247(a).

Subdivided (b); in (b), deleted reference to preengineered systems of commercial farm buildings; and added (b)2.

## 5:23-4.20 Departmental fees

### (a) General:

1. The fee for plan review, computed as a percentage of the fee for a construction permit, shall be paid at the time of application for a permit. The amount of this fee shall then be deducted from the amount of the fee due for a construction permit, when the permit is issued. Plan review fees are not refundable.

2. The fee to be charged for a construction permit will be the sum of the basic construction fee plus all applicable special fees, such as elevator or sign fees. This fee shall be paid before a permit is issued.

3. The fee to be charged for a certificate of occupancy shall be paid before a certificate is issued. This fee shall be in addition to the construction permit fee.

4. Where the Department, pursuant to N.J.A.C. 5:23-4.24, is designated as the plan review agency, or when the Department has been requested to provide plan review services by a municipality pursuant to N.J.A.C. 5:23-4.24, or when the Department is designated as the local enforcing agency pursuant to N.J.A.C. 5:23-4.3, the following schedule of fees shall pertain.

5. Newly constructed residential units that are to be legally restricted to occupancy by households of low or moderate income shall be exempted from the fees set forth in (b) and (c) below and otherwise payable to the Department.

(b) Departmental plan review fee: The fees listed in (c) below shall be in addition to a Departmental plan review surcharge in the amount of 40 percent of each listed fee. Where the Department performs plan review only, the plan review fee shall be in the amount of 25 percent of the new construction permit fee which would be charged by the Department pursuant to these rules.

(c) Departmental (enforcing agency) fees shall be as follows:

1. Plan review fee: The fee for plan review shall be 20 percent of the amount to be charged for a new construction permit, except that elevator device plan review shall be as in (c)6 and 7 below.

2. The basic construction fee shall be the sum of the parts computed on the basis of the volume or cost of construction, the number of plumbing fixtures and pieces of equipment, the number of electrical fixtures and devices and the number of sprinklers, standpipes and detectors (smoke and heat) at the unit rates provided herein plus any special fees.

i. Building volume or cost: The fees for new construction or alteration are as follows:

(1) Fees for new construction shall be based upon the volume of the structure. Volume shall be computed in accordance with N.J.A.C. 5:23-2.28. The new construction fee shall be in the amount of \$0.027 per cubic foot of volume for buildings and structures of all use groups and types of construction as classified and defined in articles 3 and 4 of the building subcode; except that the fee shall be \$0.015 per cubic foot of volume for use groups A-1, A-2, A-3, A-4, A-5, F-1, F-2, S-1 and S-2, and the fee shall be \$0.0008 per cubic foot for structures on farms, including commercial farm building under N.J.A.C. 5:23-3.2(d), with the maximum fee for such structures on farms not to exceed \$1,145.

(2) Fees for renovations, alterations and repairs or site construction associated with pre-engineered systems of commercial farm buildings, premanufactured construction, and the external utility connection for premanufactured construction shall be based upon the estimated cost of work. The fee shall be in the amount of \$24.00 per \$1,000. From \$50,001 to and including \$100,000, the additional fee shall be in the amount of \$18.00 per \$1,000 of estimated cost above \$50,000. Above \$100,000, the additional fee shall be in the amount of \$15.00 per \$1,000 of estimated cost above \$100,000. For the purpose of determining estimated cost, the applicant shall submit to the Depart-

ment such cost data as may be available produced by the architect or engineer of record, or by a recognized estimating firm, or by the contractor. A bona fide contractor's bid, if available, shall be submitted. The Department shall make the final decision regarding estimated cost.

(3) Fees for additions shall be computed on the same basis as for new construction for the added portion.

(4) Fees for combination renovations and additions shall be computed as the sum of the fees computed separately in accordance with items (2) and (3) above.

(5) The fee for tents, in excess of 900 square feet or more than 30 feet in any dimension, shall be \$92.00.

(6) The fee for roofing and siding work completed on structure in use group R-3 and R-4 shall be \$46.00.

ii. Plumbing fixtures and equipment: The fees shall be as follows:

(1) The fee shall be in the amount of \$10.00 per fixture, piece of equipment or appliance connected to the plumbing system, and for each appliance connected to the gas piping or oil piping system, except as indicated in (c)2ii(2) below.

(2) The fee shall be \$65.00 per special device for the following: grease traps, oil separators, refrigeration units, utility service connections, backflow preventers equipped with test ports (double check valve assembly, reduced pressure zone and pressure vacuum breaker backflow preventers), steam boilers, hot water boilers (excluding those for domestic water heating), active solar systems, sewer pumps and interceptors. There shall be no inspection fee charged for gas service entrances.

iii. Electrical fixtures and devices: The fees shall be as follows:

(1) For from one to 50 receptacles or fixtures, the fee shall be in the amount of \$36.00; for each 25 receptacles or fixtures in addition to this, the fee shall be in the amount of \$6.00; for the purpose of computing this fee, receptacles or fixtures shall include lighting outlets, wall switches, fluorescent fixtures, convenience receptacle, smoke and heat detectors, or similar fixture, and motors or devices of less than or equal to one horsepower or one kilowatt.

(2) For each motor or electrical device greater than one horsepower and less than or equal to 10 horsepower; and for transformers and generators greater than one kilowatt and less than or equal to 10 kilowatts, the fees shall be \$10.00.

(3) For each motor or electrical device greater than 10 horsepower and less than or equal to 50 horsepower; for each service panel, service entrance, or sub-panel less than or equal to 200 amperes; for each transformers and generators greater than 10 kilowatts and less than or equal to 45 kilowatts; and for each utility load management device, the fee shall be \$46.00.

(4) For each motor or electrical device greater than 50 horsepower and less than or equal to 100 horsepower; for each service panel, service entrance or sub panel greater than 200 amperes and less than or equal to 1,000 amperes; and for transformers and generators greater than 45 kilowatts and less than or equal to 112.5 kilowatts, the fee shall be \$92.00.

(5) For each motor or electrical device greater than 100 horsepower; for each service panel, service entrance or sub panel greater than 1,000 amperes; and for each transformer or generator greater than 112.5 kilowatts, the fee shall be \$457.00.

(6) For the purpose of computing these fees, all motors except those in plug-in appliances shall be counted, including control equipment, generators, transformers and all heating, cooking or other devices consuming or generating electrical current.

iv. Fire protection and other hazardous equipment: sprinklers, standpipes, detectors (smoke and heat), pre-engineered suppression systems, gas and oil fired appliances not connected to the plumbing system, kitchen exhaust systems, incinerators and crematoriums:

(1) The fee for 20 or fewer heads shall be \$65.00; for 21 to and including 100 heads, the fee shall be \$120.00; for 101 to and including 200 heads, the fee shall be \$229.00; for 201 to and including 400 heads, the fee shall be \$594.00; for 401 to and including 1,000 heads, the fee shall be \$822.00; for over 1,000 heads, the fee shall be \$1,050.

(2) The fee for one to 12 detectors shall be \$36.00; for each 25 detectors in addition to this, the fee shall be in the amount of \$12.00.

(3) The fee for each standpipe shall be \$229.00.

(4) The fee for each independent pre-engineered system shall be \$92.00.

(5) The fee for each gas or oil fired appliance that is not connected to the plumbing system shall be \$46.00.

(6) The fee for each kitchen exhaust system shall be \$46.00.

(7) The fee for each incinerator shall be \$365.00.

(8) The fee for each crematorium shall be \$365.00.

3. Fees for certificates and other permits are as follows:

i. The fee for a demolition or removal permit shall be \$65.00 for a structure of less than 5,000 square feet in area and less than 30 feet in height, for one or two-family residences (use group R-3 of the building code), and structures on farms, including commercial farm buildings under N.J.A.C. 5:23-3.2(d), and \$120.00 for all other use groups.

ii. The fee for a permit to construct a sign shall be in the amount of \$1.20 per square foot surface area of the sign, computed on one side only for double-faced signs. The minimum fee shall be \$46.00.

iii. The fee for a certificate of occupancy shall be \$28.00.

iv. The fee for a certificate of occupancy granted pursuant to a change of use group shall be \$120.00.

v. The fee for a certificate of continued occupancy issued under N.J.A.C. 5:23-2.23(c) shall be \$120.00.

vi. The fee for plan review of a building for compliance under the alternate systems and non-depletable energy source provisions of the energy subcode shall be \$274.00 for one and two-family homes (use group R-3 of the building subcode), and for light commercial structures having the indoor temperature controlled from a single point, and \$1,369.00 for all other structures.

vii. The fee for an application for a variation in accordance with N.J.A.C. 5:23-2.10 shall be \$594.00 for class I structures and \$120.00 for class II and class III structures. The fee for resubmission of an application for a variation shall be \$229.00 for class I structures and \$65.00 for class II and class III structures.

viii. The fee for a permit for lead hazard abatement work shall be \$140.00. The fee for a lead abatement clearance certificate shall be \$28.00.

4. For cross connections and backflow preventers that are subject to testing, requiring reinspection annually, the fee shall be \$46.00 for each device when they are tested.

5. Annual permit requirements are as follows:

i. The fee to be charged for an annual construction permit shall be charged annually. This fee shall be a flat fee based upon the number of maintenance workers who are employed by the facility, and who are primarily engaged in work that is governed by a subcode. Managers, engineers and clericals shall not be considered maintenance workers for the purpose of establishing the annual construction permit fee. Annual permits may be issued for building/fire protection, electrical and plumbing.

ii. Fees for annual permits shall be as follows:

(1) One to 25 workers (including foremen) \$667.00/worker; each additional worker over 25, \$232.00/worker.

(2) Prior to the issuance of the annual permit, a training registration fee of \$140.00 per subcode and a

list of not more than three individuals to be trained per subcode shall be submitted by the applicant to the Department of Community Affairs, Bureau of Code Services, Training Section along with a copy of the construction permit (Form F170). Checks shall be made payable to "Treasurer, State of New Jersey." The Department shall register these individuals and notify them of the courses being offered.

6. The fee for plan review for elevator devices in structures in Use Groups R-3, R-4 and for elevator devices wholly within dwelling units in R-2 structures shall be \$50.00 for each device.

7. The fee for plan review for elevator devices in structures in Use Groups other than R-3, R-4 and devices in R-2s exempted by (c)6 above shall be \$260.00 for each device.

8. The fees for elevator device inspections and tests shall be as set forth in N.J.A.C. 5:23-12.

9. The fee for a mechanical inspection in a Use Group R-3 or R-4 structure by a mechanical inspector shall be \$43.00 for the first device and \$10.00 for each additional device. No separate fee shall be charged for gas, fuel oil, or water piping connections associated with the mechanical equipment inspected.

(d) The fee for an application by a manufacturer, distributor, owner or any other person for approval of any fixture, appurtenance, material or method, pursuant to N.J.A.C. 5:23-3.8, shall be an amount equal to the cost incurred, or to be incurred, by the Department for such tests as the Department may require, plus an administrative surcharge in the amount of 10 percent of such cost.

Amended by R.1982 d.402, effective November 15, 1982.

See: 14 N.J.R. 943(a), 14 N.J.R. 1300(b).

Text substantially amended. Department fees increased approximately 50 percent.

Amended by R.1982 d.463, effective January 3, 1983.

See: 14 N.J.R. 1129(a), 14 N.J.R. 1449(a).

Added (c)10, periodic reinspection fees.

Amended by R.1983 d.548, effective December 5, 1983.

See: 15 N.J.R. 1406(a), 15 N.J.R. 2033(b).

In (c)2., added "mechanical systems and equipment" and "the number of sprinklers and standpipes". Also added iv.-v.

Amended by R.1983 d.641, effective January 17, 1984.

See: 15 N.J.R. 1911(a), 16 N.J.R. 129(b).

Substantial changes in section.

Correction: 16 N.J.R. 2267(a).

Amended by R.1985 d.351, effective July 15, 1985.

See: 17 N.J.R. 1029(a), 17 N.J.R. 1756(b).

(c)11 and 12 added.

Amended by R.1986 d.213, effective June 16, 1986.

See: 17 N.J.R. 2490(a), 18 N.J.R. 1266(a).

Added text to (a)12 "Prior to the issuance of the annual permit" and "Bureau of Construction Code Enforcement".

Amended by R.1987 d.490, effective November 16, 1987.

See: 19 N.J.R. 1684(a), 19 N.J.R. 2134(a).

Fees raised.

Emergency amendment, R.1989 d.405, effective July 3, 1989 (expires September 1, 1989).

See: 21 N.J.R. 2127(b).

Amended extensively based on an overall increase of approximately 30 percent in fees for code enforcement and planned real estate development, and an increase in the State training fee per cubic foot volume of new construction. Changed fee amounts throughout.

Adopted concurrent proposal, R.1989 d.512, effective September 1, 1989.

See: 21 N.J.R. 2127(a), 21 N.J.R. 3086(a).

Provisions of emergency amendment R.1989 d.405 readopted with change.

Restructured section.

In (a): added new 5.

In (c): deleted (c)2i(5) regarding minor construction work fees.

In (c)2ii(2): added text to specify equipment fees and deleted (c)2ii(3) regarding fixtures.

In (c)2iii: deleted (3)-(5) and added new (3)-(6).

Deleted (c)3-6 regarding fees, and added (c)2iv, with new (3)-(7) on new fee structure.

Added (c)3 and 4 and renumbered (c)7-12 as (c)3-6ii.

Amended by R.1990 d.61, effective February 5, 1990.

See: 21 N.J.R. 3346(b), 22 N.J.R. 351(b).

Technical change of Form number in (c)6ii.

Amended by R.1991 d.181, effective April 1, 1991.

See: 23 N.J.R. 257(b), 23 N.J.R. 1029(a).

In (b), plan review surcharge increased from 30 to 40 percent; plan review only increased from 20 to 25 percent; minimum fee increased from \$33.00 to \$43.00.

In (c)2, basic construction fee permit increased from \$33.00 to \$43.00.

In (c)2i(1), new construction fee increased from \$0.019 to \$0.025; for use groups A-1, A-2, A-3, A-4, F-1, F-2, S-1, S-2 increased from \$0.011 to \$0.014; farm structures increased from \$0.0005 to \$0.0007; maximum farm structures fee increased from \$815.00 to \$1,060.

In (c)2i(2), fees increased from \$17.00 to \$22.00; from \$13.00 to \$17.00 above \$50,000; from \$11.00 to \$14.00 above \$100,000.

In (c)2ii(1), fee increased from \$7.00 to \$9.00 per fixture.

In (c)2ii(2), fee increased from \$46.00 to \$60.00 per special device.

In (c)2iii(1), fee increased from \$25.00 to \$33.00 for one to 50 receptacles or fixtures; each 25 additional increased from \$4.00 to \$5.00.

In (c)2iii(2), fee increased from \$7.00 to \$9.00.

In (c)2iii(3), fee increased from \$33.00 to \$43.00.

In (c)2iii(4), fee increased from \$65.00 to \$85.00.

In (c)2iii(5), fee increased from \$325.00 to \$423.00.

In (c)2iv(1), fee increased from \$46.00 to \$60.00 for 20 or fewer heads; from \$85.00 to \$111.00 for 21 to 100 heads; from \$163.00 to \$212.00 for 101 to 200 heads; from \$423.00 to \$550.00 for 201 to 400 heads; from \$585.00 to \$761.00 for 401 to 1,000 heads; from \$748.00 to \$972.00 for over 1,000 heads.

In (c)2iv(2), fee increased from \$163.00 to \$212.00.

In (c)2iv(3), fee increased from \$65.00 to \$85.00.

In (c)2iv(4) and (5), fee increased from \$33.00 to \$43.00.

In (c)2iv(6) and (7), fee increased from \$260.00 to \$338.00.

In (c)4i, demolition and removal permit increased from \$46.00 to \$60.00 and for form structure removal from \$85.00 to \$111.00.

In (c)4ii, fee for permit to construct a sign increased from \$0.85 to \$1.11 per square foot; minimum fee increased from \$33.00 to \$43.00.

In (c)4iii, certificate of occupancy fee increased from \$85.00 to \$111.00; minimum fee for form structures increased from \$46.00 to \$60.00.

In (c)4iv, fee increased from \$124.00 to \$161.00.

In (c)4v, fee increased from \$85.00 to \$111.00.

In (c)4vii, fee increased from \$20.00 to \$26.00.

In (c)4viii, fees increased from \$195.00 to \$254.00 for one and two-family homes and from \$975.00 to \$41,268 for light commercial structures.

In (c)4ix, fees increased from \$423.00 to \$550.00 for class I structures and from \$85.00 to \$111.00 for class II and III structures. Resubmission of applications increased from \$163.00 to \$212.00 for class I structures and from \$46.00 to \$60.00 for class II and III structures.

In (c)5iii, fees increased from \$33.00 to \$43.00 for thrice annual testing and from \$85.00 to \$111.00 for annual testing.

In (c)6ii(1), fees increased from \$475.00 to \$618.00 for one to 25 workers and from \$165.00 to \$215.00 per worker over 25.

In (c)6ii(2), fee increased from \$100.00 to \$130.00.

Amended by R.1991 d.325, effective July 1, 1991.

See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Departmental fees set at (c).

Amended by R.1992 d.147, effective April 6, 1992.

See: 24 N.J.R. 170(a), 24 N.J.R. 1397(a).

Elevators wholly within R-2 residences exempt.

Notice of correction, effective May 18, 1992.

See: 24 N.J.R. 1879(b).

Amended by R.1992 d.230, effective June 1, 1992.

See: 24 N.J.R. 168(a), 24 N.J.R. 2052(a).

Form numbers changed in (c).

Amended by R.1992 d.313, effective August 3, 1992.

See: 24 N.J.R. 1846(a), 24 N.J.R. 2712(b).

No inspection fee for gas service entrances.

Amended by R.1992 d.390, effective October 5, 1992.

See: 24 N.J.R. 1844(a), 24 N.J.R. 3515(b).

Fee for indirect apportionment systems set at (d).

Amended by R.1992 d.392, effective October 5, 1992.

See: 24 N.J.R. 2657(a), 24 N.J.R. 3521(b).

Fees increased throughout.

Amended by R.1993 d.187, effective May 3, 1993.

See: 25 N.J.R. 624(a), 25 N.J.R. 1875(a).

Added (c)9.

Amended by R.1994 d.28, effective January 18, 1994.

See: 25 N.J.R. 4546(b), 26 N.J.R. 352(a).

Administrative Correction.

See: 26 N.J.R. 796(a).

Amended by R.1994 d.96, effective February 22, 1994.

See: 25 N.J.R. 5388(a), 26 N.J.R. 1073(a).

Amended by R.1994 d.323, effective July 5, 1994 (operative January 1, 1995).

See: 25 N.J.R. 2162(a), 26 N.J.R. 2780(a).

Amended by R.1994 d.434, effective September 6, 1994 (operative January 1, 1995).

See: 26 N.J.R. 1911(a), 26 N.J.R. 3706(b).

Amended by R.1995 d.381, effective July 17, 1995.

See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).

Amended by R.1995 d.475, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1716(a), 27 N.J.R. 3325(a).

In (c)5ii(2) added individuals to be trained and registered.

Amended by R.1995 d.476, effective September 5, 1995 (operative January 1, 1996).

See: 27 N.J.R. 1846(a), 27 N.J.R. 3325(b).

Eliminated minimum fee in (b) and rewrote (c).

Amended by R.1995 d.603, effective November 20, 1995 (operative March 20, 1996).

See: 27 N.J.R. 2655(a), 27 N.J.R. 4699(a).

Amended by R.1995 d.647, effective December 18, 1995 (operative March 18, 1996).

See: 27 N.J.R. 3517(a), 27 N.J.R. 5012(a).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

Amended by R.1998 d.35, effective January 5, 1998.

See: 29 N.J.R. 4215(a), 30 N.J.R. 194(a).

In (c)2.i.(1), added A-5 structures to the fee schedule.

### 5:23-4.21 Private enforcing agency authorization and reauthorization fees

(a) Authorization fee: Any onsite inspection agency submitting an application to the Department under N.J.A.C. 5:23-4.12 for approval as an inspection agency shall pay a fee of \$2,800 for each subcode for which authorization is sought.

(b) Reauthorization fee: Any onsite inspection agency submitting an application to the Department under N.J.A.C. 5:23-4.12 for reapproval as an inspection agency shall pay a fee of \$1,400 for each subcode for which authorization is sought plus an amount equal to five percent of the gross revenue earned from State Uniform Construction Code enforcement activities during the previous 12-month period. This fee shall be paid to the Department in 12 equal installments, beginning with the month immediately following the end of the 12 month period from which the fee is calculated. Payment shall be made prior to the last business day of each month.