

Public Notice: Petition for Rulemaking of New Craps Wager "Over 7/ Under 7".

See: 18 N.J.R. 1315(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1996 d.356, effective August 5, 1996.

See: 28 N.J.R. 2352(b), 28 N.J.R. 3818(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b); and added (c).

Amended by R.2005 d.355, effective October 17, 2005.

See: 37 N.J.R. 1137(a), 37 N.J.R. 4041(a).

In (b)2, added "as" following "wagers".

Amended by R.2006 d.357, effective October 2, 2006.

See: 38 N.J.R. 2670(a), 38 N.J.R. 4249(a).

In (a)1, deleted "be at least 12 feet in length and shall" preceding "not".

Amended by R.2008 d.123, effective May 19, 2008.

See: 40 N.J.R. 607(a), 40 N.J.R. 2568(a).

Added (d).

19:46-1.11A Automated craps table; automated craps dice shaker

(a) Automated craps shall be played on a table having betting positions for up to eight players on one side and a place for the dealer on the opposite side.

(b) The layout for an automated craps table shall be approved by the Commission and shall contain, at a minimum:

1. The name or trade name of the casino licensee offering the game;
2. Specific areas designated for the placement of the wagers authorized by N.J.A.C. 19:47-1.2;
3. The words "No call bets"; and
4. The payout odds for all authorized wagers.

(c) Each automated craps table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of, the dealer, in locations approved by the Commission.

(d) Automated craps shall be played with an automated dice shaker that shall be used to roll the dice in order to produce the winning combinations during a round of play. The shaker shall be designed and constructed to contain any feature the Commission may require to maintain the security and integrity of the game, and at a minimum, shall:

1. Have a transparent compartment to secure two dice;
2. Be permanently attached to the table, and sealed or locked to ensure the integrity of the dice contained therein;
3. Have the name or trade name of the casino licensee or its identifying logo imprinted or impressed thereon;
4. Have a separate opaque locking cover that conceals the dice when the game is not being offered for play; and
5. Be operated by a button switch located at the dealer's position and at each of the betting positions at the table. Only one of the buttons shall be capable of being selected and activated at any time, and shall be selected and activated by a selector switch or other approved device operated by the dealer.

New Rule, R.2010 d.213, effective October 4, 2010.

See: 42 N.J.R. 621(a), 42 N.J.R. 2328(a).

19:46-1.12 Baccarat and minibaccarat tables; physical characteristics

(a) Baccarat-Punto Banco shall be played on a table having numbered places for 10 to 14 seated players.

(b) Baccarat-Chemin de Fer shall be played on a table having numbered places for 9 to 14 seated players.

(c) Minibaccarat shall be played at a table having on one side places for a maximum of nine seated players, and on the opposite side a place for the dealer; provided however, that unless the cards are changed after each shoe, a minibaccarat table using the dealing procedure in N.J.A.C. 19:47-7.7(c)3 shall have places for a maximum of six seated players. The

dimensions of a minibaccarat table shall be approved by the Commission.

(d) The layout for a baccarat or minibaccarat table shall be approved by the Commission and shall contain, at a minimum:

1. The name or trade name of the casino licensee offering the game;

2. For Baccarat-Punto Banco and minibaccarat layouts, specific areas designated for the placement of wagers on the "Banker's Hand," "Players Hand" and "Tie Hand";

3. For Baccarat-Chemin de Fer layouts, specific areas for the placement of the wagers authorized by N.J.A.C. 19:47-4.6 and 4.7;

4. For Baccarat-Punto Banco and minibaccarat layouts, the phrase "Tie Bets pay 8 to 1";

5. Numbered areas that correspond to the seat numbers for the purpose of marking vigorish; provided, however, that the numbered areas are not required if:

- i. For Baccarat-Punto Banco, the casino licensee offers a no vigorish variation of the game in accordance with N.J.A.C. 19:47-3.3(e);

- ii. For minibaccarat, the casino licensee only charges vigorish in accordance with the provisions of N.J.A.C. 19:47-7.3(d) or offers a no vigorish variation of the game in accordance with the provisions of N.J.A.C. 19:47-7.3(f);

6. An area designated for the placement of the cards for the "Player's" and "Banker's" hands;

7. If a casino licensee offers the optional total card wagers in the games of baccarat-punto banco and minibaccarat:

- i. Three specific areas at each player position designated for the placement of total card wagers on a total of four cards, five cards and six cards, and identified with the numerals "4," "5" and "6," respectively, which areas shall be located between the areas designated for the placement of wagers on a "Tie Hand" and the "Banker's Hand"; and

- ii. An inscription on the layout indicating the payout odds for all total card wagers; and

8. If a casino licensee offers the optional bonus wager authorized by N.J.A.C. 19:47-3.2(a)5 or 7.2(a)5:

- i. Two separate areas at each betting position designated for the placement of the optional bonus wager, which shall be located, from the player's perspective, immediately to the right of the areas designated for the placement of wagers on the "Banker's Hand" and "Player's Hand"; and

- ii. An inscription identifying the payout odds for the optional bonus wager unless the casino licensee chooses to comply with (g) below.

- (e) If marker buttons are used for the purpose of marking vigorish, these marker buttons shall be placed in the table inventory float container or in a separate rack designed for the purpose of storing marker buttons and such rack shall be placed in front of the table inventory float container during gaming activity.

- (f) Each baccarat and minibaccarat table shall have a drop box and a tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

- (g) If the payout odds are not inscribed on the layout as provided by (d)8ii above, a sign shall be posted at each Baccarat-Punto Banco and minibaccarat table offering the optional bonus wager authorized by N.J.A.C. 19:47-3.2(a)5 or 7.2(a)5 listing the payout odds for the optional bonus wager.

Amended by R.1986 d.308, effective August 4, 1986.

See: 18 N.J.R. 1096(a), 18 N.J.R. 1614(b).

(c) added.

Amended by R.1987 d.395, effective October 5, 1987.

See: 19 N.J.R. 54(b), 19 N.J.R. 1826(b), 19 N.J.R. 1914(b).

Added (a)3; renumbered old 3. to 4. Added diagram.

Petition for Rulemaking: Requests clarification of terms.

See: 21 N.J.R. 2678(b).

Amended by R.1990 d.101, effective February 5, 1990.

See: 21 N.J.R. 3446(b), 22 N.J.R. 562(a).

In (c): revised language in (1) to form new (1) and (2), specifying types of betting areas to be designated on the minibaccarat table.

Recodified existing (c)2-4 as (c)3-5, with no change in text.

Amended by R.1992 d.259, effective June 15, 1992.

See: 24 N.J.R. 568(a), 24 N.J.R. 2298(a).

In (a): revised address for the Commission.

In (c)2: Deletes specific designs for betting areas; adds "Tie Hand" to text and adds provision that each table may have a maximum of nine areas for players.

In (c)3i and ii: revises text to include references to "numbered boxes" and to specify marking "vigorish."

In (c)5: revised text to specify location for the drop box and tip box of each minibaccarat table.

Added new (c)6 and deleted minibaccarat table diagram appearing at subsection (c).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added.

Amended by R.1993 d.655, effective December 20, 1993.

See: 25 N.J.R. 4474(b), 25 N.J.R. 5944(a).

Amended by R.1996 d.162, effective March 18, 1996.

See: 28 N.J.R. 77(b), 28 N.J.R. 1560(b).

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote the section.

Amended by R.1998 d.474, effective September 21, 1998.

See: 30 N.J.R. 3514(a).

In (d)5, added i and ii.

Amended by R.1999 d.42, effective February 1, 1999.

See: 30 N.J.R. 4034(a), 31 N.J.R. 454(a).

In (c), inserted "; provided however, that a minibaccarat table using the dealing procedure in N.J.A.C. 19:47-7.7(c)3 shall have places for a maximum of six seated players" at the end of the first sentence.

Petition for Rulemaking.

See: 35 N.J.R. 2959(a), 4149(a).

Amended by R.2004 d.357, effective September 20, 2004.

See: 36 N.J.R. 1899(a), 36 N.J.R. 4325(b).

In (c), inserted "unless the cards are changed after each shoe" following "provided however, that".

Amended by R.2007 d.318, effective October 15, 2007.

See: 39 N.J.R. 2340(a), 39 N.J.R. 4447(a).

In (d)5ii, deleted "and" from the end; in (d)6, substituted "; and" for a period at the end; and added (d)7.

Amended by R.2008 d.61, effective March 17, 2008.

See: 39 N.J.R. 5072(a), 40 N.J.R. 1705(a).

In (d)6, deleted "and" from the end; in (d)7ii, substituted "; and" for a period at the end; and added (d)8 and (g).

19:46-1.13 Big Six Wheel and layout; physical characteristics

(a) Gaming at Big Six shall be conducted at a wheel circular in shape and no less than five feet in diameter. The rim of the wheel shall be divided into 54 equally spaced sections with 23 sections containing a \$1.00 bill, 15 sections containing a \$2.00 bill, eight sections containing a \$5.00 bill, four sections containing a \$10.00 bill, two sections containing a \$20.00 bill, one section containing a picture of a flag or the name or logo of the casino licensee, and one section containing a picture of a joker, each of which sections shall be covered with glass.

(b) The sections required by (a) above shall be arranged clockwise around the rim of the wheel in the following order: joker, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2, \$1, flag, \$2, \$5, \$2, \$1, \$2, \$1, \$10, \$1, \$5, \$1, \$2, \$1, \$20, \$1, \$2, \$1, \$5, \$2, \$1, \$10, \$1, \$2, \$5, \$1, \$2 and \$1.

(c) Each section of the Big Six Wheel shall also display the payout odds for the wager contained therein, pursuant to N.J.A.C. 19:47-5.5

(d) Each Big Six Wheel table shall have a drop box and a tip box attached to it on the same side of the table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

(e) The layout for a Big Six Wheel table shall be approved by the Commission and shall have imprinted thereon, at a minimum, the following:

1. The name or trade name of the casino licensee offering the game;
2. Spaces which shall be used by patrons to place their wagers, and which shall contain:
 - i. Depictions of a \$1.00 bill, \$2.00 bill, \$5.00 bill, \$10.00 bill, and \$20.00 bill, or numbers representing those monetary denominations, as approved by the Commission;
 - ii. A flag or the name or logo of the casino licensee, as it appears on the Big Six Wheel; and
 - iii. A joker; and
3. The payout odds for each of the permitted wagers.

Amended by R.1979 d.429, eff. October 18, 1979.

See: 11 N.J.R. 478(a), 11 N.J.R. 600(b).

Amended by R.1993 d.37, effective January 19, 1993.

See: 24 N.J.R. 3695(a), 25 N.J.R. 348(b).

"Trade name" and "licensee" added; address updated.

Amended by R.1998 d.147, effective March 16, 1998.

See: 30 N.J.R. 33(a), 30 N.J.R. 1057(a).

Rewrote (b) and (c).

Amended by R.1998 d.553, effective November 16, 1998.

See: 30 N.J.R. 3178(a), 30 N.J.R. 4070(a).

Rewrote the section.

19:46-1.13A Sic bo table; sic bo shaker; physical characteristics

(a) Each sic bo table shall have a drop box and tip box attached to it on the same side of the gaming table as, but on opposite sides of, the dealer, and in locations approved by the Commission.

(b) Each sic bo table shall have an electrical device which, when the numeric value of each die has been entered, shall cause the winning combinations to be illuminated. The sic bo table shall have an area, as approved by the Commission, which depicts all permissible wagers pursuant to N.J.A.C. 19:47-9.2. Each combination shall have the capability to be illuminated, if it is a winning combination, after the numeric value of each die has been entered into the electrical device by the dealer.

(c) The layout for a sic bo table shall be approved by the Commission and shall contain, at a minimum:

1. The name or trade name of the casino licensee; and
2. Specific areas designated for the placement of the wagers authorized by N.J.A.C. 19:47-9.2; and
3. The payout odds currently being offered in accordance with N.J.A.C. 19:47-9.4.

(d) Sic bo shall be played with a sealed container, to be known as a "sic bo shaker," which shall be used to shake the dice in order to arrive at the winning combinations.

1. A manual sic bo shaker shall be designed and constructed to contain any feature the Commission may require to maintain the integrity of the game and shall, at a minimum, adhere to the following specifications:

- i. The sic bo shaker shall have a compartment to secure the three dice required by N.J.A.C. 19:47-9.1 and a separate cover which conceals the dice while the dealer is shaking the sic bo shaker. The compartment to secure the three dice shall be transparent and the cover which conceals the dice shall be opaque;

- ii. The sic bo shaker shall have the capability of being sealed or locked in order to ensure the integrity of the dice contained therein;

- iii. The sic bo shaker shall have the name or trade name of the casino licensee or identifying logo imprinted or impressed thereon; and