

vi. The signature and, if computer prepared, the identification code of the preparer;

vii. The signature or identification code of the person requesting coins, slot tokens or prize tokens to fill the hopper (on the original and the duplicate only); and

viii. Whether the coins, slot tokens or prize tokens are to be placed in the slot machine's all-purpose hopper or payout-only hopper, or in its corresponding hopper storage area.

6. The time of preparation of the Hopper Fill shall be recorded at a minimum, on the original and duplicate upon preparation.

7. All coins, slot tokens or prize tokens distributed from a slot booth, master coin bank or the cashiers' cage to a slot machine or its corresponding hopper storage area shall, during their transportation directly to the machine and until their deposit into the appropriate hopper, remain in pre-wrapped secured bags; provided, however, that:

i. A casino security department member shall transport the pre-wrapped secured bags containing loose coin, slot tokens or prize tokens directly to the slot machine or its corresponding hopper storage area, accompanied by the duplicate Hopper Fill for signature;

ii. The secured bags in which prize tokens are transported shall have sufficient identifying features, approved by the Commission, to distinguish those bags and their contents from the secured bags in which coins or slot tokens are transported; and

iii. The casino security department member shall observe the deposit of the coins, slot tokens or prize tokens in the appropriate slot machine hopper or the slot machine's corresponding hopper storage area, and the closing and locking of the slot machine or its corresponding hopper storage area by the slot mechanic or slot attendant before obtaining the signature of the slot mechanic or attendant on the duplicate copy of the Hopper Fill.

8. A slot mechanic who participates in filling a slot machine hopper shall inspect the slot machine and, if the hopper is empty, determine if the empty hopper resulted from a machine malfunction. A slot attendant participating in a hopper fill shall review the Machine Entry Authorization Log and alert a slot mechanic to inspect the slot machine if the entries in the log indicate a consistent malfunction problem.

9. Signatures attesting to the accuracy of the information contained on the Hopper Fill shall be, at a minimum, of the following personnel at the following times:

i. The original:

(1) The slot cashier, master coin bank cashier or general cashier—upon preparation; and

(2) The security department member transporting the coins, slot tokens or prize tokens to the slot

machine—upon receipt from the cashier of the coins, slot tokens or prize tokens to be transported; and

ii. The duplicate:

(1) The slot cashier, master coin bank cashier or general cashier—upon preparation;

(2) The security department member transporting the coins, slot tokens or prize tokens to the slot machine—upon receipt from the cashier of coins, slot tokens or prize tokens to be transported; and

(3) The slot mechanic or attendant—after depositing the coins, slot tokens or prize tokens in the appropriate hopper of the slot machine and closing and locking the slot machine.

10. Upon meeting the signature requirements as described in (b)9 above, the security department member shall maintain and control the duplicate and the slot cashier, master coin bank or general cashier shall maintain and control the original of the Hopper Fill Slip.

11. At the end of each gaming day, at a minimum, the original and duplicate Hopper Fill Slip shall be forwarded as follows:

i. The original Hopper Fill Slip shall be forwarded, in exchange for coin, currency or credit, to the master coin bank if prepared by a slot cashier or to the main bank if prepared by a general cashier. All original Hopper Fill Slips received or prepared by the master coin bank or received by the main bank shall then be forwarded to the accounting department, which, as reasonably practicable after receipt, shall confirm that the information on the original Hopper Fill agrees with the information on the triplicate or in stored data.

ii. The duplicate Hopper Fill Slip shall be forwarded directly to the accounting department, which, as reasonably practicable after receipt, shall record the information from the Hopper Fill Slip on the Slot Win Sheet, and shall confirm that the information recorded on the Hopper Fill Slip agrees with the meter readings recorded on the Slot Meter Sheet and with the information on the triplicates or in stored data.

(c) Each slot machine hopper may be filled from its corresponding hopper storage area as follows:

1. Whenever a slot machine's hopper requires coin, slot tokens or prize tokens, a slot attendant or mechanic, after confirming that the hopper storage area contains the necessary coin, slot tokens or prize tokens to replenish the hopper to be filled, may, in the presence of a member of the security department, transfer the necessary coin, slot tokens or prize tokens from that slot machine's hopper storage area directly to the appropriate hopper of the corresponding slot machine. The security department member shall observe the deposit of the coins, slot tokens or prize tokens in the appropriate slot machine hopper and the closing and locking of the slot machine and its corresponding hopper storage area by the slot mechanic or attendant.

2. After transferring the coins, slot tokens or prize tokens to the slot machine's appropriate hopper, the slot attendant or mechanic shall make the entries required on the slot machine's log, which, at a minimum, shall include the following:

- i. The date and time of the transfer;
- ii. The type of hopper in the slot machine to which the coins, slot tokens or prize tokens were transferred;
- iii. The amount of coins, slot tokens or prize tokens that were placed in that hopper; and
- iv. The name and license number of the slot attendant or slot mechanic who made the transfer.

(d) Hopper storage areas shall be filled by using Hopper Fill Slips, in accordance with the procedures in (b) above.

(e) Each casino licensee shall submit and have approved internal controls for detecting and removing prize tokens from the all-purpose hoppers of its slot machines. Each casino licensee so removing a prize token shall count it, for purposes of calculating its gross revenue pursuant to N.J.S.A. 5:12-24, as cash received from gaming operations for the face amount of the prize token.

Amended by R.1981 d.437, effective November 16, 1981.
See: 13 N.J.R. 534(b), 13 N.J.R. 848(b).

(e)2: deleted "time of distribution" and substituted "shift during which coins are distributed" therefor. (f) added. Renumbered (f) as (g). (h) added. Renumbered (g)-(i) as (i)-(k) without change in text. Amended by R.1989 d.34, effective January 17, 1989.
See: 20 N.J.R. 2050(b), 21 N.J.R. 175(b).

Added text in (b) "Notwithstanding the above ...".
Amended by R.1991 d.230, effective May 6, 1991.
See: 22 N.J.R. 3325(a), 23 N.J.R. 1461(a).

In (e)1: added "asset" to number.
Amended by R.1992 d.110, effective March 2, 1992.
See: 23 N.J.R. 3243(a), 24 N.J.R. 858(c).

In (k): stylistic revisions.
Amended by R.1992 d.255, effective June 15, 1992.
See: 23 N.J.R. 2921(a), 24 N.J.R. 2297(a).

Stylistic revisions throughout. In (a): revised to read that Hopper Fill Slips "shall be prepared, in accordance with procedures approved by the Commission." In (b): added text to specify that the slot booth cashier is the preparer of the Hopper Fill Slips. Added new (e)7. In (j), deleted reference to "cage" cashier maintaining and controlling the original.

Amended by R.1992 d.361, effective September 21, 1992.
See: 24 N.J.R. 2137(a), 24 N.J.R. 3336(a).

Revised to meet statutory changes regarding records retention, storage and destruction. Eliminates current petition process for records destruction and off-site record generation or storage. Revised section. Administrative correction to (c).

See: 25 N.J.R. 1230(a).
Amended by R.1993 d.631, effective December 6, 1993.
See: 25 N.J.R. 4474(a), 25 N.J.R. 5522(a).
Administrative Correction.

See: 26 N.J.R. 1538(c).
Amended by R.1994 d.504, effective October 3, 1994.
See: 26 N.J.R. 2872(a), 26 N.J.R. 3253(a), 26 N.J.R. 4089(a).
Amended by R.1995 d.351, effective July 3, 1995.
See: 27 N.J.R. 1172(a), 27 N.J.R. 2597(a).

Extended the section to general cashiers and master coin bank cashiers; substituted "preparer" for "slot cashier" throughout; and rewrote (b)11i.

Amended by R.1996 d.561, effective December 2, 1996.
See: 28 N.J.R. 4183(a), 28 N.J.R. 5081(a).

19:45-1.41A Procedures governing the removal of coin, slot tokens and slugs from a slot machine hopper

(a) Except as provided in N.J.A.C. 19:45-1.38(d), and (b) through (d) below, no coin, slot tokens, or slugs shall be removed from a slot machine hopper.

(b) If a slot machine malfunctions during a payout and the slot machine cannot be repaired in a timely manner, coin and slot tokens may be removed from a slot machine's hopper in order to complete the slot machine paid jackpot. The coin or slot tokens shall be removed from the slot machine hopper by a slot attendant, slot mechanic or supervisor thereof for slot machines which accept coin or slot tokens in denominations less than \$25.00, or a slot department supervisor for slot machines which accept slot tokens in denominations of \$25.00 or more. The removal of the coin or slot tokens shall be documented on the Machine Entry Authorization Log pursuant to N.J.A.C. 19:45-1.36(j). Nothing in this section shall preclude a casino licensee from preparing a Jackpot Payout Slip for the amount of coin or slot token owed the patron provided that the payout is completed in accordance with N.J.A.C. 19:45-1.40 and a notation is made on the Jackpot Payout Slip indicating the reason for the slip.

(c) If coin or slot tokens are inserted by a patron and are neither registered nor returned to the patron by the slot machine, a member of the slot department in accordance with (b) above may remove the coin or slot tokens from the slot machine hopper and return them to the patron. The removal of the coin or slot tokens shall be documented on the Machine Entry Authorization Log pursuant to N.J.A.C. 19:45-1.36(j). Under no circumstances shall a casino licensee remove more coin or slot tokens than the maximum number of coin or slot tokens which can be wagered on one handle pull of the slot machine.

(d) Whenever slugs are found in a slot machine's hopper the following procedures and requirements shall be followed:

1. A slot attendant, slot mechanic or supervisor thereof shall, for slot machine denominations less than \$25.00, or a slot department supervisor for slot machine denominations of \$25.00 or more, immediately remove the slugs from the slot machine hopper and place the slugs into an envelope or container. The individual who found the slugs shall record the asset number and denomination of the slot machine, the quantity of slugs found, the date the slugs were found, and his or her signature on the Machine Entry Authorization Log pursuant to N.J.A.C. 19:45-1.36(j). The envelope or container may be maintained inside the slot machine until the number of slugs in the envelope or container is nine. When the number of slugs in the envelope or container reaches nine or at such other times as may be necessary, the slot attendant, slot mechanic or slot supervisor shall complete a three-part Slug Report which contains, at a minimum, the following:

- i. The date and time;
- ii. The asset number of the slot machine from which the slugs were removed;
- iii. The denomination of the slot machine;
- iv. The denomination and quantity of slugs;
- v. A brief description of the slugs; and
- vi. The signature of the slot attendant, slot mechanic or slot department supervisor completing the Slug Report.

2. Upon completion of the Slug Report required by (d)1 above, the slot attendant, slot mechanic or slot department supervisor shall remove the envelope or container and transport it with the Slug Report to the Master Coin Bank or other location as approved by the Commission. The individual accepting receipt of the slugs shall sign all three parts of the Slug Report. The original Slug Report shall be delivered to the Commission and the triplicate shall be delivered to the Division's in-house office by the end of each gaming day. The duplicate Slug Report shall remain with the slugs until their destruction.

3. If more than nine slugs are found at any one time in a slot machine's hopper, the slot department member shall place the slugs into the envelope or container and immediately complete the Slug Report required by (d)1 above. The slugs shall be immediately transported in accordance with (d)2 above. The slot department member shall inspect the slot machine and coin mechanism to determine if there is a malfunction. The results of this inspection shall be documented on the Machine Entry Authorization Log pursuant to N.J.A.C. 19:45-1.36(j).

4. All slugs shall be destroyed in accordance with procedures submitted to and approved by the Commission which procedures shall include a written notification to the Division as to the date, time and location of destruction.

New Rule, R.1994 d.423, effective August 15, 1994.
See: 26 N.J.R. 1620(a), 26 N.J.R. 3465(c).
Amended by R.1994 d.504, effective October 3, 1994.
See: 26 N.J.R. 4089(a).
Amended by R.1996 d.417, effective September 3, 1996.
See: 28 N.J.R. 1498(a), 28 N.J.R. 4111(b).

Cross References

Accounting controls for the cashiers' cage, satellite cages, master coin bank and coin vaults, see N.J.A.C. 19:45-1.15.

19:45-1.42 Removal of slot drop buckets, slot drop boxes and slot cash storage boxes; unsecured currency; meter readings

(a) For each slot machine and attached bill changer on the gaming floor, the slot drop bucket, slot drop box and slot cash storage box shall be removed at least once a week on specified days and at times designated by the casino licensee on a schedule which shall be filed with the Commission

and the Division. No slot drop bucket, slot drop box or slot cash storage box shall be removed from its compartment at other than the times specified on such schedule except with the express approval of the Commission. Prior to emptying or removing any slot drop bucket, slot drop box or slot cash storage box, a casino licensee shall notify the Commission and the surveillance department of the transportation route that will be utilized.

1. Notwithstanding (a) above, a casino licensee may submit a written application to the Commission at least 48 hours prior to a scheduled time for removal requesting an extension of time for removal of some or all of its slot drop buckets or slot drop boxes. The application shall specify the length of the extension sought, the reason therefor, and identify the particular slot machines included in such request (by slot zone and/or slot machine denomination). The Commission shall, if it determines that expected business conditions during the requested extension would neither compromise the removal process nor otherwise adversely affect the operation of the casino licensee's slot machines, extend the time to complete the removal of the affected slot drop buckets and slot drop boxes up to seven days. Upon expiration of the extension, the casino licensee shall resume its regular schedule as filed with the Commission and the Division. Whenever an extension does not encompass all slot drop buckets or slot drop boxes scheduled to be removed, the casino licensee shall ensure, through internal control procedures approved by the Commission, that the casino security department knows which slot drop buckets and slot drop boxes are to be removed and the count room supervisor knows which slot drop buckets and slot drop boxes contents should be counted.

2. All slot drop boxes which are not attached to a slot machine or temporarily stored in the base of a slot machine pursuant to (c)2ii below, including emergency slot drop boxes which are not actively in use, shall be stored in the count room or other secure area outside the count room approved by the Commission, in an enclosed storage cabinet or trolley and secured in such cabinet or trolley by a separately keyed, double locking system. The key to one lock shall be maintained and controlled by the security department and the key to the second lock shall be maintained and controlled by the Commission.

(b) Slot drop buckets, slot drop boxes and slot cash storage boxes shall be removed from their compartments in a slot machine or bill changer, in the presence of a Commission inspector, by at least three employees, two of whom shall be members of the casino security department, and one of whom shall be a member of the casino accounting department or an independent slot machine cage department established pursuant to N.J.A.C. 19:45-1.11(b)9.

(c) Procedures and requirements for removing slot drop buckets, slot drop boxes and slot cash storage boxes from the casino shall be as follows:

1. The slot drop bucket, slot drop box or slot cash storage box shall be removed from its compartment and an empty slot drop bucket, slot drop box, or slot cash storage box shall be placed into the compartment, and if applicable, a unique identification number shall be assigned and recorded for the slot cash storage box, either upon its insertion or removal, after which the compartment shall be closed and locked;

2. All slot drop buckets, slot drop boxes and slot cash storage boxes removed from compartments shall be transported directly to, and secured in the count room by the personnel required by N.J.A.C. 19:45-1.17(c), for the counting of their contents; provided, however, that:

i. A slot cash storage box removed from a bill changer in order to service the bill changer may be temporarily stored in the corresponding double-locked base of the slot machine (the compartment of the slot machine containing the slot drop bucket or slot drop box) attached to the bill changer, and shall be replaced and relocked in the bill changer when the repairs are completed. If the repairs cannot be completed and the slot cash storage box cannot be replaced in the bill changer by the end of the repair person's shift, or if the bill changer must be removed from the casino floor, the slot cash storage box shall be removed from the locked slot compartment and transported to the count room in accordance with N.J.A.C. 19:45-1.38; and

ii. A full or inoperable slot drop box shall be replaced with an empty emergency slot drop box, and may be stored in its corresponding double-locked slot machine base until no later than the next scheduled slot drop box pickup; and

3. Except for members of the casino accounting department or independent slot machine cage department participating in the emergency removal of a slot cash storage box or slot drop box, casino security department employees and representatives of the Commission and Division, all persons participating in the removal of slot drop buckets, slot drop boxes and slot cash storage boxes shall wear as outer garments only a full-length, one-piece pocketless garment with openings only for the hands, feet and neck.

(d) In addition to complying with the procedures included in (b) and (c) above, a casino licensee shall submit to the Commission for approval its procedures detailing how the slot drop bucket, slot drop box and slot cash storage box for each slot machine and attached bill changer on the gaming floor will be emptied or removed from its compartment when the casino is open to the public for 24 hours. Such submission shall include at least the following:

1. How patrons will be notified that a slot machine will be closed for emptying or removing slot drop buckets, slot drop boxes or slot cash storage boxes;

2. How patrons will be removed from slot aisles;

3. How the area will be secured while the slot drop buckets, slot drop boxes or slot cash storage boxes are emptied or removed; and

4. How the compartments in which the full slot drop buckets, slot drop boxes or slot cash storage boxes are transported, will be secured while they are in the casino.

(e) Whenever currency is found inside a bill changer but outside the slot cash storage box ("unsecured currency"), a slot department representative or casino accounting department representative shall complete a form which includes the asset number or, pursuant to N.J.A.C. 19:45-1.16(b), other unique identification number of the slot cash storage box in the bill changer in which the unsecured currency was found, the date the unsecured currency was found and the total dollar amount of the unsecured currency. The slot department representative or casino accounting department representative and a member of the casino security department shall then sign the form as evidence of the total dollar amount being transported; place the form and the unsecured currency into an envelope or container, unless the form is printed on the front of the envelope in which the currency is being placed; and transport the envelope or container directly to the cashiers' cage.

(f) Upon receipt of the envelope or container from the slot department representative or casino accounting department representative, a main bank cashier or cage supervisor shall immediately prepare an Unsecured Bill Changer Currency Report. If the unsecured currency was not transported by a slot supervisor or casino accounting supervisor, the Unsecured Bill Changer Currency Report shall be prepared by a cage supervisor pursuant to (j) below.

(g) Unsecured Bill Changer Currency Reports shall be serially prenumbered forms. Each series of Unsecured Bill Changer Currency Reports shall be used in sequential order and shall be accounted for by employees independent of the cashiers' cage and slot department. All original and duplicate void Unsecured Bill Changer Currency Reports shall be marked "VOID" and shall require the signature of the preparer. All copies of void Unsecured Bill Changer Currency Reports shall be forwarded to the accounting department at the end of the gaming day.

(h) For establishments in which Unsecured Bill Changer Currency Reports are manually prepared, the following procedures and requirements shall be observed:

1. Each series of Unsecured Bill Changer Currency Reports shall be a three-part form, at a minimum, and shall be inserted into a locked dispenser that will permit an individual slip in the series and its copies to be written upon simultaneously while still locked in the dispenser, and that will discharge the original and duplicate while the triplicate remains in a continuous, unbroken form in the dispenser; and