

SEVENTIETH ANNUAL REPORT
OF THE
Department of Health
OF THE
STATE OF NEW JERSEY
1947



MacCrellish & Quibley Co.
Printers
Trenton, New Jersey

1948

SEVENTIETH ANNUAL REPORT

OF THE

Department of Health

OF THE

STATE OF NEW JERSEY

1947



MacCrellish & Quisley Co
Printers
Trenton, New Jersey

1948

Table of Contents.

SEVENTIETH ANNUAL REPORT OF THE DEPARTMENT OF HEALTH OF THE STATE OF NEW JERSEY, 1947

	PAGE
Report of the Director of Health	7
Report of Chief of Division of Personnel, Administration, Records and Accounts	13
Report of Chief of Bureau of Bacteriology	25
Report of Chief of Bureau of Chemistry	43
Report of Chief of Bureau of Engineering and Sanitation	47
Report of Chief of Bureau of Food and Drugs	71
Report of Chief of Division of Health Education	85
Report of Chief of Bureau of Local Health Services	91
Report of Bureau of Preventable Diseases	115
Report of Chief of Division of Adult and Industrial Health	119
Report of Chief of Division of Cancer Control	125
Report of Chief of Division of Dental Health	129
Report of Chief of Division of Maternal and Child Health	141
Report of Consultant to Negro Health Program	147
Report of Veterinarian-in-Charge of Rabies Control Unit	153
Report of Chief of Division of Tuberculosis Control	159
Report of Chief of Bureau of Venereal Disease Control	165
Report of Chief of Bureau of Vital Statistics	181

DEPARTMENT OF HEALTH OF THE STATE OF NEW JERSEY

FREDERICK P. LEE, M. D., <i>President</i>	Paterson
WALTER G. ALEXANDER, M. D., <i>Vice-President</i>	Orange
L. VAN D. CHANDLER.....	Hackensack
ROBERT P. FISCHER, Dr.	Red Bank
THOMAS L. LAWRENCE.....	Hamburg
HARRY N. LENDALL, C. E.....	New Brunswick
MRS. GLOANNA W. MACCARTHY.....	Maplewood
FRANK J. OSBORNE.....	East Orange
ARTHUR B. PEACOCK, M. D.....	Moorestown
E. W. SMILLIE, D. V. M.....	Princeton
MARTHA W. TYNDALL, M. D.....	Westfield
E. R. WESTCOTT, D. D. S.....	Atlantic City

J. LYNN MAHAFFEY, M. D., *Director and Secretary*

CHARLES M. CALLAHAN, *Deputy Secretary*

The offices of the Department are in the State House, Trenton

STATE OF NEW JERSEY,

DEPARTMENT OF HEALTH,

TRENTON, N. J., August 16, 1947.

To the Senate and General Assembly of the State of New Jersey:

As required by law, I have the honor of submitting herewith the Annual Report of the Department of Health, together with accompanying important documents, for the fiscal year ending June 30, 1947.

FREDERICK P. LEE, M. D.,

President,

State Department of Health.

STATE OF NEW JERSEY,

DEPARTMENT OF HEALTH,

TRENTON, N. J., August 16, 1947.

To the Department of Health of the State of New Jersey:

GENTLEMEN—I have the honor to submit herewith the Annual Report of the Department for the year ending June 30, 1947. The reports of the Bureau and Division heads will give comprehensive accounts of the activities of the Department during the year.

Respectfully submitted,

J. LYNN MAHAFFEY, M. D.,

Director of Health.

Report of the Director of Health

By J. LYNN MAHAFFEY, M. D.

Outstanding in the health achievements of the fiscal year ending June 30, 1947, was the enactment by the Legislature of P. L. 1947, c. 177, reorganizing the State Department of Health and marking the third legislative reorganization of the State health structure since its creation in 1877.

The original State Board of Health created in 1877 was empowered to make investigations and studies only. In 1887 legislation was passed creating a new State Board of Health with executive and administrative powers. This Board was continued with ever increasing powers until 1915 when an act creating the State Department of Health with a State Health Director was enacted.

Year by year additional powers, funds and personnel were made available and the State Department of Health as it was organized on June 30, 1947, was developed. Its activities and public health programs played a large part in placing New Jersey among the top States of the nation in its health record.

Enactment of P. L. 1947, c. 177, which became effective July 1, 1947, marked another turning point in the organization and administration of public health on the State level in New Jersey. The law abolished the State Board of Health, replacing it with a Public Health Council, and abolished the position of Director of Health, replacing it with a Commissioner of Health.

The changes effected in State and local health administration in New Jersey by the reorganization law are extensive and fundamental. While some features of the law can be put into immediate effect, full application and administration of all the features of the act will require many months of planning, discussion and community effort. Additional personnel will be required and new appropriations of funds will be necessary to translate the legislation into the active public health program envisaged by its authors.

COMMUNICABLE DISEASE INCIDENCE

Occurrence of cases of virulent smallpox in New York City followed by the report of a death from smallpox of a visitor from Trenton in the City of Camden resulted in the vaccination of more than one million persons in New Jersey during the period from early April to the middle of May, 1947. The

unprecedented demands for smallpox vaccine made upon the Department soon exhausted not only the available supply, but also available funds for purchase of vaccine. Emergency funds were provided by action of Governor Alfred E. Driscoll and the Legislature and the needed vaccine was secured. No further cases occurred in New Jersey and the level of protection against smallpox has been raised throughout the State by the vaccination program.

Reports of cases of communicable disease doubled in 1946 over 1945 as a result of the high prevalence of measles in 1946. The diseases of childhood—chickenpox, measles, German measles, mumps and whooping cough—accounted for 87% of the reported cases. An increase of cases and doubling of deaths from diphtheria points up the need for constant effort in the immunization of infants and children. There were 27 deaths from whooping cough, 18 of which were infants under one year and four were in the one to four year age group.

BIOLOGICALS DISTRIBUTED

Free biologicals were made available to physicians and local health department clinics at 63 distributing stations throughout the State. Anti-rabies vaccine (human), influenza virus vaccine A and B and measles immune serum globulin were added to the list of available biologics. Surplus blood plasma in excess of needs of the armed forces was released by the American Red Cross to the Department which distributed it to hospitals and a few emergency distributing stations.

TUBERCULOSIS CONTROL PROGRAM

Free chest X-rays provided by the Tuberculosis Control Division passed the quarter-million mark during the year as equipment previously ordered was delivered. The Division functions now as a service agency for local health departments, tuberculosis leagues and other groups, providing X-ray facilities for local case-finding programs. Five transportable photofluorographic units and a trailer unit were in operation.

Follow-up of persons found to show signs suggestive of tuberculosis in X-ray screening examinations was done through the Bureau of Local Health Services. In May, 1947, the Bureau brought to a close the follow-up work of over 6,000 persons reported as deferred from military service by Selective Service boards since 1941. The Bureau has initiated a similar service for reports received from the Veterans Administration of cases of tuberculosis admitted to, discharged from or leaving veterans hospitals. Similar follow-up service is provided in the Bureau of Local Health Services for the X-ray surveys conducted by the Tuberculosis Control Division.

REPORT OF THE DIRECTOR OF HEALTH

9

VENEREAL DISEASE AND PENICILLIN

In the three years of its operation, since July 1, 1944, 3,539 cases of early infectious syphilis have been treated under the hospitalization and penicillin treatment plan. An additional 792 men separated from military establishments in the State were treated. Eight hundred and three cases of gonorrhea were hospitalized and given penicillin treatment during the first year and since then 8,261 cases have been treated on an out-patient basis. It is anticipated that with penicillin in oil and beeswax now available, hospitalization for syphilis has passed its peak. Similarly, with the high rate of cure of gonorrhea with a single injection of penicillin, the gonococcus culture diagnostic service loses its public health value.

Special clinics for migrant agricultural workers were again conducted and health services were extended to include examination of a proportion of migrant workers for malaria, tuberculosis, cancer and dental caries, as well as examination for venereal infections. Prenatal care was also provided.

RABIES CONTROL

Rabies remains a threat to New Jersey and although the number of reported cases has decreased, five human deaths have occurred in five years—two in 1946—and outbreaks continue to occur. Three mobile units are now on order for dog control service in local municipalities as needed. Of \$79,706.95 received by the State from dog license fees, \$35,521.65 was expended for rabies control and \$53,270.95 transferred to the general treasury.

DISTRICT HEALTH OFFICES

Eight District Health Offices were maintained through the Bureau of Local Health Services at Dover, Hackensack, Highland Park, Freehold, Mt. Holly, Collingswood, Pitman and Mays Landing. In addition to these services, the District Health Officer at the Collingswood office was assigned to give part of his time for similar duties in Mercer County.

Cecil K. Blanchard resigned as Supervisor of District Health Officers and Sanitation February 1, 1947, after 35 years of service with the Department. One of the pioneer health workers of the State, he made an enviable record of service and is well known as author of "Mark Time," which has appeared regularly in *Public Health News* since 1929. He leaves with the good wishes of his many friends for a long and profitable retirement. Dr. Roscoe P. Kandle, Chief, Bureau of Preventable Diseases, was appointed to fill his place on the Examining Board and his duties in conducting the Rutgers Public Health Courses, in arranging the Annual Conference of State and Local Health Officials, and in writing the *Public Health News* column were assigned to Ralph T. Fisher, Chief, Division of Health Education.

DEPARTMENT OF HEALTH

HEALTH EDUCATION

Community health education and organization work was carried forward by the Division of Health Education. A central health education warehouse for storage and distribution of printed materials for the Department was established, and production of health education materials was done at the health education workshop and health education printshop. The film library was enlarged and exhibits were increased.

The Basic Public Health Course which had previously been given in two 72-hour, six-week sessions held in two successive summers was given in 1946 for the first time in two six-week sessions of 72 hours each, running from July 2 to August 8, and from September 17 to October 24. The Course was completed by 38 students. Applications for training in this course have more than doubled since the end of the war.

Five short-term evening courses were given in the spring session, 1947, and 61 students completed courses.

Policies were adopted in September, 1946, to encourage and facilitate further advanced and graduate training of professional personnel employed in the Department. A number of employees are currently receiving such training to the future benefit of the Department.

A new Board of Examiners of Health Officers and Inspectors was appointed which began a detailed study of eligibility requirements and examining procedures.

PUBLIC HEALTH LABORATORY SERVICES

Nearly 400,000 specimens were examined in the laboratories of the Department, including over 2,000 Rh factor determinations for physicians, although this has not been made a routine procedure. Minimum requirements were adopted for the issuance of certificates of approval to laboratories by the Department.

The Bureau of Vital Statistics initiated a new program of providing photostatic copies of death certificates to other units of the Department. A field worker gave much needed advice and assistance to local registrars and others concerned with vital statistics registration.

SANITATION SERVICES

Rules and regulations were adopted for the administration of the flour and bread enrichment act which became effective July 1, 1946. While no funds were made available for laboratory control, enforcement by field inspections was administered by the Bureau of Food and Drugs. It was necessary during the year to deny or revoke permits of 46 out-of-State milk sup-

REPORT OF THE DIRECTOR OF HEALTH

11

pliers and to take drastic action against ten companies operating plants in New Jersey. Food shortages have brought about an increase in the use of the freezing process for preservation and storage of foods. Improper methods resulted in the spoilage of quantities of foods. New rules and regulations governing the construction and operation of slaughter houses were put in effect.

Because of critical shortages, only 66% of water projects and 35% of sewerage projects approved by the Department were constructed during the year. These had a combined value of \$696,500.00. Activities of the Bureau of Engineering and Sanitation in regard to industrial wastes pollution elimination which were temporarily curtailed during the war years were intensified during the past year.

BUREAU OF PREVENTABLE DISEASES

The Bureau of Preventable Diseases was expanded during the year by addition of the Division of Cancer Control, a nutritionist, a statistical service, and a public health nurse consultant in tuberculosis. Quarters were provided for the new activities as well as for an expanded industrial health laboratory and a conference room. Regular staff meetings of division chiefs and program heads within the Bureau were held.

In-plant environmental engineering services and medical and nursing assistance and consultation were provided for New Jersey's industries during the year through the Division of Adult and Industrial Health. An industrial sight conservation program was initiated, community industrial surveys were continued, and a complete mailing survey was made of industrial nurses in New Jersey. Reference library services were provided in response to requests and a monthly technical *Industrial Health Bulletin* was issued with a large circulation.

The Division of Cancer Control was established September 10, 1946, with a program of statistical research, professional education and lay education. In a joint program with the New Jersey Society of Clinical Pathologists a tumor slide registry, a consulting board of tissue pathologists, a tumor tissue laboratory and a cancer reference library have been established. A Public Health Cancer Council with membership from 14 professional and civic agencies was established.

DENTAL HEALTH PROGRAM

The dental health program solidly established with the active support of lay and professional voluntary and official groups has progressed to a point where children from 188 school districts in 17 counties are receiving services. Mobile units are assigned to rural areas. In addition to the service program,

DEPARTMENT OF HEALTH

educational, investigatory and consultative responsibilities were further developed. Continued comparative studies were made among children in six communities having public water supplies with a natural flourine content of 1 to 2 ppm. and those with less than 1 ppm. The evidence indicates that a public water supply containing one to two parts per million of fluorine effects more than 40% reduction of the dental caries rate in children born and reared in the area.

Maternal and infant mortality rates reached new lows during 1946. A total of 29,978 maternity cases and 2,613 pediatric cases were authorized to receive care under the Emergency Maternity and Infant Care Program up to December 31, 1946. Continued emphasis was placed through lectures to nurses and meetings with pediatricians on the mental aspects of child growth and development.

Eleven counties received Certificates of Merit from the United States Public Health Service in connection with National Negro Health Week. Programs of pre-school immunization, community chest X-ray surveys and mass blood-testing were conducted by the Negro Health Program.

SHORTAGES HANDICAP DEPARTMENT

The Department of Health has shared with other State departments the handicap of low salary schedules which has resulted in an unusually large turnover of trained personnel and in a number of cases it has been impossible to fill positions at existing salaries. This has been particularly true of the staff of the Bureau of Engineering and Sanitation and vital control programs have been severely hampered—for example, one-third of the public potable water supplies of New Jersey were not inspected during the fiscal year. Other programs have been handicapped for the same cause.

While no immediate relief appears possible, the need of the Department for adequate quarters increases with each year. The Department now occupies space on three floors and the basement of the State House and rents space in seven separate buildings scattered throughout the business section of Trenton. Repeated studies have indicated a grave need for more space in a single building for the efficient and proper conduct of the works of the Department.

Report of the Division of Personnel, Administration, Records and Accounts

For the Year Ending June 30, 1947

By CHARLES M. CALLAHAN, *Chief*

At the meeting of the State Department of Health held on July 9, 1946, Frederick P. Lee, M. D., was elected President and Walter G. Alexander, M. D., was elected Vice-President for the fiscal year ending June 30, 1947.

Mrs. Gloanna W. MacCarthy, of Maplewood, and Eugene R. Westcott, D. D. S., of Atlantic City, were appointed to membership and confirmed by the Senate on June 12, 1946, for the four-year term expiring July 1, 1950. Martha W. Tyndall, M. D., of Westfield, and E. W. Smillie, D. V. M., of Princeton, were reappointed to membership and confirmed by the Senate on June 12, 1946. Harry N. Lendall, C. E., of New Brunswick, was also appointed to membership and confirmed by the Senate on September 30, 1946.

At the Department's meeting of September 10, 1946, the following permanent committees were appointed by the President to serve during the year:

Organization Committee: Mrs. MacCarthy, Chairman; Dr. Smillie, Mr. Osborne, Dr. Westcott, Dr. Fischelis.

Committee on Budgets and Salaries of Personnel: Mr. Lawrence, Chairman; Dr. Alexander, Dr. Westcott.

Legislative Committee: Mrs. MacCarthy, Chairman; Dr. Alexander, Mr. Chandler, Dr. Westcott.

Building Committee: Dr. Westcott, Chairman; Mr. Osborne, Dr. Peacock, Mr. Chandler.

Committee on Medical Care: Dr. Peacock, Chairman; Dr. Tyndall, Dr. Alexander, Dr. Fischelis.

Joint Rabies Committee: Dr. Smillie, Chairman; Mr. Chandler, Mr. Lawrence.

DEPARTMENT OF HEALTH

Mental Health Committee: Dr. Tyndall, Chairman; Mr. Osborne, Dr. Peacock.

Food and Drug Committee: Mr. Lawrence, Chairman; Dr. Fischelis, Dr. Smillie.

Committee to Serve as Liaison Group Between State Board of Health and N. J. Health Officers' Association: Mr. Osborne, Chairman; Dr. Alexander, Dr. Peacock, Dr. Tyndall, Dr. Smillie, Mr. Chandler.

Health District Committee: Mr. Chandler, Chairman; Mr. Lawrence, Dr. Alexander, Dr. Fischelis, Dr. Westcott, Mr. Osborne.

Daniel Bergsma, M. D., entered upon his duties as Deputy Director on July 1, 1946, in accordance with Board action of May 14, 1946, appointing him to the aforesaid position.

BOARD OF EXAMINERS AND EXAMINATIONS

At the Department's meeting of January 14, 1947, report was made that C. K. Blanchard, of this Department, was retiring from active service on February 1, 1947; it was on motion voted at the aforesaid meeting that Roscoe P. Kandle, M. D., be appointed to membership on the Board of Examiners of Health Officers and Inspectors to replace Mr. Blanchard.

At the meeting of February 11, 1947, the following were appointed as members of the Board of Examiners of Health Officers and Inspectors for the year beginning March 1, 1947: Roscoe P. Kandle, M. D., State Department of Health, Chairman; John E. Bacon, State Department of Health, Secretary; Harrold A. Murray, M. D., Chairman for New Jersey, American Academy of Pediatrics, Newark; Patrick J. Monaghan, Department of Health, Newark; E. W. Smillie, D. V. M., member, State Board of Health; Dennis J. Sullivan, Department of Health, Jersey City; Ralph P. Shaw, Jr., N. J. Civil Service Commission.

At the meeting of April 8, 1947, it was on motion voted, upon recommendation of the Board of Examiners, to discontinue, effective May 1, 1947, examinations for Lay Meat Inspector. It was also on motion voted at the meeting of April 8, 1947, to delete Qualification No. 4 under the heading "Health Officer," from the qualifications adopted on September 10, 1940.

Four examinations on the last Friday of July, October, January and April were held as usual.

During the year there were filed with the Department 139 applications for examination as Health Officer or as Inspector of the various classes.

DIV. OF PERSONNEL, ADM., RECORDS & ACCOUNTS 15

Licenses were issued to those receiving a general average of 70% or more, as follows: Health Officer, 12; Sanitary Inspector, First Class, 34; Sanitary Inspector, Second Class, 10; Plumbing Inspector, 24; Veterinary Meat Inspector, 6; Milk Inspector, 8; Sanitary Inspector, Third Class, none; Food and Drug Inspector, 4; Lay Meat Inspector, 1.

ANIMAL EXPERIMENTATION

On March 11, 1947, the State Board of Health authorized issuance of a permit to the General Hospital, Laurel Hill, Secaucus, to carry on scientific experiments upon dogs in connection with the use of a clinical apparatus to assume the function of a lung, and which may become a vital therapeutic agent in cases of asphyxia and conditions of diminished vital capacity.

POLICY ON ADVANCED TRAINING OF PROFESSIONAL PERSONNEL

The following policy with respect to the administration of a program for advanced or graduate training of the Department's professional personnel was adopted by the State Board of Health at its meeting of September 10, 1946:

1. Candidates to be selected for such training on basis of benefits to accrue to the future program of the Department of Health, with due consideration for the temporary loss of their service to the bureau or division concerned and of the individual's probable ability to benefit therefrom.

2. No candidate to receive more than 18 months' training in any ten-year period and not more than 12 months' training at any one time.

3. That the benefits of such training be provided to the selected trainees without loss of salary or compensation to the employees, said trainees to cover costs of tuition, books, travel and other expenses out of their routine salary, or from other non-departmental funds available to the trainee.

4. That each employee granted a period of study shall make a definite statement, in writing, that he will return to and, unless involuntarily separated, will remain in the service of this Department of Health for a period equal to at least twice the interval spent in such training, or a minimum of one year, whichever is the greater.

LEGISLATION

The following legislation of interest to health officials was enacted by the Legislature during the year 1947:

S-21, Chap. 404 (Lewis). Requires coroners to investigate deaths by violence or from unknown causes in counties having no medical examiners nor county physicians.

S-50, Chap. 262 (Wright). Revises act regulating teaching and practice of nursing.

S-66, Chap. 83 (Lewis). Permits State Department of Institutions and Agencies to receive federal grants for hospital and health center construction.

S-285 (Farley). Provides examination and license for dental hygiene practitioners; defines practice.

S-312 (Hannold). Requires permits from Department of Conservation to construct wells more than 50 feet deep; provides fees for such permits.

A-26 (Mischlich). Fixes 25-cent fee for registrars to file burial or removal permits in towns and townships; regulates issuance of such.

A-66 (Shershin). Appropriates \$250,000 to State Health Department to establish Bureau of Cancer Control.

A-83 (Mathis). Requires drug and cosmetics manufacturers to be licensed by State Board of Pharmacy; requires manufacture under supervision of qualified person; prescribes license fee.

A-84 (Mathis). Permits Board of Pharmacy to promulgate regulations and issue temporary permits, such regulations prescribing minimum size requirements, facilities, cleanliness and orderliness in prescription departments.

A-85 (Mathis). Defines terms "pharmacy" and "drug store" under act providing licensing for such establishments.

A-88 (Reiffin). Permits license to practice medicine and surgery of persons graduating from legally incorporated medical colleges, serving one year internship and one year in professional capacity in armed forces or U. S. Public Health Service.

A-97 (Reiffin). Includes dental treatment in medical and surgical aid to be rendered injured workmen under workmen's compensation laws; permits injured workmen to be treated by physician, surgeon or dentist of own choice.

A-122 (Mehorter). Requires state or municipal officers who examine plans and specifications for architectural or engineering work to be registered architects or licensed professional engineers.

A-136 (Artaserse). Requires notices to adjoining owners in removal, by municipalities, of dangerous structures; requires adjoining owners to protect party walls.

A-207 (Hill). Requires sale of meat and poultry by weight; provides penalties for violations.

A-225 (Shershin). Permits pensioning of second class city directors of public health laboratories conducting 25,000 tests, after 25 years' service at age 65.

A-257 (Mathis). Prohibits solemnization of marriages in amusement places or for publicity purposes.

A-301 (Greenbaum). Provides sale of ice cream by weight.

A-309 (Harris). Exempts county tuberculosis hospitals in first class counties which have chief medical examiners, from law requiring county physician to examine bodies of people dying in such institutions which receive state funds.

A-380 (McCay). Supplements *Revised Statutes, Title 9, Article 1, Chapter 6*, which forbids wilful failure to provide medical and surgical treatment for children, to confirm right of parent or guardian to treat ill minors in accordance with religious tenets of churches, provided laws concerning communicable diseases and sanitation are observed.

A-488 (Smith). Permits Board of Pharmacy to promulgate regulations and issue temporary permits, such regulations prescribing minimum size requirements, facilities, cleanliness and orderliness in prescription departments.

DIV. OF PERSONNEL, ADM., RECORDS & ACCOUNTS 19

P. L. 1947, c. 177, PROVIDING FOR THE REORGANIZATION OF THE
STATE DEPARTMENT OF HEALTH

During the 1947 session of the State Legislature, Assembly Bill 6, providing for the reorganization of the State Department of Health, to take effect on July 1, 1947, was enacted into law as P. L. 1947, c. 177. The following statement of purpose was appended to the aforesaid bill:

"The purpose of this bill is to consolidate the public health activities of the State. For this purpose the bill creates a Department of Health consisting of a commissioner, a public health council and such bureaus as the commissioner may, subject to approval by the Public Health Council, establish.

"The functions, powers and duties of the State Department of Health, the State Board of Health, the State Director of Health, the Perth Amboy Port Health Officer and the Deputy Perth Amboy Port Health Officer are transferred to the new Department of Health. The commissioner will be the chief administrative officer of the department. He will be primarily charged with the responsibility for administering the health programs of the State.

"The Public Health Council will advise the commissioner on matters relating to the preservation and improvement of public health. It will also: (1) enact a State Sanitary Code; (2) study and investigate public health activities in the State; (3) prescribe the qualifications of health officers, sanitary inspectors and plumbing inspectors; (4) prescribe, on the recommendation of the commissioner, (a) what are to be considered as recognized public health activities to be conducted by local health departments, and (b) minimum standards of performance to be met by such departments; (5) hold hearings on charges filed with it to determine whether sufficient cause exists to warrant the suspension or revocation by it of any license issued by the department to a health officer, sanitary inspector, or plumbing inspector; and (6) approve or disapprove the following: (a) the organization of the department as prescribed by the commissioner; (b) the compensation of the directors of the bureaus and other personnel of the department as fixed by the commissioner; (c) the commissioner's abolition of any office or position in the department; and (d) the acceptance by the commissioner of the services of local or federal officials or agencies.

"The acceptance and administration by the commissioner of any grant, gift or bequest to the State for public health purposes, as well as the acceptance by the commissioner of federal grants for public health purposes, will be subject to approval by the Governor and the Public Health Council.

"The bill provides for the co-ordination of the public health activities of the State in the following fields: (1) maternal and child health services; (2) dental health; (3) public health nursing; (4) industrial hygiene; (5) sanitary engineering facilities, and (6) laboratory analyses. It also authorizes the commissioner, subject to approval by the Public Health Council, to establish state health districts to facilitate the integration and co-ordination of local health activities."

DEPARTMENT OF HEALTH

APPROPRIATIONS

During the fiscal year ending June 30, 1947, there was appropriated through State and federal sources to the New Jersey State Health Department the sum of \$2,518,688.46.

The State Legislature appropriated \$903,012.55 and the following sums were received from the Federal Government:

Social Security Act, Title V (U. S. Children's Bureau)	\$933,890.14
General health funds (U. S. P. H. S.)	266,020.28
Industrial health funds (U. S. P. H. S.)	30,259.00
Cancer control (U. S. P. H. S.)	67,335.00
Venereal disease control (U. S. P. H. S.)	144,267.82
Tuberculosis control (U. S. P. H. S.)	105,587.47
Rapid treatment facilities (U. S. P. H. S.)	68,316.20
Total federal funds	<u>\$1,615,675.91</u>

In addition to the foregoing appropriations, \$78,816.85 was received from dog registration fees, \$51,456.93 of which was used for rabies control. In accordance with the provisions of P. L. 1941, c. 151, the sum of \$27,359.92 was transferred to the General Fund of the State from the revenue received from this source.

STATEMENT OF REVENUE OF THE DEPARTMENT OF HEALTH OF THE STATE OF NEW JERSEY
FOR THE YEAR ENDING JUNE 30, 1947

<i>Source</i>	<i>Amount</i>
Analyses of water samples	\$3,752.00
Audiometer rental	247.00
Laboratory receipts	3.20
Licenses—cold storage	750.00
“ goat milk	199.24
“ ice cream	6,600.02
“ milk plant	15,800.00
“ narcotics	490.00
“ sewage and water plant operators	4,054.00
Penalties, violations of Food and Drug Laws	3,336.21
“ Dog Control Act	5,953.00
Searches of vital certificates	21,690.58
Miscellaneous (interest on F. C. A. ownership certificate)	.23
Total revenue transmitted to the State Treasury	<u>\$62,875.48</u>

STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH OF THE
STATE OF NEW JERSEY FOR THE YEAR ENDING JUNE 30, 1947

STATE FUNDS—CENTRAL ADMINISTRATION BUREAUS

	Personnel, Adm. Rec'ds and Accounts	Bacteri- ology	Chemistry	Dental Health	Engineering and Sanitation	Food and Drugs	Local Health	Negro Health	Vital Statistics	Health Educa- tion	Totals
Salaries	\$34,910.35	\$44,132.64	\$26,650.00	\$73,579.92	\$54,093.37	\$86,153.93	\$47,174.82	\$10,800.00	\$55,464.13	\$4,500.00	\$437,459.16
War adjustment		359.04					67.54		156.00		582.58
Laboratory supplies		17,089.22	2,130.68			391.72					19,611.62
Pneumonia and measles serum							1,421.40				1,421.40
Biological assays											
Diphtheria toxoid and smallpox vaccine..							9,962.14				9,962.14
Whooping cough immunization							7,942.38				7,942.38
Typhoid vaccine							136.37				136.37
Stationery and office supplies	3,343.57						60.28				3,403.85
Vehicular transportation supplies	115.95				816.49	225.46	591.16				1,749.06
Engineering supplies					643.92						643.92
Educational, recreational and library supplies	173.25										173.25
Dental health educational material				845.16							845.16
Inspectors' supplies						95.86					95.86
Printing	4,790.07	1,633.67	148.90	305.20	114.57	420.00	470.43	102.22	2,002.89		9,987.95
Biologicals							11,965.32				11,965.32
Smallpox vaccine							47,294.28				47,294.28
Traveling expenses	1,662.03	163.69	66.01	636.42	2,945.18	10,204.99	1,227.45	1,680.33	398.24		18,984.34
Milk Inspectors' traveling expenses						4,956.02					4,956.02
Binding volumes of birth, marriage and death certificates									671.85		671.85
Rental of tabulation machines							588.00		708.00		1,296.00
Garage rent	80.00				420.00	120.00	211.00				831.00
Freight, express and cartage	949.03										949.03
Subscriptions	324.91										324.91
Maintenance of dental trailer				570.12							570.12
Household expenses		312.71									312.71
Miscellaneous expenses	211.02										211.02
Bleeding of sheep		450.00									450.00
Maintenance of boats and plants						2,782.11					2,782.11
Dental supplies				4,758.28							4,758.28
Laboratory equipment				1,016.49							1,016.49
New automobiles and trucks				17,080.63							17,080.63
Repairs and maintenance:											
Office furniture and equipment	587.53										587.53
Automotive equipment	150.19				439.26	67.28	253.53				940.26
Compensation award		13.75			31.65	3.00					48.40
Totals	\$47,327.90	\$64,154.72	\$28,995.59	\$98,792.22	\$59,504.44	\$105,420.37	\$129,366.10	\$12,582.55	\$59,401.11	\$4,500.00	\$610,045.00

DEPARTMENT OF HEALTH

**STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH
OF THE STATE OF NEW JERSEY FOR THE YEAR ENDING
JUNE 30, 1947**

STATE FUNDS

APPROPRIATIONS FOR SPECIFIC PURPOSES

	<i>Venereal Disease Control</i>	<i>Maternal and Child Health</i>	<i>Industrial Health</i>	<i>Totals</i>
Salaries	\$21,586.77	\$84,976.83	\$34,151.87	\$140,715.47
War adjustment	36.00	133.95		169.95
Drugs, chemical, clinic supplies	4,660.93		441.80	5,102.73
Baby station supplies		577.20		577.20
Stationery and office supplies	297.59	1,032.19	275.86	1,605.64
Educational material		29.08	54.48	83.56
Printing	976.16	266.95	1,317.33	2,560.44
Traveling expenses	881.60	12,258.75	4,784.43	17,924.78
Freight, express and cartage	3.85	10.98	5.53	20.36
Subscriptions	80.00	15.50	92.50	188.00
Miscellaneous expenses		82.87	45.90	128.77
Current repairs:				
Office equipment	134.94	71.48	4.00	210.42
Scientific and laboratory supplies...	59.27			59.27
<i>Totals</i>	<u>\$28,717.11</u>	<u>\$99,455.78</u>	<u>\$41,173.70</u>	<u>\$169,346.59</u>

TOTAL EXPENDITURES FROM STATE FUNDS

Central administration bureaus	\$610,045.00
Appropriations for specific purposes	169,346.59
<i>Total</i>	<u>\$779,391.59</u>

**STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH
OF THE STATE OF NEW JERSEY FOR THE YEAR ENDING
JUNE 30, 1947**

STATE FUNDS

RABIES CONTROL FUNDS

Salaries	\$29,389.12
Anti-rabies serum	7,408.59
Stationery and office supplies	410.82
Motor vehicle transportation supplies	316.82
Office equipment	1,551.75
Printing	715.05
Traveling expenses	6,121.92
Insurance	8.00
Postage	500.00
Office and storage rent	915.00
Garage rent	123.00
Telephone and telegraph	131.95
Freight, express and cartage	
Miscellaneous expenses	135.20
Current repairs:	
Office and cars	489.42
New cars	3,109.05
Session on rabies control	131.24

DIV. OF PERSONNEL, ADM., RECORDS & ACCOUNTS 23

STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH
OF THE STATE OF NEW JERSEY FOR THE YEAR ENDING
JUNE 30, 1947

FEDERAL FUNDS

<i>Project</i> <i>General Health</i>	<i>Salaries</i>	<i>Travel</i>	<i>Materials, Supplies and Services</i>	<i>Total Expendi- tures</i>
Bureau of Personnel, Administration				
Records and Accounts	\$16,258.10	\$1,248.65	\$13,660.25	\$31,167.00
Bureau of Bacteriology	35,117.07		8,348.63	43,465.70
Bureau of Chemistry	14,695.65		801.66	15,497.31
Division of Dental Health	22,149.23	999.70	1,063.40	24,212.33
Bureau of Engineering and Sanitation..	19,603.04	1,125.67	1,911.17	22,639.88
Bureau of Food and Drugs	18,631.28	5,007.18	3,462.16	27,100.62
Bureau of Local Health Services	10,896.05	1,234.19	4,017.54	16,147.78
Atlantic, Cape May State Health District	6,360.00	796.36	782.32	7,938.68
Bergen, Passaic State Health District...	3,372.69	310.83	149.65	3,833.17
Burlington State Health District	8,040.00	1,566.57	610.00	10,216.57
Cumberland State Health District	7,800.00	1,065.11	900.07	9,765.18
Monmouth, Ocean and part of Middle- sex State Health District	2,130.00	120.10	111.10	2,361.20
Somerset, Hunterdon, Middlesex, Camp Kilmer State Health District	3,660.00	530.90	402.12	4,593.02
Sussex State Health District	3,840.00	697.09	929.41	5,466.50
Camden County State Health District...	3,600.00	449.71	448.62	4,498.33
Bureau of Vital Statistics	10,434.63	5.14	2,209.47	12,649.24
Bureau of Preventable Diseases	16,005.83	1,331.73	2,184.41	19,521.97
In-service field orientation			1,576.00	1,576.00
Training of personnel			1,925.00	1,925.00
<i>Total expenditures — General Health Fund</i>	<i>\$202,593.57</i>	<i>\$16,488.93</i>	<i>\$45,492.98</i>	<i>\$264,575.48</i>
Division of Adult and Industrial Health	\$10,319.10	\$1,974.77	\$11,461.05	\$23,754.92
Division of Health Education			1,090.83	1,090.83
<i>Total expenditures—adult and industrial health</i>	<i>\$10,319.10</i>	<i>\$1,974.77</i>	<i>\$12,551.88</i>	<i>\$24,845.75</i>
<i>Cancer Control</i>				
Division of Personnel, Administration				
Records and Accounts	\$1,500.00		\$2,508.27	\$4,008.27
Division of Cancer Control	15,088.08	\$868.07	31,351.36	47,307.51
Training of personnel			260.00	260.00
Division of Health Education	2,400.00		6,789.34	9,189.34
<i>Total expenditures—cancer con- trol</i>	<i>\$18,988.08</i>	<i>\$868.07</i>	<i>\$40,908.97</i>	<i>\$60,765.12</i>
<i>Venereal Disease Control Act</i>				
Bureau of Bacteriology	\$4,850.00	\$43.13	\$5,687.26	\$10,580.39
Division of Venereal Disease Control...	93,427.58	7,041.69	27,212.97	127,682.24
Training of personnel			511.00	511.00
Division of Health Education	1,175.21		2,948.06	4,123.27
<i>Total expenditures — Venereal Disease Control Act</i>	<i>\$99,452.79</i>	<i>\$7,084.82</i>	<i>\$36,359.29</i>	<i>\$142,896.90</i>

DEPARTMENT OF HEALTH

**STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH
OF THE STATE OF NEW JERSEY FOR THE YEAR ENDING
JUNE 30, 1947**

FEDERAL FUNDS—Continued

<i>Project</i>	<i>Salaries</i>	<i>Travel</i>	<i>Materials, Supplies and Services</i>	<i>Total Expendi- tures</i>
<i>Total expenditures—rapid treat- ment facilities</i>			\$61,989.69	\$61,989.69
<i>Title V, Social Security Act</i>				
<i>Total expenditures—maternal and child health</i>	\$409,344.17	\$11,633.80	\$359,411.28	\$780,389.25
<i>Tuberculosis Control</i>				
Division of Tuberculosis Control	\$41,348.85	\$8,467.74	\$35,909.68	\$85,726.27
Division of Health Education	14,381.13	1,093.11	3,350.74	18,824.98
<i>Total expenditures—tuber- culosis control</i>	\$55,729.98	\$9,560.85	\$39,260.42	\$104,551.25
<i>Total federal funds expended..</i>	\$796,427.69	\$47,611.24	\$595,974.51	\$1,440,013.44

**STATEMENT OF EXPENDITURES OF THE DEPARTMENT OF HEALTH
OF THE STATE OF NEW JERSEY FOR THE YEAR ENDING
JUNE 30, 1947**

COMBINED EXPENDITURES—STATE AND FEDERAL FUNDS

Salaries (and war adjustment)—

State	\$578,927.16
Federal: General health	\$202,593.57
Adult and industrial health	10,319.10
Cancer control	18,988.08
Venereal Disease Control Act	99,452.79
Title V—maternal and child health...	409,344.17
Tuberculosis control	55,729.98
	<u>\$796,427.69</u>
	\$1,375,354.85

Other Expenses—

State	\$200,464.43
Federal: General health	\$61,981.91
Adult and industrial health	14,526.65
Cancer control	41,777.04
Venereal disease control	43,444.11
Rapid treatment facilities	61,989.69
Title V—maternal and child health...	371,045.08
Tuberculosis control	48,821.27
	<u>\$643,585.75</u>
	\$844,050.18

<i>Total expended—state and federal funds</i>	\$2,219,405.03
<i>Expended for rabies control from dog registration fees</i>	51,456.93

Report of the Bureau of Bacteriology

For the Year Ending June 30, 1947

By JOHN H. SPOONER, JR., *Chief*

The Bureau of Bacteriology completed its biggest year on June 30, 1947, in number of specimens examined for doctors and health authorities throughout the State. This most satisfying achievement was accomplished in spite of the increased cost of all laboratory supplies, cramped quarters and fixed State budget, which did not take into account the 30 to 40 per cent increase in cost of supplies. The financial problem was somewhat relieved by the allocation of additional federal funds near the end of the fiscal year.

A total of 360,150 serological, bacteriological and parasitological specimens were examined. Not counted in this figure, 2,120 Rh factor determinations were made for physicians. These were done as a convenience to the doctors since this determination is not at present a routine procedure in the laboratory. There was an increase in nearly all sections of the work, resulting in the examination of 38,822 more specimens than last year. (See Table I below.) The greatest part of this increase was in the serology service for syphilis which examined 307,432 specimens as well as the Rh factor determination above mentioned. This figure is the number of specimens examined and does not show the total tests made as many bloods have a repeat test, and those showing a reaction in the routine Mazzini are checked by the Kolmer complement fixation, Kahn precipitation and/or the Kline test. (See Table III below.)

Because there had never been established any minimum requirements for laboratories seeking approval from the State, and there seemed a definite need for same, the Director requested the Board of Health to appoint a committee to draw up such rules and regulations. After considerable study, Dr. Fischelis, chairman of the committee, with the assistance of Dr. Bergsma, Deputy Director of Health, submitted the following minimum requirements which were adopted by the Board of Health at their April, 1947, meeting:

DEPARTMENT OF HEALTH

LAWS AND SANITARY CODE REGULATIONS RELATING TO THE ISSUANCE OF CERTIFICATES OF APPROVAL OF LABORATORIES BY THE NEW JERSEY STATE DEPARTMENT OF HEALTH

References to Existing Law and Regulations Authorizing Certification and Laboratory Testing .

R. S. 26:2-37. Analyses of samples; charges; disposition of receipts. The State Department may cause to be made, in the state laboratory, analyses and examinations of samples of water, food, drugs, pathological materials, and similar substances, when requested to do so by any person, private or municipal corporation or institution in this State.

Pre-marital. R. S. 37:1-23. Standard laboratory blood test; when made. For the purpose of this act a standard laboratory blood test shall be a test for syphilis approved by the Director of Health of New Jersey, and shall be made at a laboratory approved to make such tests by the Director of Health of New Jersey. Such laboratory tests as are required by this act shall be made on request without charge at the Department of Health of the State of New Jersey. To be valid such test shall be made not more than thirty days before the issuance of the marriage license to which it applies. (P. L. 1938, c. 126.)

Prenatal. R. S. 26:4-49.2. Blood test; supervision. For the purpose of this act a standard serological test shall be a test for syphilis approved by the Director of Health of New Jersey, and shall be made at a laboratory approved to make such tests by the Director of Health of New Jersey. Such laboratory tests as are required by this act shall be made on request without charge at the Department of Health of the State of New Jersey. (P. L. 1938, c. 41.)

Chapter VI, Regulation 12—Sanitary Code. Diphtheria; material for cultures to be submitted. In every case of illness which there is reason to believe may be diphtheria, it shall be the duty of the attending physician, or if there be no physician in attendance, then of the nurse or other person in attendance, to take cultures forthwith from the throat and nose of the person suspected of being infected, or to permit the health officer or his representatives to take such cultures. Provided, however, that if such cultures are forthwith taken by the health officer having jurisdiction, or his representative, it shall not be necessary for the attending physician or nurse to take such cultures. Such cultures shall be immediately submitted by the person taking the same, for examination, to the laboratory of the State Department of Health, or to a laboratory which has been approved by the Director of Health of New Jersey.

Chapter VI, Regulation 34-A—Sanitary Code. It shall be the duty of the local board of health, when a case of typhoid fever or paratyphoid occurs within its jurisdiction to keep such case under supervision until the temperature has remained normal for seven successive days and until two successive specimens of both the intestinal discharges and the urine of the patient, taken at an interval of not less than seven days, have been found to be free from typhoid or paratyphoid bacilli, said examination to be made in the laboratory of the State Department of Health or in a laboratory approved by the Director of Health for such examinations.

Chapter XI, Regulation 55-B—Laboratories. All cultures, specimens, etc., required by Regulation 55 and 55a must be examined in laboratories approved by the State Department of Health.

BUREAU OF BACTERIOLOGY

27

Chapter VI, Regulation 41—Sanitary Code. Inspection of laboratories. The Director of Health of New Jersey may cause to be inspected every bacteriological or chemical laboratory doing work for the health authorities of the State or for any county or municipality thereof, and shall report the result of such inspection to the local authorities using such laboratory. He may also issue certificates of approval of such laboratories, such certificates to be revocable for cause at any time. No laboratory not approved by the Director of Health shall continue to do any work for any local board of health after having received due notification from the Director of Health that its methods are disapproved.

*Minimum Requirements for Issuance of Certificates**Personnel requirements.*

1. Every laboratory applying for a certificate shall be in charge of a competent supervisor who may be designated as "Director," "Serologist-in-Charge," or "Bacteriologist-in-Charge."

2. The Supervisor shall meet the following minimum qualifications:

a. He shall be a person of known integrity and professional ability who shall be capable of conducting a laboratory in which satisfactory standards of work are maintained at all times and he shall possess such personal qualifications as: ability to exercise meticulous care in technique, good judgment, sense of responsibility, ability to cooperate with and supervise the work of others.

b. He shall possess a doctorate degree in philosophy, science, public health, or medicine, with adequate experience in laboratory procedures, or

c. He shall have graduated from a college or university of recognized standing with at least a Bachelor of Science degree in bacteriology, biology, or allied sciences, and shall have had four years of acceptable laboratory experience, two of which shall have been spent in a public health laboratory, or its equivalent, preferably having served as assistant bacteriologist or assistant serologist.

3. Supervisors shall devote their full time, or at least a major portion of their time, to laboratory supervision. In the absence of a full-time Supervisor the person next in charge shall meet the full qualifications of the office of supervisor.

Laboratory quarters, location and equipment.

1. The laboratory shall be housed in well lighted, properly ventilated and adequately spaced quarters, to provide for the type of work for which a certificate is requested. Laboratories shall not be located in living quarters unless there are provisions for separate entrance, and plumbing fixtures and other facilities used for laboratory purposes are separate from those used for household purposes.

2. The laboratory shall be equipped with gas, electricity, and hot and cold running water. The minimum equipment shall consist of the following apparatus, meeting the requirements for the tests to be conducted: Autoclave, dry air sterilizer, constant temperature 37° incubator, microscope, centrifuge, constant temperature water bath and refrigerator. All necessary glassware, lamps, burners, reagents, stains, antigens and sera must be of recognized standard and good quality and available at all times for the various tests for which a certificate is requested.

3. The laboratory and equipment shall be subject to inspection and reinspection at any time.

DEPARTMENT OF HEALTH

4. Where laboratory animals are kept, adequate sanitary quarters shall be maintained separate from the rooms in which laboratory tests are conducted.

Laboratory Methods.

1. Serologic tests for syphilis as prescribed by the latest recommendations of their author, shall be the general rule.

2. Any modification of such tests must first be approved by the State Department of Health.

3. The basis of evaluation shall be:

a. Specificity: Standard of specificity (per cent of negative sera reported as negative) shall be at least 99% as obtained by the control laboratory.

b. Sensitivity: Standard of sensitivity (per cent of positive sera reported as positive) shall not be more than 10% below that obtained by the control laboratory.

4. The laboratory shall obtain a high degree of accuracy in identification of slides and cultures submitted for examination in any diseases for which the laboratory is to receive or has received a certificate.

Records.

1. All laboratories applying for a certificate must show facilities for keeping complete laboratory records. All such records shall be kept on file for a minimum of five years.

2. Records must be kept up to date and open to inspection by authorized representatives of the State Department of Health.

Ethical Considerations.

1. The laboratory shall conform to ethical professional practice. Advertising of the laboratory shall be restricted to announcements of the tests for which a certificate is granted and shall be so worded as not to give the impression of general coverage of procedures not listed on the certificate.

2. Reports shall be confined to laboratory findings only.

Eligibility for and Invalidation of Certificates.

1. No laboratory, other than a laboratory conducted by a department of health, shall be eligible to apply for a certificate until it has been established for at least one year.

2. Any change in the supervisor of a laboratory shall automatically invalidate any existing certificate and reapplication for a certificate is required. The State Department of Health shall be notified immediately of changes of responsible personnel which may occur. Responsible personnel shall be construed to include technicians who are actually performing and reporting results of examinations, but under supervision of the supervisor.

Special Requirements.

1. On all positive laboratory reports for venereal disease, the supervisor shall forward copies of such reports directly, within a period of seven days after such a report has been issued, to the Division of Venereal Disease Control, State Department of Health, Trenton, N. J.

BUREAU OF BACTERIOLOGY

29

2. In cases of reportable communicable disease, excepting venereal diseases, where evidence of such disease is found by the laboratory examination, the supervisor shall forward immediately a report of such findings to the physician who submitted the specimen and also a copy to the health officer having jurisdiction over the municipality in which the person from whom the specimen was obtained is located. He shall retain positive slides referable to communicable diseases for at least six months.

3. On each report for release from isolation or quarantine, whether said report is positive or negative, on each specimen of *C. diphtheriae*, *Eberthella*, *Salmonella* and *Shigella*, the supervisor shall forward immediately a report to the physician who submitted the specimen and also a copy to the health officer having jurisdiction over the municipality in which the person from whom the specimen was obtained is located.

4. Specimens for evaluation and comparative examinations may be sent to a laboratory by the State Department of Health at any time and the supervisor of the laboratory shall report the results of the examination of such specimens promptly to said Department.

5. Each certificate granted to a laboratory authorizing the performance of specific tests is automatically invalidated at the end of the calendar year for which it was issued. Before any such certificate can be granted the State Department of Health must receive an application for such certificate on a form supplied by the said Department. Each such routine, annual request for a certificate must reach the State Department of Health not later than the first day of November preceding the beginning of the calendar year for which a certificate is desired. First requests for a certificate or requests for a new certificate following invalidation of a previous certificate for whatever reason may be submitted at any time.

6. Every laboratory granted a certificate to perform blood tests for syphilis under the pre-marital law (R.S. 37:1-23) and prenatal law (R. S. 26:4-49.2) shall have facilities and requests for the examination of at least 100 serologic specimens for syphilis per month.

7. Every laboratory, other than a laboratory conducted by a department of health, applying for a certificate shall have the endorsement of at least ten physicians desiring the facilities of such laboratory.

8. Every laboratory applying for a certificate shall furnish evidence of the need for its services.

If after reading the above regulations, you believe that your laboratory can qualify, you may make application to the State Department of Health, Bureau of Bacteriology, and forms will be sent to you to fill out.

During the year requests were received for Rh factor determination. The Bureau, rather than disappoint the physicians submitting the specimens, performed these examinations and reported the results. In order to ascertain what other State laboratories were doing in this problem a questionnaire was sent out to all State laboratory chiefs. Returns were received from 46 out of the 48 submitted. The following questions were asked: Was routine prenatal Rh typing being performed? To what extent was it carried out? Were Rh negative women further checked? Were husbands of Rh negative women checked? If not performing Rh typing, were there a number of requests to do so? Was it considered an activity of the near future and could the test

in their opinion be performed satisfactorily under present knowledge on blood submitted by mail? There was also space left for the State laboratory directors to comment on the questions. The various and interesting answers received have been tabulated and a copy of this questionnaire may be obtained by writing to the Bureau of Bacteriology, State Department of Health.

The work of the Bureau of Bacteriology may be summarized in a general way by the description of the following examinations made: performs diagnostic tests for syphilis; examines smears for gonorrhoea (gonococcus culture is performed by the Division of Venereal Disease Control); cultures and identifies pathogenic bacteria; performs agglutination and culture tests for the enteric diseases; makes smears, concentration method and animal inoculations for tuberculosis; examines stools for intestinal parasites, ova and cysts; makes animal brain and mice inoculations for rabies; examines blood smears for malarial and other tropical diseases; conducts investigations of food products suspected of food poisoning; makes virulence tests; prepares antigens, vaccines and media and inspects laboratories desiring approval to perform premarital and prenatal blood tests.

TABLE I

NUMBER OF SPECIMENS EXAMINED DURING YEAR ENDING JUNE 30, 1947

Diphtheria	5,812
Tuberculosis	11,909
Blood agglutinations	6,982
Enteric diseases (feces and urine)	11,548
Gonorrhoea	11,409
Syphilis	307,432
Miscellaneous specimens	5,013
Total	360,105
Rh factors	2,120

This table shows an increase in volume of work in all categories except gonorrhoea smears over that of the previous year. The total number of specimens examined last year was 321,610.

BUREAU OF BACTERIOLOGY

31

TABLE II

SPECIMENS OF BLOOD AND SPINAL FLUID EXAMINED FOR SYPHILIS DURING YEAR ENDING

JUNE 30, 1947, BY MONTHS

<i>Month</i>	<i>Positive</i>	<i>Doubtful</i>	<i>Negative</i>	<i>Unsatisfactory</i>	<i>Total</i>
July	1,788	764	25,476	1,063	29,091
August	1,871	791	25,453	706	28,821
September	1,706	617	25,418	682	28,423
October	1,975	548	24,905	660	28,088
November	1,611	384	19,325	566	21,886
December	1,482	358	17,908	675	20,423
January	1,767	545	23,749	782	26,843
February	1,377	409	18,720	679	21,185
March	1,579	445	22,364	578	24,966
April	1,809	547	22,806	537	25,699
May	1,956	792	22,087	570	25,405
June	1,669	624	23,723	586	26,602
	20,590	6,824	271,934	8,084	307,432

This table shows 6.7% positive, 2.2% doubtful, 2.6% unsatisfactory, and 88.5% negative.

The Mazzini flocculation test is now used as a screen test. Negative specimens are then reported. Specimens showing a reaction of positive or doubtful or unsatisfactory are further tested by the Kolmer complement fixation test and the Kahn precipitation test. When there is insufficient serum for these tests a Kline diagnostic may be used as a check on the original results. The results of all tests are then reported to the physician with an interpretation as to positive, doubtful or negative based upon the results of the tests alone. Positive and doubtful tests are also reported in degrees of positiveness. The interpretation of "positive" is in no way to be construed as a diagnosis of syphilis in the absence of clinical symptoms of the disease. The Kolmer, Kahn or Mazzini quantitative test will be performed on specimens if the physician so requests.

PREMARITAL LAWS JUNE, 1947—Continued

<i>State</i>	<i>Period for Which Test Is Acceptable</i>	<i>Form Used</i>	<i>Remarks</i>
Minnesota			No law.
Mississippi			No law.
Missouri	15 days	Missouri	Any licensed physician may sign certificate.
Montana	20 days	Montana	Any licensed physician may sign certificate.
Nebraska	30 days	Nebraska	Affidavit from each applicant as to freedom from venereal disease.
Nevada			No law.
New Hampshire	30 days	New Hampshire	Any licensed physician may sign certificate.
New Mexico			No law.
New York City	30 days. 3-day waiting period	New York City	Any licensed physician may sign certificate.
New York State	30 days	New York State	Any licensed physician may sign certificate.
North Carolina	30 days	North Carolina	Certificate must be signed by a North Carolina physician.
North Dakota	30 days	North Dakota	Any licensed physician may sign certificate.
Ohio	30 days. 5-day waiting period	Ohio	Physical examination must be made by an Ohio physician or one in the armed forces.
Oklahoma			No law.
Oregon	10-day waiting period	Oregon	Physical examination must be made by a physician licensed in and residing in Oregon.
Pennsylvania	30 days. 3-day waiting period	Pennsylvania	Pennsylvania physician must make physical examination and sign certificate.
Puerto Rico			No law, but a physical examination must be made within five days of marriage.
Rhode Island	40 days	Rhode Island	Physical examination must be made by a Rhode Island physician.
South Carolina			No law.
South Dakota	20 days	South Dakota	Any licensed physician may make physical and sign certificate.
Tennessee	30 days	Tennessee	Any licensed physician may make physical and sign certificate.
Texas			No law, but the male must have a certificate from a Texas physician stating that he is free from venereal disease.
Utah	15 days, plus 30 days. No waiting period	Utah	Any licensed physician may make physical and sign certificate.
Vermont	30 days. 5-day waiting period		Any licensed physician may make physical and sign certificate.
Virginia	30 days. No waiting period		Any licensed physician may make physical and sign certificate.
Virgin Islands			No law.
Washington			No law.
West Virginia	30 days. 3-day waiting period	West Virginia	Physical must be made by a West Virginia physician.
Wisconsin	15 days		Any licensed physician may make physical and sign certificate. No forms—copy sample form.
Wyoming	30 days		Physical examination must be made by a physician licensed in Wyoming.

BUREAU OF BACTERIOLOGY

35

EVALUATION STUDY

The Bureau of Bacteriology again participated in 1947 in the evaluation study conducted by the United States Public Health Service for State department of health laboratories. The control on the evaluation was performed by the author of the various standard tests.

Results are considered satisfactory by the United States Public Health Service rating when the specificity tests are 99% and the sensitivity tests within 10% of the author's standard.

Following are the results obtained in the Bureau of Bacteriology on 213 sera tested in the syphilitic group and 135 in the non-syphilitic group:

	<i>Sensitivity</i>	<i>Specificity</i>
Mazzini (flocculation)		
Author control	77.1	100.0
Bureau of Bacteriology	84.7	100.0
Kolmer (complement fixation)		
Author control	83.4	98.5
Bureau of Bacteriology	82.2	98.4
Kahn Precipitation		
Author control	81.6	100.0
Bureau of Bacteriology	81.2	98.9
Kline Diagnostic Precipitation		
Author control	83.4	100.0
Bureau of Bacteriology	83.8	100.0

The Bureau of Bacteriology also performed experimentally the Mazzini quantitative test and submitted its findings to the United States Public Health Service. This procedure was commented on by Dr. J. R. Heller, Jr., Medical Division Chief, Venereal Disease Division, as follows: "The cooperation of the States in submitting the results of quantitative procedures is sincerely appreciated."

DEPARTMENT OF HEALTH

There were 11,409 smear examinations made during the year. 12.5% were reported as containing typical intracellular Gram negative diplococci.

TABLE IV

SPECIMENS EXAMINED FOR NEISSERIA GONORRHOEAE (PUS SMEARS) DURING YEAR
ENDING JUNE 30, 1947, BY MONTHS

<i>Month</i>	<i>Positive</i>	<i>Negative</i>	<i>Unsatisfactory</i>	<i>Total</i>
July	185	952	56	1,193
August	163	924	39	1,126
September	148	805	30	983
October	151	928	33	1,112
November	100	730	16	846
December	124	703	29	856
January	112	743	18	873
February	69	711	17	797
March	99	818	21	938
April	83	814	24	921
May	90	721	24	835
June	110	796	23	929
	1,434	9,645	330	11,409

Nose and throat culture specimens for *C. diphtheriae* increased over last year, last year's figures being 5,297. Table V shows 4.3% were reported as containing organisms resembling *C. diphtheriae*. Animal inoculations and bio-chemical culture reactions were performed upon these specimens before they were reported as positive.

TABLE V

SPECIMENS EXAMINED FOR CORYNEBACTERIUM DIPHTHERIAE DURING YEAR ENDING
JUNE 30, 1947, BY MONTHS

<i>Month</i>	<i>Positive</i>	<i>Negative</i>	<i>Unsatisfactory</i>	<i>Total</i>
July	29	383	22	434
August	22	364	16	402
September	10	267	10	287
October	21	468	10	499
November	16	388	12	416
December	30	399	19	448
January	28	490	35	553
February	21	840	59	920
March	8	399	20	427
April	15	366	41	422
May	41	450	42	533
June	8	419	44	471
	249	5,233	330	5,812

BUREAU OF BACTERIOLOGY

37

Specimens for examination for *M. tuberculosis* increased by 1,989 over those examined last year. 10.5% were reported as positive.

TABLE VI

SPECIMENS EXAMINED FOR MYCOBACTERIUM TUBERCULOSIS DURING YEAR ENDING
JUNE 30, 1947, BY MONTHS

Month	Positive	Negative	Unsatisfactory	Total
July	106	798	53	957
August	142	816	27	985
September	93	745	13	851
October	113	917	17	1,047
November	69	814	6	889
December	93	679	12	784
January	101	1,040	28	1,169
February	95	828	8	931
March	100	972	10	1,082
April	132	1,027	10	1,169
May	101	896	21	1,018
June	114	896	17	1,027
	1,259	10,428	222	11,909

Results of animal inoculations for *M. tuberculosis* are shown in Table VII.

TABLE VII

GUINEA PIG INOCULATION FOR *M. TUBERCULOSIS*

Material	Positive	Unsatisfactory	Negative
Gastric contents	17	12	183
Sputa	11	13	76
Urines	8	7	77
Chest fluids	3	4	37
Pleural fluids	3	2	24
Spinal fluids	1	1	8
Synovial fluids	..	1	5
Miscellaneous fluids	8	2	33
	51	42	443

Total animal inoculations, 536.

Blood agglutination tests were performed for typhoid O and H antigens, para-typhoid A and B, undulant fever, tularemia and the Weil-Felix reaction for typhus and Rocky Mountain spotted fever. The laboratory prepares its own antigens for these tests and uses both OX19 and OX2 for the Weil-Felix reaction. We also have an OXK antigen which can be utilized to check for Tsutsugamushi fever on request.

DEPARTMENT OF HEALTH

Requests for blood agglutination increased slightly over those performed last year.

TABLE VIII

BLOOD AGGLUTINATION TESTS DURING YEAR ENDING JUNE 30, 1947

	<i>Positive</i>	<i>Negative</i>	<i>Unsatisfactory</i>	<i>Total</i>
Typhoid fever	114	2,323	57	2,494
Para-typhoid fever	25	1,614	17	1,656
Undulant fever	91	2,490	37	2,618
Rocky Mountain spotted and typhus fevers	11	128	1	140
Tularemia	..	74	..	74
	241	6,629	112	6,982

There were 3,385 additional cultural examinations (feces and urine) for enteric pathogens made this year. This work also included the more complete identification of the Salmonella into their groups.

TABLE IX

FECES AND URINE SPECIMENS EXAMINED FOR ENTERIC PATHOGENS FOR THE YEAR
ENDING JUNE 30, 1947

	<i>Positive</i>	<i>Negative</i>	<i>Unsatisfactory</i>	<i>Total</i>
Eberthella typhosa	75	3,539	200	3,814
Salmonellas	40	3,574	200	3,814
Shigellas	..	3,614	200	3,814
No examination	..		106	106
	115	10,727	706	11,548

In the specimens classified as "Miscellaneous," animal heads for rabies and brains found to be positive continued to increase. There were 60 positives last year, 114 this year. The number of heads submitted for examination more than doubled, 162 last year, 379 this year. 43% of the heads submitted were found to contain typical intracellular Negri bodies diagnostic of rabies. Positive malaria smears showed an expected decrease, but still ran surprisingly high, 42 for this year compared with 61 last year.

BUREAU OF BACTERIOLOGY

39

TABLE X

MISCELLANEOUS SPECIMENS EXAMINED DURING YEAR ENDING JUNE 30, 1947

<i>Specimen for</i>	<i>Positive</i>	<i>Negative</i>	<i>Unsatisfactory</i>
Rabies	114	237	28
Bacterial infection (blood, body fluids, pus, sputum, urine, etc.)	297	67	12
Dysentery (blood reaction for)	..	4	1
Globulin	..	76	..
Gonococcus infection (eye smears)	2	32	2
Gonococcus infection (knee fluid)	..	1	..
Gonococcus infection (ear specimen)	..	1	..
Hemolytic streptococci	227	755	..
Infectious Mononucleosis	70	191	1
Malaria	42	244	3
Meningococci	1	2	..
Occult blood	4	2	..
Ophthalmia neonatorum	9	..	..
Ova and parasites	17	467	3
Pneumonia	1	6	2
Treponema pallida	..	2	2
M. tuberculosis (body fluids, pus, feces, urine, etc.)	85	826	7
Vincent's angina	123	609	3
Special examination of eating utensils	87	223	..
Other unusual examinations	39	85	1
Total	1,118	3,830	65
Grand total	5,013		

The following tables give further information on the rabies situation as reflected by laboratory examinations in New Jersey. These statistics are for the Bureau of Bacteriology only. Examinations for rabies are also made in the health laboratories of East Orange, Elizabeth, Irvington, Newark, Paterson, Plainfield, Hudson County laboratory, Jersey City and the Bergen County Hospital laboratory at Paramus.

DEPARTMENT OF HEALTH

TABLE XI

RABIES SPECIMENS (SPECIES OF ANIMALS) EXAMINED DURING YEAR ENDING
JUNE 30, 1947

Dogs—Positive, 111; negative, 187; unsatisfactory, 21.
Cats—Positive, 2; negative, 27; unsatisfactory, 6.
Cows—Positive, 1; negative, 7.
Skunks—Negative, 1.
Rabbits—Negative, 6.
Squirrels—Negative, 1; unsatisfactory, 1.
Chipmunks—Negative, 1.
Sheep—Negative, 1.
Foxes—Negative, 3.
Groundhogs—Negative, 1.

YEARLY TOTALS OF ANIMALS EXAMINED FOR RABIES FROM 1940 TO 1947, INCLUSIVE

	1940	1941	1942	1943	1944	1945	1946	1947
Positive	116	76	45	8	8	12	60	114
Negative	140	144	129	103	90	104	94	237
Unsatisfactory	15	7	17	15	7	18	8	28
Total	271	227	191	126	105	134	162	379

MUNICIPALITIES, ARRANGED BY COUNTIES, FROM WHICH RABID ANIMALS WERE RECEIVED
DURING YEAR ENDING JUNE 30, 1947

Essex County—Bloomfield, 3; East Orange, 1; West Orange, 1.
Hunterdon County—Clinton, 1; Lebanon, 1; Ringoes, 1; Stockton, 1.
Mercer County—Trenton, 1.
Middlesex County—New Brunswick, 13.
Monmouth County—Shrewsbury, 1.
Morris County—Madison, 1; Mendham, 1; Morristown, 5.
Ocean County—Toms River, 1.
Passaic County—Paterson, 6; Totowa, 1; West Paterson, 1.
Somerset County—Basking Ridge, 2; Bernardsville, 2; Bound Brook, 1; North Plainfield, 2; Somerville, 9.
Sussex County—Newton, 2.
Union County—Cranford, 4; Elizabeth, 2; Fanwood, 4; Linden, 6; Mountainside, 1; Plainfield, 3; Rahway, 2; Roselle, 5; Roselle Park, 2; Summit, 10; Union, 2; Westfield, 12.
Warren County—Washington, 3.

BUREAU OF BACTERIOLOGY

41

When no evidence of rabies is found in the nerve cells of the brain on microscopic examination, and the animal has bitten a person or persons, Swiss mice are inoculated intradurally and kept under observation for three to four weeks. The following table shows the source of material inoculated into Swiss mice:

TABLE XII

MICE INOCULATIONS FOR RABIES

<i>Material</i>	<i>Positive</i>	<i>Negative</i>
Dog brain	3	139
Cat brain	..	26
Rabbit brain	..	4
Squirrel brain	..	4
Cow brain	..	1
Fox brain	..	3
Chipmunk brain	..	1
Total	3	178

The Bureau of Bacteriology was handicapped all through the year by the shortage of supplies and delay in filling orders. To explain this to doctors and health authorities the following article was published in the *Public Health News* and the *Journal of the Medical Society of New Jersey*:

"LABORATORY SUPPLIES SHORT"

"The Bureau of Bacteriology of the New Jersey State Department of Health is experiencing the same postwar laboratory supply problem that other laboratories throughout the country are facing. Deliveries of glassware, rubber stoppers, mailing containers, cardboard boxes, blood letting needles, and other supplies are long delayed and the increased cost of these articles is a burden on an agency with a fixed budget.

"All reserve supplies of materials in the Bureau of Bacteriology have now been exhausted and the laboratory is operating on a day-to-day supply of mailing outfits. Yet the laboratory is being called upon to perform more examinations than ever before and must also supply the physicians now returning to practice with services and mailing outfits.

"Medical practitioners can help the laboratory to a certain degree by returning any unused mailing outfits which are not needed, any incompletely assembled outfits or ones that have been stored because they are no longer believed sterile. They may be returned to Bureau of Bacteriology, New Jersey State Department of Health, State House, Trenton, New Jersey, postage or express collect."

DEPARTMENT OF HEALTH

TABLE XIII

MAILING CASES FOR THE COLLECTION AND TRANSMISSION OF SPECIMENS SUPPLIED TO
PHYSICIANS AND LOCAL HEALTH DEPARTMENTS THROUGHOUT THE
STATE DURING YEAR ENDING JUNE 30, 1947

Diphtheria (regular mailing cases)	7,931	
Extra swabs	936	
		8,867
Tuberculosis mailing cases		15,055
Typhoid fever mailing cases		1,033
Malaria mailing cases		527
Gonorrhoea mailing cases		13,795
Feces and urine mailing cases		6,329
Syphilis mailing cases		324,326
Treponema pallida mailing cases		21
Ophthalmia neonatorum mailing cases		27
Pneumonia mailing cases		24
Total		369,974

The Bureau of Bacteriology supplies media to other bureaus in the State service, and small local and private laboratories throughout the State. The Bureau prepared and supplied 1,999,400 cc. of various kinds of media during the fiscal year.

Report of Bureau of Chemistry

For the Fiscal Year of July 1, 1946 to June 30, 1947

By JOHN E. BACON, *Chief*

The Bureau of Chemistry makes chemical, bacteriological, microscopical and toxicological examinations of samples of foods, drugs, water, sewage and trade wastes collected by the Department's representatives in the enforcement of the public health laws of New Jersey. The facilities of the laboratory are also extended to local boards of health, State Department of Public Instruction, State Purchasing Commissioner, New Jersey State Police, Fish and Game Commission, Milk Control Board, State institutions and State Tax Department. Analyses are also made of various samples of foods and supplies purchased under specifications for institutional use, rural school waters submitted by local boards of education; drinking water, lakes and streams from camps maintained by benevolent associations and other miscellaneous samples.

Assistance is given to local boards of health and water works laboratories desiring to install chemical control or supplement existing laboratory facilities. Instructions in chemical procedures are given the personnel of such laboratories when requested.

The Legislature eliminated the Department's request for monies to provide personnel, equipment and space for desired laboratory control of the bread enrichment act, P. L. 1946, c. 86. The enforcement of said act, therefore, is limited to such regulation and enforcement as can be made by the inspection personnel of the Bureau of Food and Drugs.

Fluorine in the public water supplies of New Jersey: It has been conclusively proven by many investigations that the causative agent for the production of mottling of teeth in some communities is the excessive fluorine in the drinking water supply. In New Jersey there is a small area having a 15-mile radius around the town of Glassboro where the fluorine content of the public water supplies frequently exceeds one part per million, the accepted safety limit, but dental surveys show only slight evidence of dental fluorosis in any of these communities. The towns have artesian well supplies 500-700 feet deep. On the other hand, many examinations of the waters from shallow wells within this area show the fluorine content to be of the magnitude of 0-0.2 p.p.m.

Around 1940 the public health concept of the deleterious action of fluorine in drinking water began to change, and it is now generally accepted that

small amounts of fluorine, not exceeding 1-1.5 p.p.m., is very beneficial; decay of the teeth is inhibited, yet mottling of the enamel of the teeth is not produced by such amounts. The new drinking water standards of the United States Public Health Service, adopted in 1946, permit fluorine to be present to the extent of 1.5 p.p.m. in water supplies used on inter-state carriers. This is an increase of 0.5 p.p.m. fluorine over the previous standard. This action presumably was taken following the changed public health view as to the beneficial action of small amounts of fluorine in combating dental caries.

In New Jersey, 95% of the population of 4,160,165 (1940 census) are served by 270 public water supplies. During the past two fiscal years, 449 examinations of these public water supplies have been made for the fluorine content. Ninety-two per cent of them had a fluorine content of 0.25 p.p.m. or less, while only 3-4% of the public supplies had sufficient fluorine in the range of 1-1½ p.p.m. accepted as being beneficial in the prevention of dental caries, yet not sufficiently high to be productive of dental fluorosis.

During the past year the drive against unscrupulous manufacturers of mayonnaise and salad dressings has been continued. Mineral oil has been substituted in these products for olive, cottonseed, corn and other edible oils. It has no food value, absorbs vitamin A from the intestines, and interferes with natural elimination. All brands on the market in New Jersey have been re-examined and few found to be adulterated.

The number of milk samples adulterated and below the legal limits decreased from 4.4% to 2.3% in the past year, and the greater number of the samples below standard were deficient in fat content, in that they did not comply with amounts stated on labels, even though above the legal limit of 3%. Comparatively few samples contained added water, showing the drive last year against this economic cheat was fruitful.

The five-cent candy nut or fruit bars are still concoctions many of which contain filth. During the previous fiscal year, microscopical examinations showed 21.3% of the samples examined contained filth, and in the past fiscal year the percentage had been reduced to 10.3%. Most of the manufacturers of these candies are out-of-state concerns, over which the New Jersey State Department of Health has no jurisdiction, and corrective measures at places of manufacture must be instituted either by the responsible state health officials or by the Federal Food and Drug Administration.

This Bureau is unable to replace scientific personnel at the prevailing salary scale. Lack of laboratory space and adequate compensation for technical employees are urgent problems.

There were 17,343 samples of food, drugs, water, sewage and miscellaneous preparations examined during the past year, a decrease of 2.7% of the number examined last year.

BUREAU OF CHEMISTRY

45

TABLES SHOWING NUMBER AND CHARACTER OF SAMPLES EXAMINED IN FOOD AND DRUG
LABORATORY FROM JULY 1, 1946, TO JUNE 30, 1947

<i>Foods</i>	<i>Above Standard</i>	<i>Below Standard</i>	<i>Total</i>
Milk—chemical	3,823	91	3,914
Milk—bacteriological	14	..	14
Milk—phosphatase	551	101	652
Chocolate milk	78	7	85
Butter	145	2	147
Cream, sweet	225	4	229
Cream, sour	81	7	88
Ice cream	372	10	382
Cottage cheese	22	6	28
Chocolate drinks	10	..	10
Carbonated beverages	924	31	955
Fruit drinks	23	2	25
Fruit juice	11	..	11
Beverage syrups and flavors	91	3	94
Sherbert	2	5	7
Cranberry sauce	8	6	14
Honey	4	1	5
Ground beef	159	17	176
Sausage	90	19	109
Salad oil	19	6	25
Olive oil	7	2	9
Salad dressing and mayonnaise	129	5	134
Candies	129	14	143
Tomato products	102	31	133
Frozen foods	14	..	14
Frozen fruits	9	1	10
Miscellaneous samples	41	6	47
Total food samples	7,083	377	7,460
<i>Drugs</i>			
Lime waters	117	12	129
Tincture of iodine	46	1	47
Sulfathiazole gum	2	..	2
Alkali solution	39	40	79
Argyrol solution	54	7	61
Citrate of magnesia	58	..	58
Miscellaneous samples	14	..	14
Total drug samples	330	60	390
Urinalyses	42	..	42
Blood counts	21	..	21
Thermometers standardized	44	1	45
Total	7,520	438	7,958

SAMPLES ANALYZED IN WATER AND SEWAGE LABORATORY—JULY 1, 1946-JUNE 30, 1947

<i>Months</i>	Public Water Samples	Pay Samples	Miscellaneous Samples	Camp Samples	State and County Institution Samples	Dairy Samples	Bottled Water Samples	School Supplies	Bathing Waters and Swimming Pools	Stream Samples	Sewage Samples	Trade Waste	Surf Samples	Sand Samples	Experimental Samples	Total
1946																
July	445	104	143	78	17	3	8	1	17	28	70	1	150	..	..	1,065
August	424	108	155	24	24	2	1	2	16	135	49	83	..	..	30	1,053
September	315	77	97	..	11	5	..	129	2	4	157	26	..	..	8	831
October	262	97	108	..	17	..	..	24	1	13	310	19	..	..	8	859
November	183	92	69	..	7	..	..	35	1	..	27	14	..	..	7	435
December	147	109	69	1	11	1	4	48	1	47	45	8	..	..	7	498
1947																
January	344	72	118	..	23	4	4	34	2	16	..	9	..	..	14	640
February	274	59	44	..	9	1	..	38	..	8	8	2	..	..	177	620
March	170	142	81	..	11	6	1	31	1	6	57	7	..	..	211	724
April	204	76	89	..	21	2	6	17	1	13	65	42	..	..	9	545
May	387	12	103	6	12	7	..	160	6	20	264	9	..	..	11	997
June	735	8	102	30	6	1	15	28	14	40	129	1	..	3	6	1,118
Totals	3,890	956	1,178	139	169	32	39	547	62	330	1,181	221	150	3	488	9,385

Report of the Bureau of Engineering and Sanitation

For the Year Ending June 30, 1947

By H. P. CROFT, C. E., *Chief*

The lack of critical materials and manpower continued during the year and such shortages have again interfered with the construction of essential sewage treatment plants and extensive alterations and additions thereto, as well as large public water supply projects. Higher material costs also presented an obstacle to the completion of certain projects.

In the report for the Bureau of Engineering and Sanitation, covering the fiscal year 1945-1946, it was noted that of plans approved by the Department, 66% of water projects had been constructed, and 63% of sewerage projects were completed.

During this year 66% of all water projects approved have been constructed, with a value of \$267,000, while only 35% of the sewerage projects approved—having a combined value of \$696,500—were completed.

NUMBER OF WATER AND SEWERAGE PROJECTS EXAMINED AND APPROVED FROM JULY 1, 1946 TO JUNE 30, 1947

<i>Type of Projects</i>	<i>No. of Projects</i>	<i>No. of Plans</i>	<i>Engineers' Estimates of Costs</i>
<i>Water:</i>			
Alterations, improvements and additions to waterworks	49	125	\$728,655.20
New systems and supplies	1	1	20,000.00
<i>Sewage:</i>			
Sewer extensions	64	154	1,249,703.42
Alterations and additions to sewerage systems, sewage and/or industrial waste treatment plants	24	119	1,744,033.00
New sewage and/or industrial waste treatment plants, systems and appurtenances..	29	290	6,488,279.70
<i>Totals</i>	167	689	\$10,230,671.32
Total of engineers' estimates of costs for the fiscal year ending June 30, 1937			\$6,357,788.33
Total of engineers' estimates of costs for the fiscal year ending June 30, 1946			\$1,155,839.61

DEPARTMENT OF HEALTH

MAN-HOURS IN FIELD ON: SEWAGE, INDUSTRIAL WASTES,
STREAM POLLUTION

As hereinafter referred to, the Department's activities in stream pollution control are governed by certain laws, rules and regulations and policies lodged within the State Department of Health for enforcement. There follows a summary of the man-hours spent by representatives of the Bureau in the enforcement of said activities:

<i>Drainage Basin</i>	<i>Sewage and Industrial Wastes Treatment Plants</i>	<i>Stream Surveys</i>	<i>Investigation of Complaints</i>	<i>Special: Factory Sites (a) Slaughterhouses (b) Bathing Waters (c)</i>	<i>Conferences: Interstate Sanitation Com. Federal and State Agencies Municipal Bodies</i>	<i>Total Hours Entire Basins</i>	<i>Total Hours Potable Waters</i>
Delaware River	1,079	313	48	92(b)	182	1,714	...
Raritan River and Bay..	909	135	98	48(b)	122	1,312	...
Passaic River (above Great Falls at Paterson)	412	33	44	...	78	567	...
Hackensack River	284	17	60	...	55	416	...
Interstate Sanitation Com. (N. J. section) ..	215	10	8	134(c)	198	565	...
Atlantic coastal plain ...	972	95	32	24(b)	84	1,207	...
Other rivers	236	46	90	12(a) 40(b)	600	1,024	...
Total hours each category	4,107	649	380	350	1,319	6,805	...
Hours on potable water- sheds	2,080	530	340	216	396	...	3,535

HOURS SPENT IN FIELD ON WATER SUPPLY SOURCES AND TREATMENT

Public Water Supplies

Inspections, including water treatment plants	1,508
Inspections of potable watersheds	3,535
Investigations of complaints	325
Conferences	228

Cross-connections

Inspections of installations	198
Conferences	50

Certification of Water Supplies for Interstate Commerce

Inspections	144
Conferences	6

Rural School Supplies

Inspections	169
Conferences	7

Total hours 6,170

BUREAU OF ENGINEERING AND SANITATION

49

SUMMARY OF MAN-HOURS

(1) In field on sewage, industrial wastes, stream pollutions (less potable water-sheds)	3,270
(2) In field on water supplies and supply sources (including potable water-sheds)	6,170
(3) Man-hours required in office on plans, reports, conferences, etc.	12,021
<i>Total man-hours</i>	21,461
(4) Total man-hours overtime, field and office	4,205
<i>Total man-hours expended</i>	25,666

RESOLUTIONS, NOTICES AND ORDERS

An important adjunct to the activities of the Bureau is the preparation of resolutions, notices, and other legal papers essential to the functioning of the Department with regard to the laws lodged in the Department for enforcement. There follows a summary of the various documents prepared in the Bureau during the year, together with the applicable statute or law under which said document issued:

Notices issued pursuant to the provisions of R. S. 58:10-1 et seq.	8
Notices issued pursuant to the provisions of R. S. 58:11-1 et seq.	5
Notices issued pursuant to the provisions of R. S. 58:11-12	8
Notices issued pursuant to the provisions of R. S. 58:12-1 et seq.	2
Notice issued pursuant to the provisions of P. L. 1942, c. 308	1
Notices issued pursuant to the provisions of R. S. 24:14-5 et seq.	10
Orders of necessity issued pursuant to the provisions of R. S. 40:1-16(g) and R. S. 58:12	5
Resolutions requesting Attorney-General to institute proceedings pursuant to the provisions of R. S. 58:10-17 et seq.	1
Resolutions requesting Attorney-General to institute proceedings pursuant to the provisions of R. S. 24:14-5 et seq.	1
Resolutions requesting Attorney-General to institute proceedings pursuant to the provisions of R. S. 58:11-14 et seq. and P. L. 1946, c. 295	3
Resolutions requesting Attorney-General to institute proceedings pursuant to the provisions of R. S. 58:12-1 et seq.	11
Resolutions requesting Attorney-General to institute contempt proceedings for failure to comply with commands of Chancery Court decrees	4
Resolution requesting Attorney-General to institute proceedings pursuant to the provisions of P. L. 1942, c. 308	1
Resolution requesting Attorney-General to discontinue proceedings instituted pursuant to the provisions of R. S. 58:10-1 et seq.	1
Resolution requesting Attorney-General to discontinue proceedings instituted pursuant to the provisions of R. S. 58:11-1 et seq.	4
Resolution requesting Attorney-General to discontinue proceedings instituted pursuant to the provisions of R. S. 58:11-14 et seq.	2

Resolution rescinding terms of notices instituted pursuant to the provisions of P. L. 1939, c. 146	1
Resolution rescinding terms of notices instituted pursuant to the provisions of R. S. 58:10-1 et seq.	1
Resolutions rescinding permits relating to the construction and operation of water supplies and removing said supplies from Department's list of approved water supplies	2
Resolutions rescinding permits relating to the construction and operation of sewage and/or creamery wastes disposal plants	4
Resolutions transferring permits for the distribution of water from one supply to another supply	9
Resolution granting extension of time for a period of two years on approval of plans and specifications for sanitary sewer systems and sewer extensions	1
Resolution authorizing the issuance of permits for the construction and operation of sewer extensions	1
Resolutions granting permission for licensed operators to operate more than one public water treatment plant, public sewage treatment plant or public water supply system	4
Resolutions denying application to establish a factory	2
Resolutions rescinding and revoking permits issued to establish a factory	5
Resolutions denying applications for approval of plans and specifications for sanitary sewer systems	2
Resolution confirming action of the Director in requesting Attorney-General to take the necessary steps to secure compliance with the conditions of permits issued pursuant to the provisions of R. S. 58:11-1 et seq.	1
Resolution adopted rescinding permits of a water purveyor to distribute water for potable purposes and discontinuing the Department's supervision under the provisions of P. L. 1909, c. 253 and R. S. 58:11-1	1

SLAUGHTERHOUSES

At a meeting of the Department of Health of the State of New Jersey held on January 24, 1947, under authority contained in Title 24, Chapter 16, Revised Statutes of New Jersey, certain rules and regulations were adopted governing the construction and operation of slaughterhouses. Activities of the Bureau of Engineering and Sanitation are centered in the method or methods provided for wastes disposal, and, if located within a potable watershed, compliance with the provisions of R. S. 58:10-17 (An act requiring the issuance of a permit to establish above the point at which any public supply of potable water is taken). In complying with the rules and regulations adopted, technical employees of the Bureau devoted approximately 200 hours to investigations of slaughterhouses during the year.

BUREAU OF ENGINEERING AND SANITATION 51

THE EXAMINATION OF SURF SAMPLES IN RARITAN AND SANDY HOOK BAYS AND OCEAN WATERS ADJACENT TO THE NORTH JERSEY COAST RESORTS

During July 1946, bacteriological examinations were made of surf samples collected during both flooding and ebbing tides from bathing beaches in the Raritan and Sandy Hook Bays and the North Atlantic coast from Highlands to Beach Haven. Samples were collected from 74 bathing beaches. The results obtained in the examination of the samples collected are shown in the table following.

It is concluded, as of July 1946, that the sanitary conditions of the bay waters, with one exception, have improved since the preceding surveys before the war years. The ocean waters adjacent to the bathing beaches from Highlands to Beach Haven with three exceptions, have materially improved since the preceding surveys made prior to World War II. The improvements noted are unquestionably due to better operation of the 29 sewage treatment plants located along the stretch of the bays and ocean included in this survey. Effective chlorination was found being practiced at 25 of the 29 sewage treatment plants. Insufficient chlorinator capacities were responsible for the ineffective chlorination at three of the plants and improper facilities for chlorination were present at the fourth plant. Increased chlorine capacity has been installed during the year at three of the plants and an entirely new modern sewage treatment plant is to be installed at the fourth plant.

SURF SAMPLES—LAURENCE HARBOR TO BEACH HAVEN BACTERIOLOGICAL DATA FROM SAMPLES COLLECTED ON
JULY 10, 11, AND 17, 1946

<i>Municipality</i>	<i>Location</i>	<i>Tide</i>	<i>Organisms of the Coliform Group</i>	<i>Coliform Group Index per c.c.</i>
Laurence Harbor	Opposite restaurant	Flooding	Pres. 5 in 5 c.c. Pres. 5 in 50 c.c.	1
Laurence Harbor	Opposite restaurant	Ebbing	Pres. 2 in 1 c.c. Pres. 5 in 5 c.c.	2
Madison Twp.	Seidler's Beach	Flooding	Pres. 2 in 1 c.c.	2
Madison Twp.	Seidler's Beach	Ebbing	Pres. 5 in 5 c.c. Pres. 5 in 50 c.c.	1
Keyport	Main beach at dock	Flooding	Pres. 1 in 5 c.c. Pres. 5 in 50 c.c.	0.2
Keyport	Main beach at dock	Ebbing	Abs. in 5 c.c. Pres. 5 in 50 c.c.	0.1
Union Beach	Opposite Pine St.	Flooding	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Union Beach	Opposite Pine St.	Ebbing	Pres. 1 in 5 c.c. Pres. 5 in 50 c.c.	0.2
Keansburg	Opposite Laurel Ave.	Flooding	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Keansburg	Opposite Laurel Ave.	Ebbing	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Keansburg	Opposite Carr Ave.	Flooding	Pres. 10 in 1 c.c.	10
Keansburg	Opposite Carr Ave.	Ebbing	Pres. 20 in 1 c.c.	20
Keansburg	Opposite Bayview Ave.	Flooding	Pres. 100 in 1 c.c.	100
Keansburg	Opposite Bayview Ave.	Ebbing	Pres. 20 in 1 c.c.	20
Keansburg	Opposite Lawrence Ave.	Flooding	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Keansburg	Opposite Lawrence Ave.	Ebbing	Pres. 4 in 5 c.c. Pres. 5 in 50 c.c.	0.8
Ideal Beach	Opposite Brant Ave.	Flooding	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Ideal Beach	Opposite Brant Ave.	Ebbing	Pres. 3 in 5 c.c. Pres. 5 in 50 c.c.	0.6

Leonardo	Opposite Concord Ave.	Flooding	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Leonardo	Opposite Concord Ave.	Ebbing	Pres. 2 in 5 c.c.	0.4
			Pres. 5 in 50 c.c.	
Atlantic Highlands	Free beach	Flooding	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Atlantic Highlands	Free beach	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Atlantic Highlands	Atlantic Beach	Flooding	Pres. 3 in 5 c.c.	0.6
			Pres. 4 in 50 c.c.	
Atlantic Highlands	Atlantic Beach	Ebbing	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Atlantic Highlands	Richards Beach	Flooding	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Atlantic Highlands	Richards Beach	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Highlands	Opposite Atlantic Ave.	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Highlands	Opposite Atlantic Ave.	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Highlands	Opposite Miller St.	Flooding	Pres. 4 in 5 c.c.	0.8
			Pres. 5 in 50 c.c.	
Highlands	Opposite Miller St.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Sea Bright	Sandlass Beach	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Sea Bright	Sandlass Beach	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Sea Bright	Beach Club	Flooding	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Sea Bright	Beach Club	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Sea Bright	Peninsula Club	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Sea Bright	Peninsula Club	Ebbing	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
North Long Branch	Shipkins Beach	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 4 in 50 c.c.	

SURF SAMPLES—LAURENCE HARBOR TO BEACH HAVEN BACTERIOLOGICAL DATA FROM SAMPLES COLLECTED ON
JULY 10, 11, AND 17, 1946—(Continued)

<i>Municipality</i>	<i>Location</i>	<i>Tide</i>	<i>Organisms of the Coliform Group</i>	<i>Coliform Group Index per c.c.</i>
North Long Branch	Shipkins Beach	Ebbing	Pres. 1 in 5 c.c. Pres. 4 in 50 c.c.	0.2
Long Branch	Dixon's Beach, Madison Ave.	Flooding	Pres. 3 in 5 c.c. Pres. 5 in 50 c.c.	0.6
Long Branch	Dixon's Beach, Madison Ave.	Ebbing	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Long Branch	Chelsea Baths	Flooding	Pres. 3 in 5 c.c. Pres. 5 in 50 c.c.	0.6
Long Branch	Chelsea Baths	Ebbing	Pres. 2 in 1 c.c.	2
Long Branch	Atlantic Baths	Flooding	Abs. in 5 c.c. Pres. 2 in 50 c.c.	0.04
Long Branch	Atlantic Baths	Ebbing	Abs. in 5 c.c. Pres. 4 in 50 c.c.	0.08
Long Branch	Scarboro Beach	Flooding	Abs. in 5 c.c. Pres. 5 in 50 c.c.	0.1
Long Branch	Scarboro Beach	Ebbing	Pres. 3 in 5 c.c. Pres. 5 in 50 c.c.	0.6
Elberon	Garfield Terrace	Flooding	Abs. in 5 c.c. Pres. 3 in 50 c.c.	0.06
Elberon	Garfield Terrace	Ebbing	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Deal	Opposite Phillips Ave.	Flooding	Abs. in 5 c.c. Pres. 2 in 50 c.c.	0.04
Deal	Opposite Phillips Ave.	Ebbing	Pres. 2 in 5 c.c. Pres. 5 in 50 c.c.	0.4
Deal	Marine Place	Flooding	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Deal	Marine Place	Ebbing	Pres. 4 in 5 c.c. Pres. 5 in 50 c.c.	0.8
Allenhurst	Opposite Corlies Ave.	Flooding	Pres. 1 in 5 c.c. Pres. 4 in 50 c.c.	0.2
Allenhurst	Opposite Corlies Ave.	Ebbing	Abs. in 5 c.c. Pres. 5 in 50 c.c.	0.1

Asbury Park	Eighth Ave. Beach	Flooding	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Asbury Park	Eighth Ave. Beach	Ebbing	Abs. in 5 c.c.	0.08
			Pres. 4 in 50 c.c.	
Asbury Park	Third Ave. Beach	Flooding	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Asbury Park	Third Ave. Beach	Ebbing	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Asbury Park	Wesley Lake Bathing Club	Flooding	Pres. 6 in 1 c.c.	6
Asbury Park	Wesley Lake Bathing Club	Ebbing	Pres. 4 in 5 c.c.	0.8
			Pres. 5 in 50 c.c.	
Ocean Grove	North Pavilion	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Ocean Grove	North Pavilion	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Ocean Grove	South Pavilion	Flooding	Pres. 2 in 5 c.c.	0.4
			Pres. 5 in 50 c.c.	
Ocean Grove	South Pavilion	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Bradley Beach	Opposite Newark Ave.	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 4 in 50 c.c.	
Bradley Beach	Opposite Newark Ave.	Ebbing	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Bradley Beach	Opposite La Reine Ave.	Flooding	Abs. in 5 c.c.	0.08
			Pres. 4 in 50 c.c.	
Bradley Beach	Opposite La Reine Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 4 in 50 c.c.	
Bradley Beach	Opposite Fifth Ave.	Flooding	Abs. in 5 c.c.	>0.02
			Abs. in 50 c.c.	
Bradley Beach	Opposite Fifth Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Bradley Beach	Opposite Second Ave.	Flooding	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Bradley Beach	Opposite Second Ave.	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Avon	Opposite Norwood Ave.	Flooding	Abs. in 5 c.c.	>0.02
			Abs. in 50 c.c.	
Avon	Opposite Norwood Ave.	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	

SURF SAMPLES—LAURENCE HARBOR TO BEACH HAVEN BACTERIOLOGICAL DATA FROM SAMPLES COLLECTED ON
JULY 10, 11, AND 17, 1946—(Continued)

<i>Municipality</i>	<i>Location</i>	<i>Tide</i>	<i>Organisms of the Coliform Group</i>	<i>Coliform Group Index per c.c.</i>
Avon	Opposite sewer outfall	Flooding	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Avon	Opposite sewer outfall	Ebbing	Pres. 2 in 5 c.c.	0.4
			Pres. 4 in 50 c.c.	
Belmar	Opposite Second Ave.	Flooding	Abs. in 5 c.c.	0.08
			Pres. 4 in 50 c.c.	
Belmar	Opposite Second Ave.	Ebbing	Pres. 3 in 5 c.c.	0.6
			Pres. 5 in 50 c.c.	
Belmar	Opposite Fifth Ave.	Flooding	Pres. 40 in 1 c.c.	40
			Pres. 5 in 50 c.c.	
Belmar	Opposite Fifth Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
Belmar	South of outfall	Flooding	Pres. 40 in 1 c.c.	40
Belmar	South of outfall	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Belmar	Opposite 16th Ave.	Flooding	Pres. 5 in 5 c.c.	1
			Pres. 5 in 50 c.c.	
Belmar	Opposite 16th Ave.	Ebbing	Pres. 2 in 1 c.c.	2
Spring Lake	Opposite Ludlow Ave.	Flooding	Pres. 5 in 5 c.c.	1
			Pres. 4 in 50 c.c.	
Spring Lake	Opposite Ludlow Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 5 in 50 c.c.	
Spring Lake	Opposite Morris Ave.	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 3 in 50 c.c.	
Spring Lake	Opposite Morris Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 4 in 50 c.c.	
Spring Lake	South of pavilion	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 1 in 50 c.c.	
Spring Lake	South of pavilion	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Spring Lake	Opposite Penn Ave.	Flooding	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Spring Lake	Opposite Penn Ave.	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	

Sea Girt	Opposite Beacon Ave.	Flooding	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Sea Girt	Opposite Beacon Ave.	Ebbing	Pres. 1 in 5 c.c.	0.2
			Pres. 2 in 50 c.c.	
Sea Girt	Opposite Stockton Ave.	Flooding	Pres. 2 in 5 c.c.	0.4
			Pres. 4 in 50 c.c.	
Sea Girt	Opposite Stockton Ave.	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Manasquan	Opposite Main St.	Flooding	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Manasquan	Opposite Main St.	Ebbing	Abs. in 5 c.c.	0.1
			Pres. 5 in 50 c.c.	
Manasquan	100 yards north of Inlet	Flooding	Abs. in 5 c.c.	0.08
			Pres. 4 in 50 c.c.	
Manasquan	100 yards north of Inlet	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Point Pleasant	Opposite Water St.	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 1 in 50 c.c.	
Point Pleasant	Opposite Water St.	Ebbing	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Point Pleasant	Opposite Central Ave.	Flooding	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Point Pleasant	Opposite Central Ave.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Point Pleasant	Opposite Atlantic Ave.	Flooding	Pres. 2 in 5 c.c.	0.4
			Pres. 4 in 50 c.c.	
Point Pleasant	Opposite Atlantic Ave.	Ebbing	Pres. 2 in 55 c.c.	0.04
Bay Head	Opposite Beacon Hotel	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 4 in 50 c.c.	
Bay Head	Opposite Beacon Hotel	Ebbing	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Bay Head	Opposite Osborne Ave.	Flooding	Pres. 1 in 5 c.c.	0.2
			Pres. 2 in 50 c.c.	
Bay Head	Opposite Osborne Ave.	Ebbing	Abs. in 5 c.c.	0.06
			Pres. 3 in 50 c.c.	
Bay Head	200 feet south of Bridge Ave.	Flooding	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Bay Head	200 feet south of Bridge Ave.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	

SURF SAMPLES—LAURENCE HARBOR TO BEACH HAVEN BACTERIOLOGICAL DATA FROM SAMPLES COLLECTED ON
JULY 10, 11, AND 17, 1946—(Continued)

<i>Municipality</i>	<i>Location</i>	<i>Tide</i>	<i>Organisms of the Coliform Group</i>	<i>Coliform Group Index per c.c.</i>
Mantoloking	Opposite Williams Place	Flooding	Abs. in 5 c.c. Pres. 2 in 50 c.c.	0.04
Mantoloking	Opposite Williams Place	Ebbing	Abs. in 5 c.c. Pres. 2 in 50 c.c.	0.04
Mantoloking	Opposite Lyman Place	Flooding	Pres. 1 in 5 c.c. Pres. 2 in 50 c.c.	0.2
Mantoloking	Opposite Lyman Place	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Lavallette	Opposite President Ave.	Flooding	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Lavallette	Opposite President Ave.	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Seaside Heights	Opposite Kearney Ave.	Flooding	Abs. in 5 c.c. Pres. 2 in 50 c.c.	0.04
Seaside Heights	Opposite Kearney Ave.	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Seaside Heights	Opposite old casino	Flooding	Abs. in 5 c.c. Pres. 1 in 50 c.c.	0.02
Seaside Heights	Opposite old casino	Ebbing	Pres. 1 in 5 c.c. Pres. 5 in 50 c.c.	0.2
Seaside Park	Opposite Decatur Ave.	Flooding	Pres. 5 in 5 c.c. Pres. 4 in 50 c.c.	1
Seaside Park	Opposite Decatur Ave.	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Seaside Park	Below cottage group	Flooding	Abs. in 5 c.c. Pres. 1 in 50 c.c.	0.04
Seaside Park	Below cottage group	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Barnegat City	Opposite 8th St.	Flooding	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Barnegat City	Opposite 8th St.	Ebbing	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02
Harvey Cedars	Opposite 78th St.	Flooding	Abs. in 5 c.c. Abs. in 50 c.c.	<0.02

Harvey Cedars	Opposite 78th St.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Surf City	Opposite 14th St.	Flooding	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Surf City	Opposite 14th St.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Ship Bottom	Opposite 20th St.	Flooding	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Ship Bottom	Opposite 20th St.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Brant Beach	Opposite 38th St.	Flooding	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Brant Beach	Opposite 38th St.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Beach Haven Crest	Opposite Hobart Ave.	Flooding	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Beach Haven Crest	Opposite Hobart Ave.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Beach Haven Park	Opposite Kansas Ave.	Flooding	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Beach Haven Park	Opposite Kansas Ave.	Ebbing	Abs. in 5 c.c.	<0.02
			Abs. in 50 c.c.	
Beach Haven Terrace	Opposite Maryland Ave.	Flooding	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Beach Haven Terrace	Opposite Maryland Ave.	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Spray Beach	Opposite 23rd St.	Flooding	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Spray Beach	Opposite 23rd St.	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 1 in 50 c.c.	
North Beach Haven	Opposite 11th St.	Flooding	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
North Beach Haven	Opposite 11th St.	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	
Beach Haven	Opposite Center St.	Flooding	Abs. in 5 c.c.	0.02
			Pres. 1 in 50 c.c.	
Beach Haven	Opposite Center St.	Ebbing	Abs. in 5 c.c.	0.04
			Pres. 2 in 50 c.c.	

DEPARTMENT OF HEALTH

SUMMER WATER SUPPLIES

There are 32 water supplies principally located in the vacation lake sections of North Jersey used from three to five months a year, in the various seasons and known as summer water supplies.

Twenty-four of the supplies are derived from driven wells, two from combined well and surface, four from springs and two from surface.

Eighteen of the supplies are treated by chlorination.

Thirty of the supplies met the standards of the Department for safe potable water supplies. The Department is proceeding to secure the delivery of a safe potable water from the two supplies not conforming with the potable water standards.

LICENSING ACT

R. S. 58:11-14 through 58:11-18 and P. L. 1946, c. 295, provide for the examination and licensing, under the direction of the State Department of Health of the State of New Jersey, of superintendents or operators of public water treatment plants, public sewage treatment plants and public water supply systems. In accordance with the provisions of the legislation referred to, a Board of Examiners is appointed annually to supervise the examining of applicants for licenses.

The following tabulation contains information upon the number of individuals in New Jersey licensed in conformity with R. S. 58:11-18.10, as of June 30, 1947:

(1) Number of licensed sewage treatment plant operators (all grades)	348
(2) Number of licensed water treatment plant operators (all grades)	357
(3) Number of licensed water supply system operators (all grades)	390
(4) Total fees received for fiscal year	\$4,050

BUREAU OF ENGINEERING AND SANITATION 61

CROSS-CONNECTIONS

The report upon the Bureau's activities during the fiscal year ending June 30, 1946 included a complete list of active cross-connection permits. Fourteen permits expired and were not renewed during this fiscal year, the cross-connections having been eliminated. The permits thus discontinued are as follows:

<i>Municipality</i>	<i>Permit Holder</i>	<i>Permit No.</i>
Bogota	Continental Paper Company	130
Camden	Armstrong Cork Company	10
Camden	A. Schlörer & Sons	194
Garfield	Samuel Hird & Sons, Inc.	31
Hackensack	Harper Terminal, Inc.	131
Hillside Township	International Milk Company, Inc.	166
Hillside Township	Sunrise Dairies	161
Linden	Simmons Company	59
Paterson	Berles Carton Company, Inc.	103
Paterson	Dunlop Mill No. 1 Properties, Inc.	83
Paterson	Eastwood Realty Company	85
Riegelsville	Riegel Paper Corporation (Hughesville)	101
Trenton	Fisher Body Ternstedt Division	151
Union Township	Ideal Dairy Farms	164

New permits added to the active list during this fiscal year are as follows:

<i>Municipality</i>	<i>Permit Holder</i>	<i>Permit No.</i>
Belleville	The Liquid Carbonic Corporation	200
Camden	A. Schlörer & Sons	194
Clifton	Bright Star Warehouse	195
Edgewater Park Township	Wall Rope Works, Inc.	192
Garfield	Heyden Chemical Corporation	190
Morristown	The Morey-LaRue Laundry Company	196
Morristown	N. J. Frozen Food Lockers, Inc.	198
Morristown	Edna E. Queneau	199
New Brunswick	Krauszer's Dairy	193
Rahway	Quinn & Boden Company, Inc.	191
Sewaren	Shell Oil Company, Inc.	197
Trenton	Panelyte Division of St. Regis Paper Company ...	112A

There were two outstanding developments in the matter of cross-connections during this fiscal year. The Hackensack Water Company completed its drive in the elimination of cross-connections on its water supply system. There were formerly 12 cross-connection permits in force for connections to that company's system. All have been eliminated. The year also marks the program of the Elizabethtown Water Company, Consolidated, to eliminate cross-connections. That company established the policy of denying approval of cross-connection applications effective April 1, 1947. It is anticipated that

DEPARTMENT OF HEALTH

FEDERAL LEGISLATION

Abatement of Stream Pollution

Proposed Federal legislation for the control of stream pollution, as contained in Senate Bill 418 (A Bill to provide for water-pollution-control activities in the United States Public Health Service, and for other purposes), introduced jointly by Senator Barkley and Senator Taft, was considered by the Department at a meeting held on May 13, 1947, and, it was on motion voted that the following statement be approved and copies of the same be sent to interested parties:

"A STATEMENT BY THE NEW JERSEY STATE DEPARTMENT OF HEALTH RELATING TO SENATE BILL NO. 418 INTRODUCED JOINTLY BY SENATOR BARKLEY AND SENATOR TAFT.

"The bill has been referred to the Public Works Committee of the United States Senate. Hearings are being held by a subcommittee of which Senator George W. Malone of Nevada is Chairman. Mr. Ronald F. Moist is counsel to the committee.

"The New Jersey State Department of Health approves the bill in so far as it would provide for investigation of stream pollution by the Surgeon General and by the Public Health Service in cooperation with State and interstate health authorities and agencies and with municipalities and industries and for the preparation of programs for eliminating or reducing pollution and improving the sanitary condition of surface and underground waters.

"The Department respectfully opposes Section 2 (d) of the bill which would authorize the Surgeon General after notice to the State health authority or interstate agency to bring actions in the name of the United States in the United States courts to abate pollution, which in the opinion of the Surgeon General jeopardizes the health or welfare of citizens of the United States on the ground that stream pollution abatement is properly a State activity outside the domain of the Federal Government.

"Stream pollution is of local concern. It can be abated by State and interstate action. The bad effects of stream pollution are local and the responsibility for controlling it rests upon the localities concerned. In this respect, it is like police and fire protection.

"Stream pollution is so widespread and abatement methods are so technical and experimental that it would be impossible for the Surgeon General to function effectively on a country wide basis from his Washington office. All of the deficiencies of overly centralized control would be invited.

"The enforcement of stream pollution laws oftentimes necessitates a balancing of advantages and disadvantages requiring discretion which can be exercised best by local authorities. Sometimes a decision must be made whether to force the closing of an industrial plant or the suspension of its operations through enforcement or to suffer some degree of pollution, great or small, for some period of time while remedial measures are progressing. Sometimes a choice must be made whether to embarrass a municipality financially or to advance gradually toward a solution. Such measuring of relative advantages and disadvantages can best be done by a State or interstate authority which is more closely associated with the local conditions.

BUREAU OF ENGINEERING AND SANITATION 63

"The New Jersey State Department of Health opposes the passage of S. 418 primarily because it would authorize an unwarranted intrusion by the Federal Government into what is properly a State or interstate activity.

"If, however, notwithstanding this view, the Committee votes to report the bill favorably, attention is directed to the definition of interstate waters which appears to be ambiguous. The definition, which appears on page 12, line 1, reads:

"'All rivers, lakes, and other waters, and their tributaries, that flow across or form a part of, State or international boundaries.'

"The definition could be construed so as to include streams which are generally regarded as intrastate streams. If the definition comprehends tributaries of all waters which flow across or form a part of State boundaries, it is all inclusive, because all rivers eventually flow into an ocean or an arm of an ocean which is itself a State boundary or a part of a State boundary. If it excludes tributaries which do not flow across or form a part of State boundaries, many tributaries would be unaffected. Streams draining an area lying entirely within the boundary of a State would be excluded under this construction.

"Sec. 2 (d) of the bill authorizes the Surgeon General to act to procure the abatement of the pollution of interstate waters in or adjacent to any State or States. It is assumed that the word 'interstate' is used in its ordinary meaning of streams that flow across or form a part of boundaries not including tributaries which flow entirely within the boundaries of a State.

"In order to accomplish the objective of the bill with absolute lucidity, in case it is reported, it is suggested that the definition interstate waters be amended to read:

"'The term "interstate waters" means all rivers, lakes, and other waters, and their tributaries, that flow across or form a part of, State or international boundaries; not including tributaries which flow entirely within the boundaries of a State;'

and by inserting a definition of 'intrastate waters' to read:

"'The term "intrastate waters" means all rivers, and other waters, or any tributary thereof, which drain or drains an area lying within the bounday of a State.'

"There may be some justification for Federal intervention in an interstate area where one or more of the States involved refuses to cooperate with the others through an interstate compact to prosecute stream pollution abatement undertakings. If the bill is reported favorably, it should be limited to such interstate areas. This could be accomplished by the following amendment to Section 2 (d) which would exclude from the operation of the bill intrastate streams, as commonly understood, and interstate streams where one or more of the States comprising the drainage area is or are cooperative:

"'This sub-section (d) shall not apply to intrastate waters or to interstate waters which drain an area lying in two or more States where the State within which is the area drained by such intrastate waters or the States within the borders of which is the area drained by such interstate waters has or have, singly or jointly, adopted a law or laws presently in effect for abating the pollution of such intrastate waters or of such interstate waters, as the case may be, and has or have established an authority or agency empowered to execute such law or laws.'

"The New Jersey State Department of Health opposes the passage of S. 418 or, if the bill is reported, strongly urges the definite exclusion of intrastate waters and interstate waters which are the subject of interstate pollution abatement projects because the control of stream pollution has made progress satisfactorily in the State of New Jersey for many years and as rapidly as circumstances permitted. It should be noted that the construction of sewage and industrial waste treatment plants was interrupted or delayed by the depression of the 1930's and again by World War II. Such projects are now being revived under adequate State and interstate laws effectively administered by State and interstate and local authorities and agencies. Progress is slow because of the shortage of sewer pipe and other essential material and equipment, but it will gather momentum as this situation improves. The pollution of New York Harbor and adjacent interstate waters is being energetically attacked by the Interstate Sanitation Commission, a tri-State agency of the States of New York, Connecticut and New Jersey. Likewise, control of pollution in the Delaware River is being promoted by the Interstate Commission on the Delaware River, known as 'Incodel,' an interstate commission representing the States of New York, Pennsylvania, New Jersey and Delaware. Intrastate stream pollution abatement projects are well advanced in New Jersey.

"It is respectfully submitted that the Federal Government could not do any better and probably, because of the deficiencies naturally inherent in centralized authority, would not do as well. Conceivably, Federal intervention might be detrimental because if the Federal Government were to assume this authority, State, interstate and local authorities and agencies might discontinue or relax their efforts and leave the task to the Federal Government. Such an eventuality would be disastrous.

"For these reasons, the New Jersey State Department of Health respectfully urges the Public Works Committee of the United States Senate to disapprove Senate bill 418 or, in the alternative, to amend it so that intrastate streams would be definitely excluded from its operation and so that interstate waters which drain an area lying in two or more States which are prosecuting stream pollution abatement projects by interstate compact be eliminated."

INDUSTRIAL WASTES TREATMENT

The Bureau's activities in regard to industrial wastes pollution elimination, temporarily curtailed during the war years have, within the past year, become intensified.

At one plant, after a number of years of intensive study of waste disposal problems, including research, experimentation and operation of various disposal methods, it was finally decided on barging to sea. A barge, 265 feet in length, 43 feet in breadth, and a draft of 13 feet 8 inches, equivalent to a displacement of 3,925 tons and equipped with eight rubber-lined rectangular tanks has been constructed and launched in one of the larger shipyards in New Jersey. Wastes to be barged to sea, after separation of cooling and condenser waters, amount to nearly one million gallons a day. Storage facilities on shore will care for an accumulation of 4½ days' wastes. The wastes will be discharged in a two-mile square area over the old Hudson River Gorge, a deep rocky channel through the ocean bottom and through which the Hudson River once flowed to the edge of what is now the con-

BUREAU OF ENGINEERING AND SANITATION 65

tinental shelf. The area of discharge is approximately 14 miles south and east of Scotland Lightship, 10 miles from the New Jersey coast. It is estimated that the turbulence of the water in the wake of the moving barge will so agitate and mix the wastes with sea water that a dilution of one part of acid to 30,000 parts of sea water will take place immediately. The volume of wastes, amounting to nearly one million gallons a day, will contain 8.5% of sulphuric acid and 10.9% of ferrous sulphate. It is expected that the barging of the wastes to sea will start in the early Fall.

At a second industrial plant, discharging approximately three million gallons per day of wastes having a high biochemical oxygen demand, excessive turbidity and pronounced color, several years were spent in research for a satisfactory method of treatment for black liquors obtained from cooking flax and hemp, but without success. Finally, within the past year, spray drying and incineration were installed. It is planned that not only will the drained black liquors from a "cook" be spray dried and incinerated, but the digested fibre will be put through screw presses which will remove almost an equal volume of black liquor as that obtained by draining. The capacity of the spray drier and incinerator is such that 24 hours' operation will care for all of the black liquors produced by one week's operation of the industrial plant. The incinerated material will be extracted with water and certain chemicals contained therein recovered.

A third industry has a treatment plant about 96% complete. The treatment plant is for both sanitary sewage and industrial wastes, 0.42 million gallons a day and 8.5 million gallons a day, respectively. Industrial wastes consist of wash waters and processing wastes from packaging of frozen food. The industrial wastes treatment plant consists of mechanical vibrating fine screens, prechlorination, preaeration and chemical mixing and flocculation, with the industrial wastes effluent combining with the sanitary wastes for further treatment.

INTERSTATE SANITATION COMMISSION

R. S., Title 32, Chapter 18, State of New Jersey, is "An Act authorizing designated authorities in behalf of the State of New Jersey to enter into an agreement or compact with designated authorities of the State of New York for the creation of the Interstate Sanitation District, the establishment of the Interstate Sanitation Commission, the control of future pollution and the abatement of existing pollution in the tidal and coastal waters of the adjacent portions of the signatory States and the defining of the powers and duties of such commission." R. S. 32:18-8 regulates the discharge of sewage or

other polluting matter into tidal waters within the district, with regard to Class "B" waters:

"(2) All sewage discharged or permitted to flow into class 'B' waters of the district shall first have been so treated as—

"a. to remove all floating solids and at least ten per cent (10%) of the suspended solids, or such additional percentage as may by reason of local conditions be necessary to avoid the formation of sludge deposits in the class 'B' waters of the district; and

"b. to effect a reduction in the oxygen demand of the sewage effluent sufficient to maintain an average dissolved oxygen content in the tidal waters of the district and in the general vicinity of the point of discharge of the sewage into those waters, at a depth of about five feet below the surface, of not less than thirty per cent (30%) saturation during any week of the year."

R. S. 32:18-2 pledges cooperation in the control of future pollution within the waters of the district, to wit:

"32:18-2. Cooperation pledged; purposes to be accomplished.

ARTICLE I

"1. Each of the signatory States pledges each to the other faithful cooperation in the control of future pollution and agrees to provide for the abatement of the existing pollution in the tidal and coastal waters in the adjacent portions of the signatory States defined herein as coming within the district, and consistent with such object, to enact adequate legislation which will enable each of the signatory States to put and maintain the waters thereof in a satisfactory sanitary condition and particularly to protect public health; to render safe such waters as are now used or may later become available for bathing and recreational purposes; to abate and eliminate such pollution as becomes obnoxious or causes a nuisance; to permit the maintenance of major fish life, shellfish and marine life in waters now available or that may by practicable means be made available for the development of such fish, shellfish or marine life; to prevent oil, grease or solids from being carried on the surface of the water; to prevent the formation of sludge deposits along the shores or in the waterways; and with the fulfillment of these objectives to abate and avoid incurring unnecessary economic loss by safeguarding the rights of the public in its varied legitimate uses of the waters of the district."

In the opinion of the Bureau, fine screening alone would accomplish the necessary reductions in sewage treatment plant effluents discharging to Class "B" waters to conform with interstate requirements. However, the Department, at a meeting held on November 1, 1927, adopted a general policy as to the minimum degree of treatment of sewage, to wit: "That the Department would not approve thereafter fine screening as a method of treatment." In other words, the Department would require that all sewage, prior to its discharge into any waters of the State, excluding the waters within the Passaic Valley Sewerage District, shall be subjected, as a minimum, to a degree of treatment consisting of effective sedimentation.

BUREAU OF ENGINEERING AND SANITATION 67

In an attempt to clarify the jurisdiction of the Department, this matter was referred to the Interstate Sanitation Commission on April 29, 1946, with the request that a definite basis be established relative to the method of fine screening or sedimentation. Subsequently, the Interstate Sanitation Commission, at a meeting held May 1, 1946 adopted the following motion in this matter :

"On motion duly made, seconded and passed unanimously, it was directed that a letter be written to the New Jersey State Department of Health stating that it would appear highly desirable if the agencies concerned with pollution abatement in the three interested States maintain their present unanimity of opinion to provide a minimum treatment of effective sedimentation before discharging into Class 'B' water areas of the Interstate Sanitation District.

"On motion duly made, seconded and passed unanimously, it was directed that a letter be addressed to the agencies concerned with pollution abatement in each of the three interested States, requesting that a notice be afforded this Commission before any agency undertakes to lower the present standard of a minimum of effective sedimentation before discharge into any of the waters of the Interstate Sanitation District."

During the fiscal year, and in furtherance of this matter, the Interstate Sanitation Commission adopted the following resolution on August 1, 1946:

"On motion duly made, seconded and passed unanimously, the following resolution was adopted:

RESOLUTION

"This Commission is in accord with the established practice of the Departments of Health of New York, New Jersey and Connecticut and of the Connecticut State Water Commission to the effect that the minimum degree of treatment for effluents flowing into the waters of the Interstate Sanitation District be effective sedimentation throughout the District, and in view of the provisions of Sections 32:18-10 and 32:18-13 of the Revised Statutes of New Jersey, it is respectfully recommended that the New Jersey State Department of Health adhere to and require the aforementioned minimum degree of treatment of all sewage discharging into Class 'B' water areas of the Interstate Sanitation District."

STATISTICS ON SEWAGE COLLECTION AND TREATMENT, AND INDUSTRIAL WASTES TREATMENT IN NEW JERSEY

The Bureau, in its enforcement of certain laws, rules and regulations and policies vested in the State Department of Health for the control of stream pollution within the State, is obligated to perform the following functions, to wit: investigate the operation of sewage and industrial wastes treatment plants and report upon the efficacy of facilities provided; make special and detailed investigations of the degree and extent of the pollution of rivers and other waters of the State (excluding area under the jurisdiction of the Passaic Valley Sewerage District); to inspect sewage treatment plants and outfalls

DEPARTMENT OF HEALTH

discharging effluents into the Atlantic coastal waters, and collect surf samples to determine the bacteriological quality of said waters as a safeguard to the health of persons using these waters for recreational purposes; to investigate the various methods of sewage treatment in order that it may be able to make proper recommendations in regard thereto; make routine stream sampling surveys; investigate complaints regarding pollution of streams, etc.

There follows a summary containing data upon the status of sewage collection and treatment, and industrial wastes treatment in New Jersey:

A. The following data are based upon the census of 1940:

1. Population of New Jersey	4,160,163
2. Population provided with a sewer system	3,611,876
3. Per cent of total population provided with a sewer system	86.8
4. Population not provided with a sewer system	548,267
5. Per cent of total population not provided with a sewer system	13.2
6. Population provided with sewage treatment plants (primary, secondary or complete treatment)	2,729,987
7. Per cent of sewered population provided with sewage treatment plants	75.5

B. *Municipalities Under the Jurisdiction of the State Department of Health*

1. Number of municipalities having a sewer system	203
2. Population of the 203 municipalities	1,508,863
3. Population provided with sewage treatment plants (primary, secondary or complete) (B)	1,328,699
4. Per cent of sewered population provided with sewage treatment plants	87.8
5. Population discharging untreated sewage (A)	180,164
6. Per cent of population (A), under orders to install sewage treatment works	75.1
7. Population (B) under orders to intensify their method of sewage treatment	166,406

C. *Municipalities in the Territory of the Passaic Valley Sewerage District*

1. Number of municipalities having a sewer system	29
2. Population of the 29 municipalities	1,058,747
3. Per cent of sewered population provided with sewage treatment plants	100

D. *Municipalities in the Territory of the Interstate Sanitation District*

1. Number of municipalities having a sewer system	33
2. Population of the 33 municipalities	1,044,266
3. Population provided with sewage treatment plants (primary, secondary or complete)	342,541
4. Per cent of sewered population provided with sewage treatment plants	32.8
5. Population discharging untreated sewage (A)	701,725
6. Per cent of population (A) under orders to install sewage treatment works	41.0

BUREAU OF ENGINEERING AND SANITATION 69

Industrial Wastes Discharged Into the Waters of the State of New Jersey

- E. The following data are estimates. It is believed, however, that the accuracy of the overall estimates is within 10% of actual conditions (volumes of wastes in million gallons per day).
- | | |
|--|-----|
| 1. Total volume of wastes discharged | 283 |
| 2. Volume of wastes treated (partially (A) or completely) | 138 |
| 3. Volume of wastes under orders to treat untreated wastes, or, to intensify treatment (A), or hearings being held | 145 |
- F. *Industrial Wastes Under the Jurisdiction of the State Department of Health*
- | | |
|--|-----|
| 1. Total volume of wastes discharged | 187 |
| 2. Volume of wastes treated (partially (A) or completely) | 94 |
| 3. Volume of wastes under orders to treat untreated wastes, or, to intensify treatment (A) | 93 |
- G. *Industrial Wastes in the Territory of the Passaic Valley Sewerage District*
- | | |
|---|----|
| 1. Total volume of wastes discharged | 40 |
| 2. Volume of wastes treated (partially or completely) | 40 |
- H. *Industrial Wastes in the Territory of the Interstate Sanitation District*
- | | |
|---|----|
| 1. Total volume of wastes discharged | 56 |
| 2. Volume of wastes treated (partially or completely) | 4 |
| 3. Volume of wastes under orders to treat, or, hearings being held | 52 |

ACTIVITIES LIMITED—PERSONNEL

This fiscal year has marked the development of a critical personnel problem in the Bureau. It had been hoped that the end of World War II would result in the return of the engineers who had left the Bureau and gone into military service. Six men from the technical staff were engaged in the military service. Only one of those men was on the payroll of the Bureau at the end of this fiscal year. There were two other engineers employed in the Bureau at the outset of the war who left the Bureau and went into war industry with the expressed intent, at the time of leaving, of returning to the Bureau. They have not returned. Two other experienced engineers have left the Bureau. Replacement of the aforesaid men with qualified engineers has been found to be impossible. Qualified engineers, whose temporary appointment has been approved and certified by the Civil Service Commission, have refused to fill the vacancies having obtained more remunerative employment in the same lines of work elsewhere. The consequence is that at the end of this fiscal year, there are eight vacancies in the Bureau for sanitary engineers.

The critical shortage of experienced engineering personnel has made it necessary for the Bureau to restrict its activities. Emphasis has been placed

upon the various phases of public water supply protection. The schedule of work in the examination of engineering data for sewage projects has lagged. Routine inspections of sewage and industrial wastes treatment plants have been suspended. Very few investigations of the operation of sewage and industrial wastes treatment plants have been made. The schedule of sampling at regular intervals of the various streams of the State at key points maintained prior to World War II has been suspended. The sampling of the surf waters along the New Jersey ocean front beaches has been suspended for the Summer of 1947. The policing of the operation of sewage treatment plants in the Raritan Valley, which became necessary in order to enforce the Department's policy adopted in 1941 with reference to the operation of the said plants, has been all but suspended. The impetus given to the Delaware Valley pollution control project by the Chancery Court decrees issued against the cities of Gloucester and Camden on August 13, 1943 and October 17, 1944, respectively, is threatened by the lack of personnel to carry on the necessary investigations before legal prosecution may be initiated. The Bureau has not functioned, in so far as inspections are concerned, pursuant to P. L. 1946, c. 172—the Swimming Pool Law. As previously indicated the Bureau has concentrated its efforts in matters relating to the protection of public potable water supplies. In spite of this, however, one-third of the public potable water supplies of this State were not inspected in this fiscal year.

Report of Bureau of Food and Drugs

For the Year Ending June 30, 1947

By WALTER W. SCOFIELD, *Chief*

The Bureau of Food and Drugs enforces laws passed by the Legislature to prevent the adulteration and misbranding of foods, drugs, devices and cosmetics, and also those laws and regulations passed to prevent the handling, preparation, storage and transportation of foods or drugs under unclean conditions.

Shortages of several of the staple foods and ingredients used in the preparation of food products continued during the entire fiscal year. Such essential products as meats, edible oils, dairy products and sugar, have not been available in quantities sufficient to meet the demands of the people of this State. Consequently, there has been a temptation to substitute inferior or worthless substances for the genuine articles.

The shortage of adequate and competent personnel to manufacture, prepare and serve foods under clean conditions has also continued throughout most of the year. The conditions in public eating places have not been maintained at as high a standard of cleanliness as in former years because of the shortage of labor. However, it appears that there has been no appreciable increase in the number of cases of illnesses caused by contaminated or adulterated food.

The work of the Bureau has been curtailed during the year because of the shortage of funds appropriated to defray the cost of equipment and the ever-increasing cost of travel to establishments where foods and/or drugs are prepared, packed, stored or otherwise handled and also the increased costs of samples of foods, drugs and cosmetics.

The Bureau has been unable to employ a competent pharmacologist to conduct investigations of establishments at which drugs are manufactured because of the inability of the Bureau to offer a salary which would attract a person who had received proper instruction in the higher branches of chemistry, bacteriology and toxicology to perform this difficult work intelligently. Drug manufacturing firms are locating their manufacturing plants

in this State in ever-increasing numbers because of the availability of land which is suitable for the erection and operation of drug manufacturing plants at points which would not create nuisances. There are large areas in North Jersey which are particularly suited to such operations and which are desirable because of the proximity to the Port of New York.

In several instances, large drug manufacturing firms located in New Jersey have expanded sales of drugs to countries in Central and South America. In certain cases, these firms have found that it is necessary for them to secure certificates of approval from some governmental agency which would certify to the satisfactory conditions of manufacture of the product before the drugs could be exported to the different countries. The Federal Food and Drug Administration, which agency does have a close control over the manufacture of drugs in this country, has not been authorized by Congress to issue certificates of approval. Consequently, the firms have appealed to this Department to issue certificates to cover the demands of the purchasers in foreign countries. While the Bureau has not been provided with personnel trained in drug control to carry out such complicated investigations as may be necessary to arrive at satisfactory conclusions of the purity and standardization of drugs in all cases, agents of the Bureau who have been normally assigned to other lines of work have performed this service to the best of their ability. Certificates have been issued only after thorough inspections have been made of drug manufacturing plants and processes.

ENFORCEMENT OF THE FLOUR AND BREAD ENRICHMENT ACT

The Flour and Bread Enrichment Act became effective on July 1, 1946. This act prescribes minimum standards of vitamin and mineral content for white flour, white bread and rolls and provides for the enrichment thereof by the addition of certain vitamins and other ingredients, in addition to exempting certain flour to be resold or used in products other than white bread or rolls. This act empowered the New Jersey State Board of Health to adopt standards governing the preparation or sale of white flour, white bread and rolls in New Jersey.

On September 10, 1946, the State Board of Health adopted certain regulations governing the purchase and sale of enriched white flour and unenriched white flour and the marking of containers of enriched and unenriched white flour intended for use in New Jersey, the regulations becoming effective immediately.

The inspectors of the Bureau of Food and Drugs made surveys of the markings on containers of flour as found in wholesale flour storage warehouses and in bakeries. Our agents also examined the certificates of purchase which were required to be filed at the bakery and with the distributor

in those cases in which unenriched flour was purchased to ascertain the use which was to be made of the unenriched flour. Where our representatives found unenriched flour being used in white bread or rolls, they inspected the vitamin and mineral ingredients that were to be added in the preparation of white bread and rolls. Where the requirements of the law and regulations were not carried out in full, letters were forwarded to the persons in charge of the establishments pointing out the violations of the law and/or the regulations. The work of inspection continued throughout the year and it is our opinion that compliance with the requirements of the law and of the regulations was very general at the close of the year. It was gratifying to receive hearty cooperation from flour millers, flour distributors and bakers in this work.

SANITATION OF BAKERIES AND PUBLIC EATING ESTABLISHMENTS

The agents of the Bureau of Food and Drugs make sanitary inspections of all bakeries in the State and also of public eating places located in cities, boroughs and villages.

During the year, 1,974 inspections have been made of bakeries and 1,592 inspections have been made of public eating establishments. The Bureau has forwarded letters of advice and/or warnings in those cases in which violations of the laws were reported. Reinspections have been made where notices have been sent. In those cases in which little or no improvement was found upon reinspection, the proprietors have been given opportunities to appear to show cause why legal action should not be taken against them for violations of the laws. In certain cases where repeated violations occurred, prosecutions were ordered.

DAIRY FARM AND MILK PLANT INSPECTION

Chapter 10, Title 24 of the Revised Statutes of New Jersey, provides that a permit is to be obtained from the State Department of Health for each milk plant at which milk is received from one or more dairy farms for distribution as fluid milk or cream in New Jersey. The law fixes detailed specifications and requirements covering the conduct of dairy farms and the methods which are to be used in the handling of milk, cream and milk products on dairy farms and in milk plants. Before permits are to be issued, the Department is to be satisfied as a result of inspections that the milk and/or cream has been produced and handled in substantial compliance with the requirements fixed in the law.

During the years 1943, 1944 and 1945, inspection of dairy farms and milk plants by agents of the State Department of Health had been seriously

interfered with because of the inability of the Department to employ a sufficient number of inspectors who were properly trained to perform this work and also because of the lack of adequate funds to enable the inspectors of this Department to visit milk plants in distant states.

The Milk Committee of the State Board of Health made a request and secured sufficient funds for the employment of eight additional men on July 1, 1946, to make inspections throughout the entire New Jersey milk shed. These eight additional men were assigned to a training program, including special instruction at Rutgers University, and also training in inspection with experienced inspectors of this Bureau. It is our opinion that as a result of this intensive training, the Bureau of Food and Drugs has a staff of dairy and milk plant inspectors who are capable of enforcing the requirements of the laws of the State in a most satisfactory manner.

As a result of the inspections made during the summer of 1946, it was established that the conditions found on dairy farms and milk plants on several of the large supplies making application to ship cream and/or fluid milk into New Jersey located in the States of Minnesota, Wisconsin, Pennsylvania and New York failed to meet the requirements of this State and, consequently, it was necessary in 46 cases to deny the issuance of permits or to revoke permits already issued. It has also been necessary to take drastic action against ten companies operating plants in New Jersey because of violation of the requirements governing the sanitation of dairy farms and/or milk plants or the pasteurization of milk.

The following table shows the number of inspections of milk plants and dairy farms made by representatives of this Department during the year:

<i>State</i>	<i>Number of Inspections of Milk Plants</i>	<i>Number of Inspections of Dairies</i>
Delaware	1	22
District of Columbia	1	..
Indiana	2	10
Maryland	11	360
Michigan	3	49
Minnesota	3	51
New Jersey	1,948	7,326
New York	63	1,074
Ohio	1	40
Pennsylvania	119	1,411
Wisconsin	38	455
	2,190	10,798

BUREAU OF FOOD AND DRUGS

75

The following table shows the number of reports of inspections of milk plants and dairy farms received from local boards of health of this State:

<i>State</i>	<i>Number of Inspections of Milk Plants</i>	<i>Number of Inspections of Dairies</i>
New York	2	77
Pennsylvania	5	526
	7	603

During the year, a large number of samples of milk, offered for sale as pasteurized milk, have been collected by this Bureau for the purpose of determining whether or not the milk had been properly pasteurized. A considerable number of these samples were found upon examination in the laboratory at Trenton to have been inadequately heated. In each case where milk was found to have been improperly pasteurized, a special investigation was made to ascertain, if possible, the defects in the process of pasteurization or handling in the milk plant which caused the milk to be improperly pasteurized.

During the year, our inspectors reported that equipment installed to pasteurize milk by the so-called "High Temperature-Short Time" method of pasteurization had been found to be operated in violation of the requirements for this process. In certain cases, drastic action was taken to compel operators of this type of equipment found to be defective to make changes in the equipment necessary to bring about compliance with the requirements covering this type of pasteurization. It seems most important to keep a very rigid control over the pasteurization of milk by the "High Temperature-Short Time" method because of the fact that milk pasteurized by this method is subjected to a temperature of 160° F. for only 15 seconds. Equipment used for pasteurizing milk by this process is to include automatic controls to assure that all milk is subjected to a temperature of 160° F. for at least 15 seconds. It is apparent that if the equipment used in this process becomes defective and subjects the milk to temperatures lower than 160° F., there is a possibility that the destruction of bacteria may not be sufficiently great to safeguard the milk. At the close of the year, there were 42 milk plants in New Jersey in which "High Temperature-Short Time" equipment was being used and the operators of ten additional plants intend to install equipment of this type as soon as it can be secured.

At the close of the year, a careful check was made of the quantities of pasteurized milk and the quantity of raw milk distributed in New Jersey. This study proves that approximately 98% of the milk sold in New Jersey is now pasteurized. It seems reasonable to recommend that legislation be

requested in the next session of the Legislature to require that all milk and cream distributed in New Jersey shall have been pasteurized.

SLAUGHTERHOUSE AND MEAT INSPECTION

Because of an unusual shortage of meat for distribution in New Jersey during the period of the war, there was an unusual demand for meat made upon the operators of local slaughterhouses of New Jersey. As a result of this increased business, there were approximately 70 new slaughterhouses that were constructed during the years 1944, 1945 and 1946. Before the construction of these slaughterhouses was approved, the operators were required to submit plans and specifications which would result in the construction of a slaughterhouse sufficiently large and properly constructed to permit the slaughtering and preparation of meat under clean conditions. These plans required that proper facilities for the disposal of both liquid and solid wastes be provided in order to prevent a nuisance in the neighborhood of the slaughterhouse. During the past fiscal year, most of these new slaughterhouses have been completed and have been used in the slaughtering of animals and the preparation of meat. During the first six months of 1947, several slaughterhouses have discontinued operations because of the inability to secure adequate numbers of animals for slaughtering to justify the continuance of the slaughtering operations.

During the past year we have placed emphasis upon the sanitary condition and the quality of ground meat products, such as sausages, bolognas, frankfurters, meat loaves, etc. Licenses are not issued by the State Department of Health for the operation of these plants although there seems to be a necessity to inspect the quality of raw materials entering into the composition of these products and also to inspect the conditions and methods used in the preparation of these foods. Inspections have been made of 70 of these plants during the year and of this number approximately 35 operated on a large scale distributing the foods at wholesale in New Jersey and also in nearby states. In most cases the bolognas and other ground meat products are consumed without additional cooking in the homes.

Animals lean in flesh are generally used in the preparation of this type of meat product. Trimmings resulting from the preparation of choice cuts of meats are included in meats to be ground. It is necessary to remove meat from bones before grinding and to cut it into relatively small pieces. These operations necessitate an unusual amount of handling which results in an unusual amount of contamination of the surface of the meat with micro-organisms. These micro-organisms which are present on the surface of the meat are distributed throughout the meat by grinding. The meat is heated to a greater or less degree by the grinding operation and the micro-organisms

may develop in the warm meat if the product is not cooked or refrigerated promptly. If ground meat products prepared in this manner are to be consumed as sold without deleterious effects, it seems necessary that the ground meat products be heated in the meat processing plant to a temperature sufficiently high to destroy the micro-organisms and to allow an ample margin of safety above the theoretical temperatures required for this destruction. The failure to inactivate the micro-organisms at the center of such products may result in the formation of a sufficient quantity of toxins to cause illness in those persons consuming such meat.

In the manufacture of sausages, bolognas, frankfurters, etc., the meat may also be subjected to a curing process with brine prior to grinding. In the inspection of these establishments, the salt used in making the brine was examined to determine whether or not it was filthy and recommendations were made to store the salt in such a manner that it would not be contaminated with filth. Operators were also instructed to prepare and hold the brine so that it would not be contaminated with filth.

In the case of several types of sausages and frankfurters, intestines of animals are used as containers for ground meat. During the past year, agents of this Bureau have inspected the manner in which these casings were being cleaned prior to use as containers for ground meat. In certain instances, it was found that casings were not being cleaned properly and that filthy casings were being used as containers for these food products. In these investigations it was learned that in certain instances intestines from animals which had been killed recently were being used and in certain other cases, casings were being used which had been imported from countries as far distant as Persia. In certain instances, the imported casings were found to be grossly decomposed at the time that they were being filled with ground meat. The only casings discarded were those which had decomposed to such an extent that the ground meat would not be retained in them.

Operators of these ground meat preparing establishments have been instructed: (1) that the rooms and all equipment and utensils used in the handling of meat are to be kept in a clean condition and are to be thoroughly cleaned at the end of the operation of each day, (2) all ingredients used in the food products are to be stored in such a manner that they are not contaminated with dirt or filth, (3) meat which is to be ground is to be trimmed in a manner that will remove contamination before it is ground, (4) the meat is to be handled in such a manner as to eliminate as much handling with human hands as is possible, (5) the meat is to be thoroughly chilled prior to grinding, (6) only clean ice, frozen from potable water, is to be added in the process of grinding and the quantity of ice added is to be limited to the minimum necessary to facilitate grinding.

Our agent reports that during the year he examined the following quantities of meats, together with the quantity of meats which were condemned and destroyed as being unfit for food purposes:

MEAT INSPECTIONS				
<i>Passed for Food</i>			<i>Condemned</i>	
	<i>Carcasses</i>	<i>Pounds</i>	<i>Carcasses</i>	<i>Pounds</i>
Beef	506	24,100	3	160
Pork	388	100	..	...
Veal	92	...	..	...

SANITARY SHELLFISH CONTROL

Oysters, clams, soft clams and mussels continued to be in strong demand as food. Many former baymen had returned from service or employment, and had joined with many new men in the catching of shellfish in the tidal waters of the State. Activities to insure the safety of this food product, much of which is consumed raw, were vigorously prosecuted. Waters were surveyed and sampled, prohibited areas patrolled, handling and shipping periodically inspected, and shipping certificates issued after thorough investigations.

Three field laboratories were manned by three trained bacteriologists. A 61-foot laboratory boat visited all the areas where shellfish were taken, and samples were analyzed in the complete bacteriological laboratory aboard this boat. In addition, three small boats were used in the various districts. A crew of three men operated the boats. Overall supervision was maintained at the Department headquarters by the senior bacteriologist. Joint inspections were made with representatives of the United States Public Health Service to observe compliance with the Shellfish Manual of the Service. A campaign was initiated in the metropolitan area to improve retail handling of shellfish in stores, and to preserve the identity of shellfish from the point of catching to the final consumers. Many local health officers were much interested in these efforts to further safeguard the quality of shellfish in the shell, opened and frozen. Conferences were held to determine a feasible method of providing identification upon individual packages of frozen oysters, by means of a code number placed on the wrapper. Such coding will identify the contents right back to the waters from which taken. This is a necessity both to the industry and to the health official. Unfrozen shellfish are identified by a widely adopted tagging system, which is impractical for use on frozen packages.

New oyster opening (shucking) establishments were constructed and one freezing plant began operation. Close supervision by a resident bacteriologist

BUREAU OF FOOD AND DRUGS

79

in this section maintained proper sanitary control. The medical examination of all the employees who shucked or handled opened oysters was continued and improved. Through the efforts of the industry and the local boards of health, large expenditures were made in improving drainage, toilet facilities, and waste and garbage removal in the areas adjacent to the shucking houses in which the employees live. Frequent sanitary inspection of these areas was maintained.

During the fiscal year there were examined in the laboratory of the boat "Inspector" 1,339 water samples. The boat traveled 1,075 miles through the various waters of the State. In addition, there were examined in the three field laboratories 154 samples of shell oysters, 327 samples of shucked oysters, 10 samples of frozen oysters and clams, 363 samples of hard clams, 90 samples of soft clams, 20 samples of mussels, 2 miscellaneous samples and 363 samples of water.

The total number of samples subjected to bacteriological analyses were 1,702 water samples and 966 shellfish samples, making a grand total of 2,668 samples analyzed.

Inspections were completed as follows: shellfish shipping establishments, 2,229; shellfish shucking establishments, 169; miscellaneous, 8. The grand total of inspections was 2,406.

Four hundred and eighty-eight establishments were granted shipping certificates by the Department.

SUMMARY OF ARTICLES OF FOODS CONDEMNED AND DESTROYED, WHICH WERE
FOUND TO BE ADULTERATED

<i>Article</i>	<i>Amount</i>
Baking ingredients	2,554 pounds
Beverages and syrups	2,762 bottles
Canned foods	76 cans
Edible oil	30 gallons
Eggs, frozen, whole or powdered	69 pounds
Flour	6,278 pounds
Fresh vegetables	1,800 pounds
Meats and poultry	183 pounds
Milk products	165 pounds
Nuts and fruits	947 pounds
Salt	105 pounds
Shellfish	54 pounds
Sugar	601 pounds

DEPARTMENT OF HEALTH

SUMMARY OF EXAMINATIONS OF SAMPLES OF DRUGS

Certain drugs were selected for collection and examination for the purpose of ascertaining whether or not these articles were prepared and sold in accordance with the official definitions and standards and also with the provisions of law which require the declaration of the active ingredients, of adequate directions for use and of adequate warnings against unsafe use.

Inspectors of the Bureau visited many pharmacists throughout the State and requested dangerous drugs, which are prohibited from sale excepting upon prescriptions, without presenting prescriptions. It is gratifying to report that there was general compliance with the laws of the State in connection with the sale of dangerous drugs by the retail pharmacists.

In many cases of misbranding in which adequate directions for use and adequate warnings against possible dangers in use were omitted, warnings were sent to the persons or firms preparing and distributing the articles to correct these labelings.

PENALTIES

During the year, \$3,916.21 was collected in penalties and costs for violation of the food and drug laws.

FEES

The following fees were collected during the year for licenses and permits:

632 Milk permits	@	\$25.00	\$15,800.00
19 Goat milk permits	@	10.00	190.00
1 Goat milk permit	@	5.88	5.88
1 Goat milk permit	@	3.36	3.36
27 Ice cream plant licenses	@	100.00	2,700.00
9 Ice cream plant licenses	@	50.00	450.00
13 Ice cream plant licenses	@	25.00	325.00
49 Ice cream plant licenses	@	10.00	490.00
527 Ice cream plant licenses	@	5.00	2,635.00
75 Cold storage licenses	@	10.00	750.00
6 Narcotic drug licenses	@	50.00	300.00
38 Narcotic drug licenses	@	5.00	190.00
1,397			\$23,839.24

SAMPLES OF MILK, CREAM, FOODS, DRUGS COLLECTED FOR ANALYSES

	<i>Above Standard</i>	<i>Below Standard</i>	<i>Misbranded</i>	<i>Total</i>
Milk and cream	4,817	213	37	5,067
Foods	2,400	210	4	2,614
Drugs	203	14	79	296
	7,420	437	120	7,977

BUREAU OF FOOD AND DRUGS

81

SANITARY INSPECTIONS MADE OF ESTABLISHMENTS WHERE FOODS AND DRUGS ARE
PRODUCED, PREPARED, PACKED, STORED OR OTHERWISE HANDLED

	<i>Inspections</i>
Bakeries	1,974
Candy factories	20
Canning factories	94
Cider presses	2
Cold storage warehouses	352
Dairies	7,326
Drug manufacturing establishments	44
Egg-breaking establishments	41
Flour distributing warehouses	10
Hospital kitchens	15
Ice cream manufacturing plants	712
Meat markets	128
Meat processing plants	70
Milk plants	1,948
Miscellaneous food plants	13
Non-alcoholic beverage establishments	248
Pickling plants	45
Restaurants and hotel kitchens	1,592
Shellfish shipping establishments	2,229
Shellfish shucking establishments	169
Shellfish inspections (miscellaneous)	8
Slaughterhouses	648
	17,688

COLD STORAGE OF FOODS

The shortage of foods during the war in New Jersey was caused largely by the diversion of many of the staple foods to the armed forces. Many of the people in this State took steps to secure as much food as they could from near-by sources. This unusual activity in the rural sections of New Jersey stimulated the construction of cold storage warehouses in which many of these perishable foods could be preserved by freezing and storage until needed. In the past four years, there were 44 quick-freezing cold storage warehouses put in operation in New Jersey. At most of these plants it was possible for individuals to lease lockers in which the frozen foods owned by the individuals could be stored.

The apparent simplicity of the quick-freezing of foods has resulted in a false conception by many people that practically no precautions to follow exact scientific procedures are necessary. However, it has been established that there are certain scientific laws which must be followed exactly if perishable foods are to be preserved by this method without damage to the wholesomeness, flavor or appearance of the food.

It has been established by certain scientists that the only successful way of freezing vegetables is to secure fresh vegetables of the proper varieties at the proper stage of development and to subject the vegetables to a blanching with hot water or steam for a very definite period of time. It has also been found that it is necessary to cool the blanched vegetables quickly, preferably by immersion in cold or ice water, until the vegetables have been cooled throughout. Vegetables should then be placed in small packages which should be moisture-proof and such packages of vegetables should be frozen promptly and rapidly at low temperatures.

Operators of quick-freezing cold storage warehouses in New Jersey have not provided equipment in most cases for the blanching and packaging of vegetables at the plant. Consequently, vegetables which are prepared for freezing at some point more or less distant from the freezer, are not being prepared and frozen in accordance with proper theoretical methods. The spoilage of one very large lot of asparagus which was improperly processed and frozen has resulted in damage suits which have been contested vigorously.

During the past year it has come to our attention that two lots of fresh beef had been aged in coolers at quick-freezing cold storage warehouses and that this beef had been trimmed and the trimmings from this aged beef had been ground prior to freezing and storage. Large cakes of this ground beef had been frozen at low temperatures. Illnesses resulted when this ground meat had been consumed upon removal from storage. In most of the quick-freezing cold storage warehouses of the State larger quantities of meat than other types of food have been frozen because of the unusual scarcity of meats in this State during this period. It appears from these experiences that certain operators of quick-freezing cold storage warehouses are not skilled in the science and art of preparing meat for quick-freezing and that considerable quantities of meat are likely to be unfit for use when removed from storage because of the improper condition or preparation of the meat at the time of freezing.

These matters were discussed at the annual meeting of the Refrigeration Association of New Jersey and that association was urged to point out to its members the importance of handling perishable foods in the correct theoretical manner prior to freezing and to freeze and store them under proper conditions. It does not seem possible for this Bureau to provide sufficient inspection at these places to prevent the loss of large quantities of food.

BUREAU OF FOOD AND DRUGS

83

EXTENSIONS OF STORAGE

In the Cold Storage Law of New Jersey, there is a provision that the Department shall extend the period of storage beyond twelve months for a particular article if it is found upon examination to be in proper condition for further storage. The length of time for which the storage is allowed shall be specified in the order granting the extension of time. During the past year we have had an unusually large number of requests for extensions of time on the storage of many different articles of food. The stocks of poultry in particular have been very large and it has been necessary for the Department to grant extensions of storage because of the fact that this food has not moved into consumption freely. It has also been found that a number of the quick-frozen prepared foods, such as chicken and rice, chili con carne, turkey and noodles, etc., have not been sold in quantities anticipated and it has been necessary to grant extensions on the storage of such articles. The Department has limited the extensions of storage to periods from one to three months in most cases, acting on the thought that the granting of lengthy extensions of storage in excess of twelve calendar months violated the spirit of the Cold Storage Law of the State.

During the last fiscal year, extensions of time were granted for the storage of articles of food in cold storage, as follows:

<i>Quantity</i>	<i>Article</i>	<i>Extension Granted</i>
30 boxes	Poultry	3 months
352 boxes	Cheese	3 months
504 boxes	Poultry	2 months
460 barrels	Poultry	2 months
902 boxes	Fish	2 months
8 barrels	Cured meats	2 months
18 boxes	Cured meats	2 months
270 cartons	"Frozen chicken and biscuit"	2 months
70 cartons	"Chicken and vegetable dinner"	2 months
514 boxes	Poultry	1 month
208 barrels	Poultry	1 month

In each case where extensions of time were granted, the articles were examined and found to be in suitable condition for the additional periods of storage.

ANNUAL COLD STORAGE REPORT

1946 — 1947

Article	July 1946	August 1946	September 1946	October 1946	November 1946	December 1946	January 1947	February 1947	March 1947	April 1947	May 1947	June 1947
Eggs, cases, lbs.	803,141	644,434	504,631	262,219	185,411	113,878	39,604	50,233	69,709	225,063	407,326	629,255
Eggs, broken, lbs.	7,421,342	6,633,314	5,331,260	4,613,538	3,881,751	2,861,184	1,834,687	2,350,986	2,567,834	3,027,566	4,312,801	3,932,281
Cheese, lbs.	5,066,092	6,190,317	5,368,382	4,835,531	5,648,334	4,446,785	3,832,804	2,954,477	2,071,193	2,220,379	2,310,582	3,173,593
Butter, lbs.	5,270,298	6,291,415	5,710,611	4,073,916	2,646,230	1,272,109	1,325,610	827,128	534,548	690,517	659,576	2,217,837
Poultry, lbs.	10,894,914	12,253,522	8,929,925	17,725,192	17,758,715	18,595,303	16,712,155	16,644,708	13,427,973	10,548,056	10,144,922	8,925,552
Fresh meat, lbs.	11,741,151	16,026,024	8,228,883	5,602,554	7,037,423	9,512,489	12,049,077	10,643,608	23,461,497	22,510,226	22,668,363	23,275,388
Fresh fish, lbs.	4,193,705	4,761,677	6,005,336	6,358,181	6,677,149	8,037,935	6,691,754	4,922,357	3,416,540	4,841,638	4,095,868	6,276,130
Milk and milk products, lbs.	11,444,628	9,223,913	7,607,170	5,416,672	6,671,820	5,838,724	4,462,374	3,502,479	1,775,149	4,184,308	4,766,244	3,493,466
Edible fats and oils, lbs.	2,946,778	3,389,750	2,287,682	1,695,872	1,242,411	1,382,219	3,947,031	2,292,702	3,121,565	2,847,940	4,770,891	1,836,179
Game, lbs.	256	1,145	1,111	7,255	5,985	13,540	6,950	3,548	2,453	2,281	2,232	1,740
Miscellaneous, articles, packages	969,783	1,174,554	1,080,625	1,564,266	1,682,444	1,420,047	1,430,002	1,324,084	949,455	1,128,687	731,027	833,071

Report of the Division of Health Education

July 1, 1946-June 30, 1947

By RALPH T. FISHER, *Chief*

Created on July 1, 1945, the Division of Health Education was firmly established during its second year with a planned expansion and strengthening of the centralized health education services which it provides as part of the basic health education program. Originally established as a separate Bureau, the Division of Health Education was made a part of the Bureau of Preventable Diseases when that Bureau was established in December, 1945. As the program of the Division was expanded and services were provided for all bureaus and divisions of the Department, it became obvious that it could better function as a separate unit. In September, 1946, the State Board of Health removed the Division of Health Education from the Bureau of Preventable Diseases and established it as a separate Division of Health Education under the Director of Health.

The following six-point program on which the work of the Division is based was continued:

1. Working with other units of the State Department of Health.
2. Working with other departments of the State government.
3. Working with non-official health agencies.
4. Working with citizen groups.
5. Working with local health departments.
6. Providing an in-service training program and conducting courses for public health personnel.

COMMUNITY HEALTH ORGANIZATION

Community health organization work is a primary function of the Health Education Division and budgetary requests were made for funds to establish positions of community health educators for assignment to State District Health Offices. Working with State health and welfare groups, a number of community endeavors were fostered although it was impossible to meet more than a few of the community needs without a field staff. Consultation services were provided; however, for a number of local groups.

Of the projects of this type completed during the year, the following three are typical examples:

Working jointly with the New Jersey Health Officers' Association, the Bureau of Food and Drug Control and the Bureau of Local Health Services, a guide for use of health officers in conducting foodhandler training courses was published and a number of visual aids were purchased and made available for use.

Working with a county Tuberculosis League, a seven-week training course for community leaders in that county was planned and organized.

Working with other units of the Department of Health, local health departments and various health and welfare organizations, special educational programs were planned and conducted in certain fields, including National Social Hygiene Day, Public Health Nursing Week and Negro Health Week.

PUBLIC HEALTH COURSES

Administration for the Department of the Public Health Courses, which have been conducted jointly by Rutgers University and the State Department of Public Health since 1926, was transferred from the Bureau of Local Health Services to the Division of Health Education.

During the spring session five courses of 20 hours each over a period of ten weeks starting March 12, 1947 were given each Wednesday evening as follows:

An Industrial Health Program for the Local Health Department, by J. C. Radcliffe, Chief, Division of Adult and Industrial Health, State Department of Health, given at Newark.

Plumbing Regulation and Inspection, by Patrick J. Monaghan, Assistant Chief, Plumbing Inspector, Newark City Health Department, given at Englewood.

Basic Hygiene in Public Health, by Dr. Roscoe P. Kandle, Director, Bureau of Preventable Diseases, State Department of Health, given at New Brunswick.

Basic Sanitation—two classes by Harry Ford Leeds, District Health Officer, State Department of Health, given at Bridgeton and Seabrook Farms.

A total of 61 students completed work in the 1947 spring session courses.

DIVISION OF HEALTH EDUCATION

87

ANNUAL CONFERENCE

Responsibility for organizing and conducting the Annual Conference of State and Local Health Officials, called each year by the Director of Health, was transferred from the Bureau of Local Health Services to the Division of Health Education.

The 36th Annual Conference of State and Local Health Officials of New Jersey was held in the State House, Trenton, on February 28, 1947. The program of the conference follows:

9:00 A. M. Motion Pictures and Exhibits.

MORNING SESSION—10:15 A. M.

- 10:15 A. M. *Control of Whooping Cough Morbidity.*
Roscoe P. Kandle, Director, Bureau of Preventable Diseases, State Department of Health.
- 11:00 A. M. *Larger Local Health Units.*
Dennis J. Sullivan, Chairman, Joint Committee, New Jersey Health Officers' Association, New Jersey Health and Sanitary Association.

REGISTRARS SECTION—10:15 A. M.

Walter R. Scott, State Registrar, and members of his staff met with local registrars in the Assembly lounge for an informal session of questions and answers on registration of vital records.

- 12:00 Noon. Recess for lunch.
New motion pictures.

AFTERNOON SESSION—2:00 P. M.

- Presiding—J. Lynn Mahaffey, M.D., Director of Health.
- 2:00 P. M. *BCG and Antibiotics—Present and Possible Applications to Public Health.*
Assistant Surgeon Warfield Garson, U. S. P. H. S., New Jersey Agricultural Experiment Station, Department of Microbiology, Rutgers University, New Brunswick, N. J.
- 2:30 P. M. *Can Tuberculosis Be Eradicated?*
Frederick P. Lee, M.D., President, New Jersey State Board of Health; Health Officer, City of Paterson.
- 3:00 P. M. *Public Health Control of Ringworm of the Scalp.*
C. E. McNenny, M.D., Chief, Medical Division, Health Department, Jersey City; B. S. Bookstaver, M.D., Medical Health Director, Teaneck Health Department; Hugh Martin, Health Officer, City of Englewood; Eugene L. Speranza, Chief Inspector, West New York Health Department.

3:45 P. M. *New Programs for New Jersey.*

Community Wide Industrial Surveys—J. C. Radcliffe, Chief, Division of Adult and Industrial Health, New Jersey State Department of Health.

Nutrition—Miss Elizabeth Porter, Bureau of Preventable Diseases, New Jersey State Department of Health.

Cancer Control—Raymond V. Brokaw, M.D., Chief, Division of Cancer Control, New Jersey State Department of Health.

4:15 P. M. Adjournment.

SATURDAY, MARCH 1, 1947

9:30 A. M. Annual Meeting of New Jersey Health Officers' Association. Business session and committee reports.

HEALTH EDUCATION WAREHOUSE AND WORKSHOP

A central warehouse for storage and mailing of health education materials for the Department was established and operated by the Division, eliminating duplication in storage facilities and packaging and mailing operations. A conference room for staff meetings and small group meetings was equipped with a 16 m.m. sound projector for screening of films.

The exhibit display units of the Department were brought together at the health education workshop for central storage, maintenance and distribution. Older display units were reviewed and a number were discarded as obsolete. Usable parts were salvaged for new construction. The Division has six display units now in use. A cancer display unit was scheduled for exhibition at the American Public Health Association meeting in Cleveland, and a new 25-foot exhibit was constructed and displayed at the annual meeting of the American Medical Association in Atlantic City. This display shows the working partnership between physicians and health departments in New Jersey in six health fields and was well received at the national meeting. A special exhibit was displayed for one week at the New Jersey State Fair and smaller exhibits were placed at county fairs. Throughout the year, a number of exhibits were shown at State and local meetings.

HEALTH EDUCATION PRINTSHOP

Production of materials in the health education printshop was continued and purchase of an additional multilith press was planned. The health education workshop turned out a number of exhibits, posters, illustrations, charts, signs and other commercial art work. The photographic camera and dark-room equipment was surveyed and new equipment ordered, including an enlarger, automatic print washer and automatic print dryer. Standardization of work procedures and coordination of the workshop, printshop and warehouse was effected.

DIVISION OF HEALTH EDUCATION

89

The film library of 54 film titles was reviewed and nearly one-half of the films were withdrawn as obsolete or damaged from over-use. Repairs were made when possible and specific recommendations for purchase of new films by the Department were made. Since the Health Education Division has no funds for film purchases, all films must be purchased by the bureaus of the Department concerned with the specific field. In most cases only one print of each title is available, making it impossible to meet all requests. The films are booked by the New Jersey State Museum and during the fiscal year there were 2,381 showings with a reported total audience of 137,000.

The news release service of the Department was continued and the public press of the State is to be commended on the cooperation given in presenting health facts and news to the public. Weekly radio programs on a number of stations were conducted.

PUBLIC HEALTH NEWS

Public Health News, official publication of the Department, was issued bi-monthly. A change of format from single to double columns increased the amount of copy per issue by 40%, allowing a greater coverage of public health news in New Jersey. With the retirement of Cecil K. Blanchard, the "Mark Time" series which he had written came to an end with the February, 1947 issue, and a new series, "Dr. Teacher, Health Officer," written by Ralph T. Fisher, was begun in the April, 1947 issue. The Health Education Division published "Mark Time," a selection of "Mark Time" columns which had appeared regularly in *Public Health News* since 1929.

During the fiscal year appointment was made in the position of Assistant Chief, which had remained vacant since its creation because of lack of qualified applicants. Mr. John B. Van Ellis, a former employee of the Department, was appointed upon his return from military service to fill the position.

The rapid turn-over of personnel and inability to fill vacant positions at existing salary schedules handicapped the work of the Health Education Division. During much of the year the varitype composition and multilith production was halted because of turn-over of trained personnel. Low salary schedules make it necessary to employ untrained persons and provide training on the job after employment. These persons usually leave as soon as sufficient training and experience have been acquired to fit them for a better paying job elsewhere.

The second year of its work has served to expand and establish the central health education services of the Division and significant progress has been made in community health organization work in New Jersey. The real work of the Division in Community Health Education, however, awaits the develop-

ment of the plan for the appointment of community health educators or health extension workers in the State District Health Offices. With such a field staff, the Department could provide a basic service in community health education, and to this end, renewed requests for the needed funds have been made for the ensuing fiscal year.

Report of the Bureau of Local Health Services

For the Year Ending June 30, 1947

By WILLIAM H. MACDONALD, *Chief*

By action of the State Board of Health on January 14, 1947, the name of the Bureau was changed from Bureau of Local Health Administration to Bureau of Local Health Services. At the close of the fiscal year the personnel of the Bureau at the central office in Trenton consisted of the Chief, the Assistant Chief, and the Distributor of Biologicals and 11 stenographic and clerical assistants. Mr. Cecil K. Blanchard, Supervisor of District Health Officers and Sanitation, retired on February 1, 1947, after 35 years of service with the Department.

The eight district health offices maintained through the Bureau at Dover, Hackensack, Highland Park, Freehold, Mt. Holly, Collingswood, Pitman and Mays Landing were continued during the year. At each district office, except Collingswood and Freehold, there were employed at the close of the fiscal year in addition to the district health officer, a sanitarian and a clerk. The sanitarian regularly assigned to the Freehold office was granted leave to attend a training course in public health on October 1, 1946. At the Collingswood office there is neither a sanitarian or a clerk. The district health officer at that office beginning on February 1, 1947, was assigned also to serve for part of his time in Mercer County. In addition the Bureau's staff included two public health nurses (communicable diseases), one assigned to the Mt. Holly and the Mays Landing offices respectively.

Prior to July 1, 1946, the Department had been requested to supervise four public health nurses employed by the Board of Freeholders of Atlantic County, the supervision to be supplied through the District Health Office at Mays Landing and the activities of the nurses to be confined to the inland section of the county west of the draw-bridge. After conferences the request was granted, with the proviso that the work of the nurses be confined to the field of prevention and control of tuberculosis, venereal diseases and other communicable diseases. The public health nurse at the Mays Landing district office was promoted to the grade of assistant supervisor of public health

nurses. Additional office space was provided through the courtesy of the board of freeholders in a county building. In these quarters also there was installed an X-ray unit for chest examinations, procured through funds allotted for the Division of Tuberculosis Control.

Another X-ray unit was installed at a clinic center in Hammonton equipped for chest examinations and for the diagnosis and treatment of venereal diseases. Funds for rental, renovation and maintenance of these quarters were provided through the Regional Health Commission, including the Boards of Health of Hammonton, Folsom, Mullica Township and Buena Vista Township. These local funds were supplemented by State funds allotted from Federal subsidies.

Dr. Max Gross, of the State Hospital for Tuberculosis at Glen Gardner, acted as the clinic physician in the chest clinic at both Mays Landing and Hammonton.

At the end of the fiscal year three nurses employed by the county were working from the district health office.

REPORTABLE DISEASES FOR 1946

Thirty-nine diseases are declared reportable by Regulation 1, Chapter VI of the State Sanitary Code. During the calendar year 1946 local boards of health reported to the State Health Department 114,004 cases of these 39 diseases. This figure is almost exactly twice the number reported in 1945, when 57,097 cases were recorded. The increase is almost entirely accounted for by the high prevalence of measles in 1946. The so-called children's diseases, chickenpox, measles, German measles, mumps and whooping cough accounted for 87% of the cases reported in 1946.

Diphtheria reports numbered 249, an increase of 109 over the 1945 figure. Deaths were 13, against six in 1945.

Measles reports increased from 1,747 in 1945, the lowest figure ever recorded in New Jersey, to 56,421 in 1946, which is the highest on record. Deaths numbered 27 in 1946, against six in 1945.

Meningitis (epidemic cerebrospinal) reports numbered 184, a decrease of 116 from the 1945 figure. Deaths also declined from 64 in 1945, to 40 in 1946.

Pneumonia reports totaled 4,239, against 3,849 in 1945. Deaths were also higher in 1946 than in 1945, the number recorded being 1,438 against 1,668.

Poliomyelitis (acute anterior) reports dropped from 952 in 1945, to 257 in 1946. Deaths also dropped from 102 to 24.

Scarlet fever case reports were practically the same as in 1945, the totals being 4,231 in 1946, and 4,243 in 1945. Five deaths were recorded in each of these two years.

BUREAU OF LOCAL HEALTH SERVICES

93

Tuberculosis figures showed an increase from 3,413 in 1945, to 3,618. Deaths, however, decreased from 1,726 to 1,643.

Typhoid fever reports dropped from 80 in 1945, to 58 in 1946. Only once before (1943) has such a low annual figure been recorded. The number of deaths in 1946 was three, the lowest number ever recorded in this State.

Whooping cough reports decreased from 7,317 in 1945, to 7,040 in 1946. Deaths increased from 24 to 27. Eighteen of these deaths were in infants under one year of age, and four in the one to four year age group.

ANTHRAX

Four cases with one fatality were reported in 1946. Two of the cases were in persons employed in industrial plants, one handled hides, the other wool.

MALARIA

During 1946 there were reported 931 cases. This is the second highest number reported in this State in any year since the disease was made reportable in 1911. In 1945, 1,412 cases were reported. Only two deaths from malaria were recorded in 1946. Of the 931 cases reported in 1946, 917 were in returned Army and Navy personnel. All of this group of cases were apparently infected outside of New Jersey. Study of the histories of the 14 nonmilitary cases shows that eight were infected outside of the State, five were infected in New Jersey (one of these through blood transfusion). The place of infection in the one remaining case was not determined.

The cooperative plan for exchange of information regarding reported cases of malaria between the State Department of Health, the New Jersey State Experiment Station and county mosquito extermination commissions, as instituted during the World War period and described in previous reports, was continued during the year.

ROCKY MOUNTAIN SPOTTED FEVER

Seventeen cases were reported in 1946, two more than in 1945. Two deaths were recorded. The cases were distributed by counties as follows: Burlington, Cumberland and Gloucester Counties, three cases each; Ocean County, two cases; Atlantic, Cape May, Essex, Middlesex, Monmouth Counties, one case each, and one case in a military post. As in the past, the Department upon request furnished physicians with vaccine for protective inoculations. The United States Public Health Services provided the vaccine.

DEPARTMENT OF HEALTH

TRICHINOSIS

Nineteen cases with one death were reported in 1946. The record for 1945 was 26 cases with one death. Case histories indicated that 14 of the 19 cases occurred in persons who gave a history of having eaten pork or pork products shortly before the onset of illness. In one case raw ground meat of unknown kind is alleged to have been eaten and in the other four cases satisfactory data as to the probable source of infection could not be obtained.

TULAREMIA

For the first time in 16 years no case of this disease was reported.

UNDULANT FEVER

Case reports dropped from 73 in 1945, to 56 in 1946. One death was recorded in 1946, none in 1945. There were four counties in which no case was reported in 1946, Atlantic, Cape May, Ocean and Union. The counties with the highest number of cases were Sussex with seven, Essex and Morris with six each.

Case histories obtained by the Department's district health officers or by local health officers showed that 14 of the patients had been regular users of raw milk before illness; six had used both raw and pasteurized milk; two had used pasteurized milk regularly and raw milk occasionally; four had used pasteurized milk regularly, but occasionally milk of unknown kind; 16 gave no history of the use of milk other than pasteurized, but of these one worked in a dairy, one in a pork packing plant and one in a slaughterhouse. In ten cases no definite information as to the use of milk was obtained, but one of these was a meat inspector and one a laboratory technician. In four instances the case histories pointed to infection outside of New Jersey. Of the 42 cases for which information as to the use of milk was available, raw milk was a factor in 22, or 52%. Eighteen of the total number of 56 cases reported were in persons whose occupation may have afforded an opportunity to acquire infection. They were: meat industry 6, farm work 7, milk handlers 2, food handlers 2 and laboratory worker 1.

BUREAU OF LOCAL HEALTH SERVICES

95

INVESTIGATIONS OF COMMUNICABLE DISEASES

During the fiscal year ending June 30, 1947, employees of the Bureau investigated 344 cases of communicable diseases, exclusive of tuberculosis and venereal diseases. These cases were distributed by disease as follows:

Chickenpox	49	Poliomyelitis	46
Diphtheria	58	Rocky Mountain spotted fever	18
Dysentery, amoebic	14	Scarlet fever	14
Dysentery, bacillary	3	Streptococcic sore-throat	2
Malaria	23	Trichinosis	2
Measles	2	Typhoid fever	32
Meningitis, epidemic cerebrospinal..	13	Undulant fever	34
Paratyphoid fever	6	Whooping cough	1
Ringworm of the scalp		27	

In addition to the cases listed above, investigations were made by the Bureau of the following outbreaks of gastro-enteritis:

<i>Municipality</i>	<i>No. of Cases</i>	<i>Vector or Suspected Vector of Infection</i>
Bridgewater Township	4	Custard filled doughnuts
Paterson City	5	Bologna
Randolph Township	150	Turkey dressing
State Colony, Woodbine	252	Pudding
Warren Township	21	Turkey and dressing
Warren Township	2	Baked ham

The following additional outbreaks of gastro-enteritis were reported by local health officials:

<i>Municipality</i>	<i>No. of Cases</i>	<i>Vector or Suspected Vector of Infection</i>
Atlantic City	50	Cream puffs
Nutley Town	10	Cream-filled cake
River Edge Borough	3	Cream puffs
Trenton City	not definitely determined, but large	
Trenton City	4	Unrefrigerated food Cup cakes

DAIRY PREMISES

Under Regulation 4, Chapter VI, of the State Sanitary Code cases of diphtheria, dysentery, paratyphoid fever, scarlet fever, streptococcic sore throat, tuberculosis and typhoid fever are reportable by physicians directly to the State Health Department when they occur on a dairy premises or in the dwelling in which a dairy worker resides. During the fiscal year such cases were reported on 22 dairy premises and included 22 cases of scarlet fever, tuberculosis 1, diphtheria 1, and streptococcic sore throat 1. The daily milk production on the 22 dairies amounted to about 17,780 quarts. Through the efforts of the district health officers, with the assistance of local health

of infection through milk were established at each dairy, so that it was not necessary to interrupt the sale of milk.

TYPHOID CARRIERS

At the close of the fiscal year 86 persons were recorded in the files of the Department as carriers of typhoid bacilli. Seven were withdrawn from the list during the year; six by death and one by removal from the State. Two persons were added to the list of carriers. These were discovered as a result of investigation of cases of typhoid fever in an institution of the State.

TOXOID AND VACCINE

Diphtheria toxoid (alum precipitated), diphtheria toxoid (Ramon), smallpox vaccine, typhoid and paratyphoid vaccine combined, whooping cough vaccine, and diphtheria toxoid-whooping cough vaccine combined, were made available to physicians, and also to local boards of health for clinic purposes, at 63 distributing stations located at strategic points about the State. Anti-rabies vaccine (human) was also made available at distributing stations. Reports received from physicians and local health departments during the fiscal year ending June 30, 1947 show that at least 36,661 children received diphtheria toxoid distributed by the State Health Department and 37,759 received either diphtheria toxoid-whooping cough vaccine combined or received whooping cough vaccine alone. The latter group numbered 9,013. Unfortunately, for a time during the latter part of the year when smallpox vaccinations were being performed on an unprecedented scale, the supply of all report forms at distributing stations became temporarily exhausted and as a result there occurred more than the normal number of unreported instances of the use of all biologics. The figures given above, therefore, probably represent about 75% of the children who received diphtheria toxoid and whooping cough vaccine supplied by the State during the year.

In regard to smallpox vaccine the year was quite unusual in view of the unprecedented demand for this material resulting from a desire on the part of so many persons to secure vaccination after the occurrence of cases of virulent smallpox in New York City. News of the occurrence of these cases was released from the New York City Health Department early in April. By April 14 all balances in the biological account of the State Health Department which could be used for the purchase of smallpox vaccine had become exhausted. On this date Governor Alfred E. Driscoll personally authorized the further expenditure of \$15,000 for smallpox vaccine, provided this amount was taken from unexpended balances in any account and remaining to the credit of the State Health Department from appropriations for the year. On

BUREAU OF LOCAL HEALTH SERVICES

97

April 17 a death from smallpox occurred in the City of Camden in a visitor from Trenton. Newspaper accounts of this death again greatly stimulated the desire for vaccination. Much of the supply of vaccine made by eastern manufacturers was sent to New York City; therefore, material for use in New Jersey was purchased from any manufacturer in a position to release it. On April 17 Governor Driscoll authorized a further expenditure for smallpox vaccine stipulating, however, that this additional sum be in the nature of a revolving fund and that charge at cost be made for vaccine furnished industrial plants, local boards of education, private schools, and also to physicians for use in private practice, payments to be credited to the fund. This procedure was later confirmed by special act of Legislature. During the period of the emergency, smallpox vaccine was secured from six different manufacturers in packages containing 5, 10, 50, and 400 points. One c.c. vials of vaccine were also purchased and utilized with good results in group vaccinations in clinics and industrial plants. No attempt was made during the period of the emergency to secure complete reports of individuals vaccinated. By means of a questionnaire to local boards of health at the end of the emergency, it was concluded that over one million persons were vaccinated in New Jersey from a period early in April to about the middle of May.

OTHER BIOLOGICALS

In the fall of 1946 in response to definite requests a limited amount of influenza virus vaccine A and B was purchased for distribution. This material was also placed in distributing stations where it was available to physicians and to local health departments. Immune serum globulin as a preventive of measles was made continuously available throughout the year, in the 63 distributing stations, all of which was supplied without charge by the American Red Cross. A total of 6,800 packages, each containing 2 c.c. of the globulin was received from the American Red Cross during the year.

Sufficient rabies vaccine was released for a complete treatment of 14 doses to 580 persons. A very limited amount of anti-pneumococcic sera was distributed throughout the year.

BLOOD PLASMA

The American Red Cross released to the State Health Department for distribution throughout the State blood plasma available in excess of the needs of the armed forces. All hospitals in the State were given an opportunity to receive plasma and to act as distributing stations for the material. Practically all hospitals took advantage of this opportunity. A few distributing stations were also established at State police barracks, at the offices of some local boards of health and at a few local police stations. The material was

made available without charge for use in hospitals and for the use of physicians in private practice. The material was distributed with the understanding that no charge would be made for any of the plasma administered to a patient although it was agreed that for the administration of plasma to a patient in an institution a service charge could be made; no restriction was placed upon a physician in charging for administering the plasma.

Packages of plasma varying in size from 250 to 500 c.c. were received in cartons from the American Red Cross and the first delivery of plasma to each station was made by Red Cross personnel. Subsequently, requests for a renewed supply of plasma from any station were filled by express collect unless the station sent its own conveyance for the material. Surplus was stored at a public warehouse in Trenton, the supply being renewed from time to time by requisition on the American Red Cross. Forms were supplied distributing stations for the convenience of physicians in reporting the use of plasma obtained by them from a station. These reports indicate that the most frequent usage of the plasma was in the treatment of shock. Hemorrhage, obstetrical and surgical, were also frequently mentioned among conditions treated.

TUBERCULOSIS AND INDUCTION BOARDS

Early in the application of the Selective Service in 1941 there were secured by or made available to the State Health Department names of persons deferred from military service because of signs of tuberculosis. These names at first were obtained from records at the State headquarters of the Selective Service and later were forwarded directly to the State Health Department from military examining boards and induction stations. The names of these persons were referred to local agencies either directly from the State Health Department or through State district health offices. Local agencies were requested to urge these deferred persons to seek local examination and forms were supplied local agencies for the use of physicians in reporting to the State Health Department the results of such examinations as they related to the presence of tuberculosis either in an active or arrested stage. The records of the follow-up of this entire group of persons were closed as of May 15, 1947. At that time each of the 6,145 persons reported as deferred from military service with evidence suggestive of tuberculosis had been followed up and the results of the follow-up together with the result of any re-examination tabulated. Of the 5,040 which were known to have been re-examined and the results of such examination listed, a total of 1,275 showed active tuberculosis; 2,947 arrested tuberculosis, and 335 some chest pathology other than tuberculosis. A total of 483 were reported on re-examination by local physicians or clinics as showing no apparent chest pathology. The names of all persons in this latter group were supplied to the State Selective

BUREAU OF LOCAL HEALTH SERVICES

99

Service officials who in turn referred the names to local draft boards for re-call by such boards. Records are not available at the office of the State Health Department to show completely the result of subsequent examination by the Selective Service, however, it is known that some were admitted to military service while others were again deferred because of physical conditions either tuberculous or otherwise. A summary of the results of the follow-up of the 6,145 persons is given in the following tabulation:

RESULT OF FOLLOW-UP AND RE-EXAMINATION OF 6,145 PERSONS RECORDED AS DEFERRED
FROM MILITARY SERVICE BECAUSE OF EVIDENCE OF TUBERCULOSIS

I. Number recorded on re-examination by family physicians or chest clinics as			
a. Tuberculosis—active	1,275		
b. Tuberculosis—arrested	2,947		
		4,222	
c. Pathology other than tuberculosis	335		
d. No apparent pathology	483		
		818	
			5,040
II. Residents of other States, referred elsewhere for re-examination			
	596		
III. Number not located for interview			
	265		
IV. Reported by investigator as in some branch of military service			
	113		
V. Deceased before re-examination			
	19		
VI. Record of re-examination lacking or not sufficiently complete for classification			
	112		
		1,105	
			1,105
			6,145

TUBERCULOSIS IN INDUSTRIAL PLANTS

Following the practice previously established, the names and addresses of persons found to show signs suggestive of tuberculosis in X-ray screening examinations in industrial groups and in community groups by the Division of Tuberculosis Control were referred to the Bureau of Local Health Services for follow-up. Any person so reported who gave the name of a family physician was urged by mail to consult the physician promptly and the physician was notified of the interpretation of the reading of the film taken in the mass survey. The physician was requested to file a report showing the decision finally reached as to whether there was found present tuberculosis either in an active or arrested stage. Names of persons who did not give the name of a family physician and also the names of persons whose family physician did not file a report form within a reasonable time were referred for visitation and follow-up either directly or through district health offices

to such local agencies as local health boards, county tuberculosis associations, and tuberculosis hospitals. During the year ending June 30, 1947, 1,817 persons were referred to this Bureau from the Division of Tuberculosis Control. Obviously the follow-up of all these persons could not be completed in the same fiscal year. However, in the follow-up work which was completed during the year, both of persons referred within the twelve months period and of some others previously referred, there were recorded on re-examination 82 active cases of tuberculosis and 513 cases of arrested tuberculosis. One hundred seventy-three were recorded as showing chest pathology other than tuberculosis; 163 were recorded as showing on re-examination no significant chest pathology.

The mass chest X-ray program of the Department was started in the year 1942. From the beginning of the work to June 30, 1947, reports filed by physicians and clinics on the re-examination of tuberculous suspects located in the industrial and community surveys showed a total of 241 active cases of tuberculosis and a total of 1,383 arrested tuberculosis.

TUBERCULOSIS AND THE VETERANS ADMINISTRATION

Reports were received directly from veterans hospitals of cases of tuberculosis giving a place of residence in New Jersey who were admitted to, discharged from or left such hospitals without permission. Veterans reported as leaving these hospitals were referred to local agencies for follow-up. Reports returned during the year ending June 30, 1947, show that of the number referred out during the year and the number previously referred but not reported upon, 19 were attending a chest clinic in New Jersey; 16 were admitted to a hospital in this State; five re-entered a hospital of the Veterans Administration; 22 were under the professional care of their own physician; three were reported as deceased. Ten were not located and 19 were still under investigation at the end of the year.

From the Veterans Administration there were also received the names of 268 persons listed as members of the immediate families of tuberculous veterans treated at veterans hospitals. These were also referred to local agencies to be visited and urged to have chest examinations. At the end of the year a summary of the results of the follow-up of these 268 persons, together with a group still under investigation at the end of the previous fiscal year, showed none to have been found to have active tuberculosis, although four were recorded as having arrested tuberculosis. Five were recorded as showing other chest pathology; in 161 no chest pathology was found; 18 were not located; exposure in 30 instances was found to have been very remote, while 74 either refused or found it impractical to have such an examination.

BUREAU OF LOCAL HEALTH SERVICES

101

CAMP INSPECTIONS

Recreational summer camps in New Jersey are located chiefly in rural areas in townships in which the personnel of the local health departments is very limited. Parents therefore look to the State Department of Health for some assurance that basic sanitary facilities at such camps are reasonably safe. During the year ending June 30, 1947, employees assigned to the Bureau inspected 150 such camps at many of which one or more re-inspections were made during the same camping season.

INSPECTION OF FOOD VENDING PLACES

During the year inspection work in food vending places along highways in rural areas and in the vicinity of Fort Dix and Camp Kilmer was continued to the extent time and limited personnel made it possible. A total of 6,295 inspections were made at 1,023 such establishments. On alternate weeks a limited number of swabs was collected from eating and drinking utensils in public places in the Fort Dix and Camp Kilmer areas, and delivered to the State laboratory for bacteriological counts as a check of cleansing methods.

PRIVATE WATER SUPPLIES

The results of all laboratory tests on samples from private and semi-public water supplies, except pay samples, are referred to this Bureau for interpretation and reporting to the proper official. Many of these samples are collected by employees in the Bureau but others come from local health officials or some other agency. In most cases, the report is made to the local board of health having jurisdiction, with copies to other officials concerned in the matter.

In the year under review, 1,132 such reports were sent, each containing the results of the tests, an interpretation of their public health significance and, if the water proved to be unsafe, a request for a report on action taken by the local board. Seven hundred sixty-three or 67% of the 1,132 supplies were found to be safe, 77 or 6% were of doubtful quality, and 292 or 25% were reported unsafe for drinking and household use.

LOCAL BOARDS OF HEALTH

Data on forms supplied local boards of health for making an annual report to the State Health Department were tabulated and studied. These reports show that for the 1946 calendar year, 81 local health departments employed 51 licensed health officers engaged on a full-time basis; 70 local boards employed 59 licensed health officers engaged in public health work on a part-

time basis. The local health boards in the State also reported employing either on a full- or part-time basis 266 licensed sanitary or food inspectors and 139 licensed plumbing inspectors.

The total amount of funds available to local health boards in the State in 1946 for all purposes was reported as \$3,702,423.47. In a few municipalities the appropriations made for the local board of health included a special allotment for the maintenance of a contagious disease hospital and also in some few municipalities part of the funds for the use of the local health department was earmarked for garbage disposal. Excluding these two items there remained for the use of the local boards a total of \$3,480,455.69. Based upon an estimated population as of July 1, 1946, of 4,304,261, the total per capita amount available to all boards of health in the State for the year was \$0.83.

The total amount reported as expended by the local health boards in the State in 1946, less any amount expended for hospital maintenance and garbage disposal, is \$3,340,557.57, a per capita amount of \$0.776. In the various counties the per capita amount expended ranged from \$0.16 per capita in Hunterdon County to \$1.72 per capita in the County of Essex. The per capita amount expended by boards of health in all municipalities of 50,000 population or over was about \$1.24, while in incorporated municipalities of 2,000 or less the per capita amount was about \$0.34.

SUMMARY OF OTHER WORK OF THE BUREAU

Services rendered and work performed by the Bureau during the fiscal year included other activities not specifically referred to above. Some of these are summarized below:

No. of conferences with local health officials on questions pertaining to public health	5,585
No. of conferences with persons other than local health officials	9,509
No. of meetings of local boards of health attended	63
No. of person-attendance at other meetings	360
No. of lectures given in courses for health officials	81
No. of other talks or lectures given or papers read	55
No. of persons given immunizing treatments or aid given in such treatments..	667
No. of specimens collected from humans either by employees of the Bureau or with their aid to be examined for pathogenic bacteria	167
No. of water samples collected for laboratory examination	752
No. of other specimens and samples collected for laboratory examination	296
No. of instances in which aid was given in diagnosis of suspected cases of communicable diseases	7

BUREAU OF LOCAL HEALTH SERVICES

103

**REPORTED CASES AND DEATHS, CASE AND DEATH RATES FOR CERTAIN
REPORTABLE DISEASES FOR 1946**

DISEASE	Cases	Cases per 100,000 Pop.	Deaths	Deaths per 100,000 Pop.	Per Cent Fatality
Chickenpox	16,529	384.01	2	0.04	0.01
Diphtheria	249	5.78	13	0.30	5.22
Influenza	407	9.45	102	2.37	25.06
Pneumonia	4,230	98.48	1,438	33.41	33.92
Meningitis, Epidemic cerebrospinal ...	184	4.27	40	0.93	21.74
Measles	56,421	1310.81	27	0.62	0.04
German measles	10,175	236.39	0	...	...
Poliomyelitis, acute anterior	257	5.97	24	0.55	9.34
Scarlet fever	4,231	98.29	5	0.11	0.12
Rocky Mountain spotted fever	17	0.39	2	0.04	11.76
Tuberculosis	3,618	84.05	1,643	38.17	45.41
Typhoid fever	58	1.34	3	0.07	5.17
Whooping cough	7,040	163.56	27	0.62	0.38

CASES AND DEATHS FROM OTHER REPORTABLE DISEASES FOR 1946

DISEASE	Cases	Deaths	DISEASE	Cases	Deaths
Anthrax	4	1	Rabies	2	2
Dysentery, amoebic	38	13	Smallpox	2	0
Bacillary	19	0	Tetanus	8	8
Unspecified	43	2	Trachoma	2	1
Encephalitis, lethargic	8	24	Trichinosis	19	1
Malaria	931	2	Tularemia	0	0
Mumps	9,209	1	Typhus Fever	3	1
Ophthalmia, neonatorum	18	0	Undulant Fever	56	1
Paratyphoid fever	30	0			

REPORTED CASES OF COMMUNICABLE DISEASES BY COUNTIES FOR 1946

COUNTIES	Anthrax	Chickenpox	Diphtheria	Dysentery	Encephalitis Lethargic	Influenza	Malaria	Measles	German Measles	Meningitis, Epidemic Cerebrospinal	Mumps	Ophthalmia Neonatorum	Paratyphoid Fever	Pneumonia	Acute Anterior Polyomyelitis
Atlantic	0	186	7	1	0	28	20	279	42	3	71	0	0	28	2
Bergen	0	3,878	5	3	0	9	36	2,525	707	13	2,015	0	2	168	41
Burlington	0	313	7	0	0	74	6	1,092	90	4	64	1	1	112	2
Camden	3	774	41	0	0	11	45	2,604	85	16	1,128	2	0	167	9
Cape May	0	83	4	0	0	16	4	274	46	1	78	0	0	9	1
Cumberland	0	106	6	0	0	3	3	1,067	21	2	25	0	0	63	0
Essex	0	3,386	6	8	4	97	91	21,965	4,115	56	2,723	12	3	1,819	46
Gloucester	0	113	4	0	0	0	1	900	11	4	63	0	1	19	5
Hudson	0	970	46	19	2	42	55	2,933	214	26	527	1	3	198	30
Hunterdon	0	48	2	0	0	0	0	377	10	1	16	0	0	21	4
Mercer	0	382	6	1	1	28	44	1,399	119	3	61	0	3	232	10
Middlesex	0	567	33	1	0	2	20	2,814	169	10	84	1	1	31	7
Monmouth	0	632	6	0	1	19	11	3,742	227	9	171	0	1	110	35
Morris	0	409	3	2	0	4	10	1,789	574	2	281	1	2	82	16
Ocean	0	118	1	0	0	4	1	173	10	0	10	0	0	63	6
Passaic	0	1,197	10	0	0	38	32	1,037	257	1	490	0	4	22	9
Salem	0	132	4	0	0	1	1	295	12	3	302	0	0	2	2
Somerset	1	161	4	2	0	1	11	1,319	214	1	126	0	0	58	6
Sussex	0	134	0	0	0	2	4	46	231	2	20	0	0	36	0
Union	0	2,872	6	1	0	22	31	9,325	2,719	15	731	0	2	209	21
Warren	0	13	7	0	0	0	2	263	25	4	7	0	1	17	0
State institutions	0	25	1	18	0	3	0	36	61	0	3	0	0	43	0
Military posts	0	30	40	44	0	3	503	218	216	8	213	0	0	730	5
State total	4	16,329	249	100	8	407	931	56,421	10,175	184	9,209	18	30	4,239	257

REPORTED CASES OF COMMUNICABLE DISEASES BY COUNTIES FOR 1946—(Continued)

COUNTIES	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Smallpox	Streptococcal Sore Throat	Tetanus	Trichinosis	Tuberculosis	Tularemia	Typhoid Fever	Typhus Fever	Undulant Fever	Whooping Cough
Atlantic	0	1	84	0	1	0	0	115	0	3	0	0	73
Bergen	0	0	442	0	8	1	3	202	0	13	0	2	1,060
Burlington	0	3	150	0	3	0	0	61	0	3	0	2	261
Camden	0	0	180	0	2	0	1	182	0	3	0	1	315
Cape May	0	1	13	0	3	0	0	28	0	5	0	0	36
Cumberland	0	3	46	0	3	0	0	42	0	3	0	3	83
Essex	2	1	1,073	0	36	3	6	708	0	3	1	6	2,191
Gloucester	0	3	58	0	0	0	0	35	0	1	0	2	46
Hudson	0	0	560	0	44	3	1	576	0	7	0	3	425
Hunterdon	0	0	24	0	0	0	0	25	0	1	0	1	6
Mercer	0	0	200	1	3	0	1	204	0	4	0	3	225
Middlesex	0	1	98	0	0	0	2	154	0	0	0	4	322
Monmouth	0	1	94	0	6	0	0	135	0	1	0	3	155
Morris	0	0	131	0	4	0	2	73	0	4	0	6	255
Ocean	0	2	43	0	1	0	0	29	0	0	0	0	33
Passaic	0	0	310	0	4	1	2	197	0	1	0	2	404
Salem	0	0	28	0	0	0	0	21	0	1	0	4	20
Somerset	0	0	67	0	1	0	0	50	0	1	0	4	48
Sussex	0	0	89	0	0	0	0	14	0	1	0	7	105
Union	0	0	350	1	14	0	0	189	0	1	2	0	922
Warren	0	0	35	0	1	0	1	36	0	1	0	2	17
State institutions	0	0	6	0	8	0	0	126	0	0	0	1	6
Military posts	0	1	170	0	0	0	0	416	0	1	0	0	2
State total	2	17	4,231	2	142	8	19	3,618	0	58	3	56	7,040

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY COUNTIES FOR 1946

COUNTIES	Anthrax	Chickenpox	Diphtheria	Dysentery	Encephalitis, Lethargic	Influenza	Malaria	Measles	German Measles	Meningitis, Epidemic Cerebrospinal	Mumps	Ophthalmia Neonatorum	Paratyphoid Fever	Pneumonia	Acute Anterior Polyomyelitis
Atlantic	0	0	3	0	2	6	0	0	0	1	0	0	0	50	0
Bergen	0	0	0	0	2	4	1	1	0	2	1	0	0	95	4
Burlington	0	0	0	0	0	4	0	1	0	1	0	0	0	33	1
Camden	0	0	1	0	1	6	0	3	0	5	0	0	0	102	1
Cape May	0	0	1	0	0	0	0	1	0	0	0	0	0	11	0
Cumberland	0	0	0	1	0	2	0	0	0	0	0	0	0	30	0
Essex	0	1	0	1	4	13	0	3	0	10	0	0	0	260	8
Gloucester	0	0	1	0	0	3	1	0	0	2	0	0	0	25	0
Hudson	0	0	2	3	5	8	0	4	0	4	0	0	0	230	1
Hunterdon	0	0	0	0	0	3	0	0	0	0	0	0	0	12	0
Mercer	0	0	0	0	2	7	0	1	0	2	0	0	0	93	0
Middlesex	0	0	4	1	3	10	0	9	0	5	0	0	0	76	2
Monmouth	0	0	0	2	0	4	0	4	0	3	0	0	0	73	3
Morris	0	0	0	1	0	7	0	1	0	0	0	0	0	30	2
Ocean	0	0	0	1	0	0	0	0	0	0	0	0	0	23	0
Passaic	0	1	0	2	4	4	0	0	0	0	0	0	0	87	1
Salem	0	0	0	0	0	6	0	0	0	0	0	0	0	18	0
Somerset	1	0	0	0	1	2	0	1	0	1	0	0	0	29	0
Sussex	0	0	0	1	0	1	0	0	0	0	0	0	0	12	0
Union	0	0	1	2	0	11	0	4	0	3	0	0	0	128	1
Warren	0	0	0	0	0	1	0	1	0	1	0	0	0	21	0
State total	1	2	13	15	24	102	2	27	0	40	1	0	0	1,438	24

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY COUNTIES FOR 1946—(Continued)

COUNTIES	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Smallpox	Streptococic Sore Throat	Tetanus	Trichinosis	Tuberculosis	Tularemia	Typhoid Fever	Typhus Fever	Undulant Fever	Whooping Cough
Atlantic	0	0	0	0	0	1	0	54	0	0	0	0	0
Bergen	0	0	0	0	0	0	0	116	0	0	0	1	2
Burlington	0	1	0	0	0	0	0	26	0	0	0	0	3
Camden	0	0	1	0	0	3	0	87	0	0	0	0	3
Cape May	0	1	0	0	0	0	0	11	0	0	0	0	0
Cumberland	0	0	1	0	0	1	0	19	0	0	0	0	2
Essex	2	0	0	0	2	1	0	407	0	0	0	0	2
Gloucester	0	0	0	0	0	0	0	20	0	0	0	0	0
Hudson	0	0	0	0	0	1	0	322	0	0	0	0	3
Hunterdon	0	0	0	0	0	0	0	10	0	0	0	0	0
Mercer	0	0	0	0	2	0	0	104	0	0	0	0	1
Middlesex	0	0	1	0	0	0	0	70	0	0	0	0	0
Monmouth	0	0	0	0	0	1	0	70	0	0	1	0	1
Morris	0	0	0	0	0	0	0	33	0	0	0	0	3
Ocean	0	0	0	0	0	0	0	14	0	0	0	0	1
Passaic	0	0	0	0	0	0	0	119	0	0	0	0	2
Salem	0	0	1	0	0	0	1	11	0	1	0	0	1
Somerset	0	0	1	0	0	0	0	22	0	0	0	0	1
Sussex	0	0	0	0	0	0	0	4	0	0	0	0	0
Union	0	0	0	0	0	0	0	111	0	0	0	0	1
Warren	0	0	0	0	1	0	0	13	0	0	0	0	1
State total	2	2	5	0	5	8	1	1,643	0	3	1	1	27

Deaths occurring in state institutions are charged to the place of residence of the decedent.
Deaths occurring at military posts are charged to the county in which the post is located.

DEPARTMENT OF HEALTH

REPORTED CASES OF DIPHTHERIA IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	5	1	0	0	0	1	0	0	0	0	1	1	1
1 year	13	2	0	0	3	5	0	0	1	0	1	0	1
2 years	15	2	2	1	1	5	0	0	0	1	0	2	1
3 years	16	3	1	0	3	2	0	1	1	0	1	2	2
4 years	16	0	0	3	0	0	1	2	3	1	1	4	1
Under 5 years	65	8	3	4	7	13	1	3	5	2	4	9	6
5 to 9 years	59	3	4	2	7	5	9	4	3	2	5	7	8
10 to 14 years	36	2	2	1	2	5	4	7	2	0	3	4	4
15 to 19 years	26	3	0	3	2	3	1	0	4	0	7	2	1
20 to 24 years	42	5	0	4	12	5	2	0	2	4	0	3	5
25 to 34 years	11	3	2	0	0	1	1	0	1	0	0	2	1
35 to 44 years	8	0	1	0	0	1	1	0	0	0	3	0	2
45 to 54 years	1	0	0	0	0	0	0	0	0	0	0	0	1
55 to 64 years	1	0	0	0	1	0	0	0	0	0	0	0	0
65 years and over	0	0	0	0	0	0	0	0	0	0	0	0	0
Age not stated	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	249	24	12	14	31	33	19	14	17	8	22	27	28

REPORTED CASES AND DEATHS FROM DIPHTHERIA IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	3	0	2	0	5	0
1 year	10	1	3	0	13	1
2 years	12	1	3	0	15	1
3 years	7	0	9	4	16	4
4 years	12	0	4	0	16	0
Under 5 years	44	2	21	4	65	6
5 to 9 years	31	1	28	1	59	2
10 to 14 years	20	0	16	2	36	2
15 to 19 years	20	1	6	0	26	1
20 to 24 years	32	1	10	0	42	1
25 to 34 years	6	0	5	1	11	1
35 to 44 years	3	0	5	0	8	0
45 to 54 years	1	0	0	0	1	0
55 to 64 years	0	0	1	0	1	0
65 years and over	0	0	0	0	0	0
Age not stated	0	0	0	0	0	0
Total	157	5	92	8	249	13

REPORTED CASES OF EPIDEMIC CEREBROSPINAL MENINGITIS IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	14	2	1	3	1	0	0	1	0	1	1	2	2
1 year	11	1	1	1	1	2	0	0	2	0	1	1	1
2 years	12	4	2	1	0	3	0	0	2	0	0	0	0
3 years	12	2	2	0	2	0	0	1	1	1	0	3	0
4 years	8	0	0	1	2	0	2	0	0	0	1	0	2
Under 5 years	57	9	6	6	6	5	2	2	3	4	3	6	5
5 to 9 years	23	5	1	4	3	0	2	3	0	3	1	1	0
10 to 14 years	9	2	1	0	2	1	1	0	0	0	1	0	1
15 to 19 years	19	6	0	3	2	1	0	2	0	1	1	1	2
20 to 24 years	14	3	2	1	1	2	2	1	2	0	0	0	0
25 to 34 years	23	3	2	3	5	4	1	2	0	1	1	0	1
35 to 44 years	22	7	1	3	3	2	2	1	1	0	1	1	0
45 to 54 years	10	1	3	0	0	3	1	1	0	0	0	0	1
55 to 64 years	3	0	0	0	0	1	2	0	0	0	0	0	0
65 years and over	3	0	0	0	0	0	0	0	0	0	1	2	0
Age not stated	1	0	1	0	0	0	0	0	0	0	0	0	0
Total	184	36	17	20	22	19	13	12	6	9	9	11	10

BUREAU OF LOCAL HEALTH SERVICES

109

REPORTED CASES AND DEATHS FROM EPIDEMIC CEREBROSPINAL MENINGITIS
IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	9	6	5	1	14	7
1 year	5	5	6	2	11	7
2 years	3	1	9	1	12	2
3 years	9	2	3	0	12	2
4 years	7	2	1	0	8	2
Under 5 years	33	16	24	4	57	20
5 to 9 years	12	0	11	3	23	3
10 to 14 years	5	2	4	1	9	3
15 to 19 years	15	1	4	0	19	1
20 to 24 years	7	0	7	0	14	0
25 to 34 years	12	1	11	1	23	2
35 to 44 years	17	4	5	2	22	6
45 to 54 years	7	2	3	0	10	2
55 to 64 years	1	0	2	3	3	3
65 years and over	1	0	2	0	3	0
Age not stated	0	0	1	0	1	0
Total	110	26	74	14	184	40

REPORTED CASES OF PNEUMONIA IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	337	54	24	35	36	32	20	16	8	15	13	40	44
1 year	150	17	16	20	18	22	15	4	7	8	5	2	16
2 years	113	23	7	7	11	17	8	2	1	6	4	14	13
3 years	117	12	12	12	17	23	4	2	4	8	5	7	11
4 years	60	8	5	6	6	8	6	1	1	1	5	5	8
Under 5 years	777	114	64	80	88	102	53	25	21	38	32	68	92
5 to 9 years	225	36	15	13	26	24	15	7	10	18	22	18	21
10 to 14 years	121	23	16	12	10	7	3	8	5	6	6	7	17
15 to 19 years	362	49	33	33	26	15	14	14	18	35	31	36	53
20 to 24 years	322	59	37	48	26	24	17	16	13	13	21	26	22
25 to 34 years	454	110	73	55	37	24	25	26	16	14	16	29	29
35 to 44 years	346	91	38	35	31	28	13	10	15	15	20	15	35
45 to 54 years	405	88	76	43	27	30	14	13	14	21	16	27	36
55 to 64 years	440	113	52	40	32	33	13	14	21	22	35	25	40
65 years and over	775	174	90	69	59	54	27	30	29	53	50	58	82
Age not stated	12	2	1	2	0	1	0	3	0	1	1	0	1
Total	4239	859	495	436	362	342	194	166	162	236	250	309	423

REPORTED CASES AND DEATHS FROM PNEUMONIA IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	192	138	145	105	337	243
1 year	81	19	69	16	150	35
2 years	61	3	52	11	113	14
3 years	67	2	50	1	117	3
4 years	35	2	25	4	60	6
Under 5 years	436	164	341	137	777	301
5 to 9 years	111	6	114	5	225	11
10 to 14 years	57	3	64	5	121	8
15 to 19 years	317	12	45	3	362	15
20 to 24 years	254	8	68	12	322	20
25 to 34 years	300	18	154	17	454	35
35 to 44 years	199	48	147	36	346	84
45 to 54 years	256	101	149	53	405	154
55 to 64 years	267	139	173	62	440	201
65 years and over	387	298	388	311	775	609
Age not stated	10	0	2	0	12	0
Total	2594	797	1645	641	4239	1438

DEPARTMENT OF HEALTH

REPORTED CASES OF ACUTE ANTERIOR POLIOMYELITIS IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	5	0	0	0	0	0	0	0	2	0	2	1	0
1 year	10	1	0	0	0	0	1	2	2	1	0	2	1
2 years	12	0	0	1	0	0	0	1	5	0	3	1	1
3 years	13	0	0	0	1	0	1	1	2	1	7	0	0
4 years	15	0	0	0	0	0	1	2	3	3	4	2	0
Under 5 years	55	1	0	1	1	0	3	6	14	5	16	6	2
5 to 9 years	81	0	0	0	0	1	3	8	28	20	14	3	4
10 to 14 years	56	0	1	0	0	0	2	8	20	11	6	5	3
15 to 19 years	35	0	0	0	0	0	2	7	8	8	7	3	0
20 to 24 years	16	1	1	0	0	0	1	2	5	2	3	1	0
25 to 34 years	12	1	0	0	1	0	0	2	4	1	2	1	0
35 to 44 years	2	0	0	0	0	0	0	0	0	1	0	1	0
45 to 54 years	0	0	0	0	0	0	0	0	0	0	0	0	0
55 to 64 years	0	0	0	0	0	0	0	0	0	0	0	0	0
65 years and over	0	0	0	0	0	0	0	0	0	0	0	0	0
Age not stated	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	237	3	2	1	2	1	11	33	79	48	48	20	9

REPORTED CASES AND DEATHS FROM ACUTE ANTERIOR POLIOMYELITIS IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	1	0	4	0	5	0
1 year	5	0	5	1	10	1
2 years	5	0	7	0	12	0
3 years	6	1	7	1	13	2
4 years	11	1	4	1	15	2
Under 5 years	28	2	27	3	55	5
5 to 9 years	53	2	28	2	81	4
10 to 14 years	33	2	23	1	56	3
15 to 19 years	20	2	15	2	35	4
20 to 24 years	7	2	9	1	16	3
25 to 34 years	6	1	6	3	12	4
35 to 44 years	0	0	2	0	2	0
45 to 54 years	0	0	0	0	0	0
55 to 64 years	0	0	0	1	0	1
65 years and over	0	0	0	0	0	0
Age not stated	0	0	0	0	0	0
Total	147	11	110	13	257	24

REPORTED CASES OF SCARLET FEVER IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	16	0	2	3	1	4	2	0	0	0	1	2	1
1 year	71	8	7	8	12	10	3	1	4	1	6	5	6
2 years	163	21	14	28	26	18	18	3	7	4	4	7	13
3 years	313	25	33	34	49	48	33	16	6	4	19	19	27
4 years	352	26	41	37	69	48	26	17	12	15	13	14	32
Under 5 years	915	80	97	110	157	128	82	37	29	24	45	47	79
5 to 9 years	1972	174	196	251	309	313	184	47	27	48	107	137	179
10 to 14 years	708	74	77	116	122	131	58	12	10	14	22	26	46
15 to 19 years	336	32	52	62	65	68	18	3	5	0	12	5	14
20 to 24 years	117	11	15	14	22	16	11	6	3	3	5	5	6
25 to 34 years	116	14	22	18	22	9	11	4	2	1	3	4	6
35 to 44 years	38	4	2	7	6	9	3	1	2	0	2	0	2
45 to 54 years	17	1	0	4	2	4	1	2	1	0	0	0	2
55 to 64 years	7	0	1	0	4	0	1	0	1	0	0	0	0
65 years and over	2	1	0	0	0	1	0	0	0	0	0	0	0
Age not stated	3	0	1	1	0	0	0	0	0	0	0	1	0
Total	4231	391	463	583	709	679	369	112	80	90	196	225	334

BUREAU OF LOCAL HEALTH SERVICES

111

REPORTED CASES AND DEATHS FROM SCARLET FEVER IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	10	0	6	0	16	0
1 year	32	0	39	0	71	0
2 years	85	0	78	0	163	0
3 years	184	0	129	0	313	0
4 years	189	0	163	0	352	0
Under 5 years	500	0	415	0	915	0
5 to 9 years	981	0	991	0	1972	0
10 to 14 years	355	1	353	0	708	1
15 to 19 years	225	0	111	0	336	0
20 to 24 years	62	0	55	1	117	1
25 to 34 years	53	1	63	2	116	3
35 to 44 years	19	0	19	0	38	0
45 to 54 years	7	0	10	0	17	0
55 to 64 years	3	0	4	0	7	0
65 years and over	0	0	2	0	2	0
Age not stated	1	0	2	0	3	0
Total	2206	2	2025	3	4231	5

REPORTED CASES OF TUBERCULOSIS IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	8	0	2	1	0	1	3	0	0	0	0	0	1
1 year	15	4	1	2	0	1	1	1	3	0	0	1	1
2 years	16	3	0	0	1	2	0	3	4	1	0	0	2
3 years	16	0	2	0	1	1	2	4	1	0	4	1	0
4 years	12	3	0	1	0	2	2	1	1	2	0	0	0
Under 5 years	67	10	5	4	2	7	8	9	9	3	4	2	4
5 to 9 years	60	2	4	4	7	3	6	6	4	7	1	11	5
10 to 14 years	69	3	7	7	9	8	10	3	2	7	5	2	6
15 to 19 years	193	25	16	16	23	12	11	11	13	13	19	17	17
20 to 24 years	532	55	61	49	44	41	36	37	46	36	43	51	33
25 to 34 years	882	102	105	71	88	75	79	73	79	59	53	56	42
35 to 44 years	539	60	53	50	47	45	56	42	41	39	33	38	35
45 to 54 years	518	48	54	47	32	52	51	43	48	41	38	32	32
55 to 64 years	460	38	40	46	32	32	41	52	37	40	42	28	32
65 years and over	296	23	24	32	19	28	26	28	26	24	12	23	31
Age not stated	2	0	0	1	0	0	1	0	0	0	0	0	0
Total	3618	366	369	327	303	303	325	304	305	269	250	260	237

REPORTED CASES AND DEATHS FROM TUBERCULOSIS IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	2	3	6	4	8	7
1 year	10	3	5	6	15	9
2 years	7	4	9	6	16	10
3 years	6	3	10	2	16	5
4 years	5	2	7	0	12	2
Under 5 years	30	15	37	18	67	33
5 to 9 years	30	3	30	6	60	9
10 to 14 years	34	3	35	7	69	10
15 to 19 years	97	18	96	35	193	53
20 to 24 years	304	45	228	71	532	116
25 to 34 years	503	118	379	142	882	260
35 to 44 years	348	203	191	111	539	314
45 to 54 years	395	245	123	72	518	317
55 to 64 years	373	247	87	52	460	299
65 years and over	206	150	90	82	296	232
Age not stated	2	0	0	0	2	0
Total	2322	1047	1296	596	3618	1643

DEPARTMENT OF HEALTH

REPORTED CASES OF TYPHOID FEVER IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	1	1	0	0	0	0	0	0	0	0	0	0	0
1 year	0	0	0	0	0	0	0	0	0	0	0	0	0
2 years	0	0	0	0	0	0	0	0	0	0	0	0	0
3 years	0	0	0	0	0	0	0	0	0	0	0	0	0
4 years	2	1	0	1	0	0	0	0	0	0	0	0	0
Under 5 years	3	2	0	1	0	0	0	0	0	0	0	0	0
5 to 9 years	7	1	0	0	1	1	1	1	1	1	0	0	0
10 to 14 years	9	0	0	1	0	1	0	0	0	5	0	1	1
15 to 19 years	6	0	0	0	1	1	0	2	0	0	2	0	0
20 to 24 years	4	1	0	0	0	0	1	0	0	1	1	0	0
25 to 34 years	12	1	1	1	3	0	0	1	2	3	0	0	0
35 to 44 years	8	0	0	0	0	1	2	0	1	3	1	0	0
45 to 54 years	6	1	1	1	0	0	0	0	0	2	0	0	1
55 to 64 years	2	0	0	0	0	0	0	0	1	0	1	0	0
65 years and over	1	0	0	0	0	0	0	0	0	1	0	0	0
Age not stated	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	58	6	2	4	5	4	4	4	5	16	5	1	2

REPORTED CASES AND DEATHS FROM TYPHOID FEVER IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	0	0	1	0	1	0
1 year	0	0	0	0	0	0
2 years	0	0	0	0	0	0
3 years	0	0	0	0	0	0
4 years	0	0	2	0	2	0
Under 5 years	0	0	3	0	3	0
5 to 9 years	2	0	5	0	7	0
10 to 14 years	7	0	2	0	9	0
15 to 19 years	2	0	4	0	6	0
20 to 24 years	1	0	3	0	4	0
25 to 34 years	6	1	6	0	12	1
35 to 44 years	5	1	3	0	8	1
45 to 54 years	4	1	2	0	6	1
55 to 64 years	1	0	1	0	2	0
65 years and over	1	0	0	0	1	0
Age not stated	0	0	0	0	0	0
Total	29	3	29	0	58	3

REPORTED CASES OF WHOOPING COUGH IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Months

AGE GROUPS	NUMBER OF CASES												
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year	515	46	38	48	33	39	49	53	52	35	38	39	45
1 year	499	52	38	43	38	43	43	52	47	41	26	29	47
2 years	683	54	42	63	48	53	60	77	71	52	54	55	54
3 years	851	55	47	67	70	72	73	102	91	79	68	64	63
4 years	733	52	36	59	47	57	51	66	80	87	70	54	74
Under 5 years	3281	259	201	280	236	264	276	350	341	294	256	241	283
5 to 9 years	3175	310	227	358	238	310	234	250	196	251	233	289	279
10 to 14 years	439	40	34	55	61	45	26	40	23	30	23	29	33
15 to 19 years	49	10	3	6	5	5	5	3	4	2	3	1	2
20 to 24 years	16	2	0	1	1	3	1	1	5	0	0	1	1
25 to 34 years	40	1	1	2	2	6	4	9	8	2	2	1	2
35 to 44 years	23	2	2	4	3	1	1	2	6	0	1	1	0
45 to 54 years	5	0	0	6	1	2	1	0	1	0	0	0	0
55 to 64 years	4	0	0	0	0	1	0	0	0	0	1	1	1
65 years and over	3	0	0	1	0	0	0	0	2	0	0	0	0
Age not stated	5	0	0	1	0	2	0	0	0	1	0	0	1
Total	7040	624	468	708	547	639	548	655	586	580	519	564	602

BUREAU OF LOCAL HEALTH SERVICES

113

REPORTED CASES AND DEATHS FROM WHOOPING COUGH IN NEW JERSEY

For the Calendar Year 1946, by Age Groups and Sex

AGE GROUPS	Male		Female		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Under 1 year	272	8	243	10	515	18
1 year	233	1	266	0	499	1
2 years	318	1	365	1	683	2
3 years	396	0	455	0	851	0
4 years	358	1	375	0	733	1
Under 5 years	1577	11	1704	11	3281	22
5 to 9 years	1522	0	1653	2	3175	2
10 to 14 years	204	0	235	0	439	0
15 to 19 years	21	0	28	0	49	0
20 to 24 years	6	0	10	0	16	0
25 to 34 years	8	0	32	1	40	1
35 to 44 years	10	0	13	0	23	0
45 to 54 years	2	0	3	0	5	0
55 to 64 years	1	1	3	0	4	1
65 years and over	0	1	3	0	3	1
Age not stated	3	0	2	0	5	0
Total	3354	13	3686	14	7040	27

Report of the Bureau of Preventable Diseases

July 1, 1946-June 30, 1947

By ROSCOE P. KANDLE, M.D., *Director*

The Bureau of Preventable Diseases, composed of the Divisions of Adult and Industrial Health, Cancer Control, Dental Health, Maternal and Child Health, Tuberculosis Control and Venereal Disease Control, the Rabies Control Program and the Negro Health Program, the advisory public health nurse and the nutritionist, has become an increasingly active unit during this fiscal year.

Leonid S. Snegireff, the first Director, resigned July 16, 1946. Roscoe P. Kandle, M.D., M.P.H., was appointed Director October 16, 1946. During the interval between Directors, the Bureau did not operate as such. New quarters were secured at 19 West State Street, the Bureau was reorganized, clerical assistance was secured for the first time and the Division of Cancer Control was added, beginning October, 1946. A well qualified nutritionist was added to the staff on January 1, 1947.

Regular staff meetings of the division chiefs and program heads were held, further coordination and integration of the programs of the units of the Bureau were secured and better relationships developed with the other bureaus of the Department and other agencies. Some evaluation of the programs of the divisions was begun, mostly informal in nature, although a formal study of the Division of Dental Health was made.

The matter of quarters was significant. While separated from the remainder of the Department and adding another to the many locations in which the units of the Department are to be found, nevertheless adequate space was obtained. Besides the Bureau administrative offices, cancer control, the nutritionist, the advisory public health nurse and the laboratory of the Division of Adult and Industrial Health were housed. A testing laboratory and assembly station for the mobile X-ray equipment of the Division of Tuberculosis was developed. More important, a departmental conference room was developed with the aid and advice of the experts in the eye conservation program of the Division of Adult and Industrial Health. This

became a very useful room, as well as a laboratory and demonstration of good practice in lighting.

A clerical pool was established to provide clerical services for all of the units housed together. This method provided clerical service to a number of very active programs with a minimum staff.

Another significant development was the attempt to inaugurate competent statistical service for the Department. The plans were to develop a Division of Statistical Research. The opportunity to develop such a service came by means of the need of it by the Division of Cancer Control. Cancer control funds were used and two statistically trained personnel were appointed in January, 1947. They were Neal W. Chilton, D.D.S., M.P.H., and Samuel Strickland, A.B., and were housed with the Bureau and functioned under the guidance and direction of the Director of the Bureau. Demands for the service were almost immediate and increased rapidly and were provided for most of the units of the Bureau, as well as the Migrant Program and the Department as a whole. Several conferences were held to study and plan regarding the statistical services of the entire Department and for providing mechanical equipment for tabulating, sorting, etc. Plans for such equipment were developed in close cooperation with the Bureau of Vital Statistics.

A series of conferences was sponsored by the Bureau between the Bureau of Local Health Services, the Division of Tuberculosis Control and the advisory public health nurse, with the cooperation of the Division of Cancer Control, which resulted in outlining a public health nursing program in tuberculosis. A consultant public health nurse in tuberculosis, Mrs. Sara M. Errickson, was obtained to initiate the program.

The Director of the Bureau became chairman of the Board of Examiners of Health Officers and Inspectors. A great deal of work was carried on by the Bureau office in making a study of the licensing procedure and developing new examination material and methods.

NUTRITIONIST

A well qualified, public health trained nutritionist, Miss Elizabeth Ann Porter, was added to the Bureau staff January 1, 1947. The program was planned in the following terms:

1. To serve as a coordinating and integrating factor for all nutrition activities in New Jersey, to better meet the needs of the people.
2. Attempt to devise a method for the evaluation of local nutrition programs.
3. To promote dietary surveys to determine the real nutritional status and needs of the people.

BUREAU OF PREVENTABLE DISEASES

117

4. When needs are determined, to assist in the development of local means for the promotion of better nutrition status in selected areas, coordinating community facilities and personnel.

5. To assist in the development of special nutrition services in programs, such as rheumatic fever control, where the need is indicated.

6. To give nutrition staff education to public health nurses or other workers within the Health Department or to allied groups requesting such a service within the limits of personnel.

7. To make available reliable nutrition health education materials and to develop such materials as they are needed.

A very successful series of five meetings was held for the public health nurse supervisors of the Division of Maternal and Child Health and a study of eating habits was made in Camden County in cooperation with the Division of Dental Health.

ADVISORY PUBLIC HEALTH NURSE

The advisory public health nurse, Mrs. Gertrude L. McLaughlin, and her assistant, Mrs. Dorothy Van Benthuyzen, conducted a fact-finding survey regarding the distribution, training, etc., of public health nurses in the State and tabulated the data,* by which the roster of New Jersey Public Health Nurses is maintained. A great many inquiries throughout the year are answered using these data. Aid in recruitment of public health nurses for the Department was carried on. Field service was provided many local communities regarding their public health nursing problems.

* N. J. State Department of Health: *Public Health News*, Vol. 28, No. 12, September 1947.

Report of the Division of Adult and Industrial Health

July 1, 1946-June 30, 1947

By J. C. RADCLIFFE, *Chief*

The fiscal year ending June 30, 1947, was marked by a continued advance in industrial health activities as promoted by this Division, and the inauguration of a more general adult health program applied initially to industry.

This adult health program was developed as a result of action by the Board of Health on September 10, 1946, when the name of the Division was changed from Industrial Health to Adult and Industrial Health.

The personnel of the Division was increased from 14 to 18 during the year. This increase in personnel has contributed materially to the expanded activities of the office, especially in the adult health field.

COVERAGE OF INDUSTRY OF STATE

The following table shows the type of industry served:

TABLE I—SERVICE TO INDUSTRIAL PLANTS

<i>Industry Group</i>	<i>No. of Plants Visited</i>	<i>No. of Employees in Plants</i>	<i>No. of Projects Handled</i>	<i>No. of Visits by Staff</i>
Chemical and allied products	70	55,161	82	96
Apparel and other finished textiles	37	6,846	40	43
Electrical machinery	34	57,824	53	61
Iron and steel (except machinery)	30	19,535	32	35
Machinery (except electrical)	28	9,656	32	36
Nonferrous metals and their products...	24	10,587	26	26
Paper, printing and allied industries	24	3,895	26	27
Stone, clay and glass products	20	9,197	24	30
Textile mill products and fibres	17	2,443	18	20
Food and kindred products	15	8,793	17	19
Lumber and timber basic products	13	834	14	15
Transportation equipment	8	19,900	10	15
Products of petroleum and oil	6	8,046	9	11
Rubber products	6	4,569	7	8
Miscellaneous industries	21	1,051	22	22
All Industry Groups	353	218,337	412	464

The 353 plants visited this year show an increase of 47% over the number contacted in the previous year. Of the 353 plants visited, 286, or 81%, employed less than 500 workers, while 201, or 57%, employed less than 100 workers. These figures emphasize the activities of the Division in the smaller, rather than the larger plants. It has frequently been demonstrated that the smaller plants require more assistance from outside agencies in providing adequate industrial health programs.

Of the 464 staff visits to plants, 397, or 85%, were requested and 15% self-initiated. This was an increase in requests over last year when 80% of the plant visits were requested. The figure for 1944-1945 was 54%, for 1943-1944 it was 48%, and for 1942-1943 only 25%. The steady increase in request visits to industry is important, as it indicates that the consultation services of the Division are in increasing demand.

Services offered by the Division are of two general types: (1) in-plant environmental engineering (assistance with plant lighting, ventilation, control of noise, dust, fumes, gases, and the like), and (2) medical and nursing assistance and consultation on plant health problems and activities. Of the 412 projects handled, 293 were in-plant environmental engineering projects (71% of the total services), and 119 were medical-nursing projects (29% of the total services). Due to an incomplete medical-nursing staff, and the field training of certain of this personnel, the medical-nursing activities were limited.

In addition to classifying services according to their character (engineering and medical), they may be grouped according to their objectives, such as whether they were complete surveys of a plant, whether they were follow-ups on recommendations made previously, whether they were investigations of reported occupational diseases, or whether they studied specific industrial health problems. During the 412 projects, 265 surveys were conducted, 18 follow-up visits were made, seven reported occupational diseases were investigated, and 122 special problems were handled.

Of the 353 different plants visited, 224, or 63%, had never been visited by the Division before. The other 129, amounting to 37%, had received Division services during previous years. The large increase in new plants serviced indicates that the Division acquainted a large number of industries with our program, yet handled the problems of many plants well familiar with the services of this Division.

After a plant survey, consultation or occupational disease investigation, a confirming report is forwarded to the plant containing specific recommendations as indicated. A total of 241 such recommendations were made during the fiscal year. The follow-up visits made indicated that 45 of these recommendations were completed. This is not, however, a true indication of con-

DIVISION OF ADULT AND INDUSTRIAL HEALTH 121

ditions corrected through such recommendations because the follow-up visits made only partially covered the plants where recommendations had been offered. This phase of the Division's activities should be expanded, but the requests for services limit the time that can be given to this work.

The basis for a majority of the recommendations made during the year are the results of the analysis of atmospheric samples, raw materials handled, urine and blood samples collected by the engineers, physicians and nurses at work locations or from individuals working at operations where health hazards exist. The following table indicates the number of analyses made, both in the laboratory and in the field according to the suspected toxic material:

TABLE II—LABORATORY ANALYSES AND FIELD DETERMINATIONS

Ventilation readings	130	Carbon	12
Illumination	112	Hydrogen sulphide	12
Solvents	96	Tar	12
Mercury	86	Hydrogen fluoride	9
Dust counts	79	Cadmium	9
Lead	72	Toluol	9
Relative humidity	58	Oil mist	8
Radioactive rays	55	Styrene	8
Carbon monoxide	45	Hydrogen cyanide	7
Benzol	30	Chlorine	7
Solids	26	Acetic acid	7
Sulfur dioxide	16	Iron oxide	7
Chlorides	14	Sulphuric acid	7
Sulphates	14	Xylol	6
Manganese	13	Chromic acid	5
Ammonia	13	Oxides of nitrogen	5
Free silica	13	Acrolein	3
Ash	12	Zinc	3
Chlorinated hydrocarbons	12	Miscellaneous	7
		Total	1,039

This shows an increase of 2% over last year's figures. This is interesting considering that the laboratory was not in use for a four-month period due to moving difficulties.

During the year, the library of the Division has been called on frequently by industrial physicians and corporations for information regarding the toxicity of certain substances. Requests for this type of information numbered 134 during the past year, which indicates the realization of industry that information is needed on this subject, and also that the library of this Division is adequate for such demands.

SPECIAL PROJECTS

Each year in addition to plant surveys, consultations and recommendations mentioned above, there are special projects of a nonroutine nature handled. A few of these are described in the following:

Industrial Sight Conservation Program

In the development of the adult health program of this office, an Industrial Sight Conservation Program has been inaugurated. This program is the only one of its type in the nation and includes the ophthalmic examination of workers for near and distant vision, work distance vision, color and depth perception, and the indication of major eye defects. At present, any major eye defects uncovered will be referred to qualified private individuals for their study. Along with this examination program is included the study and recommendations for better illumination, color conditioning and eye safety. The present program has the cooperation of other State and national official and voluntary agencies, and the representative professional groups. The program has already been initiated in certain New Jersey industries.

Community-Wide Industrial Surveys

The program of community-wide industrial surveys is continuing with additional requests being received regularly. During the past year, four of these surveys were completed. In all cases this Division, in cooperation with the local health officer, surveys all industries in the specific town, for the purpose of developing techniques for bringing industrial health service to the small factories. Plans are now developing in two of these areas to have the interested physicians and nurses offer on a part-time basis a sound industrial-medical program for the small plants.

Radiation Survey

A newly developed static eliminator employing the ionized rays produced by radium as their principal of operation was introduced into New Jersey industry during the past year. A complete study of all these installations was made with the Geiger-Muller counter and a program of control instituted to eliminate the chance of radium poisoning.

Nursing Survey

A complete mailing survey was made of the number and qualifications of industrial nurses in New Jersey industry. These results showed 489 professional registered nurses doing full-time in-plant industrial nursing and 300 persons doing part- or full-time nursing, personnel or first-aid work whose

DIVISION OF ADULT AND INDUSTRIAL HEALTH 123

qualifications vary from those of a professional registered nurse to those of a trained first-aid attendant. These figures can be compared to those of two years ago, during the war, which showed 400 registered professional nurses doing full-time industrial nursing and 577 persons in the second classification. This increase in full-time registered nurses in industry from a war year to a peace year is most indicative of the excellent development in the field.

Nuisance Complaints

Thirty nuisance complaints regarding aerial pollution were studied by the Division at the request of local health officials. As a result of the studies, 19 of these complaints have been abated through changes in operations or the installation of absorbing systems. Six of the studies are at present being studied by the offending plants and correction is pending. In five others, no action has been taken. This increase in nuisance complaints presages a field of endeavor which during the past year consumed the full time of one employee. If such studies continue to be desired, it would probably be advisable to develop a two- or three-man unit to handle this work more completely, which at present seriously hampers the in-plant activities of the Division.

GENERAL

The promotional activities of this Division were expanded specifically through the monthly publication of a concise, technical *Industrial Health Bulletin*, which was mailed to the individuals and concerns on the Division's mailing list. Most of these bulletins were reprinted in the leading industrial medical journals, and over 5,800 additional copies were supplied as requested by persons other than those included in the mailing list. The mailing list of plants, safety engineers, industrial physicians and nurses was enlarged during the year due to requests and new plant contacts.

Preliminary arrangements were made at several dozen plants for X-ray surveys, later completed by the Division of Tuberculosis Control. The programs of other Divisions, and specifically those of the Division of Dental Health, were promoted at every opportunity.

Fifteen talks were delivered during the year and seven articles were published. One course in industrial hygiene was conducted in cooperation with Rutgers University, and a second course was outlined and developed for the teaching of part-time industrial nursing staffs.

Three large industries were instructed in the development of in-plant industrial hygiene laboratories.

Report of the Division of Cancer Control

For the Fiscal Year 1946-1947

By RAYMOND V. BROKAW, M.D., *Chief*

The Division of Cancer Control was officially established on September 10, 1946, by action of the State Board of Health. The newly appointed Chief of the Division assumed office on October 16, 1946. Headquarters are located at 19 West State Street, Trenton.

The present program of the Division has been designed to include three main objectives of a general state-wide cancer control program: statistical research, professional education, and lay education. The establishment of diagnostic and therapeutic facilities in general hospitals under the auspices of the Medical Society of New Jersey is not duplicated. The problem of medical care for terminal cancer cases is under active consideration of the State Department of Institutions and Agencies. Tissue diagnostic services are provided by pathologists under hospital auspices or in private laboratories.

The most important activity of the Division at present is in the field of professional education. In a joint program with the New Jersey Society of Clinical Pathologists a tumor slide registry, a consulting board of tissue pathologists, a tumor tissue laboratory and a cancer reference library have been established.

TUMOR SLIDE REGISTRY

The tumor slide registry has been set up at Division headquarters in Trenton and is patterned after similar registries maintained at the Army Institute of Pathology in Washington. When organization is completed it will include the collection and filing of cancer case histories, tissue slides, gross tumor specimens, clinical photographs and photomicrographs, outlines of accepted treatment and plans for follow-up of cases.

Several hundred photomicrographic transparencies have been deposited with the tumor registry at Division headquarters on permanent loan for study and teaching purposes. Complete sets of slides reviewed at the annual tumor seminars of the American Society of Clinical Pathologists, together with

stenographic notes of the Proceedings for the years 1937 to 1947, have also been deposited at Division headquarters by the same contributor for similar purposes.

A follow-up service on New Jersey cancer patients is provided by the Division for the adjacent States of New York, Pennsylvania, Connecticut and Maryland.

CONSULTING BOARD OF PATHOLOGISTS

The consulting board of tissue pathologists, appointed by the New Jersey Society of Clinical Pathologists, directs the professional activities of the tumor registry in cooperation with the Division of Cancer Control, and renders a consultation service to pathologists who refer tissues presenting difficult diagnostic problems. Tissues thus submitted are filed as accessions to the tumor slide registry and serve as material for future study at pathological seminars.

TUMOR TISSUE LABORATORY

Space for the tumor tissue laboratory has been provided at Division headquarters in Trenton and equipment is being assembled. This work will include the processing of gross specimens, the preparation of slides with special staining techniques, photomicrography and color photography, and the preparation of tumor pathological material for teaching and scientific exhibit purposes. A tumor histologist with broad experience in these special fields has been employed, and the addition of a pathologist to the staff is contemplated, in accordance with the recommendation of the New Jersey Society of Clinical Pathologists.

CANCER REFERENCE LIBRARY

One hundred volumes comprising the latest texts on cancer and allied subjects, and 12 medical journals, have been purchased as the nucleus of a cancer reference library to be maintained at Division headquarters in Trenton. A cancer reprint file, including more than 1,000 items at present, has also been set up for reference purposes.

CANCER FELLOWSHIPS

Funds have been allocated for the establishment of cancer fellowships, providing a full year's residency for qualified young physicians. One such fellowship is now maintained and others are contemplated.

Preliminary steps have been taken for the adoption of a joint program of professional education with the New Jersey State Dental Society. Tentative plans include the promotion of symposia on oral cancer and maintenance of cancer fellowships for qualified young dentists by the Division.

DIVISION OF CANCER CONTROL .

127

NURSES' TRAINING

Funds for the post graduate training of qualified young nurses in cancer control have been made available. One graduate public health nurse is now receiving in-service training under this provision. One cancer institute for nurses and social workers has been organized on a county basis by this Division to date, in which members of the local county medical society participated and prominent specialists in cancer education and social service were provided.

STATISTICAL RESEARCH

An analysis of the cancer death certificates filed in the State Bureau of Vital Statistics is now in progress and other studies of cancer mortality are contemplated. A tumor record registry patterned after the Connecticut system has been planned and will be established as soon as qualified personnel can be obtained.

LAY EDUCATION

Lay education in cancer is conducted by the Division of Health Education in cooperation with the Division of Cancer Control. A booklet on cancer for the general reader is in process of preparation by the Division of Cancer Control. Cancer films and exhibit materials for lay groups are available.

CANCER COUNCIL

As a means of discussing mutual problems in the field of cancer control a Public Health Cancer Council has been organized by the Department. The membership of the Council at present includes representatives of 14 professional and civic agencies whose state-wide formal interests include the problems of cancer control.

PROFESSIONAL RELATIONS

In further recognition of mutual interests in the cause of cancer control the Director of the Department of Health serves as a member of the executive committee and the board of trustees of the New Jersey Division of the American Cancer Society. The Chief of the Division of Cancer Control serves as a consultant on the Advisory Cancer Committee of the Medical Society of New Jersey, and as a member of the Consulting Board of Tissue Pathologists of the New Jersey Society of Clinical Pathologists.

Report of the Division of Dental Health

For the Year Ending June 30, 1947

During the fiscal year covered by this report, the Dental Health Division again benefited by an increased budgetary allotment. Since the initiation of the Dental Division, local and State authorities have considered the dental health program worthy of increased funds each year. However, during the next fiscal year (1947-1948), the budget of the Dental Division will be reduced to a total below 1946-1947 amounts.

The present report of the Division's activities, therefore, would seem to represent the attainable peak if present-day concepts of the function of the State continue and if the existing financial resources of the State remain static.

For the fiscal year of 1946-1947, State funds allotted to the Dental Health Division amounted to \$101,017; Federal funds amounted to \$23,233; and local contributions were approximately \$30,000 or a total of \$154,450.

ACCOMPLISHMENTS

As has been stated in previous reports,¹ the Department's dental program revolves around a hub of lay and professional voluntary and official support. The New Jersey State Dental Health Committee, officially designated as the Advisory Committee for the Dental Division, represents State health, State welfare, and State educational agencies, both official and non-official. Also named to this committee are representatives of local and county dental health committees who help to administer the various dental programs of the State Department of Health.

It would seem at first glance that the Dental Division concerns itself mainly with its dental care program for children of low-income families in rural and suburban communities. Actually, the service program and the committees associated with the program contribute to the fulfillment of educational, investigatory and consultative responsibilities.

¹ Wisan, J. M.: "Cooperation Works for Statewide Dental Health," New Jersey Educational Review, 21:80-81 (Nov.) 1947; Wisan, J. M.: "Subsidizing Local Dental Programs," The Welfare Reporter, II:9 (Dec.) 1947.

EDUCATIONAL ACTIVITIES

The educational activities of the Dental Division may be divided into two categories: (a) professional education, and (b) public information.

(a) The Dental Division has conducted in-service courses in dental health education for teachers and nurses. These are accredited courses (two points towards B. S. degree) sponsored by the State Teachers Colleges of New Jersey and Seton Hall College. During the past year, 117 students successfully passed the requirements of this course. Thus, they are equipped to participate in dental health programs in their communities.

Cooperating with the New Jersey Society of Dentistry for Children, three meetings were held in Atlantic City, Asbury Park and Jersey City to present lectures and table clinics on techniques in children's dentistry for private and public health dentists. A special issue of the *New Jersey State Dental Journal* devoted to children's dentistry was published as a means of reviewing latest developments in this important field.

(b) In the field of public health education, county and local dental health committees made marked contributions. Utilizing source units, leaflets and movies published and purchased by the Division, these committees were able to disseminate authentic information. Dentists participating in the treatment program frequently utilized opportunities to present to school administrators, teachers and pupils, information concerning preventive measures. Two field representatives, working in northern and southern counties, motivated dental health education programs in the areas of their jurisdiction. The effectiveness of the field workers' efforts were materially enhanced because of the background of the dental treatment program. The four dental supervisors coordinated the promotion of dental health education programs in their areas.

On the State level, a sub-committee of the New Jersey State Dental Health Committee, called the "State Dental Health Education Committee," has met on a number of occasions in order to re-evaluate the dental health education material available in New Jersey. They have recommended that, in the future, dental health leaflets designed for school health programs, emphasize four important phases of health education in the classroom, namely (a) approaches to the dental health problem, (b) activities selected by children to further dental health education objectives, (c) activities selected by teachers for the same purpose, and (d) outcomes in terms of dental health practices.

Ways of providing information for teachers to carry on dental health educational programs in class rooms are being investigated. The members of this committee have concerned themselves with the problem of motivation for the correction of dental defects among children not eligible for inclusion among so-called low-income programs. Thus far, the solution of this problem

DIVISION OF DENTAL HEALTH

131

has evaded administrators because of the shortage of dental personnel and the indifference of many parents.

INVESTIGATORY PROGRAMS

The Dental Division continued its studies to compare the dental conditions found among children in the six communities with fluorinated water (1 p.p.m.) and the children residing in areas with non-fluorinated waters (less than 1 p.p.m.). Increasing evidence has been forthcoming to indicate that a communal water supply containing one to two parts per million of fluorine effects more than 40% reduction of the dental caries rate among children born and reared in the area.

Costs of the dental treatment program have been repeatedly studied. The *Journal of the American Dental Association* published the first report.² Since then, it has accepted for publication the Division's study of lost time in a dental care program for children and the Division's study comparing dental conditions among New Jersey children in 1933 with conditions found in 1946-1947. The last-mentioned study indicated that the dental caries susceptibility rate in New Jersey is increasing.

CONSULTATIVE PROGRAMS

Most of the requests for consultative service coming to the Dental Division from local communities were for information to help organize dental health education and dental treatment programs for children. In providing information for educational programs, the collaboration of the State Department of Education, particularly the Division of Physical Safety and Health Education, was invaluable. For treatment programs, the cooperation of the State and component dental societies was necessary. To be sure that the standards for dental treatment programs met the highest professional requirements, a dental health workshop was conducted by the New Jersey State Dental Society. Out of the deliberations of this meeting came recommendations for community dental health programs which could be utilized effectively in advising local communities. The booklet, *A Dental Care Plan for Children*, published by the Department, was again approved by the New Jersey State Dental Society.

Also, in April, 1947, a committee appointed by the State Commissioner of Education published a report which included recommendations for dental programs. The conclusions emanating from such authoritative source made it possible for the staff of the Dental Health Division to provide competent consultative service to local communities.

² Wisan, J. M., Galagan, D. J., and Chilton, N. W.: "Studies in Dental Public Health Administration: I. Cost Analysis of the New Jersey Dental Treatment Program, 1944-1945," *J.A.D.A.*, 34:322-329 (March 1, 1947).

Experiences with the dental care program enable the staff of the Dental Division to provide practical information to local authorities interested in dental care programs for children.

Also as a result of opportunities to study a variety of dental programs (private office, rural and urban clinics, truck mobile clinics, trailer clinics, station wagon transportation), the Division is recommending criteria for evaluating dental treatment programs and for observing trends in dental caries susceptibility among school-age children. The following criteria are recommended for the evaluation of dental treatment programs:

- a. Individual records and periodic reports as recommended by the State Department of Education and the State Department of Health.³
- b. Increase in the percentage of completed cases (all necessary extractions and fillings) from year to year.
- c. Consistent decrease in the extraction of permanent teeth.
- d. Professional supervision of the operations of participating dentists.
- e. Emphasis on preventive treatment for younger children (4 to 10 years) and incremental care thereafter.
- f. Community approach with collaboration of State and local dental societies.
- g. Information as to the number of children obtaining treatment in private offices.

Criteria for measuring trends of caries susceptibility rates:

- a. Dental survey by dentists using mirrors and explorers every five to ten years to obtain following information:
 - (1) DMF rates of age groups 7 to 9; 10 to 12; 13 to 15.
 - (2) Percentage of children requiring treatment (extractions and fillings).
 - (3) Average number of defective teeth per child.
 - (4) Number of lost permanent teeth (previously extracted and teeth requiring extraction) per 100 children in 12 to 14 age group.

DENTAL CARE PROGRAMS FOR CHILDREN

At the present writing (August, 1947), the dental treatment program of the State Department of Health has progressed to the state where children from 188 school districts in 17 counties are provided with necessary extractions, fillings, and prophylaxis. Six mobile units have been assigned to sparsely populated areas. These include two trailers and four auto trucks with complete dental equipment. Three of the mobile units which were built with current funds and assigned to four counties (Cape May, Atlantic, Gloucester and Warren) began functioning after the end of the fiscal year (June 30, 1947). The program also includes 77 private offices and 21 clinics.

³ Instructions, Dental Treatment Program, Division of Dental Health, N. J. State Department of Health, Trenton, N. J., 1947.

One station wagon brings children to private dental offices and one station wagon brings children to a rural dental clinic. Democratic techniques have been utilized for the program as follows:

1. Programs are instituted at the request of local or county administrators after surveying the dental needs of children in their communities and formulating plans for administering the programs.

2. The first step in establishing a dental program is the organization of a dental health committee made up of representatives of both unofficial and official agencies, such as schools, health departments, parent-teacher groups, the dental society, Red Cross, public health nurses, welfare groups, and the Department of Institutions and Agencies.

3. Local committees designate administrative policies for their programs.

4. Local agencies contribute toward the cost of the program.

5. Members of the New Jersey State Dental Health Committee and representatives of local committees meet annually to share their experiences.

6. The New Jersey State Dental Society, as well as its component societies, participate in the planning and accept the responsibility of providing adequate personnel for the program.

7. The chief function of the State Dental Division is to provide technical supervision of the dental services rendered for the program. High standards of dental care are maintained because of this supervisory service. Uniform records are kept to compare and evaluate the various programs.

8. Each local program is activated by what may be termed "the community approach." Authority is vested not in one agency or one person, but in a committee representing health, welfare and educational resources in the community.

This policy, when translated into action, indicates that each agency obtains the authority it requires for its activities and for the dental program. For example, the school administrator, who is a member of the dental committee, is responsible for the dental program schedule as it applies to public school children. Since he is an active participant, the school administrator is able to orient the dental program within school functions. The same applies to the parochial schools, the health department, and the parent-teacher association. Moreover, all persons interested in the health of children are made aware of the dental program. They are informed of the facilities for treating children of low-income families and how the treatment is obtained for these children. Thus gaps and overlapping are avoided.

9. Rules for selecting children for treatment are designated by local dental societies and local committees.

DEPARTMENT OF HEALTH

10. Funds are obtained from State, county and local fiscal authorities.

11. Reports of achievements and costs are regularly submitted by the Dental Division of the State Department of Health informing each committee of its own accomplishments and the cost of its program.

12. Local and county committees conduct educational programs to improve dental conditions among all children.

13. Policies pertaining to technical procedures are recommended and approved by the New Jersey State Dental Society.

14. Finally, it may be said that the New Jersey dental program is unique in that some administrative responsibilities are accepted by committees representing both official and unofficial health, welfare, and educational agencies.

Treatment reports are presented here to show: (1) attainments of all the county and local programs during the fiscal year 1946-1947, (2) attainments of the State-wide program from July 1, 1940 to June 30, 1947, and (3) attainments of each of the county and local programs from their initiation to June 30, 1947.

DIVISION OF DENTAL HEALTH

135

BUDGET—1946-1947

<i>Items</i>	<i>State</i>	<i>Federal</i>
Salaries :		
Dr. J. M. Wisan, Chief	\$6,500.00	
Mrs. L. E. Bedwell, Field Representative	2,280.00	
Mrs. O. D. Stone, Dental Aide	1,680.00	
Mr. J. Hutchinson Field Representative	1,920.00	
Miss M. Reading, Clerk-Typist		\$1,320.00
Mrs. M. Neumann, Clerk-Typist		1,123.54
Miss P. Kendall, Senior Clerk-Stenographer		1,954.00
Operating dentists	63,007.00	
Paterson, dentist salaries		7,450.00
North Arlington, dentist salary		3,550.00
Supervisors		3,872.00
Dental Aide		666.64
Laboratory supplies		500.00
Laboratory equipment		750.00
Travel	650.00	1,000.00
Maintenance of trailer	750.00	
Dental health education material	1,000.00	
Stationery and office supplies		225.00
Office equipment		222.50
Printing	375.00	400.00
Mobile dental clinics	22,855.00	
In-service field orientation		200.00
	\$101,017.00	\$23,233.68
State Funds	\$101,017.00	
Federal funds		23,233.68
Local contributions (approximately)		30,000.00

Total		\$154,250.68
-------------	-------	--------------

PERSONNEL

- 1 Chief, Dental Health Division
- 1 Statistical Consultant
- 2 Dental Aides
- 2 Field Representatives
- 1 Senior Clerk-Stenographer
- 2 Clerk-Typists
- 108 Operating Dentists
 - 6 Full-time school dentists
 - 102 Part-time dentists

REPORT, DENTAL TREATMENT PROGRAM

July 1, 1946, to June 30, 1947

Program	Initiated	Type of Program	Dentist	Communities	Children Treated	Operating Time Hours	Visits	Examination	Extractions		Fillings		Linings	Temporary	Prophylaxis	X-rays	Total Operations	Cases Completed	Percentage of Completions
									Perma.	Decid.	Silver Amal.	Stlic.							
Bergen County	1943	P. O.	6	9	118	392	574	555	60	111	635	77	13	87	126	54	1,063	51	43.2
North Arlington	1940	Cl.	1	1	436	733	2,041	900	18	184	1,448	201	332	62	896	198	2,945	411	94.2
Rutherford	1945	Cl.	1	1	60	174	285	846	14	19	237	21	8	2	53	31	375	46	76.6
Burlington County	1942	P. O.	9	12	336	287	530	180	96	287	489	74	15	48	145	7	1,098	173	51.4
Camden County	1945	Mo. Cl.	1	7	567	1,028	2,062	1,182	88	628	2,866	108	349	2	552	492	4,734	402	70.8
Lawnside	1944	P. O.	1	7	122	114	277	111	23	165	62	3	4	21	188	0	441	64	52.4
Cape May County	1942	P. O.	1	1	72	69	117	73	10	53	133	17	12	0	63	0	276	55	76.3
Cumberland County	1942	P. O.	11	20	341	678	1,033	300	71	500	910	85	132	36	245	92	1,903	134	39.2
Essex County																			
Orange	1944	Cl.	4	1	314	736	1,416	523	46	198	1,701	88	160	106	509	154	2,696	272	86.6
Montclair	1947	Cl.	2	1	326	852	1,704	438	49	269	923	248	69	292	417	86	1,992	289	88.6
Hunterdon County	1940	Cl.	1	13	420	454	1,002	663	40	110	978	114	156	99	79	26	1,347	290	69.0
Mercer County																			
Hamilton Township ..	1946	Cl.	1	1	272	657	1,334	782	89	248	666	240	135	77	275	0	1,518	147	54.0
Middlesex County	1942	P. O.	5	6	190	388	653	157	46	136	547	71	34	49	155	5	960	67	35.2
Kiddie Keep Well C. .	1942	Tr.	2	1	263	355	704	240	39	307	415	23	73	28	263	60	1,107	88	33.4
Deans	1945	Cl.	2	2	102	230	343	105	14	49	303	31	52	81	103	0	500	59	57.8
Monmouth County	1941	P. O.	14	17	698	1,589	2,848	1,815	115	594	3,074	342	305	111	694	187	5,006	548	78.5
Matawan	1945	Cl.	2	1	102	187	328	1,143	11	43	280	29	0	46	179	55	597	28	27.4
Collier Fd.	1945	Cl.	1	1	102	158	353	42	8	2	185	12	0	80	46	0	253	34	33.3
Morris County	1943	P. O.	21	36	571	1,570	2,262	5,003	165	552	2,281	223	435	340	396	184	3,801	290	50.7
Ocean County	1944	P. O.	5	3	148	348	460	128	51	141	54	59	133	15	91	100	1,066	56	37.8
Trailer	1946	Tr.	1	14	112	793	719	3,860	27	161	917	132	444	15	116	29	1,382	79	70.5
Passaic County	1945	P. O.	1	1	18	92	141	27	13	28	121	26	0	51	16	12	216	12	66.6
Bloomington	1946	Cl.	1	1	44	87	123	52	19	68	226	6	0	0	49	0	362	7	15.9
Wanaque	1944	Cl.	2	1	72	189	272	122	16	69	458	6	17	2	115	2	646	52	72.2
Paterson	1941	Cl.	1	1	806	1,888	3,631	1,179	148	1,110	4,398	276	222	32	1,310	649	7,891	545	60.8
Somerset County	1942	Tr.	1	16	575	919	1,359	2,997	28	335	1,340	92	168	28	672	23	2,490	500	86.9
Sussex County	1942	P. O.	5	12	235	381	684	216	51	281	832	87	30	17	170	5	1,426	140	59.5
Union County																			
Clarks Township	1943	Cl.	1	1	126	245	780	307	15	99	446	7	16	18	68	39	674	66	52.3
Kenilworth	1945	Cl.	1	1	47	177	324	514	2	36	161	24	29	1	79	0	302	19	40.4
Warren County	1943	Cl.	3	5	28	51	80	24	10	38	90	8	19	2	10	1	157	8	28.5
Totals (17 counties)			108	188	7,713	15,821	28,499	24,484	1,382	6,821	27,666	2,724	3,458	1,748	8,080	2,491	49,164	4,932	63.9

REPORTS—COUNTY AND LOCAL DENTAL TREATMENT PROGRAMS, DENTAL HEALTH DIVISION, BY FISCAL YEARS

JULY 1, 1940—JUNE 30, 1947

Initiated	County	Type of Program	Year	Dentists	Communities	Children Treated	Operating Time (Hours)	Visits	Examinations	Extractions		Fillings			Temporary Fillings	Prophylaxis	X-rays	Total Operations	Cases Completed	Percentage of Completions
										Perm.	Decid.	Silver Amal.	Silic.							
1943	Atlantic County Program	P. O.	1942-43	2	3	26	47	84	18	23	41	89	0	54	0	0	167	9	34.6	
			1943-44	2	3	68	178	263	77	21	133	127	18	170	39	3	341	45	66.1	
			1944-45	2	5	134	206	421	146	56	163	826	71	59	129	0	1,245	143	91.7	
1943	Bergen County Program	P. O.	1943-44	5	11	95	269	493	89	41	178	568	0	50	0	70	919	25	26.3	
			1944-45	4	9	134	185	282	77	10	71	441	0	26	0	29	610	52	38.8	
			1945-46	5	9	51	93	135	54	12	80	167	6	15	40	15	320	22	43.1	
			1946-47	6	9	118	392	574	555	60	111	635	77	87	126	54	1,063	51	43.2	
1940	Bergen County—N. Arlington ..	Cl.	1940-41	1	1	237	525	1,772	369	91	392	1,278	39	55	163	0	2,332	176	70.0	
			1941-42	1	1	424	913	2,527	798	69	440	1,772	0	57	498	0	2,895	407	95.9	
			1942-43	1	1	408	995	2,711	1,237	61	382	1,971	0	36	0	0	3,501	373	91.4	
			1943-44	1	1	375	853	1,986	1,123	13	203	1,652	0	14	0	0	3,034	375	100.0	
			1944-45	1	1	396	755	1,878	1,084	13	235	1,314	0	54	0	114	2,795	383	96.7	
			1945-46	2	1	411	708	1,967	1,232	12	137	1,441	107	60	1,201	391	3,289	394	95.9	
			1946-47	1	1	436	733	2,041	900	18	184	1,448	201	62	896	198	2,945	411	94.2	
1945	Bergen County—Rutherford	Cl.	1945-46	2	1	40	141	220	609	38	42	162	6	11	13	1	262	24	60.0	
			1946-47	1	1	60	174	285	846	14	19	237	21	21	53	31	373	46	76.6	
1942	Camden County—Winslow Twp..	P. O.	1942	2	1	69	75	176	68	18	299	108	1	46	55	0	481	51	73.9	
			1943-44	2	1	149	177	413	143	111	171	244	52	73	117	0	696	107	71.8	
			1944-45	3	2	187	218	501	155	75	314	266	48	17	149	2	854	109	58.2	
			1945-46	1	1	53	54	120	53	7	48	66	3	16	49	0	173	27	50.9	
1945	Camden County Program	Mo. Cl.	1946-47	1	1	122	114	277	111	23	165	62	3	21	188	0	441	64	52.4	
			1944-45	1	4	157	213	524	45	35	173	544	63	245	140	23	978	99	63.0	
			1945-46	1	10	509	1,029	1,919	1,598	113	910	3,105	134	10	471	623	5,356	412	81.0	
		Mo. Cl.	1946-47	1	7	567	1,028	2,062	1,182	88	628	2,866	108	2	552	492	4,734	402	70.8	
1942	Cape May County Program	P. O.	1942-43	1	6	88	174	283	94	16	225	527	11	3	100	0	879	67	76.1	
			1943-44	2	6	125	94	212	103	34	225	283	48	7	86	0	676	96	76.8	
			1944-45	3	3	111	149	196	302	25	94	288	14	46	85	4	506	79	71.1	
			1945-46	2	2	90	108	199	88	18	87	252	36	38	66	5	464	61	67.8	
			1946-47	1	1	72	69	117	73	10	53	133	17	0	63	0	276	55	76.3	

Code for Type of Program: P. O.—Private office; Mo. Cl.—Truck mobile with complete dental equipment; Cl.—Clinic; Tr.—Trailer with dental equipment.

REPORTS—COUNTY AND LOCAL DENTAL TREATMENT PROGRAMS, DENTAL HEALTH DIVISION, BY FISCAL YEARS

JULY 1, 1940—JUNE 30, 1947

Initiated	County	Type of Program	Year	Dentists	Communities	Children Treated	Operating Time (Hours)	Visits	Examinations	Extractions		Fillings		Temporary Fillings	Prophylaxis	X-rays	Total Operations	Cases Completed	Percentage of Completions
										Perm.	Decid.	Silver Amal.	Silic.						
1942	Cumberland County	P. O.	1941-42	3	9	156	108	267	161	63	187	101	16	35	138	2	507	28	17.9
			1942-43	4	20	220	401	662	129	68	324	639	0	185	0	0	1,216	118	53.6
			1943-44	3	19	138	258	398	121	45	220	255	0	98	0	0	618	67	48.5
			1944-45	2	6	119	184	329	117	23	115	179	0	103	0	0	420	63	52.9
			1945-46	4	15	208	356	584	183	54	308	400	48	92	102	27	939	87	41.8
			1946-47	11	20	341	678	1,033	300	71	500	910	85	168	245	92	1,903	134	39.2
1944	Essex County—Orange	Cl.	1943-44	2	1	41	70	76	29	5	13	41	0	10	4	3	63	2	4.8
			1944-45	3	1	534	630	1,043	205	45	251	679	34	84	167	1	1,186	118	22.0
			1945-46	2	1	273	631	1,424	444	24	305	1,319	35	80	421	0	2,104	211	77.5
			1946-47	4	1	314	736	1,416	523	46	198	1,701	88	106	509	154	2,696	273	86.6
1947	Essex County—Montclair	Cl.	1946-47	2	1	326	852	1,704	438	49	269	923	248	292	417	86	1,992	289	88.6
1940	Hunterdon County Program	Cl.	1940-41	1	24	602	707	1,071	610	332	1,204	1,568	38	0	523	0	4,275	153	25.0
			1941-42	3	24	492	905	1,475	267	118	1,354	1,518	125	57	549	0	3,664	349	70.9
			1942-43	1	24	411	534	1,123	519	61	648	1,026	80	214	470	0	2,285	303	73.7
			1943-44	1	24	450	577	1,133	688	35	401	742	90	115	564	0	1,832	308	68.4
			1944-45	1	24	483	489	1,283	701	53	430	574	72	159	568	0	1,697	311	64.3
			1945-46	1	24	378	528	963	436	49	81	1,272	100	67	185	21	1,708	241	63.8
			1946-47	1	25	420	454	1,002	663	40	110	978	114	99	79	26	1,347	290	69.0
1946	Mercer County—Hamilton Twp..	Cl.	1945-46	1	1	161	499	784	168	22	198	457	72	38	160	0	909	71	44.1
			1946-47	1	1	272	657	1,334	732	89	248	666	240	77	275	0	1,518	147	54.01
1942	Middlesex County Program	P. O.	1942	1	3	101	129	290	101	38	167	282	11	47	50	0	593	42	41.5
			1942-43	1	7	101	245	72	170	65	197	333	18	60	136	0	749	35	34.6
			1943-44	3	4	83	174	258	85	39	195	259	26	29	62	2	533	37	44.5
			1944-45	3	5	148	330	535	126	55	298	404	52	15	112	2	919	88	59.4
			1945-46	5	5	153	276	518	145	58	239	371	50	70	106	6	850	80	52.3
			1946-47	5	6	190	388	653	157	46	136	547	71	49	155	5	960	67	35.2
1942	Mid'sex Kiddie Keep Well Camp	Tr.	1942	1	*	161	101	325	140	37	115	139	10	21	21	0	322	18	11.1
			1943	1	*	287	158	453	157	1	117	138	0	0	282	0	538	5	1.7
			1944	1	*	189	202	484	279	29	140	207	2	19	189	56	623	42	22.2
			1945	2	*	243	277	702	290	16	255	394	13	30	243	22	943	92	37.9
			1946	2	*	263	355	764	240	39	307	415	23	28	263	60	1,107	88	33.4
1945	Middlesex County—Deans	Cl.	1945-46	4	5	184	363	477	151	31	98	378	66	195	103	0	634	102	55.5
			1946-47	2	2	102	230	343	105	14	49	303	31	81	103	0	500	59	57.8

1941	Monmouth County Program	P. O.	1941-42	3	2	189	360	805	186	25	520	1,005	10	73	183	0	1,743	92	48.6
			1942-43	7	7	209	404	817	228	74	366	1,038	81	63	154	0	1,713	129	61.7
			1943-44	9	14	385	779	1,434	548	119	671	1,547	144	212	367	37	2,848	279	72.4
			1944-45	11	17	557	1,237	1,996	471	156	767	2,327	270	160	628	77	4,148	420	75.4
			1945-46	12	18	649	1,015	2,241	641	119	660	2,921	241	237	551	174	4,666	517	79.7
			1946-47	14	17	698	1,589	2,848	1,815	115	594	3,074	342	111	694	187	5,006	548	78.5
1945	Monmouth County—Matawan ...	Cl.	1945-46	2	2	82	114	314	75	9	84	271	29	24	45	1	439	45	54.9
			1946-47	2	1	102	187	328	1,143	11	43	280	29	46	179	55	597	28	27.4
1945	Monmouth County—Collier Fd...	Cl.	1945-46	1	1	110	200	583	87	43	6	525	60	49	21	1	655	24	21.8
			1946-47	1	1	102	158	353	42	8	2	185	12	80	46	0	253	34	33.3
1943	Morris County Program	P. O.	1943-44	7	12	120	252	460	112	38	196	424	28	66	86	2	772	55	45.8
			1944-45	6	18	182	447	756	132	53	231	705	52	71	164	35	1,205	111	60.9
			1945-46	13	24	312	648	1,243	330	121	322	1,340	142	137	251	54	2,230	182	58.3
			1946-47	21	36	571	1,570	2,262	5,003	165	552	2,281	223	340	396	184	3,801	290	50.7
1944	Ocean County Program	P. O.	1943-44	1	1	7	43	46	7	7	19	62	18	0	7	0	113	5	71.4
			1944-45	4	5	54	143	183	46	24	104	169	36	5	57	18	390	34	62.9
			1945-46	5	8	114	278	372	110	50	189	478	65	63	96	47	925	92	80.7
			1946-47	5	3	148	348	460	128	51	141	564	59	15	91	100	1,006	56	37.8
1946	Ocean County	Tr.	1945-46	1	1	8	11	20	8	2	4	13	5	2	1	0	25	0	0.0
			1946-47	1	14	112	793	719	3,860	27	161	917	132	15	116	29	1,382	79	70.5
1941	Passaic County—Paterson	Cl.	1941-42	1	1	445	668	2,071	100	214	1,306	1,388	94	10	182	0	3,184	185	41.5
			1942-43	1	1	607	1,095	2,196	311	237	1,985	2,031	222	0	583	0	5,058	552	90.9
			1943-44	2	1	498	1,062	2,136	422	196	781	2,088	142	40	481	300	3,988	435	87.3
			1944-45	1	1	590	1,266	2,498	617	198	1,062	2,364	108	15	687	594	5,013	503	85.2
			1945-46	2	1	655	1,193	2,656	733	155	754	2,729	126	139	802	751	5,317	538	82.1
			1946-47	2	1	896	1,888	3,631	1,179	148	1,110	4,398	276	32	1,310	649	7,891	545	60.8
1945	Passaic County Program	P. O.	1945-46	1	1	15	68	1,108	14	7	9	102	9	43	10	26	163	6	40.0
			1946-47	1	1	18	92	141	27	13	28	121	26	51	16	12	216	12	66.6
1944	Passaic County—Wanaque	Cl.	1943-44	1	1	32	69	111	32	6	25	192	7	7	0	24	254	24	75.0
			1944-45	1	1	78	159	296	75	10	89	426	5	6	72	0	602	39	50.0
			1945-46	1	1	74	113	189	98	5	117	268	0	0	60	0	450	33	44.6
			1946-47	1	1	72	189	272	122	16	69	438	6	2	115	2	646	52	72.2
1945	Passaic County—Prospect Pk. ..	Cl.	1945-46	1	1	17	68	1,108	14	7	9	102	9	43	10	26	163	6	40.0
	Passaic County—Bloomingdale ..	Cl.	1946-47	1	1	44	87	123	52	19	68	226	0	0	49	0	362	7	15.9
1942	Somerset County Program	Tr.	1942	1	7	212	295	686	211	68	412	664	19	74	110	0	1,343	105	49.5
			1942-43	2	14	331	444	790	329	88	370	831	9	121	239	0	1,537	183	55.2
			1943-44	1	22	420	959	2,248	1,963	95	380	1,469	80	88	492	108	2,624	337	80.2
			1944-45	1	13	447	904	3,971	2,801	48	428	1,162	88	40	571	60	2,357	405	90.6
			1945-46	1	16	583	945	4,689	3,097	66	455	1,454	79	28	839	86	2,979	458	78.6
			1946-47	1	16	575	919	1,359	2,997	28	335	1,540	92	28	672	23	2,490	500	86.9

* Children in Kiddie Keep Well Camp come from a number of communities in Middlesex County.

Code for Type of Program: P. O.—Private office; Mo. Cl.—Truck mobile with complete dental equipment; Cl.—Clinic; Tr.—Trailer with dental equipment.

REPORTS—COUNTY AND LOCAL DENTAL TREATMENT PROGRAMS, DENTAL HEALTH DIVISION, BY FISCAL YEARS

JULY 1, 1940—JUNE 30, 1947

Initiated	County	Type of Program	Year	Dentists	Communities	Children Treated	Operating Time (Hours)	Visits	Examinations	Extractions		Fillings		Temporary Fillings	Prophylaxis	X-rays	Total Operations	Cases Completed	Percentage of Completions			
1942	Sussex County Program	P. O.	1942-43	2	5	58	42	105	58	12	124	94	0	35	44	0	274	31	53.4			
			1943-44	1	1	2	2	2	0	0	2	4	0	0	1	0	7	1	50.0			
			1944-45	5	10	120	191	272	123	44	165	209	24	76	31	6	470	52	43.3			
			1945-46	4	11	94	220	315	87	48	97	357	46	28	66	17	631	57	60.6			
			1946-47	5	12	235	381	684	216	51	281	832	87	17	170	5	1,426	140	59.5			
1943	Union County—Clark Twp.	Cl.	1943-44	1	1	104	204	400	410	16	124	523	13	26	32	1	709	31	29.8			
			1944-45	1	1	194	288	689	416	18	218	495	30	51	57	66	884	47	24.2			
			1945-46	1	1	122	278	475	412	8	122	393	12	24	57	61	653	56	45.9			
			1946-47	1	1	126	245	780	307	15	99	446	7	18	68	39	674	66	52.3			
1945	Union County—Kenilworth	Cl.	1945	1	1	19	59	82	473	3	3	89	0	0	16	0	111	2	10.5			
			1945-46	1	1	48	203	415	561	8	43	394	16	3	33	0	494	20	41.7			
			1946-47	1	1	47	177	324	514	2	36	161	24	1	79	0	302	19	40.4			
1943	Warren County Program	P. O.	1943	4	15	44	67	106	46	19	106	88	10	22	36	0	259	33	75.0			
			1943-44	4	12	47	124	129	46	38	75	98	25	41	41	4	267	23	48.9			
			1944-45	5	9	54	72	101	27	17	56	74	9	17	23	1	180	24	44.4			
			1945-46	6	10	49	110	134	38	13	55	105	5	22	36	7	221	36	73.5			
			1946-47	3	5	28	51	80	24	10	38	90	8	2	10	1	157	8	28.5			
Number of counties				2	Cl.	1940-41	2	25	839	1,232	2,843	979	423	1,596	2,846	77	55	686	0	6,607	329	39.2
Number of counties				8	P. O., Tr., Cl.	1941-42	15	48	2,088	3,153	8,297	1,892	613	4,685	6,838	276	399	1,765	2	14,410	1,259	60.2
Number of counties				11	Cl., P. O., Tr.	1942-43	25	109	2,846	4,739	10,150	3,455	879	5,286	9,066	500	887	1,888	0	19,018	1,961	68.9
Number of counties				16	Cl., P. O., Tr.	1943-44	49	159	3,328	6,277	12,691	6,277	888	4,242	10,785	693	1,065	2,568	610	20,967	2,294	68.9
Number of counties				16	Cl., P. O., Tr., Mo. Cl.	1944-45	58	154	4,679	8,046	17,754	7,666	958	5,264	13,446	996	1,249	3,640	1,032	26,459	3,080	65.8
Number of counties				17	Cl., P. O., Tr., Mo. Cl.	1945-46	86	171	5,732	10,575	23,951	11,826	1,123	5,795	21,389	1,513	1,468	6,096	2,341	38,215	3,934	68.6
Number of counties				17	Cl., P. O., Tr., Mo. Cl.	1946-47	108	188	7,713	15,821	28,499	24,484	1,382	6,821	27,666	2,724	1,748	8,080	2,491	49,164	4,932	63.9

Code for Type of Program: P. O.—Private office; Mo. Cl.—Truck mobile with complete dental equipment; Cl.—Clinic; Tr.—Trailer with dental equipment.

** NOTE: During the early stage of the program, the number of communities in the program was obtained with some difficulty. The cause of the confusion was the use of school districts, townships, boroughs and schools as units for reporting. It was decided to list only school districts after July 1, 1945.

Report of the Division of Maternal and Child Health

For the Calendar Year 1946

By JULIUS LEVY, M.D., *Chief*

MATERNAL MORTALITY

The maternal mortality rate for New Jersey continues to show a decrease. The 1946 rate of 1.3 per 1,000 live births is the lowest ever attained. The educational health activities that began over 25 years ago have developed over the years including the investigation and study of each puerperal death. The effectiveness of these activities is shown in the consistent reduction in the mortality rate.

INFANT MORTALITY

A new low in the infant mortality rate was reached in 1946—28 per 1,000 live births. This rate is four points less than 1945 and the lowest ever attained. There were nearly 20,000 more births in 1946 than the previous year. The lowest infant mortality rate among the 21 counties of the State was 24. Three counties had this rate, Middlesex, Union and Bergen. The highest rate among the counties was 42 for Salem.

Of the cities with more than 1,000 births per year, Irvington with a rate of 19 is again low, while Trenton with a rate of 43 is highest.

In considering the causes of infant deaths, prematurity and related causes remains the highest in the toll of infant lives. Respiratory diseases and diarrhoea have become a comparatively minor cause of infant deaths.

	<i>Prematurity and Related Causes</i>	<i>Respiratory Diseases</i>	<i>Diarrhoea</i>	<i>Contagious Diseases</i>	<i>Other Causes</i>
1920	29.3	19.7	17.7	4.2	16.4
1925	30.6	12.6	10.7	2.7	12.1
1930	28.0	11.6	5.9	1.4	9.6
1935	28.7	9.1	2.3	1.2	4.6
1940	24.6	6.0	1.4	.3	3.4
1945	22.8	4.1	1.4	.2	3.2
1946	22.1	2.9	.9	.2	2.3

DEPARTMENT OF HEALTH

HOME DELIVERY NURSING SERVICE

The use of the home delivery is about the same as for 1945. There were 20 registered nurses who assisted physicians at 151 home deliveries. Ten additional home deliveries were attended by seven nurses from local Visiting Nurse Associations. Obstetrical consultants who are available for home deliveries were not called except in one case. Three of the home deliveries were servicemen's wives for which the EMIC program provided the funds.

BABY KEEP-WELL STATIONS

There were 170 Baby Keep-Well Stations conducted under the supervision of the Division of Maternal and Child Health. Physicians served in 93 of these stations. Doctors in 87 of the stations were paid from Social Security funds. In 16 stations the doctors in attendance were either paid locally or served without compensation.

The doctors in the stations made 9,588 examinations of infants and 4,007 of preschool children.

EDUCATIONAL ACTIVITIES

Nurses under the supervision of the Division of Maternal and Child Health met regularly in conferences for discussion of the application of maternal and child health nursing services.

The practical aspects of mental hygiene were presented to the field nurses at a series of nine special lectures. The application of the underlying principles of mental hygiene were further elaborated at conferences and in the course of field trips with the individual nurses.

Baby station physicians under the leadership of the Division's pediatrician met periodically to discuss the physical and mental aspects of child growth and development.

A group of 22 newly appointed nurses from various sections of the State attended an in-service class of three weeks' duration for training in the fundamental principles of public health nursing, with special emphasis in maternal and child health.

AUDIOMETER

The audiometer for testing the hearing of school children was in constant use throughout the year. A total of 11,018 children were given their initial test. There were 1,431 re-tests made and the 591 children found to have hearing defects were referred to their family physicians for care.

DIVISION OF MATERNAL AND CHILD HEALTH 143

MATERNITY HOMES

Fourteen maternity homes were granted a renewal of license by the State Department of Health. One home was approved for 15 patients. The others were for two to four patients. All maternity homes licensed by the Department are inspected periodically.

EXTENSION OF ACTIVITIES

Of the 249 field nurses under the supervision of the Division of Maternal and Child Health, 161 were paid entirely by the communities in which they work, 17 were paid entirely by the State or from Social Security funds, and 71 were paid partly by the State and partly by the communities in which they work.

The 249 public health nurses had under their supervision 17,320 expectant mothers, 22,070 post-partums, 48,199 infants, 65,207 children between one and six, and 145,025 school children.

During the year five nurses were placed for the demonstration period in the following communities:

Egg Harbor Township	Atlantic County
River Edge	Bergen County
Englewood	Bergen County
Rahway	Union County

The following communities assumed a portion or the balance of the nurses' salaries:

Atlantic County—Atlantic City, Egg Harbor Township.

Bergen County—East Rutherford, North Arlington, River Edge, Emerson, Old Tappan, Hackensack, Northvale, Englewood.

Camden County—Voorhees Township.

Cumberland County—Deerfield Township.

Gloucester County—Mantua Township, Elk Township, Logan Township, Swedesboro, Monroe Township.

Hunterdon County—High Bridge, Clinton Township.

Mercer County—Ewing Township.

Middlesex County—Raritan Township, East Brunswick Township.

Passaic County—Paterson.

Sussex County—Green Township.

Somerset County—Raritan.

DEPARTMENT OF HEALTH

STATISTICAL SUMMARY OF 249 NURSES' WORK

Home visits by the nurses	519,207
To expectant mothers	47,982
To post-partums	49,841
To infants	186,834
To children 1 to 6	170,589
To school children	63,961
Visits to Baby Keep-well Station	43,202
By babies	28,334
By children 1 to 6	14,868
Child Hygiene Leagues (classes conducted)	306
Dental sessions assisted by nurses	661
Mothers' classes conducted by nurses	49
Children under one year of age immunized	9,352
Children one to five years of age immunized	6,850
Children vaccinated	13,322
School children supervised	145,025
Inspections (annual, general, or assisting doctor)	717,656

ILLEGITIMATE BIRTHS

There were 2,265 births out-of-wedlock among New Jersey residents. This represented 2.3% of the total births for the State. In 1945 the percentage of these cases was 2.8. Of these mothers about 15% were under 17 years of age, a little more than 50% were over 21.

MIDWIFERY

There were 177 licensed, registered midwives in New Jersey in 1946, or 23 less than there were in 1945. Of these, 161 were supervised by the State Department of Health and 16 by a local department. The midwives delivered only 630 out of the 95,044 births in the State. This is only 0.6% of the births. In 1945 they delivered 1.1%, in 1938 4.0%, in 1928 16.6% and in 1918 42.2%.

Whenever there are any abnormal cases, the midwives are required to call in a physician or send the patient to a hospital. The midwives report all cases of congenital deformities directly to the Crippled Children's Commission.

EMERGENCY MATERNITY AND INFANT CARE PROGRAM

The program set up for the benefit of the wives of servicemen and their infants continued with the cooperation of over 2,000 physicians and all the hospitals throughout the State. During the year 5,222 maternity cases were authorized to receive care and 1,096 infants received medical and hospital care.

DIVISION OF MATERNAL AND CHILD HEALTH 145

Since the plan became effective in April, 1943, and until December, 1946, 29,978 maternity cases and 2,613 pediatric cases were authorized to receive care.

Effective July 1, 1947, no maternity cases will be authorized unless the pregnancy took place previous to that date. This is in accordance with the establishment of the program for the duration of the war and six months thereafter. During the first six months of 1947, 619 maternity cases were authorized to receive care and 383 infants received medical and hospital care.

Negro Health Program

Year Ending June 30, 1947

By J. EARLE STUART, M.D., M.S.P.H., *Consultant*

This program continues to promote and extend health education to all levels of the population following the dictum that the "dominant characteristic of public health methods is its emphasis on health education." We attempt to prepare the masses for participation in community health by arousing, stimulating and giving motives for healthful living.

The programs of pre-school immunization, community chest X-ray surveys and programs for blood-testing require action from those receiving these services. This is the desideratum of educational methods.

The counties of the rural parts of New Jersey were selected because of a paucity of existing local official or voluntary agencies.

A major function of our nursing service was to carry instructions into the homes on a family basis so that needed health and welfare facilities could be obtained nearest to home. While promoting publicity for community X-ray surveys, through a "door-to-door" manner, this informational service was given readily. We boast of the fact that under the guidance of our three public health nurses some of the services of our program are promoted through volunteer leadership and community support.

For the first time in New Jersey an extensive cooperative community X-ray survey was executed in Newark with the local health department and the Division of Tuberculosis Control of this Department. Publicity was developed through Newark newspapers, local radio stations, churches and nurses of the State and local health departments. Appointment slips were distributed by the nurses through home visits and contacts with organized groups. Posters were placed in 14 neighborhoods where the X-ray service was being offered, selected on a basis of epidemiological experience—that is, in sections where contacts of previous cases of tuberculosis live. The X-ray trailer of the State Division of Tuberculosis Control, with photofluorographic equipment furnished an easily accessible facility that required only a few

minutes of the applicant's time, because, for the first time, we did not require removal of the clothes to the waist. Moreover, the trailer was moved to a different locality each day which enabled us to cover a wider area. Of the 9,916 persons X-rayed during this period, 369 showed lesions worthy of further clinical study. These findings were significant and proved first, that health services will be used if made flexible and convenient, and second, that many undiscovered persons with pathology in their chest are in our midst.

This program, in cooperation with the United States Public Health Service, promotes the National Negro Health Week celebration in New Jersey. Our major contribution to the national observance of Negro Health Week is our annual State health meeting held in Trenton, at which time representatives from 11 counties received Certificates of Merit from the United States Public Health Service, presented by Dr. Roscoe C. Brown, Chief of Negro Health Work throughout the country. These awards are given to key people of counties where effective public health programs are carried on with the aid of volunteer community groups. A plaque was presented by the State Department of Health to Passaic County, represented by Mr. Walter S. Page, Jr., executive secretary of the Passaic County Tuberculosis Association, for the promotion of the most successful Community Chest X-ray survey in 1946 with a total of 1,182 persons examined. Dr. A. Godfrey Featherston, former administrator of the Philadelphia Health Center, was the guest speaker for the annual meeting and spoke on "Community-wide Cooperation for Better Health and Sanitation." Physicians, dentists, public health nurses, social workers, ministers, school officials and health officers were among the approximately 250 persons in attendance.

A summarized report of our activities follow. Realizing that our program functions as a coordinator for existing health agencies, we are pleased that we have been successful in offering services to local health departments and county tuberculosis leagues throughout the State, and have helped in expanding public health services and extending their reach.

NEGRO HEALTH PROGRAM

149

Health Education

Health meetings	90
Counties participating	11
Cities participating	40
Literature distributed (health literature on various subjects)	21,169
Speakers for health meetings	19
Subjects discussed:	
Housing and health	
Tuberculosis	
Cancer control	
Venereal diseases	
Petting—teen-agers	
Child care	
Nutrition	
Community health and sanitation	
Film showings (subjects listed above)	28
Radio broadcasts	17
Stations:	
WTNJ and WTTM—Trenton	
WBUD—Morrisville	
WAAT—Newark	
Home visits by three public health nurses	897

Case-Finding

Tuberculosis—Community X-ray surveys:	
Number of surveys	4
Number of persons X-rayed	12,466
*Cases needing further study (tuberculous pathology)	457
Re-infection tuberculosis (minimal and far-advanced-active)	14
Where held:	
Paterson	
Passaic	
Trenton	
Newark	

* Follow-up cases are referred to the respective county tuberculosis associations for re-takes on 14 x 17 films and reports are sent to the Bureau of Local Health Services of the State Department of Health. Persons with non-tuberculous findings are referred to the family physician designated. Negative reports are sent from this office.

The X-ray facilities of commercial firms were used in Paterson and Passaic and the facilities of the State Tuberculosis Division were used in Trenton and Newark. The writer read the films of the Paterson and Passaic surveys, and the member of the staff of the Tuberculosis Control Division read the films for Trenton and Newark.

Venereal Disease—Case-Finding

Blood-testing programs (held with X-ray surveys)	3
Number of persons blood-tested	1,254
**Cases needing follow-up	72

Immunization Programs—Rural areas

Pre-school and school children receiving combined diphtheria and whooping-cough toxoid	319
Pre-school and school children vaccinated	45
Clinics held:	

Jericho—school
 Woodbury—school
 East Berlin—school
 †Crosswicks—baby clinic
 †Whitebog—baby clinic
 Port Norris—school
 Springtown—school
 †East Riverton—school; baby clinic

** Persons with positive blood tests were referred to the family physician designated by the person; a second blood test was taken by the physician to determine the need for treatment. The county tuberculosis associations and our public health nurses were responsible for the necessary follow-up.

† These baby clinics were sponsored by the Burlington County Tuberculosis League.

NEGRO HEALTH PROGRAM

151

There follows a chart giving a total summary of our activities.

SUMMARY—NEGRO HEALTH PROGRAM

	<i>Health Meetings</i>	<i>Approx. Att'n</i>	<i>X-rayed</i>	<i>Blood Tests</i>	<i>D. & W. C. Tox.</i>	<i>Small- pox Vac.</i>	<i>Home Visits</i>
<i>Atlantic County</i>							
Atlantic City	2	150	..	..	..	..	..
<i>Bergen County</i>							
Englewood	..	..	..	..	..	..	10
Hackensack	..	..	..	..	..	..	10
<i>Burlington County</i>							
*Burlington	1	75	..	..	..	..	..
Crosswicks	..	..	..	..	31	..	..
Whitesbog	..	..	..	..	18	..	..
East Riverton	..	..	..	..	25	..	..
<i>Camden County</i>							
*Haddonfield	1	90	..	..	..	..	..
Lawnside	1	97	..	..	..	..	187
East Berlin	..	..	..	..	28	5	55
*Jericho	3	44	..	..	85	..	..
*Camden	5	240	..	..	..	..	6
*Magnolia	1	49	..	..	..	..	..
Merchantville	1	200	..	..	..	..	..
<i>Cape May County</i>							
Cape May	..	..	..	..	..	..	4
<i>Cumberland County</i>							
Bridgeton	1	21	..	..	..	..	5
Port Norris	1	75	..	..	38	35	..
Gouldtown	1	24	..	..	..	..	..
Springtown	..	..	..	..	24	..	12
<i>Essex County</i>							
East Orange	..	..	..	..	..	..	5
*Newark	19	4,750	9,916	..	..	..	182
<i>Gloucester County</i>							
Millville	..	..	..	..	..	..	3
*North Woodbury ..	..	..	..	..	..	..	..
*Woodbury	4	190	..	..	70	5	30
Paulsboro	1	19	..	..	..	..	3
Swedesboro	1	120	..	..	..	..	7
<i>Mercer County</i>							
Hightstown	..	..	..	..	..	..	13
*Trenton	12	1,470	1,061	644	..	..	100
*Princeton	2	47	..	..	..	..	..
<i>Middlesex County</i>							
Cranbury	..	..	..	..	..	..	5
Carteret	1	45	..	..	..	..	10
<i>Passaic County</i>							
*Paterson	11	980	1,182	502	..	..	135
Passaic	7	400	307	108	..	..	43
<i>Union County</i>							
*Elizabeth	11	1,385	..	..	..	..	20
*Plainfield	2	300	..	..	..	..	..
Plainsboro	..	..	..	..	..	..	9
Linden	..	..	..	..	..	..	30
Rahway	..	..	..	..	..	..	1
Roselle	..	..	..	..	..	..	30
<i>Warren County</i>							
Washington	1	175	..	..	..	..	..
Totals	90	10,946	12,466	1,254	319	45	897

* Indicates places where health educational films were shown to school children or with organized health meetings for adults.

Report of Rabies Control Unit

For the Calendar Year January 1, 1946 to December 31, 1946

By J. S. McDANIEL, D.V.S., *Veterinarian-in-Charge*

The calendar year, ending December 31, 1946, was marked by a continued advance in cooperation between local health, municipal officials and representatives of the Rabies Control Unit of the New Jersey State Department of Health in rabies and dog control work.

REVENUE

Of the total dog registration fees received, \$79,706.95, the sum of \$35,521.65 was expended by the Rabies Control Unit and \$53,270.95 was transferred to the general treasury of the State. Although the Rabies Control Act, P. L. 1941, c. 151, originally set forth that all moneys collected under this act should be used for rabies control work, an act of the Legislature abolished all dedicated funds. The Unit therefore operates on moneys allocated to it by the Appropriations Committee. Table No. 1 shows a breakdown of moneys collected and expended since the enactment of the Rabies Control Act.

PERSONNEL

Personnel employed by the Rabies Control Unit consists of a veterinarian-in-charge, one veterinary inspector, four investigators, two rabies control wardens, two inspectors (emergency), one laborer, one principal clerk and two stenographers.

Field personnel of the Unit have covered a total of 85,518 miles while engaged in the support of local health and municipal officials whose facilities for handling dog control problems were strikingly ineffective (see Table No. 2).

INCIDENCE OF RABIES

According to reports received, there were 276 reported cases of rabies in the State during the year 1946 (see Table No. 3): canine 270, feline 2, cattle 2, and human 2.

Despite constant patrolling, conferences and educational work done by representatives of the Rabies Control Unit, rabies is rampant in some northern sections of the State. The public reacts in varying degrees in quarantined areas—some cooperating to the fullest extent, others being very indignant because their dogs must be confined in accordance with R. S. 26:4-84.

Since the enactment of the Rabies Control Act in 1941, the incidence of rabies in animals has declined approximately 85%. Although the decline in the number of cases reported may be comforting, the recurrence of outbreaks during the current year, and five human deaths from this preventable disease over a five-year period, serves as a warning against the false conclusion that the disease is under control. Two of these human deaths occurred during the year 1946; one a three-year-old in Roseland, N. J., the other a World War II veteran, of Livingston, N. J. The problem of rabies control has not been solved. Until and unless there can be evolved a practicable system of rabies and dog control—sufficiently inclusive to overcome the inadequacies of the current program—the avowed purposes of the Rabies Control Law cannot be considered approaching accomplishment.

PROPOSED PROGRAM

In the proposed program, three mobile units (now on order) will be utilized in assisting local health and municipal officials in areas where facilities for control of rabies and dogs are inadequate or ineffective. Every municipality requesting assistance from the Rabies Control Unit of the New Jersey State Department of Health in the solution of its dog problem will be given prompt and effective service. It is felt that a well organized and adequately equipped control system will aid in decreasing the incidence of rabies within a municipality and, further, prevent the loss of domestic animals and damage done by predatory or rabid animals.

LEGAL ACTION

Legal actions brought by representatives of the Rabies Control Unit resulted in the collection of \$4,241 in fines for violations of R. S. 4:19-15.2 (licensing) and R. S. 26:4-84 (quarantine). (See Tables Nos. 4 and 4A.)

DOG BITES

Revised Statutes 26:4-79, 26:4-80 and 26:4-81 provide that dog bites shall be reported by the physician attending a person bitten by an animal, by the parent or guardian when a child is bitten and no physician attends, and by the adult when said adult is bitten and no physician attends. The report is made to the person designated by law, or by the local board of health under author-

REPORT OF RABIES CONTROL UNIT

155

ity of law, to receive reports of reportable communicable diseases in the municipality in which the person so bitten may be.

According to a tabulation received in the Rabies Control Unit from the Bureau of Local Health Services, 14,167 dog bites were reported to local boards of health during the year 1946 (see Table No. 5).

TABLE No. 1

<i>Year</i>	<i>Revenue*</i>	<i>Expenditures**</i>	<i>Transferred to General Fund of the State as Required by R. S. 4:19-15.11</i>
		\$10,025.57 (a)	
1942	\$84,667.10	21,352.55 (b)	
1943	80,521.65	19,745.71	
1944	78,112.00	23,328.21	\$27,724.02
1945	79,710.40	11,824.06 (c)	52,232.94
1946	79,706.95	35,521.65 est. (d)	53,270.95
Totals	\$402,718.10	\$121,797.75	\$133,227.91

* Revenue—on a calendar year basis.

** Expenditures—on a fiscal year basis.

(a) From January 1, 1942 to June 30, 1943.

(b) From July 1, 1943 to December 31, 1943.

(c) From July 1, 1945 to December 31, 1945.

(d) From January 1, 1946 to December 31, 1946.

Rabies control penalties for 1946 \$4,241.00

Two years' revenue retained in fund \$159,383.84

TABLE No. 2

TABLE NO. 2												
<i>Patrolling, Assisting Local Officials</i>		<i>Conferences With Municipal Officials, Court Pro- ceedings</i>		<i>Inspecting Local License Records & Accounts</i>		<i>Investigat- ing Dog Bites & Complaints</i>	<i>Investigat- ing Rabies Cases & Exposures</i>		<i>Inspecting Kennels, Pounds, Pet Shops & Shelters & Making Municipal Surveys</i>		<i>Fines Collected for Viola- tion of Dog Licensing & Quarantine Provisions</i>	
<i>No. Muns. Hrs. Visited</i>		<i>No. Muns. Hrs. Visited</i>		<i>Hrs. No.</i>		<i>Hrs.</i>	<i>Hrs. Expos.</i>		<i>Hrs. No.</i>		<i>No. Fines Col.</i>	
7,706	1,850	2,741	563	570	212	245	841	290	1,153	630	1,028	\$4,241

NOTE: Seventy-three cases in Elizabeth fined \$5.00 each, but sentences suspended—not included in above. Also, several hundred summonses issued by our men, but prosecuted locally—fines not included in above.

TABLE No. 3—NUMBER OF CASES OF RABIES

COUNTY	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Atlantic	0	0	0	0	0	0	0	0	0	0	0	0	0
Bergen	2	0	1	4	0	1	2	11	1	2	2	3	29
Burlington	0	0	0	0	0	0	0	0	0	0	0	0	0
Camden	0	0	0	0	0	0	0	0	0	0	0	0	0
Cape May	0	0	0	0	0	0	0	0	0	0	0	0	0
Cumberland	0	0	0	0	0	0	0	0	0	0	0	0	0
Essex	11	5	6	10	18	14	*22	10	4	6	4	1	111
Gloucester	0	0	0	0	0	0	0	0	0	0	0	0	0
Hudson	0	1	1	4	0	0	1	0	0	0	0	1	8
Hunterdon	0	0	1	1	0	0	1	0	1	0	0	0	4
Mercer	0	0	0	2	1	0	0	0	0	0	0	0	3
Middlesex	0	0	0	0	0	0	0	1	0	2	4	0	7
Monmouth	0	0	0	0	0	0	0	0	0	0	1	0	1
Morris	1	1	0	2	2	3	0	3	0	3	**3	0	18
Ocean	0	0	0	0	0	0	0	1	0	0	0	0	1
Passaic	0	0	0	2	7	0	2	0	2	1	2	0	16
Salem	0	0	0	0	0	0	0	0	0	0	0	0	0
Somerset	0	1	1	6	1	2	†1	2	4	0	0	0	18
Sussex	0	0	0	0	0	2	1	0	0	1	0	0	4
Union	2	0	3	4	5	1	8	6	6	6	4	†6	51
Warren	0	0	2	0	1	0	0	1	0	0	1	0	5
Totals	16	8	15	35	35	23	38	35	18	21	21	11	276

Totals for the year: 2 humans, 270 dogs, 2 cats, 2 cattle.

* Essex County —2 humans, 1 cat

** Morris County —1 cow

† Somerset County—1 steer

‡ Union County —1 cat

REPORT OF RABIES CONTROL UNIT

157

TABLE No. 4

FINES COLLECTED FOR VIOLATION OF SECTION 2 OF THE RABIES CONTROL ACT
REGARDING THE LICENSING OF DOGS

<i>Month</i>	<i>County</i>	<i>Fines</i>
April	Middlesex	\$2.00
July	Monmouth	9.00
August	Monmouth	1.00
Total		<u>\$12.00</u>

TABLE No. 4A

FINES COLLECTED FOR VIOLATION OF R. S. 26:4-84, THE RABIES QUARANTINE ACT

<i>Month</i>	<i>Bergen County</i>	<i>Essex County</i>	<i>Hudson County</i>	<i>Union County</i>	<i>Total</i>
May			\$200.00		\$200.00
June			45.00		45.00
July	\$100.00		45.00		145.00
August	220.00	\$85.00	5.00	\$160.00	470.00
September	410.00			140.00	550.00
October	422.00	255.00		255.00	932.00
November	407.00	160.00		655.00	1,222.00
December	345.00			320.00	665.00
<u>\$1,904.00</u>		<u>\$500.00</u>	<u>\$295.00</u>	<u>\$1,530.00</u>	<u>\$4,229.00</u>

NOTE: No fines collected from January to April, inclusive.

TABLE No. 5

TABULATION SHOWING THE NUMBER OF DOG BITES REPORTED TO LOCAL BOARDS OF
HEALTH DURING THE YEAR 1946

(From Annual Reports of Local Boards of Health)

Atlantic County	41	Middlesex County	548
Bergen County	1,607	Monmouth County	662
Burlington County	121	Morris County	382
Camden County	669	Ocean County	65
Cape May County	78	Passaic County	1,101
Cumberland County	60	Salem County	6
Essex County	4,139	Somerset County	186
Gloucester County	27	Sussex County	63
Hudson County	2,297	Union County	1,459
Hunterdon County	22	Warren County	37
Mercer County	597		
		Total	<u>14,167</u>

Report of the Division of Tuberculosis Control

For the Year Ending June 30, 1947

By A. JOSEPH HUGHES, M.D., *Chief*

The fiscal year ending June 30, 1947 witnessed a further expansion of the activities of the Division of Tuberculosis Control. The case-finding program was expanded considerably through the impetus of newly delivered X-ray equipment. The accompanying health educational program was utilized more frequently and more extensively, and the 1946 plan for a more extensive clinic system became a reality. There is still the one usual sad comment of "No State funds, and insufficient personnel and office space."

The Division now has at its command five transportable photofluorographic units, four of which are 70mm. units and one which is both a 4 x 5 and a 70mm. unit. These units are constructed so that 14 x 17 plates can also be taken. Usually three, and at times, four of these units are in daily operation throughout the State, servicing either industrial groups, community groups, or institutional populations.

The long-awaited trailer X-ray unit was delivered early in the fiscal year and has been in constant operation ever since. This mobile laboratory is equipped with a 70mm. photofluorograph, making in all six X-ray units now available to the State health program for its case-finding effort. The other appurtenances of this mobile unit consist of complete dark room, six dressing cubicles, clerk's desk and chair, heat, light, running water, ample storage and clothes closets, as well as a motor-driven generator providing electric current. This unit has confined its activities to smaller industrial and community groups.

This year many local health officers, tuberculosis leagues, and other health and civic-minded groups became an integral part of the case-finding program. The above groups, through their splendid cooperation and organizational work, have successfully carried on many case-finding efforts. More and more the Division becomes what it should be—a service organization with the local case-finding program being organized by local personnel. To those who have participated in this effort, we take this opportunity to extend our many thanks for their cooperation.

There now remains but one county in which our program has not been set in motion.

We are also indebted to the Negro Health Program of this Department as a cooperating agency in organizing local case-finding programs.

The central office remains at its previous location at 172 West State Street, Trenton, the central dark room at 141 North Warren Street, Trenton, and the warehouse at West Hanover and Barnes Streets, Trenton. Additional facilities have also been incorporated during the fiscal year 1947. We now have an X-ray testing room at 17-19 West State Street and a sub-depot developing room has been established in the Camden City Hall through the cooperation of the Camden County Tuberculosis League and the Camden City Health Department. We are deeply indebted to both these latter groups in making the sub-depot possible.

The staff of the Division now includes the Chief, a medical assistant, an administrative assistant, technicians, clerks, etc. The administrative assistant has done a splendid job in meeting with labor and management groups, tuberculosis leagues, and local health officials in organizing the case-finding effort. The addition of a medical assistant has been a great help not only in interpreting the ever-increasing load of X-ray films that constantly flows through this office, but in his assistance in the over-all planning of the work.

The clerical staff, though cramped for space and not sufficient in number, has continued faithfully the execution of its duties through the fine leadership of our principal clerk. It is hoped that soon an Assistant Division Chief will be allowed, for such a position is sorely needed.

In the past fiscal year, 200 surveys were conducted. This brings the total to 282. In the past fiscal year, 101,147 persons were X-rayed, making a total of 254,684 as of June 30, 1947.

During the fiscal year 1947, there were established the following six clinics: Burlington, Hammonton, Mays Landing, North Arlington, Paterson, and Trenton. These clinics were established through the cooperation of the State Department of Institutions and Agencies, the Bureau of Local Health Services of our own State Department of Health, and various local health officials and tuberculosis leagues. We wish to thank all those who made these clinics possible and look forward to the establishment of further clinics during the fiscal year 1947.

Attached is a statistical summary of the X-ray service of this Division since the inception of this program in August, 1942. This summary merely gives interpretations made by this Division of the screening of X-ray film.

The follow-up of these cases has been carried on by the Bureau of Local Health Services. The Bureau of Local Health Services follows these individuals through the cooperation of local practicing physicians, local health

DIVISION OF TUBERCULOSIS CONTROL

161

officers, and tuberculosis leagues. Since the case-finding effort has increased, the Bureau of Local Health Services naturally has a greater amount of work. Throughout the year, despite many hardships with limited personnel and facilities, they have continued their splendid cooperation in establishing the final diagnoses in those cases uncovered by this Division. We are deeply indebted to them for their untiring efforts.

SUMMARY OF X-RAY SURVEYS

		<i>X-rayed</i>
I. Number of surveys completed	282	
A. Industrial surveys	186	
B. Other groups	72	
C. Institutional groups	24	
II. Number of persons X-rayed	254,684	
A. Persons on whom one or more readable X-ray plates were obtained	251,617	98.7%
B. Persons on whom one or more X-ray plates were declared not readable	3,067	1.3%
III. Surveys by counties—20 counties out of 21 represented;		

<i>County</i>	<i>No. Surveys</i>	<i>No. Persons X-rayed</i>
Atlantic	18	5,976
Bergen	50	16,635
Burlington	21	11,859
Camden	27	50,618
Cape May	1	687
Cumberland	13	11,893
Essex	35	51,428
Gloucester	3	2,799
Hudson	7	4,895
Hunterdon	2	2,548
Mercer	6	5,616
Middlesex	24	22,126
Monmouth	30	29,052
Morris	1	958
Ocean	1	507
Passaic	3	10,179
Salem	7	4,665
Somerset	13	9,924
Union	18	10,601
Warren	1	756
New York City	1	962
	282	254,684

DEPARTMENT OF HEALTH

Persons

IV. X-ray film used (plates taken)	266,365	
A. 35mm. plates taken	86,958	
B. 70mm. plates taken	95,206	
C. 4 x 5 plates taken	79,664	
D. 14 x 17 plates taken	4,537	
V. Abnormalities:		
A. Pulmonary	5,765	2.29%
1. Probably tuberculous	3,326	1.32%
a. Minimal	2,419	.96%
(1) Probably active ..	549	
(2) Activity doubtful ..	1,159	
(3) Probably inactive ..	711	
b. Moderately advanced	801	.32%
(1) Probably active ..	551	
(2) Activity doubtful ..	200	
(3) Probably inactive ..	50	
c. Far advanced, active	106	.04%
Significant tuberculosis findings classified by extent and activity:		
1. Probably reinfection tuberculosis	3,326	1.32%
<i>As to Extent:</i>		
a. Minimal tuberculosis	2,419 or 72.74%	
b. Moderately advanced tuberculosis	801 or 24.08%	
c. Far advanced (active)	106 or 3.18%	
<i>As to Activity:</i>		
a. Probably active	1,206 or 36.26%	.48%
b. Activity questionable	1,359 or 40.86%	.54%
c. Probably inactive	761 or 22.88%	.30%
2. Possibly tuberculous	1,601	.64%
a. Tuberculosis suspect (submin.)	1,254	
b. Gross lesions not typically tuberculous	288	
c. Disseminated multiple intrapulmonic calcific deposits	59	
3. Probably non-tuberculous	838	.33%
a. Suspected pneumoconiosis	215	
b. Suspected neoplastic masses	176	
c. Suspected bronchiectasis	148	
d. Suspected lung cysts	15	
e. Suspected emphysema	28	
f. Miscellaneous	256	

DIVISION OF TUBERCULOSIS CONTROL

163

of Total

B. Pleura	529	.21%
1. Suspected fluid	70	
2. Calcification	120	
3. Extreme thickening	339	
4. Miscellaneous	0	
C. Diaphragmatic	418	.16%
1. Marked deformity due to adherence....	244	
2. Suspected eventration	61	
3. Hepatodiaphragmatic interposition of gas containing viscus	99	
4. Miscellaneous	14	
D. Ribs, clavicles, vertebrae	2,678	1.06%
1. Anomalies	1,518	
2. Fractures	74	
3. Scoliosis	1,021	
4. Miscellaneous	63	
E. Operative	99	.03%
1. Pneumothorax	35	
2. Thoracotomy	34	
3. Thoracoplasty	21	
4. Pneumonectomy	4	
5. Miscellaneous	4	
F. Cardio-vascular	10,223	4.06%
1. Cardiac enlargement	5,454	
2. Aortic enlargement	4,684	
3. Possible aortic aneurysm	11	
4. Dextrocardia	49	
5. Miscellaneous	25	

VI. Number of persons referred for follow-up 5,627

Report of Division of Venereal Disease Control

July 1, 1946-June 30, 1947

By A. J. CASSELMAN, M.D., Dr. P.H., *Acting Chief*

The Penicillin Treatment Program is discussed first in this report as it is the activity receiving major emphasis. A summary of the accomplishments of the three years the plan has been in operation seems appropriate at this time because of the probability that the present program will be modified in the coming year and hospitalization replaced, at least in part, by ambulatory treatment of syphilis.

It was in July, 1944, through the allocation of federal funds, that a state-wide program of hospitalization and penicillin treatment of both syphilis and gonorrhea was inaugurated in New Jersey. In the succeeding three years 3,539 cases of early infectious syphilis have been treated under the state plan. In addition to these persons (civilians) an additional 792 men separated from Fort Dix and other military establishments in the State were treated. About one-third of these were permanent residents of New Jersey and would have been a health problem for the health officials in New Jersey communities if they had not been referred immediately from the separation center to the hospital and treated before their return to civilian life.

PENICILLIN IN THE TREATMENT OF GONORRHEA

The original plan called for the hospitalization of cases of gonorrhea also. Eight hundred and three cases were hospitalized and treated with penicillin during the year ending June 30, 1945. By that time treatment on an out-patient basis had been proven satisfactory and was adopted in this State. Since then, penicillin has been provided to private practitioners and to clinics for the treatment of 8,261 cases of gonorrhea on an out-patient basis.

This year the procedure has been to send 200,000 units of aqueous penicillin to the private practitioner upon the receipt of a report of a case of gonorrhea. The physician is asked to reserve this for the next case of gonorrhea he treats and to give it in two or three injections over a period of two to four hours.

Beginning October, 1946, P. O. B. (penicillin in oil and beeswax) has been supplied to clinics for the treatment of gonorrhea. This distribution was limited to clinics because funds were available only for the purchase of a relatively small number of 10 cc. vials, each of which provides theoretically for the treatment of ten patients in the recommended dosage of 1 cc. each in a single injection. Probably not more than five to eight doses per vial have been used on the average because of difficulties of administration. P. O. B. has been on the market in convenient single dose outfits and many physicians are using these in private practice, but the cost has been prohibitive for free distribution.

TABLE No. 1

CASES TREATED WITH PENICILLIN UNDER THE STATE PLAN

	<i>Gonorrhea</i>		<i>Syphilis (all hospitalized)</i>	
	<i>Hospitalized</i>	<i>Out-Patient</i>	<i>Civilians</i>	<i>Separatees</i>
July-December, 1944	357		95	
January-June, 1945	446		168	
July-December, 1945	...	1,023	408	256
January-June, 1946	...	2,323	691	433
July-December, 1946	...	2,183	1,028	103
January-June, 1947	...	2,732	1,149	
Total	803	8,261	3,539	792

GENERAL HOSPITALS HAVE COOPERATED

When the plan of hospitalization for cases of syphilis was started, special hospitals, known as rapid treatment centers, were being set up in many States, particularly in the South. This was given serious consideration for New Jersey, and the Lindbergh home near Hopewell and the Royal Pines Hospital at Pinewald were among places inspected for the purpose of establishing a special hospital for rapid treatment of venereal diseases. Then a canvass was made of existing hospitals, to find out how many would accept V. D. patients at the same financial rate paid by the Division of Maternal and Child Care under the EMIC plan. This was the plan adopted and experience has shown the wisdom in this State of using existing facilities rather than operating special hospitals. Forty-five hospitals have cooperated by accepting one or more patients as they have had beds available since the plan was inaugurated.

The value of using general hospitals is self-evident from the point of convenience and self-respect to the patient and has undoubtedly had value in familiarizing many physicians with methods of treatment based on experimental work of the Army, Navy and Public Health Service. This must have benefited many private patients, although we have no data as to the number treated without financial aid from the State.

DIVISION OF VENEREAL DISEASE CONTROL 167

Might we have found more cases for pencillin treatment if a diagnostic fee had been paid to physicians? The Public Health Services approved the use of federal funds for such a purpose, but as the New Jersey Medical Society felt this to be contrary to medical practice in this State the plan was abandoned.

At Medical Center, Jersey City, a well equipped, comfortable modern ward was set aside for the treatment of separetees. This has been used also when beds were not available in local hospitals in other communities or if the patient preferred to be hospitalized at a distance from his home, and for migrant workers. Without the facilities of Medical Center to supplement hospitals in other parts of the State, the program would have been greatly handicapped and probably we would have been obliged to establish and operate a rapid treatment center.

An important part of the program has been the interviewing of each patient for contact information. With the quick cure which penicillin affords in a large percentage of cases, it is particularly important to trace the contact or contacts of the individual and treat them also, otherwise reinfection is very likely to occur. Public health nurses of the Division did most of this interviewing.

Patients have been treated from every county in the State, as shown for the year 1946 by Table No. 2. In some counties, such as Atlantic County, in which cases are not accepted by the Atlantic City hospitals, the use of the state rapid treatment plan has been less than in Essex County, where the excellent facilities of the Essex County Isolation Hospital have been freely available.

DEPARTMENT OF HEALTH

TABLE No. 2

PRIMARY AND SECONDARY CASES OF SYPHILIS REPORTED,* AND PENICILLIN TREATED,
BY COUNTY IN 1946

<i>County</i>	<i>No. Cases Reported by Physicians</i>	<i>No. Cases Penicillin Treated</i>	<i>Per Cent Penicillin Treated</i>	<i>Total No. Syphilis Cases* Penicillin Treated in 1946†</i>
Atlantic	91	13	14.3	34
Bergen	88	44	50.0	76
Burlington	47	17	36.2	34
Camden	108	46	42.6	95
Cape May	13	1	7.7	5
Cumberland	58	31	53.4	70
Essex	693	373	53.8	526
Gloucester	35	9	25.7	23
Hudson	207	97	46.9	169
Hunterdon	4	..	0.0	1
Mercer	115	44	38.3	97
Middlesex	84	31	36.9	82
Monmouth	145	66	45.5	193
Morris	29	11	37.9	28
Ocean	11	2	18.2	5
Passaic	127	73	57.4	122
Salem	24	11	45.8	23
Somerset	14	6	42.9	31
Sussex	7	5	71.4	6
Union	104	47	45.2	85
Warren	6	2	33.3	8
Total	2,010	929	46.2	1,713

* Migrant workers included.

† Primary, secondary, early latent, syphilis in pregnancy, and a few cases of neuro-syphilis and congenital syphilis.

THE FUTURE OF PENICILLIN TREATMENT

The development of P. O. B. suggests that hospitalization of syphilis probably has reached its peak and we may expect the hospital program to decrease in the future. Many physicians are now treating syphilis with P. O. B. on an ambulatory basis and the experimental work indicates that this method of treatment is as effective as the present plan of injecting an aqueous solution every two hours, which it is practical to do only in a hospital.

Recommendations of the Division for the use of P. O. B. in early syphilis call for the injection of 600,000 units daily in a single injection for ten days.

DIVISION OF VENEREAL DISEASE CONTROL 169

A high cure rate is obtained in gonorrhea by a single injection of 300,000 units of P. O. B. Preparations that are easy to use because of greater fluidity than the early preparations are now on the market, and prices for both multiple and single dose vials are lower. It is hoped that in the very near future funds will be available to the State Department of Health to supply P. O. B. to clinics and physicians so that no infected person will be denied this rapid, convenient, and therapeutically effective treatment for both syphilis and gonorrhea because of lack of funds.

Late cases of syphilis too should be included in our treatment program which at present is restricted to infectious cases. Penicillin is useful in the late as well as the early cases but funds have not been available to pay for necessary hospitalization and penicillin. Untreated or inadequately treated syphilis still is a cause of mental disease, heart disease, and other disabling conditions which cause the patient to become a community charge. A more liberal program of penicillin treatment could prevent some of these cases of impaired functioning and premature death.

STANDARD DRUGS STILL BEING USED

With the increased use of penicillin in the treatment of syphilis, a decrease in the use of arsenicals and heavy metals was expected. However, requests from physicians and clinics for these "standard" drugs has continued at about the same level as before. Should the distribution of these drugs be discontinued and funds conserved for the purchase of penicillin? This has been considered from time to time and the decision has been to continue the distribution of "standard" drugs as heretofore. Treatment failures with the use of penicillin alone have been noted by competent observers in 15% of cases of less than one year's duration and a higher percentage in cases of longer duration.

On June 16, 1946, therefore, a letter was sent to hospitals, recommending that penicillin treatment be supplemented with three injections of an arsenical and three injections of bismuth during the five-day period of hospitalization. As an added safeguard against treatment failure, post-hospital treatment by weekly injections for six months of alternating courses of an arsenical and bismuth has been suggested to physicians. The suggestion has also been made to physicians that an initial dose of an arsenical be given as soon as a diagnosis is made, to eliminate the possibility of infecting others while awaiting hospitalization and the necessity for isolation techniques in the hospital.

In view of this trend toward a combination of penicillin and "standard" drugs, distribution of the "standard" drugs is being continued. One advantage of the "standard" drugs, from an administrative standpoint, is their usefulness only in the treatment of syphilis, as compared to the difficulty of restricting the use of penicillin.

MILITARY CONTACTS

During the war years, cooperation with military authorities in the follow-up of persons named as contacts by infected military personnel has been a major part of the program. The number of such reported contacts dropped during the past year, as would be expected in view of the decrease of military personnel. A table showing the distribution of these contacts has been included in past annual reports. As this year is the last year in which the program probably will be significant, the distribution of these contacts for the year is given in Table No. 3, with a recapitulation of the figures for the two previous years.

Of the 590 military contacts referred for investigation, taverns were named as the "meeting place" in 265 cases. This information was referred immediately to the Department of Alcoholic Beverage Control. In cases in which the information indicated a need for investigation in reference to prostitution, recommendation was made to the local health officer that local police or State Police be asked to investigate.

TABLE No. 3

MILITARY CONTACTS BY COUNTY AND LARGE CITY

(NOTE: This should not be taken as an indication of the relative prevalence of venereal diseases in these localities. The rate of infection of military personnel is influenced by many factors, such as the proximity of military establishments, adequacy of recreational facilities, popularity of the place of leaves and furloughs, amount of prostitution, etc.)

<i>County and City</i>	<i>July 1, 1944 June 30, 1945</i>	<i>July 1, 1945 June 30, 1946</i>	<i>July 1, 1946 June 30, 1947</i>
Atlantic County	194	162	39
(Atlantic City)	185	157	35
Bergen County	55	30	12
Burlington County	47	63	30
Camden County	221	260	44
(Camden)	168	212	39
Cape May County	63	66	8
Cumberland County	105	65	9
Essex County	727	638	184
(Newark)	618	550	170
Gloucester County	34	20	5
Hudson County	219	193	35
(Jersey City)	113	106	19
Hunterdon County	6	5	3
Mercer County	227	178	74
(Trenton)	215	172	69
Middlesex County	69	93	37
(New Brunswick)	42	66	26

DIVISION OF VENEREAL DISEASE CONTROL 171

<i>County and City</i>	<i>July 1, 1944 June 30, 1945</i>	<i>July 1, 1945 June 30, 1946</i>	<i>July 1, 1946 June 30, 1947</i>
Monmouth County	275	211	55
(Asbury Park and Neptune)	168	121	22
Morris County	49	39	6
Ocean County	22	17	3
Passaic County	65	69	12
(Paterson)	47	50	9
Salem County	35	21	6
Somerset County	10	9	..
Sussex County	9	7	..
Union County	92	86	27
Warren County	7	5	1
Total	2,531	2,237	590

Reports of the results of investigation of military contacts were received during the year for 659 cases, some of which are for cases of the preceding year in which the investigation was completed during the present year :

Placed under treatment	173
Not infected	87
Placed in penal institutions	10
Unable to locate	300
No disposition reported	86
Other	3

A representative of the Division assisted police officials by interviewing 64 contacts suspected of being prostitutes. In 34 of these cases this assistance was requested directly by the police officials ; the other cases were investigated because of information on contact reports from military and other sources. Jail sentences were given to 32 of these persons and eight were committed to state institutions. This assistance in specific cases and conferences as to the disposition of other cases gave opportunity for interpretation of the venereal disease laws with police officials.

CIVILIAN CONTACTS

The decrease in the number of persons named as venereal disease contacts by military personnel, as shown by Table No. 3, is offset by an increase in the number of contacts named by infected civilians. The 2,700 such persons in New Jersey are tabulated by county in Table No. 4. In addition to these, 1,015 persons with out-of-State addresses were reported as contacts and were referred to the State Department of Health having jurisdiction.

DEPARTMENT OF HEALTH

TABLE No. 4

CIVILIAN CONTACTS BY COUNTY AND LARGE CITY, JULY 1, 1946-JUNE 30, 1947

(NOTE: These figures should not be taken as an indication of the relative prevalence of venereal disease in these localities. The number of contacts reported depends, in part, upon the case-finding activity in that locality.)

Atlantic County	250
(Atlantic City—191)	
Bergen County	145
Burlington County	101
Camden County	194
(Camden—150)	
Cape May County	14
Cumberland County	132
Essex County	756
(Newark—659)	
Gloucester County	51
Hudson County	172
(Jersey City—67)	
Hunterdon County	5
Mercer County	156
(Trenton—123)	
Middlesex County	89
(New Brunswick—19)	
Monmouth County	173
(Asbury Park and Neptune—44)	
Morris County	37
Ocean County	11
Passaic County	116
(Paterson—85)	
Salem County	48
Somerset County	31
Sussex County	8
Union County	203
Warren County	8
Out-of-State	2,700
Total	1,015
Total	3,715

To measure completely the results of contact-tracing is impossible, but an effort has been made in Table No. 5 to evaluate the program. As a result of being interviewed by a public health nurse, the alleged contact may place himself under medical care in another city, such as New York or Philadelphia, where he is not known, and it is sometimes difficult to complete his record. He may influence a group of his friends to have medical examinations, or may persuade to seek medical care a person or persons known by him to be

DIVISION OF VENEREAL DISEASE CONTROL 173

infected. This assumption of responsibility by the individual for his own medical needs and for educating others is a highly desirable result which does not lend itself to statistical measurement.

TABLE No. 5
RESULTS OF INVESTIGATION OF CONTACT INFORMATION
(See Table No. 4)

Brought or returned to treatment	929
Previously untreated	442
Previously treated	372
Not specified	115
Under treatment at time of investigation	19
Located—uncooperative (not examined)	3
Not infected	714
Not located	872
Not known at address	152
Fictitious address	125
Old address—suspect left	29
Moved out of jurisdiction	108
Insufficient information to begin investigation	458
Other disposition	83
Satisfactory	22
Unsatisfactory	61
Disposition unknown	80
	2,700

PUBLIC HEALTH NURSES IN CASE-FINDING PROGRAM

Public health nurses of this Division have given full time assistance to local health departments this year in the venereal disease case-finding program in the following areas: The northern part of Hudson County and Hoboken, the eastern part of Bergen County, the western part of Bergen County, Gloucester and Cumberland Counties, Salem County, Camden and vicinity, Morris County, Plainfield and vicinity, Newark (private physician program), Monmouth County, Paterson and vicinity, Passaic and vicinity, Trenton and Mercer County, Atlantic City, and Somerset County.

The function of these nurses in interviewing patients for contact information and in following up such information has been recognized for years as essential in the operation of any venereal disease clinic. As penicillin makes it more practical than heretofore to treat venereal diseases in private practice, greater cooperation than ever before from practicing physicians will be necessary if effective epidemiologic work is to be done. The quick cures which penicillin effects make case-holding relatively unimportant and it is now possible to concentrate efforts on case finding. Unless physicians report cases

promptly and accept the service of trained interviewers, the full possibilities in tracing contacts quickly will not be accomplished. The optimistic hopes of some health officials that rapid treatment with penicillin would quickly control the venereal diseases has not materialized. Rapid treatment must be combined with an intensive case-finding effort, in which private physicians are the key persons.

AGRICULTURAL MIGRANT WORKERS

The special clinics for migrant agricultural workers of Mercer, Monmouth and Middlesex Counties were operated again this year. The clinics were held in Cranbury, Imlaystown and Freehold from July 1 to September 20, 1946. A total of 2,415 persons were examined for venereal diseases, as compared to 1,816 last year.

TABLE No. 6

CRANBURY, IMLAYSTOWN AND FREEHOLD CLINICS FOR MIGRANT WORKERS

Number of persons examined	2,415	100%
Number of persons with positive serologic tests for syphilis	429	17%
Diagnosed and classified	315	
Primary and secondary	21	
Early latent	150	
Late latent	137	
Congenital	7	
Hospitalized for penicillin treatment	133	
Number cases of gonorrhea	273	11%
Cases of other venereal diseases, diagnosed and treated	8	

All cases of syphilis of less than four years' duration were offered hospitalization and penicillin treatment, and 133 were so treated. Those cases of longer duration were referred to private physicians or clinics for treatment.

Cultures for gonococci were made routinely on women and on men with a urethral discharge. Treatment consisted of a single injection of P. O. B.

All of the diagnosed patients were interviewed for contact information. The crowded conditions made interviewing difficult in the Imlaystown and Cranbury clinics, but, in spite of poor conditions, useful information was secured about 221 contacts. Tracing these contacts among a group of persons who migrate from place to place also is difficult, but 107 of the named contacts were brought into the clinics for examination, among whom 15 cases of syphilis were found and 23 cases of gonorrhea. Complete reports are not available for those who were referred to other districts or to other states.

Through the cooperation of other divisions of the State Department of Health this year for the first time the health services of the clinics were extended to include examination of some of the migrant workers for malaria, tuberculosis, cancer, dental caries, and prenatal care.

DIVISION OF VENEREAL DISEASE CONTROL 175

The Division assisted the local health departments in examination of hotel employees in Lakewood, oyster shuckers at Port Norris and Maurice River, employees in nine industries, a group of railroad employees, and members of two of the race tracks. Most of these were migrant workers.

Throughout the State spot inspections were made of industries, hotels and farms to check compliance with the migrant labor law (R. S. 26:4-49.5 and 49.6). Circular letters were sent to 6,500 employers or potential employers of migrant labor reminding them of the provisions of the law. Twenty-six talks accompanied by motion pictures were given by the Red Cross to groups of migrant laborers.

INTERNATIONAL MIGRANTS

Through clinics operated by the Atlantic Seaboard Agricultural Workers Health Association, Inc., in the southern part of the State, 38 cases of early syphilis were found among international migrants. Cost of hospitalization of these patients was borne by this Division and penicillin was supplied by A. S. A. W. H. A. Seventy-five American migrants working near A. S. A. W. H. A. clinics were examined in these clinics and three cases of gonorrhea, one case of infectious syphilis, and seven cases of non-infectious syphilis were found.

EXAMINATION OF OTHER GROUPS

At Trenton and Paterson mass voluntary blood testing programs were carried on in cooperation with the Negro Health Program. Another survey was made in Madison in cooperation with the Red Cross.

In these groups a total of 5,488 blood tests were taken, of which 599 were positive and 390 gave doubtful results. Examinations for gonorrhea were made also in some of these groups.

Many industries are doing pre-employment blood tests routinely. These are not always marked so that they can be identified as pre-employment or employment tests; however, 3,722 positive or doubtful specimens submitted to the State laboratory could be checked as from 140 different large industries. According to our records, 33 of these industries had not previously submitted specimens. Follow-up of the 2,500 of these persons who had positive tests and are residents of New Jersey was carried out by a letter to the individual, his physician, and to the local health officer or public health nurse if it appeared that needed medical care was not being received.

STANDARDIZATION OF SEROLOGIC TESTS

One of the chief difficulties in the serologic diagnosis of syphilis has been the wide variation in sensitivity of the serologic tests for syphilis. There seems little excuse for such wide variations in sensitivity because of the great

stability of most of the antigens used in the tests for syphilis. The writer showed in 1938 at the Hot Springs Serologic Conference that a stable standardized syphilitic serum (dried by the lyophile process) could be used to produce a common sensitivity in all laboratories.

On March 16, 1947, the board of trustees of the Medical Society of New Jersey unanimously approved the following resolution:

"That a diagnosis of syphilis not be made on serologic evidence unless two Mazzini tests or tests of similar sensitivity, taken not less than two weeks apart, are both four plus."

In order to obtain similar sensitivities all New Jersey laboratories may request regular supplies of Mazzini antigen and buffered saline for all their tests from the Division of Venereal Disease Control. During the past year 81 different laboratories received 7,620 cc. of standardized Mazzini antigen with the necessary amounts of buffered saline. With the use of approximately similar techniques these laboratories should achieve a common sensitivity for their tests for syphilis. If standardized stable lyophile serum could be freely supplied to all laboratories there should be no difficulty in bringing all the tests to a common sensitivity.

Standardized lyophile syphilitic serum has not been supplied this year because of budgetary insufficiency. The Bureau of Bacteriology, however, has been checking laboratories with liquid serums of known titer, and has been supplying laboratories with liquid syphilitic serum upon request.

TABLE No. 7

TOTAL NUMBER OF BLOOD TESTS FOR SYPHILIS OF ALL LABORATORIES

	<i>Total</i>	<i>Positive Results</i>	<i>Per Cent Positive</i>
1939	507,801	47,081	9.28
1940	534,729	40,730	7.62
1941*	729,888	47,082	6.45
1942*	1,012,982	57,189	5.65
1943*	930,830	45,532	4.89
1944	563,530	38,740	6.87
1945	546,185	34,126	6.25
1946	703,040	36,383	5.17
1947 (Jan.-June)	368,896	21,859	5.92

* Includes tests for Selective Service.

DIVISION OF VENEREAL DISEASE CONTROL 177

QUANTITATIVE SEROLOGIC TESTS

The use of rapid treatment with penicillin has emphasized the value of the quantitative serologic tests for syphilis.

Quantitative examinations on all positive tests are not yet routine in this State although such a procedure is eminently desirable. Budgetary difficulties are the sole cause of the delay. However, the state laboratory is trying to give the service for penicillin-treated cases when physicians request it.

CULTURE TESTS FOR GONORRHEA

The gonococcus culture program is reviewed in this annual report because of the probability that the service will be discontinued next year.

For years unsatisfactory methods of diagnosis and treatment of gonorrhea baffled physicians and health officials. In an effort to help solve the problem of diagnosis, experimental work in culturing the gonococcus was undertaken in 1942. In 1943 special laboratories were established in Newark and Trenton to furnish this service to clinics and practicing physicians. By that time a satisfactory method for mailing specimens had been developed, so that physicians in all parts of the state could use the service. Physicians have appreciated this laboratory aid to diagnosis, which proved to be much more reliable than smears, as evidenced by the increased use of the service.

TABLE No. 8

NUMBER OF GONOCOCCUS CULTURE SPECIMENS RECEIVED

	<i>Mailed Specimens</i>	<i>Delivered Specimens</i>	<i>Total</i>
January-June, 1943	1,463	2,108	3,571
July-December, 1943	2,694	2,449	5,143
January-June, 1944	4,196	3,003	7,199
July-December, 1944	6,585	3,068	9,653
January-June, 1945	7,435	3,929	11,364
July-December, 1945	9,182	4,006	13,188
January-June, 1946	10,474	4,574	15,048
July-December, 1946	12,342	4,725	17,067
January-June, 1947	11,133	4,212	15,345
	65,504	32,074	97,578

With the high rate of cure now possible by a single injection of penicillin, physicians are urged to treat gonorrhea on suspicion. Retreatment is practical if clinical symptoms persist. The confirmation of the diagnosis by laboratory test, therefore, is now a research rather than a practical control measure. It is believed that funds budgeted for this service can be used to better advantage in other ways in the future.

DEPARTMENT OF HEALTH

PREMARITAL AND PRENATAL SEROLOGIC TESTS FOR SYPHILIS

The premarital and prenatal laws enacted in 1938 continue to be a useful case-finding procedure. The prenatal law makes it the duty of physicians to have blood tests done on pregnant women under their care. The premarital law requires blood tests before a marriage license may be issued.

TABLE No. 9

PREMARITAL BLOOD TESTS REPORTED BY APPROVED LABORATORIES IN NEW JERSEY

	<i>Total Tests</i>	<i>Positives</i>	<i>Per Cent Positive</i>	<i>No. of Persons Married</i>
1939	68,021	928	1.36	63,790
1940	87,622	1,120	1.28	82,118
1941	100,947	1,384	1.37	93,076
1942	100,391	1,510	1.50	100,906
1943	77,172	1,313	1.7	82,090*
1944	66,435	1,205	1.81	72,168*
1945	78,876	1,272	1.61	79,200*
1946	120,728	1,688	1.39	122,040
1947 ($\frac{1}{2}$ year)	61,508	944	1.53	55,184

* Many of these persons had blood tests in military laboratories of this or other states.

As most positive tests would be repeated for confirmation, whereas a negative report would be accepted in most cases, the percentage of positive tests probably is higher than the actual percentage of persons infected with syphilis. This is true also in Table 10 which follows:

TABLE No. 10

PRENATAL BLOOD TESTS REPORTED BY APPROVED LABORATORIES IN NEW JERSEY

	<i>Total Tests</i>	<i>Positives</i>	<i>Per Cent Positive</i>
1939	42,863	640	1.49
1940	52,940	735	1.39
1941	62,852	874	1.39
1942	78,774	1,263	1.60
1943	58,376	794	1.36
1944	66,804	886	1.33
1945	66,537	992	1.49
1946	100,139	1,443	1.44
1947 ($\frac{1}{2}$ year)	49,028	768	1.56

Report of the Bureau of Vital Statistics

Statistics for the Calendar Year 1946

By WALTER R. SCOTT, *State Registrar and Chief*

A Bureau of Vital Statistics has existed in New Jersey since 1879 and a statistical report has been published each year. The statistics compiled by the Bureau during this long period have been partly responsible for activities which caused a decline in the general death rate from 18.4 per 1,000 population in 1879 to 10.7 in 1946, and in the rate from tuberculosis of the respiratory system from 251.0 to 35.7 per 100,000 population.

The Bureau has the custody of more than ten million records of births, marriages, and deaths which date back to 1848. The records for the period 1848 to 1887 were collected by the Secretary of State and turned over to the Bureau when the health laws were revised by the Legislature during the session of 1887. The new law provided for a State Board of Health and Bureau of Vital Statistics. Prior to that year the annual report was prepared from records not in the custody of the Bureau.

During the past year the Bureau supervised the issuance of marriage licenses and the registration of births, marriages and deaths throughout the State and supplied to local registrars and others the forms necessary to obtain registration.

Monthly and annual statistical tables were compiled and published and in addition a large amount of special statistical data was compiled for the use of public and private institutions and agencies interested in disease and accident prevention. Electrical tabulation machinery, which was installed in 1915, was used in the preparation of the data. The statistical work done by the Bureau has been invaluable to other bureaus of the Department, particularly the Bureau of Maternal and Child Health in the reduction of infant and maternal mortality.

The Bureau supplied photostatic service to other bureaus and divisions of the Department and allowed the Division of Venereal Disease Control the use of the electrical tabulating equipment for the preparation of statistical studies and reports.

At the request of the Division of Cancer Control photostatic copies of certificates of deaths due to cancer and other malignant tumors were prepared for deaths during November 1946 and subsequent months. Starting on January 1, 1947, photostatic copies of certificates of deaths due to reportable diseases were prepared and forwarded to the Bureau of Local Health Services. Previous to that date the Local Health Services Bureau had borrowed the original certificates and copied needed information on cards.

Certified copies of birth, marriage and death records were issued individuals and interested organizations and agencies. During the fiscal year 1946-47, 38,369 searches of the records were made and copies of certificates found issued for which \$23,712.48 was received in fees. A total of 14,657 of the searches and certified copies were for purposes exempt from charge by law. The revenue of the Bureau increased approximately \$200 over the amount collected during the preceding year. A 6% decrease occurred in the number of certificates issued without charge, which records were used mainly for obtaining dependency allotments and for claims against the Government due to service with the armed forces.

During the year, the Bureau received, examined, classified, tabulated, indexed and permanently filed approximately 215,000 birth, marriage and death certificates, a small part of which records were for unreported births which occurred during previous years. The annual growth of the records requires approximately 200 cubic feet of storage space.

More than 120,000 premarital certificate forms were received and examined, a duty placed upon the Bureau at the adoption of the law requiring an examination for syphilis prior to the issuance of a marriage license.

A total of 1,256 original birth records were sealed and new certificates containing the names obtained by adoption made, as prescribed by section 26:8-40.1 of the Revised Statutes.

The Bureau field representative made 84 calls on local registrars and 18 calls on district health officers, county clerks, hospital authorities, judges and clergymen.

The additional clerical assistance requested to comply with P. L. 1945, c. 202, which requires a monthly report of the names of deceased veterans with the dates and places of burial, cremation or removal of such deceased veterans, and the wars in which they served, to the county superintendents of soldiers' burials still has not been provided. The work made mandatory by law has been done at the expense of a delay in the preparation of cross-indexes vital to the searching process. A total of 1,826 veterans were buried in New Jersey cemeteries during the year.

BUREAU OF VITAL STATISTICS

183

The Bureau is greatly handicapped by a lack of trained personnel and adequate working quarters. The electrical tabulating machinery is operated in a small room which also houses the voluminous files of the Bureau of Engineering and two file clerks. Exacting statistical work cannot be done efficiently where other persons are present, and personnel other than machine operators should not be subjected to the noise of the electrically operated equipment. Space, equipment and personnel should be provided in order that birth and marriage data could be punched on cards, which after use for statistical purposes, could be used for the preparation of indexes. New Jersey, one of the earliest registration States, is far behind some States in the preparation and dissemination of statistical data.

GENERAL SUMMARY

	<i>Calendar Years</i>			
	1920	1930	1940	1946
Births registered, tabulated and indexed	76,431	68,282	59,328	95,044
Stillbirths registered, tabulated and indexed...	3,221	2,647	1,543	2,127
Marriages registered, tabulated and indexed...	31,327	28,499	41,059	61,020
Deaths registered, tabulated and indexed	40,820	43,190	45,206	46,261
Total records registered, tabulated and permanently filed	151,799	142,618	147,136	204,452
Searches made and/or certified copies issued for which fees were received	4,664	10,523	38,431	23,712
Certified copies issued and searches made in pension and other cases for which no fees were received	4,232	6,938	11,300	16,619
Fees received for searches and certified copies	\$4,051	\$9,601	\$31,614	\$23,281.57

CHARTS AND TABLES—1946

- Table 1. Births, marriages, deaths and rates, 1879-1946.
- Table 1a. Births, marriages and deaths by months.
- Table 1b. Births, marriages, deaths and deaths under one year of age by counties, cities, boroughs and townships.
- Table 2. Deaths by age groups, with the percentage of each group of total deaths: 1946.
- Chart 1. Births and deaths per 1,000 population, 1880-1944.
- Table 3. Deaths of infants under five years of age and percentage of total deaths, 1904-1946.
- Table 4. Number of births, stillbirths, deaths under one month, deaths under one year and maternal deaths with rates per 1,000 live births, 1906-1946.
- Table 5. Deaths under one month, stillbirths and maternal deaths per 1,000 live births, by counties and certain cities.
- Table 7. Births, deaths under one year and infant mortality rates, by counties and cities.

- Chart 2. Deaths from typhoid fever per 100,000 population, 1880-1944.
- Table 8. Comparison between typhoid fever death rates in New Jersey and the United States Registration Area, 1937-1946.
- Table 10. Typhoid fever rates by counties, 1937-1946.
- Chart 3. Deaths from measles per 100,000 population, 1880-1944.
- Chart 4. Deaths from scarlet fever per 100,000 population, 1880-1944.
- Chart 5. Deaths from whooping cough per 100,000 population, 1880-1944.
- Chart 6. Deaths from diphtheria per 100,000 population, 1880-1944.
- Chart 7. Deaths from respiratory tuberculosis per 100,000 population, 1880-1944.
- Table 12. Cancer and other malignant tumors by sex, age period and organs affected.
- Table 12a. Cancer and other malignant tumors by part of body affected and color of decedent.
- Chart 8. Deaths from cancer and other malignant tumors per 100,000 population, 1880-1944.
- Table 13a. Violent or accidental deaths.
- Table 13b. Motor vehicle fatalities.
- Table 13c. Accidental deaths by type of injury.
- Table 13d. Accidental deaths by counties.
- Table 13e. Accidental deaths by months.
- Table 13f. Accidental deaths by ages.
- Table 14. Percentage of the various causes of total deaths and of each sex of total.
- Table 15. Death rates, total, white and colored, from important causes, per 100,000 total, white and colored population.
- Table 16. Deaths (exclusive of stillbirths) by causes and months of deaths.
- Table 17. Deaths (exclusive of stillbirths) from each cause of the Abridged International List, by age, sex, and color.
- Table 18. Deaths (exclusive of stillbirths) by causes, by days, weeks and months of the first year of life.
- Table 19. Deaths (exclusive of stillbirths) under one year of age, by causes and months of death.
- Table 20. Deaths (adjusted for residence) from each cause, Detailed International List, in the counties of New Jersey and selected municipalities of 5,000 or more inhabitants in 1930.
- Table 22. Deaths by causes, sex, color and age periods in the counties and cities having 50,000 or more inhabitants in 1940. (County figures include cities which follow):

<i>Atlantic County</i>	<i>Essex County</i>	<i>Hunterdon County</i>	<i>Passaic County</i>
Atlantic City	East Orange		Passaic City
	Irvington	<i>Mercer County</i>	Paterson
<i>Bergen County</i>	Newark	Trenton	
<i>Burlington County</i>			<i>Salem County</i>
	<i>Gloucester County</i>	<i>Middlesex County</i>	<i>Somerset County</i>
<i>Camden County</i>			
Camden City	<i>Hudson County</i>	<i>Monmouth County</i>	<i>Sussex County</i>
	Bayonne		
<i>Cape May County</i>	Hoboken	<i>Morris County</i>	<i>Union County</i>
	Jersey City		Elizabeth
<i>Cumberland County</i>	Union City	<i>Ocean County</i>	<i>Warren County</i>

Population.—In computing rates for the State, the U. S. Census Bureau estimate of 4,304,261 as of July 1, 1946, was used. Armed forces stationed in the State were included; residents of the State serving with the armed forces overseas were excluded. Information concerning the computing method may be obtained by referring to Current Population Reports, Series P-25, No. 2, issued by the Bureau of the Census on August 15, 1947.

Since county population estimates for 1946 were not available, county death rates were based on estimates of county populations as of November 1, 1943. These figures, of civilian population only, were estimated by use of total registration for war ration book number four.

It has been impossible to decide upon any equitable basis for estimating the 1946 population of municipalities. Actual census counts of April 1, 1940 have been used in computing rates, and such rates are probably exaggerated to some extent.

Births.—During 1946, 95,044 live births were reported, with a resultant rate of 22.1 per 1,000 population. This was a numerical increase of 18,049 over last year. The 1945 total of 76,995 was 1,343 more than occurred in 1944. Birth rates, which decreased from 25.1 in 1917 to 13.2 in 1936, have shown a rising trend since the latter year.

The number of illegitimate births reported for 1946 was 2,258 of which 982 were babies born to colored mothers. Expressed as percentages of the total births for white and non-white, the figures were 1.4 and 14.9 respectively. Similar percentages for 1945 were 1.7 and 17.7.

Marriages.—The number of marriages reported for 1946 was 61,020, an increase of 21,309, or 53.7%, over the number for the previous year. The marriage rate per 1,000 population was 14.2 compared with 9.5 for 1945 and 8.7 for 1944.

Deaths.—The number of deaths of residents of the State for 1946 was 46,261, equivalent to a rate of 10.7 per 1,000 population. In 1945 the rate was 11.3. For the past decade the rate ranged from 10.6 in 1938 and 1939 to 11.8 in 1943.

Stillbirths.—There were 2,127 stillbirths reported during 1946. The number for the previous year was 1,827. The 1946 rate was 22 per 1,000 live births. The rate for the colored population was 38.

DEPARTMENT OF HEALTH

TABLE 1—POPULATION; BIRTHS, MARRIAGES AND DEATHS REPORTED WITH RATES PER 1,000 POPULATION

YEAR	Estimated Population	BIRTHS		MARRIAGES		DEATHS	
		Number of births reported	Birth rate per 1,000 population	Number of marriages	Marriage rate per 1,000 population	Number of deaths	Death rate per 1,000 population
1879	1,110,489	23,116	26.8	7,096	6.3	20,440	18.4
1880	1,133,731	23,680	20.8	7,963	7.0	18,967	16.7
1881	1,165,112	23,484	20.1	8,109	6.9	20,812	17.8
1882	1,196,493	23,108	19.3	8,837	7.3	25,959	21.6
1883	1,227,874	24,430	19.8	9,166	7.4	23,310	18.9
1884	1,259,256	25,263	20.0	8,968	7.1	21,716	17.2
1885	1,290,638	24,077	18.6	8,989	6.9	23,807	18.4
1886	1,322,020	25,497	19.2	12,351	9.3	22,734	17.1
1887	1,353,402	27,340	20.2	15,416	11.3	24,331	17.9
1888	1,384,784	28,074	20.3	16,025	11.5	27,173	19.6
1889	1,416,166	29,099	20.5	15,726	11.1	26,543	18.7
1890	1,448,589	30,103	20.7	15,564	10.7	28,530	19.6
1891	1,482,462	28,882	19.3	15,305	10.2	28,840	19.3
1892	1,536,336	30,627	19.9	16,082	10.4	32,685	21.2
1893	1,580,209	32,285	20.4	17,178	10.8	30,596	19.3
1894	1,624,083	33,662	20.7	18,245	10.0	30,004	18.4
1895	1,667,957	31,742	19.0	15,873	9.5	30,634	18.3
1896	1,711,831	31,207	18.2	18,370	10.7	30,767	17.9
1897	1,755,705	31,595	17.9	18,171	10.3	29,822	16.9
1898	1,799,578	32,515	18.0	18,213	7.3	27,337	15.1
1899	1,843,452	29,419	15.9	13,336	7.2	30,999	16.8
1900	1,889,184	32,270	17.0	14,611	7.7	31,474	16.6
1901	1,935,361	34,812	17.8	16,539	8.4	31,739	16.2
1902	2,021,539	35,116	17.3	18,150	8.9	31,319	15.4
1903	2,087,716	37,242	17.8	19,512	9.3	31,820	15.2
1904	2,153,893	38,751	17.9	18,919	8.7	35,298	16.3
1905	2,220,070	39,689	17.8	20,572	9.2	33,864	15.2
1906	2,286,247	42,677	18.6	21,580	9.4	35,670	15.6
1907	2,352,424	44,651	18.9	23,649	10.0	37,408	15.9
1908	2,418,601	47,405	19.6	28,155	10.8	35,597	14.7
1909	2,484,778	47,508	19.1	29,724	11.9	36,359	14.6
1910	2,550,445	53,942	21.1	27,912	10.9	39,494	15.4
1911	2,614,177	58,133	22.2	25,014	9.5	38,612	14.7
1912	2,677,909	60,073	22.4	26,821	10.0	37,772	14.1
1913	2,741,642	61,432	22.4	27,697	10.1	39,425	14.3
1914	2,805,374	65,405	23.3	28,528	10.1	39,967	14.2
1915	2,869,106	66,476	23.1	27,694	9.6	39,435	13.7
1916	2,932,838	70,211	23.9	31,169	10.6	43,376	14.7
1917	2,996,569	75,309	25.1	30,060	10.0	43,532	14.5
1918	3,060,301	74,549	24.3	23,989	7.8	60,852	19.8
1919	3,124,084	70,935	22.7	29,281	9.3	39,979	12.7
1920	3,199,092	76,431	23.8	31,327	9.7	40,820	12.7
1921	3,285,475	78,172	23.7	27,815	8.4	37,362	11.3
1922	3,371,859	74,479	22.0	27,114	8.0	40,068	11.8
1923	3,458,243	74,611	21.5	28,730	8.3	41,294	11.9
1924	3,544,627	76,530	21.5	27,601	7.7	40,531	11.4
1925	3,631,011	74,193	20.4	27,672	7.6	41,749	11.4
1926	3,717,395	72,386	19.4	28,424	7.6	44,306	11.9
1927	3,803,779	72,799	19.1	28,316	7.4	41,562	10.9
1928	3,890,163	70,076	18.0	29,120	7.4	44,555	11.4
1929	3,976,546	68,297	17.1	30,257	7.6	45,746	11.5
1930	4,044,300	68,282	16.9	28,499	7.0	43,190	10.7
1931	4,050,200	64,078	15.8	26,468	6.5	44,135	10.9
1932	4,068,100	61,215	15.0	22,840	5.6	42,826	10.5
1933	4,080,000	56,072	13.7	24,453	6.0	43,380	10.6
1934	4,091,800	54,841	13.4	28,991	7.1	43,547	10.6
1935	4,103,700	55,059	13.4	29,724	7.2	43,267	10.5
1936	4,115,600	54,145	13.2	32,771	8.0	44,659	10.9
1937	4,127,500	55,197	13.4	36,190	8.8	45,312	11.0
1938	4,139,400	56,602	13.7	31,006	7.5	44,045	10.6
1939	4,151,300	56,859	13.7	31,895	7.7	43,837	10.6
1940	4,163,100	59,328	14.3	41,059	9.9	45,206	10.9
1941	4,199,900	67,104	16.0	46,538	11.1	45,971	10.9
1942	4,226,425	80,812	19.1	50,498	11.9	46,270	10.9
1943	4,235,233	82,356	19.4	41,045	9.7	49,781	11.8
1944	4,167,840	75,652	18.2	36,084	8.7	47,340	11.4
1945	4,200,941	76,995	18.3	39,711	9.5	47,633	11.3
1946	4,304,261	95,044	22.1	61,020	14.2	46,261	10.7

BUREAU OF VITAL STATISTICS

187

TABLE 1A.—BIRTHS, MARRIAGES AND DEATHS, 1946

(Births and deaths corrected for residence)

<i>Month</i>	<i>Births</i>	<i>Marriages</i>	<i>Deaths</i>
January	6,240	4,135	4,687
February	5,893	4,496	3,971
March	6,300	3,851	4,020
April	6,451	4,611	3,837
May	7,267	4,949	3,844
June	7,145	8,983	3,648
July	8,390	4,302	3,532
August	8,925	4,828	3,290
September	9,355	6,527	3,600
October	9,781	5,262	3,822
November	9,395	5,574	3,712
December	9,902	3,502	4,298
Total	95,044	61,020	46,261

TABLE 1B.—BIRTHS, MARRIAGES, DEATHS AND DEATHS UNDER ONE YEAR OF AGE BY COUNTIES, CITIES, BOROUGHS AND TOWNSHIPS, 1946
(Births and deaths corrected as to residence)

ATLANTIC COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Absecon City	61	34	34	1
Atlantic City	1190	1161	938	44
Brigantine City	10	3	4	...
Buena Vista Township	81	81	41	3
Corbin City	2	1	7	...
Egg Harbor City	98	106	58	6
Egg Harbor Township	79	15	39	3
Estelle Manor City	3	1	3	1
Folsom Borough	1	6	2	...
Galloway Township	47	12	45	2
Hamilton Township	58	18	47	1
Hammonton Town	158	109	75	5
Linwood City	38	21	19	2
Longport Borough	7	...	3	...
Margate City	58	20	47	1
Mullica Township	34	4	25	1
Northfield City	40	14	35	...
Pleasantville City	261	187	150	11
Port Republic City	3	6	8	1
Somers Point City	32	22	28	...
Ventnor City	141	131	108	5
Weymouth Township	4	2	6	...
Total	2408	1954	1722	87

BERGEN COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Allendale Borough	45	16	26	...
Alpine Borough	15	6	4	1
Bergenfield Borough	235	121	119	11
Bogota Borough	157	108	85	2
Carlstadt Borough	139	43	58	5
Cliffside Park Borough	313	181	135	6
Closter Borough	56	36	36	...
Cresskill Borough	46	20	27	...
Demarest Borough	32	14	12	...
Dumont Borough	223	97	75	5
East Paterson Borough	233	75	53	4
East Rutherford Borough	162	102	62	4
Edgewater Borough	85	219	51	2
Emerson Borough	34	11	13	1
Englewood City	399	356	191	9
Englewood Cliffs Borough	16	3	5	1
Fair Lawn Borough	349	83	104	14
Fairview Borough	169	230	59	2
Fort Lee Borough	196	223	107	5
Franklin Lakes Borough	29	9	16	1
Garfield Borough	627	423	200	12
Glen Rock Borough	121	23	58	3
Hackensack City	524	556	327	16
Harrington Park Borough	26	7	14	1
Hasbrouck Heights Borough	153	69	60	5
Haworth Borough	34	8	19	2
Hillsdale Borough	67	31	42	2
Hohokus Borough	42	34	15	1
Leonia Borough	115	59	62	1
Little Ferry Borough	99	59	40	1
Lodi Borough	334	160	83	11
Lyndhurst Township	406	60	169	14
Mahwah Township	85	28	35	3
Maywood Borough	104	39	44	2
Midland Park Borough	111	49	42	1
Montvale Borough	30	9	16	...
Moonachie Borough	27	18	5	...
New Milford Borough	84	33	44	2
North Arlington Borough	319	97	88	7
Northvale Borough	25	23	12	...
Norwood Borough	49	23	18	2
Oakland Borough	28	9	12	...
Old Tappan Borough	8	1	9	...
Oradell Borough	53	47	33	1
Palisades Interstate Park	...	...	2	...
Palisades Park Borough	189	86	68	6
Paramus Borough	66	30	47	2
Park Ridge Borough	58	56	45	3
Ramsey Borough	91	44	28	...
Ridgefield Borough	142	70	49	3
Ridgefield Park Village	255	134	106	...
Ridgewood Village	274	199	166	2
River Edge Borough	151	46	41	5
Rivervale Township	35	2	14	...
Rochelle Park Township	113	43	35	3
Rockleigh Borough	3	...	2	...
Rutherford Borough	306	180	181	5
Saddle River Borough	16	10	3	...
Saddle River Township	34	21	21	1
South Hackensack Township	30	4	9	...
Teaneck Township	530	179	226	16
Tenafly Borough	135	68	82	5
Teterboro Borough	...	...	...	...
Upper Saddle River Borough	11	4	10	...
Waldwick Borough	64	15	29	2
Wallington Borough	211	99	63	4
Washington Township	11	2	12	1
Westwood Borough	127	69	76	...
Woodcliff Lake Borough	20	5	9	...
Wood Ridge Borough	122	71	61	7
Wyckoff Township	95	31	39	2
Total	9496	5466	4118	227

BUREAU OF VITAL STATISTICS

189

BURLINGTON COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Bass River Township	18	10	11	...
Beverly City	69	63	39	...
Bordentown City	122	108	70	6
Bordentown Township	24	1	7	1
Burlington City	296	182	134	8
Burlington Township	62	16	29	2
Chesterfield Township	28	16	10	1
Cinnaminson Township	35	24	38	3
Delanco Township	54	14	23	1
Delran Township	47	10	32	1
Eastampton Township	7	1	4	...
Edgewater Park Township	15	17	12	...
Evesham Township	43	12	19	1
Fieldsboro Borough	13	2	8	2
Florence Township	164	85	90	10
Fort Dix	12	127	5	...
Hainesport Township	12	21	19	...
Lumberton Township	24	5	16	...
Mansfield Township	28	8	22	3
Maple Shade Township	119	72	32	1
Medford Township	62	32	38	3
Medford Lakes Borough	3	19	2	...
Moorestown Township	188	104	82	2
Mount Holly Township	174	103	88	3
Mount Laurel Township	39	8	18	3
New Hanover Township	10	...	5	1
North Hanover Township	20	10	11	...
Palmyra Borough	139	51	77	9
Pemberton Borough	34	23	15	1
Pemberton Township	71	58	32	4
Riverside Township	154	128	56	3
Riverton Borough	77	55	30	...
Shamong Township	13	1	4	...
Southampton Township	58	22	22	1
Springfield Township	19	9	16	1
Tabernacle Township	7	19	5	1
Washington Township	8	1	5	...
Westampton Township	15	1	8	1
Willingboro Township	8	2	6	1
Woodland Township	9	...	6	...
Wrightstown Borough	26	12	8	...
Total	2326	1453	1154	74

CAMDEN COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Audubon Borough	253	95	116	4
Barrington Borough	49	14	28	4
Bellmawr Borough	156	13	32	6
Berlin Borough	61	54	34	2
Berlin Township	41	13	14	2
Brooklawn Borough	43	4	16	...
Camden City	2756	2042	1278	75
Chesilhurst Borough	7	9	3	1
Clementon Borough	67	20	37	...
Collingswood Borough	331	181	194	6
Delaware Township	72	26	44	2
Gibbsboro Borough	17	11	9	...
Gloucester City	308	227	157	10
Gloucester Township	135	46	63	1
Haddonfield Borough	217	138	143	4
Haddon Heights Borough	130	120	63	4
Haddon Township	129	79	75	4
HiNella Borough	3	...	2	...
Laurel Springs Borough	50	10	20	2
Lawnside Borough	25	3	19	1
Lindenwald Borough	64	69	22	1
Magnolia Borough	50	20	19	...
Merchantville Borough	299	120	85	4
Mount Ephraim Borough	82	49	30	4
Oaklyn Borough	137	56	41	...
Pennsauken Township	265	140	168	10

190

DEPARTMENT OF HEALTH

CAMDEN COUNTY—Continued

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Pine Hill Borough	36	15	18	1
Pine Valley Borough	...	...	...	...
Runnemede Borough	94	70	37	3
Somerdale Borough	27	6	9	...
Stratford Borough	23	22	25	...
Tavistock Borough	...	...	...	...
Voorhees Township	14	10	9	...
Waterford Township	67	29	32	3
Winslow Township	84	61	43	3
Woodlynne Borough	50	26	29	4
Total	6142	3798	2914	161

CAPE MAY COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Avalon Borough	4	1	5	...
Cape May City	75	50	58	3
Cape May Point Borough	1	...	3	1
Dennis Township	31	16	23	1
Lower Township	21	17	31	...
Middle Township	85	37	75	...
North Wildwood City	36	9	29	...
Ocean City	108	96	84	3
Sea Isle City	20	18	8	...
Stone Harbor Borough	8	10	8	1
Upper Township	25	19	18	2
West Cape May Borough	23	3	26	2
West Wildwood Borough	6	...	3	...
Wildwood City	128	118	78	5
Wildwood Crest Borough	22	3	11	3
Woodbine Borough	20	14	14	...
Total	613	411	474	21

CUMBERLAND COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Bridgeton City	443	305	250	25
Commercial Township	53	22	37	2
Deerfield Township	76	14	21	...
Downe Township	41	14	22	2
Fairfield Township	46	21	27	4
Greenwich Township	20	7	10	1
Hopewell Township	59	9	22	3
Landis Township	305	168	142	13
Lawrence Township	40	11	17	...
Maurice River Township	51	12	35	2
Millville City	332	182	205	11
Shiloh Borough	7	11	6	...
Stow Creek Township	31	1	11	...
Upper Deerfield Township	92	34	25	2
Vineland Borough	189	133	83	6
Total	1785	944	913	71

BUREAU OF VITAL STATISTICS

191

ESSEX COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Belleville Town	628	328	246	14
Bloomfield Town	984	434	437	20
Caldwell Borough	136	77	75	1
Caldwell Township	16	6	10	...
Cedar Grove Township	57	4	23	...
East Orange City	1556	748	883	35
Essex Fells Borough	25	16	9	...
Glen Ridge Borough	128	68	88	1
Irvington Town	1228	688	535	23
Livingston Township	176	47	55	5
Maplewood Township	422	220	213	8
Milburn Township	173	133	95	4
Montclair Town	830	576	485	24
Newark City	9621	7796	4983	323
North Caldwell Borough	19	3	9	1
Nutley City	508	322	217	15
Orange City	879	668	388	19
Roseland Borough	49	4	20	...
South Orange Village	237	196	163	4
Verona Borough	198	80	68	6
West Caldwell Borough	83	2	27	3
West Orange Town	534	179	267	12
Total	18487	12595	9296	518

GLOUCESTER COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Clayton Borough	62	31	29	1
Deptford Township	105	51	36	2
East Greenwich Township	51	21	18	...
Elk Township	35	7	7	1
Franklin Township	75	38	45	1
Glassboro Borough	123	84	56	3
Greenwich Township	64	28	17	2
Harrison Township	62	11	23	1
Logan Township	40	19	18	3
Mantua Township	94	32	39	3
Monroe Township	86	54	69	6
National Park Borough	55	25	13	3
Newfield Borough	30	27	12	1
Paulsboro Borough	186	105	74	4
Pitman Borough	129	76	71	2
South Harrison Township	15	7	9	1
Swedesboro Borough	62	57	32	1
Washington Township	38	17	18	2
Wenonah Borough	27	22	17	1
West Deptford Township	74	47	33	3
Westville Borough	104	105	59	3
Woodbury City	219	112	104	7
Woodbury Heights Borough	25	6	7	...
Woolwich Township	19	...	11	1
Total	1780	982	817	52

HUDSON COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Bayonne City	1733	1100	700	58
East Newark Borough	41	36	30	1
Guttenberg Town	107	64	74	4
Harrison Town	312	252	122	5
Hoboken City	994	1304	643	48
Jersey City	6582	4683	3418	192
Kearny Town	868	425	397	22
North Bergen Township	848	304	402	23
Secaucus Borough	140	88	75	8
Union City	1116	957	624	29
Weehawken Township	245	178	178	4
West New York Town	829	1036	371	30
Total	13815	10427	7034	424

192

DEPARTMENT OF HEALTH

HUNTERDON COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Alexandria Township	10	6	9	...
Bethlehem Township	5	1	9	...
Bloomsbury Borough	9	10	12	...
Califon Borough	10	10	6	...
Clinton Town	26	21	14	2
Clinton Township	37	8	16	2
Delaware Township	30	18	22	1
East Amwell Township	27	5	19	2
Flemington Borough	66	62	27	2
Franklin Township	16	10	18	...
Frenchtown Borough	27	23	15	...
Glen Gardner Borough	18	11	6	...
Hampton Borough	22	29	10	2
High Bridge Borough	30	33	22	3
Holland Township	10	3	5	...
Kingwood Township	10	8	19	...
Lambertville City	86	70	60	1
Lebanon Borough	10	7	11	1
Lebanon Township	19	7	9	...
Milford Borough	40	28	15	1
Raritan Township	32	1	25	2
Readington Township	55	46	34	1
Stockton Borough	12	13	7	...
Tewksbury Township	23	8	15	...
Union Township	12	4	7	...
West Amwell Township	14	2	4	...
Total	656	444	416	20

MERCER COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
East Windsor Township	15	...	13	1
Ewing Township	297	65	101	15
Hamilton Township	869	367	332	25
Hightstown Borough	81	66	71	3
Hopewell Borough	37	34	29	2
Hopewell Township	78	11	44	2
Lawrence Township	150	59	66	4
Pennington Borough	36	38	14	2
Princeton Borough	191	153	78	5
Princeton Township	49	16	24	1
Trenton City	2667	2097	1413	115
Washington Township	28	11	19	1
West Windsor Township	60	22	19	2
Total	4558	2939	2223	178

MIDDLESEX COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Camp Kilmer	1	152	1	...
Curteret Borough	262	202	99	7
Cranbury Township	44	12	24	2
Dunellen Borough	199	136	76	4
East Brunswick Township	66	36	38	4
Helmetta Borough	11	20	9	1
Highland Park Borough	226	123	81	7
Jamesburg Borough	57	49	36	2
Madison Township	146	56	37	1
Metuchen Borough	151	120	85	3
Middlesex Borough	75	38	32	1
Milltown Borough	67	63	38	2
Monroe Township	34	10	17	1
New Brunswick City	885	775	380	19
North Brunswick Township	127	18	39	4
Perth Amboy City	869	741	373	16

BUREAU OF VITAL STATISTICS

193

MIDDLESEX COUNTY—Continued

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Piscataway Township	142	31	69	3
Plainboro Township	9	7	10	...
Raritan Township	220	99	88	4
Sayreville Borough	175	72	69	7
South Amboy City	205	164	90	5
South Brunswick Township	64	12	42	3
South Plainfield Borough	156	57	51	3
South River Borough	254	191	89	5
Spotswood Borough	47	10	14	3
Woodbridge Township	695	281	254	18
Total	3187	3475	2141	125

MONMOUTH COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Allenhurst Borough	19	3	7	...
Allentown Borough	22	26	20	1
Asbury Park City	357	392	249	9
Atlantic Township	15	11	14	...
Atlantic Highlands Borough	67	52	29	3
Avon Borough	44	29	17	2
Belmar Borough	117	87	64	1
Bradley Beach Borough	79	51	54	4
Brielle Borough	18	6	8	...
Deal Borough	29	15	15	...
Eatontown Borough	71	35	36	2
Englishtown Borough	29	9	18	...
Fair Haven Borough	51	17	26	2
Farmingdale Borough	22	10	15	...
Fort Hancock	8	11	1	...
Fort Monmouth	20	101	3	1
Freehold Borough	167	125	103	4
Freehold Township	59	6	26	2
Highlands Borough	60	42	37	...
Holmdel Township	9	4	12	...
Howell Township	93	45	49	2
Interlaken Borough	15	2	12	...
Keansburg Borough	110	82	59	2
Keyport Borough	144	109	82	5
Little Silver Borough	43	11	12	...
Long Branch City	535	294	232	14
Manalapan Township	52	21	16	2
Manasquan Borough	54	37	46	1
Marlboro Township	40	18	32	1
Matawan Borough	114	35	37	1
Matawan Township	47	12	32	1
Middletown Township	233	93	153	9
Millstone Township	26	1	17	2
Monmouth Beach Borough	12	3	9	...
Neptune Township	255	91	204	5
Neptune City	74	27	25	1
Ocean Township	93	33	59	5
Oceanport Borough	51	9	15	2
Raritan Township	23	1	14	2
Red Bank Borough	314	249	163	11
Roosevelt Borough	25	3	4	...
Rumson Borough	67	49	37	2
Sea Bright Borough	26	8	16	1
Sea Girt Borough	23	7	13	...
Shrewsbury Borough	31	19	16	...
Shrewsbury Township	73	17	11	2
South Belmar Borough	27	2	10	...
Spring Lake Borough	30	26	29	1
Spring Lake Heights Borough	22	12	14	2
Union Beach Borough	51	17	34	3
Upper Freehold Township	38	5	22	3
Wall Township	86	30	39	2
West Long Branch Borough	63	16	29	4
Total	4153	2416	2296	117

DEPARTMENT OF HEALTH

MORRIS COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Hoonton Town	137	126	81	6
Boonton Township	25	3	5	...
Butler Borough	112	67	43	3
Chatham Borough	146	57	48	3
Chatham Township	23	7	13	...
Chester Borough	12	19	10	...
Chester Township	19	2	4	...
Denville Township	127	41	43	3
Dover Town	258	196	119	1
East Hanover Township	25	23	11	...
Florham Park Borough	22	2	26	...
Hanover Township	85	32	41	2
Harding Township	26	8	9	...
Jefferson Township	39	11	19	2
Kinnelon Borough	14	4	10	...
Lincoln Park Borough	46	11	30	1
Madison Borough	191	125	93	7
Mendham Borough	29	28	25	...
Mendham Township	15	5	13	1
Mine Hill Township	61	14	20	3
Montville Township	85	34	35	3
Morris Plains Borough	47	55	22	...
Morristown Town	342	246	220	10
Morris Township	164	23	56	2
Mountain Lakes Borough	37	14	11	...
Mount Arlington Borough	14	15	3	...
Mount Olive Township	50	13	21	...
Netcong Borough	61	70	21	3
Parsippany-Troy Hills Township	137	39	62	4
Passaic Township	61	28	20	1
Pequanock Township	70	24	27	3
Randolph Township	89	12	26	5
Riverdale Borough	34	3	12	...
Rockaway Borough	106	79	35	1
Rockaway Township	75	20	39	5
Roxbury Township	108	59	41	4
Washington Township	33	12	26	...
Wharton Borough	109	64	36	...
Total	2974	1591	1376	73

OCEAN COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Barnegat City Borough	2	...	2	...
Bay Head Borough	21	13	9	1
Beach Haven Borough	23	18	9	...
Beachwood Borough	30	6	16	1
Berkeley Township	14	16	15	...
Brick Township	58	9	26	2
Dover Township	135	111	81	5
Eagleswood Township	9	12	10	...
Harvey Cedars Borough	...	1	2	...
Island Beach Borough	...	...	...	...
Island Heights Borough	14	7	8	...
Jackson Township	44	11	31	3
Lacey Township	8	6	14	...
Lakehurst Borough	74	34	17	2
Lakewood Township	195	199	125	7
Lavallette Borough	4	2	6	...
Little Egg Harbor Township	9	4	4	...
Long Beach Township	14	5	5	...
Manchester Township	8	1	11	2
Mantoloking Borough	2	...	2	1
Ocean Township	10	2	7	1
Ocean Gate Borough	8	1	1	...
Pine Beach Borough	10	2	2	...
Plumsted Township	57	11	20	5
Point Pleasant Borough	95	33	36	2
Point Pleasant Beach Borough	13	61	23	...

BUREAU OF VITAL STATISTICS

195

OCEAN COUNTY—Continued

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Seaside Heights Borough	21	6	11	...
Seaside Park Borough	13	11	10	...
Ship Bottom-Beach Arlington Borough	6	4	4	...
South Toms River Borough	8	4	5	...
Stafford Township	27	5	21	3
Surf City Borough	3	...	1	...
Tuckerton Borough	25	20	22	...
Union Township	23	16	22	1
Total	983	631	578	36

PASSAIC COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Bloomington Borough	72	41	23	3
Clifton City	1259	441	478	33
Haledon Borough	115	54	53	3
Hawthorne Borough	260	131	128	4
Little Falls Township	144	94	64	1
North Haledon Borough	49	15	24	...
Passaic City	1150	1338	599	35
Paterson City	2776	2231	1559	68
Pompton Lakes Borough	92	87	28	2
Prospect Park Borough	117	81	53	3
Ringwood Borough	39	6	10	2
Totowa Borough	83	47	40	3
Wanaque Borough	92	72	33	2
Wayne Township	200	67	69	3
West Milford Township	51	32	35	3
West Paterson Borough	70	17	25	1
Total	6569	4754	3221	166

SALEM COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Alloway Township	39	13	20	1
Elmer Borough	43	10	29	2
Elsinboro Township	19	1	8	...
Lower Alloways Creek Township	23	7	10	...
Lower Penns Neck Township	151	30	48	6
Mannington Township	40	14	27	2
Oldmans Township	34	14	16	1
Penns Grove Borough	261	106	61	6
Pilesgrove Township	32	6	18	3
Pittsgrove Township	64	18	18	2
Quinton Township	37	15	16	2
Salem City	234	132	102	16
Upper Penns Neck Township	109	32	42	5
Upper Pittsgrove Township	44	13	14	1
Woodstown Borough	65	25	34	3
Total	1195	436	463	50

DEPARTMENT OF HEALTH

SOMERSET COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Bedminster Township	31	8	11	...
Bernards Township	52	23	29	...
Bernardsville Borough	65	64	37	3
Bound Brook Borough	222	185	78	6
Branchburg Township	33	3	21	...
Bridgewater Township	155	28	62	4
East Millstone Town	7	6	3	...
Far Hills Borough	19	9	3	...
Franklin Township	153	39	70	4
Green Brook Township	22	4	10	1
Hillsborough Township	57	15	34	2
Manville Borough	237	111	63	6
Millstone Borough	7	7	2	...
Montgomery Township	32	15	18	...
North Plainfield Borough	268	139	106	6
Peapack-Gladstone Borough	27	17	14	...
Raritan Town	92	87	40	4
Rocky Hill Borough	15	8	6	...
Somerville Borough	202	147	115	9
South Bound Brook Borough	62	18	25	6
Warren Township	51	20	14	2
Watchung Borough	24	25	7	...
Total	1833	978	768	53

SUSSEX COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Andover Borough	18	11	10	...
Andover Township	19	...	4	...
Branchville Borough	20	18	14	2
Byram Township	9	1	7	...
Frankford Township	36	2	18	...
Franklin Borough	98	43	32	2
Fredon Township	12	9	3	...
Green Township	13	8	5	...
Hamburg Borough	44	31	16	2
Hampton Township	10	3	4	...
Hardyston Township	35	1	14	2
Hopatcong Borough	12	5	7	...
Lafayette Township	35	12	4	...
Montague Township	6	2	8	...
Newton Town	137	101	88	3
Ogdensburg Borough	23	12	13	...
Sandyston Township	21	8	17	...
Sparta Township	60	26	25	2
Stanhope Borough	36	19	10	...
Stillwater Township	15	8	7	...
Sussex Borough	60	57	23	4
Vernon Township	38	15	17	...
Walpack Township	6	...	1	...
Wantage Township	45	6	27	3
Total	808	398	374	20

BUREAU OF VITAL STATISTICS

197

UNION COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Clark Township	75	16	17	2
Cranford Township	409	182	138	9
Elizabeth City	2503	1778	1166	64
Fanwood Borough	72	9	19	...
Garwood Borough	88	48	33	2
Hillside Township	430	138	152	8
Kenilworth Borough	94	17	25	2
Linden City	717	268	192	16
Mountainside Borough	40	8	16	1
New Providence Borough	62	28	13	1
New Providence Township	39	22	18	3
Plainfield City	906	536	450	17
Rahway City	447	246	221	15
Roselle Borough	405	189	126	15
Roselle Park Borough	213	62	87	6
Scotch Plains Township	136	38	53	4
Springfield Township	115	63	47	1
Summit City	322	215	184	6
Union Township	554	214	192	17
Westfield Town	430	203	194	9
Winfield Township	101	1	12	...
Total	8158	4281	3355	198

WARREN COUNTY

NAME OF PLACE	Births	Marriages	Deaths	Deaths under one year
Allamuchy Township	13	...	5	...
Alpha Borough	61	50	24	1
Belvidere Town	64	29	29	1
Blairstone Township	31	18	19	1
Franklin Township	29	9	14	...
Frelinghuysen Township	13	6	10	...
Greenwich Township	35	40	12	1
Hackettstown Town	78	54	53	4
Hardwick Township	5	1	6	...
Harmony Township	37	14	11	2
Hope Township	9	6	9	2
Independence Township	14	14	11	1
Knowlton Township	19	12	18	1
Liberty Township	14	2	4	...
Lopatcong Township	11	5	11	...
Mansfield Township	21	8	10	...
Oxford Township	39	25	24	1
Pahaquarry Township	...	...	2	...
Phillipsburg Town	434	257	225	13
Pohatcong Township	39	11	20	...
Washington Borough	112	69	58	4
Washington Township	26	12	18	1
White Township	16	5	15	1
Total	1120	647	608	34
State Total	95044	61020	46261	2705

TABLE 2—DEATHS BY AGE PERIODS AND PERCENTAGES OF EACH OF TOTAL DEATHS, 1946

	AGE PERIODS																	
	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over	Unknown
Deaths	46,261	2,705	166	120	87	63	3,141	223	518	1,091	1,825	3,857	7,783	10,446	10,764	5,735	878	.
Percentage of total..	100.0	5.8	0.4	0.3	0.2	0.1	6.8	0.5	1.1	2.4	3.9	8.3	16.8	22.6	23.3	12.4	1.9	.

NEW JERSEY BIRTHS AND DEATHS FIVE YEAR AVERAGE RATES 1,000 POPULATION




CHART 1

Infant Mortality.—The infant mortality rate for 1946 was 28.5 per 1,000 babies born alive. The rate for 1945 was 32.1 and the average annual rate for the five-year period 1941-1945 was 33.3. Reference to Table 4 will show the great decrease in the infant death rate in New Jersey since baby welfare work was extensively undertaken in New Jersey.

Colored Races.—The infant mortality rate for the colored races was 47.8. The colored races have shown high mortality rates ever since vital records were first collected and analyzed.

Maternal Mortality.—The rate of 1.3 for 1946 was 13.3% lower than the rate for 1945 and was the lowest since such rates were first computed in 1906. The average annual rate for the five-year period 1941-1945 was 1.8 per 1,000 live births. The colored maternal mortality rate for 1946 was 2.9.

BUREAU OF VITAL STATISTICS

201

TABLE 3—NUMBER OF DEATHS AT ALL AGES, UNDER ONE YEAR OF AGE AND UNDER FIVE YEARS OF AGE, AND THEIR PERCENTAGES OF TOTAL DEATHS

CALENDAR YEAR	DEATHS IN NEW JERSEY				
	All Ages	Under one year		Under five years	
		Number	Percentage of Total	Number	Percentage of Total
1904	35,298	7,472	21.2	10,927	31.0
1905	33,864	6,951	20.5	9,864	29.1
1906	35,670	7,773	21.8	11,246	31.5
1907	37,408	7,732	20.7	10,867	29.0
1908	35,597	7,823	22.0	10,869	30.5
1909	36,359	7,658	21.1	11,137	30.6
1910	39,494	8,352	21.1	11,648	29.5
1911	38,612	7,642	19.8	10,740	27.8
1912	37,772	7,457	19.7	10,309	27.3
1913	39,425	7,542	19.1	10,686	27.1
1914	39,967	7,431	18.6	10,278	25.7
1915	39,435	7,077	17.9	9,828	24.9
1916	43,376	7,348	16.9	11,188	25.8
1917	43,532	7,582	17.4	10,267	23.6
1918	60,852	8,372	13.8	13,709	22.5
1919	39,979	6,111	15.3	8,661	21.7
1920	40,820	6,672	16.3	9,569	23.4
1921	37,362	5,773	15.4	8,047	21.5
1922	40,086	5,864	14.6	8,371	20.9
1923	41,294	5,368	13.0	7,727	18.7
1924	40,531	5,359	15.5	7,344	21.3
1925	41,749	5,109	12.3	6,997	16.8
1926	44,396	5,090	11.5	7,442	16.8
1927	41,562	4,464	10.7	6,045	14.5
1928	44,555	4,600	10.3	6,438	14.4
1929	45,746	4,116	9.0	5,795	12.6
1930	43,190	3,870	9.0	5,205	12.1
1931	44,135	3,649	8.3	4,916	11.1
1932	42,826	3,089	7.2	4,049	9.4
1933	43,380	2,608	6.0	3,512	8.1
1934	43,547	2,686	6.2	3,518	8.1
1935	43,267	2,539	5.9	3,291	7.6
1936	44,659	2,383	5.3	3,039	6.8
1937	45,312	2,170	4.8	2,870	6.3
1938	44,045	2,228	5.1	2,810	6.4
1939	43,837	2,180	5.0	2,677	6.1
1940	45,206	2,094	4.6	2,506	5.6
1941	45,971	2,392	5.2	2,809	6.1
1942	46,270	2,535	5.5	2,958	6.4
1943	49,781	2,782	5.6	3,258	6.5
1944	47,340	2,567	5.4	3,060	6.5
1945	47,633	2,470	5.2	2,943	6.2
1946	46,261	2,705	5.8	3,141	6.8

TABLE 4.—NUMBER OF BIRTHS, STILLBIRTHS, DEATHS UNDER ONE MONTH, DEATHS UNDER ONE YEAR AND MATERNAL DEATHS IN NEW JERSEY, WITH RATES PER 1,000 LIVE BIRTHS

Year	Births Reported	Deaths Under 1 Year of Age	Rates per 1,000 Live Births	Deaths Under 1 Month of Age	Rates per 1,000 Live Births	Still- births	Rates per 1,000 Live Births	Maternal Deaths	Rates per 1,000 Live Births
1906	42,677	7,773	182.1	2,545	59	2,399	56	322	7.5
1907	44,651	7,732	173.2	2,602	58	2,530	56	289	6.5
1908	47,405	7,823	165.2	2,655	56	2,617	55	329	6.9
1909	47,508	7,658	161.2	2,661	56	2,539	53	311	6.5
1910	53,942	8,352	154.8	2,801	51	2,737	50	377	6.9
1911	58,133	7,642	131.4	2,887	49	2,754	47	427	7.3
1912	60,073	7,457	124.1	2,836	47	2,953	49	415	6.9
1913	61,432	7,542	122.7	2,903	47	2,866	46	460	7.4
1914	65,403	7,431	113.6	2,995	45	3,074	47	416	6.3
1915	66,476	7,077	106.4	2,862	43	3,075	46	390	5.8
1916	70,211	7,348	104.7	3,075	43	3,221	45	383	5.4
1917	75,309	7,582	100.7	3,256	43	3,183	42	411	5.4
1918	74,549	8,372	112.3	3,175	42	3,525	47	417	5.5
1919	70,935	6,111	86.1	2,696	38	3,047	42	366	5.1
1920	76,431	6,672	87.2	2,961	38	3,221	42	472	6.1
1921	78,172	5,773	73.8	2,830	36	3,242	41	464	5.9
1922	74,479	5,864	78.7	2,773	37	3,033	40	466	6.2
1923	74,611	5,368	71.9	2,621	35	3,169	42	424	5.4
1924	76,530	5,359	70.0	2,739	35	3,177	41	466	6.0
1925	74,193	5,109	68.8	2,607	35	3,010	40	461	6.2
1926	72,386	5,090	70.3	2,537	35	3,018	41	461	6.2
1927	72,799	4,464	61.3	2,462	33	3,074	42	394	5.4
1928	70,076	4,600	65.6	2,485	35	2,864	40	450	6.1
1929	68,297	4,116	60.2	2,233	32	2,767	40	406	5.7
1930	68,282	3,870	56.6	2,107	30	2,647	38	367	5.3
1931	64,078	3,649	56.9	2,064	32	2,578	40	390	5.7
1932	61,215	3,089	50.4	1,802	29	2,578	40	378	5.9
1933	56,072	2,608	46.5	1,533	27	2,343	38	351	5.7
1934	54,841	2,686	48.9	1,634	29	2,073	36	289	5.1
1935	55,059	2,539	46.1	1,560	28	2,025	36	294	5.3
1936	54,145	2,353	44.0	1,449	26	1,905	34	249	4.5
1937	55,197	2,170	39.3	1,327	24	1,846	34	202	3.7
1938	58,602	2,228	39.3	1,365	24	1,731	31	182	3.2
1939	56,859	2,180	38.3	1,412	25	1,704	30	191	3.3
1940	59,328	2,094	35.3	1,422	24	1,609	28	173	2.9
1941	67,104	2,392	35.6	1,651	25	1,543	26	172	2.9
1942	80,812	2,535	31.4	1,821	22	1,732	26	166	2.5
1943	82,356	2,782	33.8	1,892	23	2,006	25	152	1.9
1944	75,652	2,567	33.9	1,756	23	1,978	24	151	1.8
1945	76,995	2,470	32.1	1,680	22	1,744	23	119	1.6
1946	95,044	2,705	28.5	2,020	21	1,827	24	118	1.5
						2,127	22	119	1.3

BUREAU OF VITAL STATISTICS

203

TABLE 5.—DEATHS UNDER ONE MONTH, STILLBIRTHS AND MATERNAL MORTALITY
PER THOUSAND LIVE BIRTHS—1946

	<i>Rate Per 1,000 Live Births</i>		
	<i>Deaths Under One Month</i>	<i>Stillbirths</i>	<i>Maternal Deaths</i>
New Jersey	21	22	1.3
Atlantic County	27	26	3.3
Atlantic City	28	27	2.5
Bergen County	19	20	0.4
Burlington County	19	21	2.6
Camden County	20	20	1.6
Camden City	20	22	1.5
Cape May County	24	33	..
Cumberland County	29	25	2.2
Essex County	21	23	1.0
East Orange	19	19	..
Irvington	12	13	..
Newark	25	27	1.6
Gloucester County	19	24	..
Hudson County	25	22	1.0
Bayonne	29	18	1.2
Hoboken	36	22	3.0
Jersey City	23	20	0.6
Union City	20	18	1.8
Hunterdon County	20	17	..
Mercer County	27	26	2.0
Trenton	29	27	2.6
Middlesex County	18	22	1.3
Monmouth County	21	19	1.9
Morris County	16	22	0.7
Ocean County	26	24	..
Passaic County	19	27	2.1
Passaic City	26	32	2.6
Paterson	16	28	2.5
Salem County	30	25	0.8
Somerset County	19	23	1.1
Sussex County	19	28	3.7
Union County	20	23	0.9
Elizabeth	20	32	0.8
Warren County	18	14	0.9

DEPARTMENT OF HEALTH

TABLE 7.—BIRTHS, DEATHS UNDER ONE YEAR AND INFANT MORTALITY RATES
(EXCLUSIVE OF STILLBIRTHS)—1946

	<i>Births (Exclusive of Stillbirths)</i>	<i>Deaths Under One Year</i>	<i>Infant Mortality Rates</i>
New Jersey	95,044	2,705	28
Atlantic County	2,406	87	36
Atlantic City	1,190	44	37
Hammonton	158	5	32
Pleasantville	261	11	42
Bergen County	9,496	227	24
Bergenfield	235	11	47
Cliffside Park	313	6	19
Englewood	399	9	23
Fairview	169	2	12
Fort Lee	196	5	26
Garfield	627	12	19
Hackensack	524	16	31
Lodi	334	11	33
Lyndhurst Township	406	14	34
North Arlington	319	7	22
Ridgefield Park	255	..	..
Ridgewood	274	2	7
Rutherford	306	5	16
Teaneck Township	530	16	30
Wallington	211	4	19
Burlington County	2,326	74	32
Burlington	296	8	27
Camden County	6,142	161	26
Audubon	253	4	16
Camden	2,756	75	27
Collingswood	331	6	18
Gloucester City	308	10	32
Haddonfield	217	4	18
Pennsauken Township	265	10	38
Cape May County	613	21	34
Cumberland County	1,785	71	40
Bridgeton	443	25	56
Millville	332	11	33
Vineland	189	6	32
Essex County	18,487	518	28
Belleville	628	14	22
Bloomfield	984	20	20

BUREAU OF VITAL STATISTICS

205


	<i>Births</i> <i>(Exclusive of</i> <i>Stillbirths)</i>	<i>Deaths</i> <i>Under</i> <i>One Year</i>	<i>Infant</i> <i>Mortality</i> <i>Rates</i>
East Orange	1,556	35	22
Irvington	1,228	23	19
Maplewood Township	422	8	19
Millburn Township	173	4	23
Montclair	830	24	29
Newark	9,621	323	34
Nutley	508	15	30
Orange	879	19	22
South Orange	237	4	17
West Orange	534	12	22
Gloucester County	1,780	52	29
Woodbury	219	7	32
Hudson County	13,815	424	31
Bayonne	1,733	58	33
Guttenberg	107	4	37
Harrison	312	5	16
Hoboken	994	48	48
Jersey City	6,582	192	29
Kearny	868	22	25
North Bergen Township	848	23	27
Secaucus	140	8	57
Union City	1,116	29	26
Weehawken Township	245	4	16
West New York	829	30	36
Hunterdon County	656	20	30
Mercer County	4,558	178	39
Princeton	191	5	26
Trenton	2,667	115	43
Middlesex County	5,187	125	24
Carteret	262	7	27
Highland Park	226	7	31
New Brunswick	885	19	21
Perth Amboy	869	16	18
Sayreville	175	7	40
South Amboy	205	5	24
South River	254	5	20
Woodbridge Township	695	18	26
Monmouth County	4,153	117	28
Asbury Park	357	9	25
Long Branch	535	14	26
Neptune Township	255	5	20
Red Bank	314	11	35

DEPARTMENT OF HEALTH

	<i>Births (Exclusive of Stillbirths)</i>	<i>Deaths Under One Year</i>	<i>Infant Mortality Rates</i>
Morris County	2,974	73	25
Dover	258	1	4
Madison	191	7	37
Morristown	342	10	29
Ocean County	983	36	37
Passaic County	6,569	166	25
Clifton	1,259	33	26
Hawthorne	260	4	15
Passaic	1,150	35	30
Paterson	2,776	68	24
Salem County	1,195	50	42
Salem City	234	16	68
Somerset County	1,833	53	29
Bound Brook	222	6	27
North Plainfield	268	6	22
Somerville	202	9	45
Sussex County	808	20	25
Union County	8,158	198	24
Cranford Township	409	9	22
Elizabeth	2,503	64	26
Hillside Township	430	8	19
Linden,	717	16	22
Plainfield	906	17	19
Rahway	447	15	34
Roselle	405	15	37
Roselle Park	213	6	28
Summit	322	6	19
Union Township	554	17	31
Westfield	430	9	21
Warren County	1,120	34	30
Phillipsburg	434	13	30

Typhoid Fever.—Three deaths were reported for the year. This was a rate of 0.1 per 100,000 population. In 1945 the rate of 0.2 represented eight deaths. The 1946 rate was low in comparison with the United States rate of 0.2. The number of deaths from typhoid fever and other diseases of the International List of Causes of Death by counties and cities may be obtained by referring to Table 20. Table 22 shows the more important causes by sex, color and age groups.

NEW JERSEY TYPHOID FEVER FIVE YEAR AVERAGE DEATH RATES 100,000 POPULATION



208

DEPARTMENT OF HEALTH

**TABLE 8—COMPARATIVE DEATH RATES FROM TYPHOID FEVER PER 100,000 POPULATION,
IN THE REGISTRATION AREA OF U. S. AND IN N. J. FOR 10 YEARS**

	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946
Registration area of the United States	2.1	1.8	1.5	1.0	0.8	0.5	0.5	0.4	0.4	0.2
New Jersey	0.5	0.4	0.4	0.3	0.2	0.1	0.1	0.2	0.2	0.1

**TABLE 10—DEATHS FROM TYPHOID FEVER, PER 100,000 POPULATION,
BY COUNTIES, FOR 10 YEARS**

	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946
Atlantic	1.4	1.4	2.4	8.8	...	1.6	...	...	0.9	...
Bergen	0.4	0.4	...	0.2	0.5	...	...	...	...	0.5
Burlington	2.0	1.0	1.0	...	...	...	...	...	...	...
Camden	0.7	...	1.2	...	0.4	...	0.4	...	0.8	...
Cape May	...	...	...	...	...	...	...	...	3.6	...
Cumberland	...	...	1.4	...	...	...	1.4	1.4	...	...
Essex	0.5	0.5	0.6	0.1	0.1	...	...	...	0.4	...
Gloucester	1.2	...	...	1.4	...	...	...	1.3	...	...
Hudson	0.1	0.6	...	0.3	...	0.2	...	0.5	...	...
Hunterdon	...	...	...	...	2.7	...	...	...	...	...
Mercer	...	0.5	...	1.0	...	...	...	...	...	...
Middlesex	...	0.4	...	0.9	0.5	...	0.4	...	...	...
Monmouth	3.6	...	...	0.6	0.6	0.6	0.6	...	...	...
Morris	...	...	...	...	...	...	...	0.8	...	...
Ocean	2.6	...	...	...	...	...	...	...	...	...
Passaic	...	0.3	0.3	...	0.3	0.3	...	0.3	...	...
Salem	...	...	2.4	...	...	...	...	...	...	2.3
Somerset	1.3	...	...	...	...	...	1.5	...	...	...
Sussex	3.4	...	...	...	...	...	...	...	...	...
Union	2.8	...	...	0.3	0.3	...	...	0.3	...	...
Warren	...	...	...	...	...	...	...	...	2.1	...
New Jersey	0.5	0.4	0.4	0.3	0.2	0.1	0.1	0.2	0.2	0.1

BUREAU OF VITAL STATISTICS

209

Smallpox.—No deaths from smallpox have occurred in New Jersey since 1925, when as in 1924 the disease was prevalent in epidemic form in certain sections of the State.

Measles.—Twenty-seven deaths occurred from this disease, equivalent to a rate of 0.6 per 100,000 population. Of these, three deaths were in the group under one year of age and 11 were in the group under five years of age. In 1945 three deaths were reported, equivalent to a rate of 0.1.

Scarlet Fever.—The number of deaths from scarlet fever was five, equivalent to a rate of 0.1 per 100,000 population. The number for the previous year was also five and the rate was 0.1.

Malaria.—As the following figures show, deaths during recent years from this disease were practically negligible in the State:

1879	268	1896	119	1913	11	1930	5
1880	293	1897	132	1914	10	1931	0
1881	431	1898	82	1915	17	1932	3
1882	379	1899	96	1916	10	1933	1
1883	290	1900	84	1917	5	1934	0
1884	230	1901	50	1918	13	1935	6
1885	209	1902	36	1919	2	1936	3
1886	243	1903	40	1920	5	1937	0
1887	217	1904	47	1921	10	1938	1
1888	264	1905	21	1922	3	1939	1
1889	203	1906	33	1923	2	1940	0
1890	195	1907	29	1924	6	1941	0
1891	180	1908	30	1925	3	1942	3
1892	198	1909	25	1926	2	1943	2
1893	148	1910	25	1927	2	1944	0
1894	162	1911	25	1928	3	1945	3
1895	144	1912	29	1929	5	1946	2

CHART 3





CHART 4



Whooping Cough.—This disease caused 27 deaths during 1946; for 1945 the number was 24 and for 1944, 10. The 1946 death rate was 0.6 per 100,000 population. Eighteen of the deaths occurred during the first year of life.

Diphtheria.—During 1946 thirteen persons died from diphtheria and laryngeal croup, equivalent to a rate of 0.3 per 100,000 population. Six deaths were of children under one year of age. The death rate from diphtheria for 1888 was 148 per 100,000 population. During the decade beginning with 1900, the rate declined from 48 to 25. The following ten-year period showed a decline to 18. The rate for 1946 was decidedly favorable when compared with the 1946 rate for the United States, which was 0.9.

NEW JERSEY WHOOING COUGH

FIVE YEAR AVERAGE DEATH RATES
100,000 POPULATION





CHART 5

CHART 6



BUREAU OF VITAL STATISTICS

215

Tuberculosis.—The number of deaths from all forms of tuberculosis during 1946 was 1,643, of which 1,538 were deaths from tuberculosis of the respiratory system. The death rates per 100,000 population were 38.2 and 35.7, respectively. The rates for 1945 were 41.1 and 39.0.

White.—The number of deaths of white persons from all forms of tuberculosis was 1,258. This was equivalent to a rate of 30.9 per 100,000 white population. Similar figures for 1945 were 1,352 and 34.1.

Colored.—The number of deaths from all forms of tuberculosis was 385 and the rate was 162.6 per 100,000 of colored population. Similar figures for 1945 were 374 and 161.9.

Rates for tuberculosis of the respiratory system and other forms of tuberculosis, by color, may be obtained by reference to Table 15.

Cancer.—The number of deaths from cancer and other malignant growths for 1946 was 7,326 and the death rate was 170.2 per 100,000 population compared with 168.5 for the previous year. The mortality from the disease, with few exceptions, has steadily increased since the time records were first kept in New Jersey. This may be due, in some measure, to the increasing age of the population and also to more accurate diagnosis of the disease by physicians.

NEW JERSEY TUBERCULOSIS - RESPIRATORY SYSTEM FIVE YEAR AVERAGE DEATH RATES 100,000 POPULATION




CHART 7

CHART 8




TABLE 12—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS BY ORGAN AFFECTED—NEW JERSEY, 1946

CANCER AND OTHER MALIGNANT TUMORS	AGE PERIODS																					Total
	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 and over		
Buccal Cavity and Pharynx—																						
Male			1		1	1	1	2	1	8	9	15	18	23	34	32	24	17	3	1	191	
Female								1	1		2	1	2	3	5	2	5	4		1	27	
Total			1		1	1	1	3	2	8	11	16	20	26	39	34	29	21	3	2	218	
Digestive Organs and Peritoneum—																						
Male		1			1	3	3	13	21	51	117	181	242	286	302	316	222	85	27	6	1877	
Female		3		3	1	1	4	14	27	40	88	128	189	201	243	252	180	127	52	15	1568	
Total		4		3	2	4	7	27	48	91	205	309	431	487	545	568	402	212	79	21	3445	
Respiratory System—																						
Male			1			1	2	5	12	19	47	89	102	121	99	60	17	15	6	2	598	
Female				2			2	3	3	4	11	21	16	22	16	13	14	7	1		135	
Total			1	2		1	4	8	15	23	58	110	118	143	115	73	31	22	7	2	733	
Uterus—Female						2	4	13	27	33	50	75	76	60	69	52	42	23	11	1	538	
Other Female Genital Organs			1	1		2	4	5	8	14	30	18	25	26	34	25	16	5	3	1	218	
Breast—																						
Male														4	1	2		1			8	
Female							3	12	21	56	91	72	91	86	74	94	67	37	7	3	714	
Total							3	12	21	56	91	72	91	90	75	96	67	38	7	3	722	
Male Genital Organs					1	1	5	4	5	6	8	25	34	68	71	76	46	15	1		366	
Urinary Organs (Male and Female)—																						
Male		2	1			2	1			7	10	28	30	37	51	46	32	18	8	2	275	
Female			3				1		1	2	3	10	12	22	17	23	21	15	4	2	136	
Total		2	4			2	2		1	9	13	38	42	59	68	69	53	33	12	4	411	

Skin (Except Vulva and Scrotum)—																									
Male	1							4		2	2	2	5	6	8	8	11	7	6	2					64
Female									2		1	1	1	2	1	6	8	9	8	2					41
Total									2		3	3	6	8	9	14	19	16	14	4					105
Brain and Other Parts of the Central Nervous System (Including Glioma, Except When Specified as Benign)—																									
Male	5	2	1	1	1	1	1	5	6	7	7	10	7	4	1	1			1						61
Female	2	2				4	3	2	4	5	3	4	6	8	3	1									47
Total	7	4	1	1	5	4	3	9	11	10	11	16	15	7	2	1			1						108
Other and Unspecified Organs—																									
Male	1	1		4	9	9	5	3	12	7	19	32	36	32	27	30	15	14	1	2					259
Female	3	1	1	2	2	2		7	5	11	13	32	27	18	30	18	12	9	7	3					203
Total	4	2	1	6	11	11	5	10	17	18	32	64	63	50	57	48	27	23	8	5					462
Total Male	1	9	6	5	12	18	14	33	55	105	217	362	468	550	594	566	398	203	67	16					3699
Total Female	3	6	7	8	3	11	23	57	97	165	292	362	445	448	492	486	365	236	93	28					3627
Total Male and Female	4	15	13	13	15	29	37	90	152	270	509	724	913	998	1086	1052	763	439	160	44					7326

**TABLE 12A—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS BY PART OF BODY
AFFECTED AND COLOR OF DECEDENT—NEW JERSEY, 1946**

	Total		White		Colored			Total		White		Colored	
	M	F	M	F	M	F		M	F	M	F	M	F
Cancer of the buccal cavity and pharynx	191	27	187	25	4	2	Cancer of the breast	8	714	8	690	...	24
Lip	12	3	12	2	...	1	Cancer of the male genital organs ...	366	...	350	...	16	...
Tongue	57	6	54	6	3	...	Scrotum	1	...	1	...	...	...
Mouth	30	4	30	4	...	...	Prostate	332	...	318	...	14	...
Jaw bone	26	5	26	5	...	...	Testes	21	...	21	...	...	...
Unspecified parts of the buccal cavity	1	...	1	...	...	...	Penis	12	...	10	...	2	...
Pharynx	65	9	64	8	1	1	Other and unspecified sites	...	...	...	...	...	...
Cancer of the digestive organs and peritoneum	1877	1568	1796	1499	81	69	Cancer of the urinary organs	275	136	262	126	13	10
Esophagus	145	27	138	24	7	3	Kidney	64	43	59	40	5	3
Stomach	611	376	575	361	36	15	Bladder	210	93	202	86	8	7
Duodenum	7	3	5	3	2	...	Other and unspecified sites	1	...	1	...	...	...
Rectum and anus	310	206	300	195	10	11	Cancer of the skin (except vulva and scrotum)	64	41	63	40	1	1
Intestines (except duodenum and rectum)	429	574	416	552	13	22	Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)	61	47	61	47	...	...
Liver and biliary passages	161	219	159	210	2	9	Glioma	39	35	39	35	...	...
Pancreas	165	121	158	116	7	5	Other and unspecified cancers of the brain and central nervous system	22	12	22	12	...	...
Mesentery and peritoneum	22	19	22	17	...	2	Cancer of other and unspecified organs	259	203	247	190	12	13
Other and unspecified sites	27	23	23	21	4	2	Adrenal gland	4	3	4	2	...	1
Cancer of the respiratory system ...	598	135	574	126	24	9	Bone (except jaw bone and accessory sinuses)	54	44	51	44	3	...
Larynx	74	4	72	3	2	1	Thyroid gland	12	19	11	18	1	1
Trachea	2	...	2	...	...	...	Nasal cavity and accessory sinuses	9	3	9	3	...	...
Bronchus	166	30	157	25	9	5	Other and unspecified organs	180	134	172	123	8	11
Lung	334	94	323	91	11	3	Grand Totals	3699	3627	3548	3424	151	203
Pleura	2	...	2	...	...	...							
Mediastinum and unspecified sites..	20	7	18	7	2	...							
Cancer of the uterus	...	538	...	472	...	66							
Cervix	...	231	...	201	...	30							
Other and unspecified sites	...	307	...	271	...	36							
Cancer of other female genital organs	...	218	...	209	...	9							
Ovary	...	177	...	168	...	9							
Fallopian tube and parametrium ..	...	3	...	3	...	...							
Vagina	...	13	...	13	...	...							
Vulva	...	24	...	24	...	...							
Other and unspecified sites	...	1	...	1	...	...							

BUREAU OF VITAL STATISTICS.

221

Encephalitis Lethargica or Sleeping Sickness.—Twenty-four deaths were assigned to this classification for the year 1946. In 1922, which was the year that the deaths were first separately classified, there were 45 deaths. Twenty deaths were recorded in 1945.

Nephritis.—Deaths due to acute and chronic nephritis totaled 2,639, compared with 2,935 for the previous year.

Suicide.—While deaths by this means increased considerably during the period 1926 to 1932, a reversal of trend started in 1933 and continued through 1936. Deaths for 1946 showed an increase of 47 over the number for 1945. Of the various means employed, poisonous gases held first place with hanging or strangulation and firearms in second and third places, respectively. The number of deaths by suicide for ten years follows:

1937	588	1942	537
1938	682	1943	492
1939	563	1944	483
1940	664	1945	519
1941	598	1946	566

TABLE 13A—VIOLENT OR ACCIDENTAL DEATHS IN NEW JERSEY, 1946
(International Classification Numbers 163-196)

SUICIDE BY SOLID OR LIQUID POISONS			ACCIDENTAL ABSORPTION OF POISONOUS GAS		
Arsenic and compounds	2		Illuminating gas	94	
Barbituric acid and derivatives	13		Motor vehicle exhaust gas	3	
Cresol compounds	4		Other carbon monoxide gas	14	
Mercury and compounds	4		Other poisonous gases	3	
Nux vomica and strychnine	1				
Carbolic acid and phenol	1				
Other solid or liquid poisons	18				
SUICIDE BY POISONOUS GASES			ACUTE ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS		
Illuminating gas	158		Arsenic and compounds	..	
Motor vehicle exhaust gas	26		Barbituric acid and derivatives	15	
Other carbon monoxide gas	..		Cresol compounds	..	
Other poisonous gases	..		Mercury and compounds	1	
			Nux vomica and strychnine	1	
			Carbolic acid and phenol	..	
			Lye and potash	..	
			Tobacco and derivatives	..	
			Narcotics	..	
			Methanol and other alcohols	11	
			Other and unspecified substances	10	
SUICIDE BY OTHER MEANS			Conflagration	84	
Hanging or strangulation	150		Accidental burns (except due to conflagration)	81	
Drowning	19		Accidental mechanical suffocation	47	
Firearms and explosives	130		Accidental drowning	173	
Cutting or piercing instruments	19		Accidental injury by firearms	30	
Jumping from high places	19		Accidental injury by cutting or piercing instruments	6	
Crushing	3				
Other or unspecified means	4				
Infanticide (homicide of infants under 1 year of age)	7				
Homicide by firearms	31		ACCIDENTAL INJURY BY FALL OR CRUSHING		
Homicide by cutting or piercing instruments	33		Fall	841	
Homicide by other means	35		Crushing	17	
Railway accidents (except collisions with motor vehicles)	59		Cataclysm (all deaths attributed to a cataclysm regardless of their nature)	..	
MOTOR VEHICLE ACCIDENTS			Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	..	
Collisions between automobiles and trains	22		Hunger or thirst	..	
Collisions between automobiles and streetcars	2		Excessive cold	4	
Automobile accidents (except collisions with trains or streetcars)	700		Excessive heat	2	
Motorcycle accidents (except collisions with automobiles)	15		Lightning	2	
			Accidents due to electric currents (except lightning)	15	
			Poisoning by venomous animals (not specified as occurring in the course of agricultural and forestry operations)	..	
STREETCAR AND OTHER ROAD-TRANSPORT ACCIDENTS			OTHER ACCIDENTS		
Streetcar accidents (except collisions with trains or motor vehicles)	1		Sequelae of preventive immunization, inoculation or vaccination	1	
Other and unspecified road-transport accidents	3		Other accidents due to medical or surgical intervention	1	
Water-transport accidents	18		Lack of care of the newborn	..	
Air-transport accidents	8		Obstruction, suffocation or puncture by ingested objects	30	
Accidents in mines and quarries	22		Other and unspecified accidents	88	
AGRICULTURAL AND FORESTRY ACCIDENTS					
Accidents involving agricultural machinery and vehicles	5				
Injury by animals in agriculture	2				
Other agricultural accidents	10				
Accidents involving forestry machinery and vehicles	..				
Other forestry accidents	..				
Other accidents involving machinery	17				
Food poisoning	6				

BUREAU OF VITAL STATISTICS

223

TABLE 13B.—MOTOR VEHICLE FATALITIES IN NEW JERSEY
BY TYPE OF ACCIDENT—1946

Total	739
Collision with	
Railroad train	22
Street car	2
Horse drawn vehicle	...
Motorcycle	14
Pedestrian	376
Bicycle	19
Other motor vehicle	155
Fixed object	95
Non-collision	56
Type not stated	...

TABLE 13C.—ACCIDENTAL DEATHS IN NEW JERSEY BY IMMEDIATE CAUSE
OF DEATH AND PLACE OF OCCURENCE—1946

(International Classification Numbers 169-195)

	<i>Accident in</i>						<i>Not Stated</i>
	<i>Total</i>	<i>Home</i>	<i>Farm</i>	<i>Industrial Place</i>	<i>Public Place</i>	<i>Other</i>	
Total	2,464	990	31	196	1,211	..	36
Poisonous gas	141	135	1	3	2	..	..
Burns	155	99	6	28	22	..	..
Mechanical suffocation	50	44	..	1	5	..	..
Drowning	183	10	1	6	166	..	..
Cutting or piercing	7	1	1	1	3	..	1
Fall	883	594	9	64	203	..	13
Crushing, landslide	818	9	6	49	751	..	3
Electric currents	20	3	2	12	3	..	..
Other and unspecified injuries	207	95	5	32	56	..	19

These totals vary, in some instances, from figures in the other tabulations of accidental deaths. The deaths are classified by the immediate causes irrespective of the nature of the accidents.

DEPARTMENT OF HEALTH

TABLE 13D.—DEATHS IN NEW JERSEY FROM CERTAIN TYPES OF ACCIDENTS
BY PLACE OF ACCIDENT—1946

(International Classification Numbers 169-195)

	<i>Total Accidental Deaths</i>	<i>Motor Vehicle</i>	<i>Falls</i>	<i>Burns</i>	<i>Drowning</i>
Total	2,464	739	841	165	173
Atlantic County	91	35	30	6	2
Bergen County	219	69	81	13	18
Burlington County	68	32	12	4	7
Camden County	161	51	51	9	15
Cape May County	38	7	6	8	8
Cumberland County	53	19	16	5	5
Essex County	407	101	201	23	11
Gloucester County	61	29	12	5	5
Hudson County	318	55	135	34	32
Hunterdon County	41	19	8	..	2
Mercer County	138	46	46	12	7
Middlesex County	138	46	36	10	8
Monmouth County	153	51	43	1	11
Morris County	72	19	23	4	7
Ocean County	51	16	9	1	7
Passaic County	144	40	51	10	12
Salem County	42	18	4	4	3
Somerset County	53	15	17	4	1
Sussex County	29	12	6	..	2
Union County	138	40	39	9	10
Warren County	27	12	7	2	..
Other States	20	7	8	1	..
Not stated	2	..	..	..	..

BUREAU OF VITAL STATISTICS

225

TABLE 13E.—ACCIDENTAL DEATHS IN NEW JERSEY BY MONTH OF DEATH—1946
(International Classification Numbers 169-195)

	<i>Total</i>				
	<i>Accidental</i>	<i>Motor</i>			
	<i>Deaths</i>	<i>Vehicle</i>	<i>Falls</i>	<i>Burns</i>	<i>Drowning</i>
Total	2,464	739	841	165	173
January	237	79	74	17	12
February	214	68	55	22	10
March	221	63	73	25	12
April	187	59	65	13	17
May	190	48	79	6	16
June	175	42	66	8	27
July	204	46	80	11	30
August	195	64	57	5	24
September	182	59	62	8	11
October	235	79	78	7	8
November	185	54	67	20	4
December	239	78	85	23	2

TABLE 13F.—ACCIDENTAL DEATHS IN NEW JERSEY BY AGE OF DECEASED—1946
(International Classification Numbers 169-195)

	<i>Total</i>				
	<i>Accidental</i>	<i>Motor</i>			
	<i>Deaths</i>	<i>Vehicle</i>	<i>Falls</i>	<i>Burns</i>	<i>Drowning</i>
All ages	2,464	739	841	165	173
Under 5 years	156	30	15	28	15
5 to 9	74	28	3	11	22
10 to 14	62	18	1	4	16
15 to 19	99	49	4	4	15
20 to 24	131	66	6	5	18
25 to 64	1,058	403	227	75	74
65 and over	884	145	585	38	13

DEPARTMENT OF HEALTH

TABLE 14—PERCENTAGE OF THE VARIOUS CAUSES OF TOTAL DEATHS AND EACH SEX OF TOTAL, IN NEW JERSEY—1946

Abridged International List Number	CAUSE OF DEATH	Percentage of Total	Males—Percentage of Total	Females—Percentage of Total
	ALL CAUSES	100.0	54	46
1	Typhoid and paratyphoid fevers	0.0	100	..
2	Plague	..	..	..
3	Scarlet fever	0.0	40	60
4	Whooping cough	0.1	48	52
5	Diphtheria	0.0	38	62
6	Tuberculosis of the respiratory system	3.3	65	35
7	All other forms of tuberculosis	0.2	51	49
8	Malaria	0.0	100	..
9	Syphilis	0.6	74	26
10	Influenza	0.2	50	50
11	Smallpox	..	..	..
12	Measles	0.1	63	37
13	Typhus fever	0.0	67	33
14	Other infectious or parasitic diseases	0.5	61	39
15	Cancer and other malignant tumors	15.9	50	50
16	Nonmalignant tumors or tumors of unspecified nature	0.4	35	65
17	Chronic rheumatism and gout	0.1	38	62
18	Diabetes mellitus	3.0	30	70
19	Chronic or acute alcoholism	0.1	74	26
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	1.2	46	54
21	Meningitis (nonmeningococcal) and diseases of the spinal cord ..	0.4	50	50
22	Intracranial lesions of vascular origin	8.6	47	53
23	Other diseases of the nervous system and sense organs	0.7	50	50
24	Diseases of the heart	35.2	57	43
25	Other diseases of the circulatory system	2.5	48	52
26	Bronchitis	0.2	58	42
27	Pneumonia and bronchopneumonia	3.1	55	45
28	Other diseases of the respiratory system	0.6	58	42
29	Diarrhea and enteritis	0.3	61	39
30	Appendicitis	0.4	66	34
31	Diseases of the liver and biliary passages	1.7	54	46
32	Other diseases of the digestive system	1.8	63	37
33	Nephritis	5.7	51	49
34	Other diseases of the urinary and genital systems	0.9	77	23
35	Puerperal infection	0.1	..	100
36	Other diseases of pregnancy, childbirth, and the puerperium	0.2	..	100
37	Diseases of the skin, cellular tissue, bones, and organs of move- ment	0.1	46	54
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	4.7	59	41
39	Senility, old age	0.4	36	64
40	Suicide	1.2	70	30
41	Homicide	0.2	65	35
42	Automobile accidents (all motor-driven road vehicles)	1.6	78	22
43	Other violent or accidental deaths (suicide, homicide, and auto- mobile accidents excepted)	3.6	62	38
44	Causes of death ill-defined, unknown, or unspecified	0.1	78	22

BUREAU OF VITAL STATISTICS

227

TABLE 15—DEATH RATES, TOTAL WHITE AND COLORED, FROM IMPORTANT CAUSES, PER 100,000 TOTAL, WHITE AND COLORED POPULATION IN NEW JERSEY—1946

Abridged International List Number	CAUSE OF DEATH	Total Deaths per 100,000 Estimated Population	White Deaths per 100,000 Estimated White Population	Colored Deaths per 100,000 Estimated Colored Population
	ALL CAUSES	1074.8	1057.8	1366.5
1	Typhoid and paratyphoid fevers	0.1	0.0	0.4
2	Plague	...	...	...
3	Scarlet fever	0.1	0.1	...
4	Whooping cough	0.6	0.4	3.8
5	Diphtheria	0.3	0.3	...
6	Tuberculosis of the respiratory system	35.7	29.2	147.4
7	All other forms of tuberculosis	2.4	1.7	15.2
8	Malaria	0.0	0.0	...
9	Syphilis	6.4	5.1	29.6
10	Influenza	2.4	2.1	7.2
11	Smallpox	...	...	...
12	Measles	0.6	0.6	0.4
13	Typhus fever	0.1	0.1	...
14	Other infectious or parasitic diseases	5.7	5.5	8.4
15	Cancer and other malignant tumors	170.2	171.4	149.5
16	Nonmalignant tumors or tumors of unspecified nature	4.6	4.5	7.2
17	Chronic rheumatism and gout	0.9	0.9	0.8
18	Diabetes mellitus	32.3	33.1	19.0
19	Chronic or acute alcoholism	1.4	1.2	5.5
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	12.8	12.9	11.8
21	Meningitis (nonmeningococcal) and diseases of the spinal cord ..	3.8	3.6	6.3
22	Intracranial lesions of vascular origin	91.7	90.7	108.6
23	Other diseases of the nervous system and sense organs	7.3	7.1	10.6
24	Diseases of the heart	378.2	380.4	341.3
25	Other diseases of the circulatory system	27.0	27.3	22.8
26	Bronchitis	2.3	2.2	3.0
27	Pneumonia and bronchopneumonia	33.4	31.1	73.5
28	Other diseases of the respiratory system	6.7	6.6	8.4
29	Diarrhea and enteritis	3.6	3.4	7.6
30	Appendicitis	4.1	4.1	4.2
31	Diseases of the liver and biliary passages	18.8	19.2	11.0
32	Other diseases of the digestive system	18.9	18.8	21.5
33	Nephritis	61.3	58.5	109.8
34	Other diseases of the urinary and genital systems	9.3	9.1	13.1
35	Puerperal infection	0.9	0.9	2.1
36	Other diseases of pregnancy, childbirth, and the puerperium	1.8	1.6	5.9
37	Diseases of the skin, cellular tissue, bones, and organs of move- ment	1.4	1.3	3.0
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	50.3	48.1	87.9
39	Senility, old age	4.3	4.3	3.8
40	Suicide	13.1	13.4	9.3
41	Homicide	2.4	1.5	18.2
42	Automobile accidents (all motor-driven road vehicles)	16.9	16.4	25.3
43	Other violent or accidental deaths (suicide, homicide, and auto- mobile accidents excepted)	39.0	37.8	60.0
44	Causes of death ill-defined, unknown, or unspecified	1.3	1.3	3.0

TABLE 16—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSES AND MONTHS OF DEATH, IN NEW JERSEY—1946

Abridged International List Number	CAUSE OF DEATH	MONTH OF DEATH												
		Total	January	February	March	April	May	June	July	August	September	October	November	December
	ALL CAUSES	46261	4687	3971	4020	3837	3844	3648	3532	3290	3600	3822	3712	4298
1	Typhoid and paratyphoid fevers	3	1							1	1			
2	Plague													
3	Scarlet fever	5	1							1				1
4	Whooping cough	27	4	2	5		4	4	3	1			1	3
5	Diphtheria	13	3		1	1	1	1	1	3				2
6	Tuberculosis of the respiratory system	1538	147	131	130	150	155	119	124	115	109	128	117	113
7	All other forms of tuberculosis	105	8	15	17	11	9	9	5	5	7	8	4	7
8	Malaria	2										1		1
9	Syphilis	276	38	18	22	21	18	21	19	26	32	20	20	21
10	Influenza	102	37	9	7	8	9	5	1		6	6	7	7
11	Smallpox													
12	Measles	27			4	8	11	2	1				1	
13	Typhus fever	3							1	1			1	
14	Other infectious or parasitic diseases	245	31	26	17	18	19	21	14	13	18	25	21	22
15	Cancer and other malignant tumors	7326	673	529	586	636	581	627	606	600	576	657	607	648
16	Nonmalignant tumors or tumors of unspecified nature	199	17	16	16	16	18	27	19	12	14	21	11	12
17	Chronic rheumatism and gout	39	3	3	5	6	5	2	1	1	3	4	1	5
18	Diabetes mellitus	1391	144	117	129	109	121	120	109	100	104	106	107	125
19	Chronic or acute alcoholism	61	6	7	5	8	1	6	5	5	3	2	5	8
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	553	56	31	50	38	43	48	35	50	50	53	47	52
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	163	17	16	20	8	10	16	13	16	14	9	9	15
22	Intracranial lesions of vascular origin	3947	353	364	353	328	357	299	319	271	263	322	338	380
23	Other diseases of the nervous system and sense organs	313	33	26	31	28	27	25	24	28	20	26	22	23
24	Diseases of the heart	16279	1751	1524	1416	1344	1320	1266	1197	1073	1215	1281	1309	1581
25	Other diseases of the circulatory system	1164	169	98	115	96	92	95	88	84	105	76	98	108
26	Bronchitis	97	10	5	7	8	9	5	4	7	7	11	6	18

27	Pneumonia and bronchopneumonia	1438	245	177	137	125	106	70	83	61	80	90	108	156
28	Other diseases of the respiratory system	287	31	22	21	21	23	26	19	15	25	33	19	30
29	Diarrhea and enteritis	155	13	19	13	15	14	11	8	17	22	10	6	7
30	Appendicitis	177	19	10	12	17	21	18	10	13	19	10	12	16
31	Diseases of the liver and biliary passages	808	73	70	67	68	65	58	66	57	74	78	62	70
32	Other diseases of the digestive system	814	81	60	74	61	68	62	61	59	64	71	89	64
33	Nephritis	2639	271	221	242	232	230	220	208	179	223	194	182	237
34	Other diseases of the urinary and genital systems	402	38	30	33	38	41	31	27	33	33	24	42	32
35	Puerperal infection	40	3	3	4	2	6	6	2	6	4	2	1	1
36	Other diseases of pregnancy, childbirth, and the puerperium	79	4	6	6	8	10	5	7	8	5	10	5	5
37	Diseases of the skin, cellular tissue, bones, and organs of movement	61	6	7	6	2	4	6	10	3	3	1	5	8
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	2164	149	123	145	147	179	191	172	182	233	240	196	207
39	Senility, old age	184	21	19	19	10	20	11	11	13	18	10	17	15
40	Suicide	566	49	51	56	52	53	37	43	38	49	46	42	48
41	Homicide	104	6	5	13	10	8	6	10	4	15	8	10	9
42	Automobile accidents (all motor-driven road vehicles)	728	77	68	67	57	43	41	41	67	62	77	50	78
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	1679	151	138	160	127	133	127	159	118	121	159	130	156
44	Causes of death ill-defined, unknown, or unspecified	58	8	5	7	3	6	4	6	2	3	3	4	7

[illegible]

23

TABLE 17—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE OF THE ABRIDGED INTERNATIONAL LIST, BY AGE, SEX AND COLOR
IN NEW JERSEY, 1946—Continued

CAUSE OF DEATH, SEX, AND COLOR		AGE PERIODS—YEARS																										
		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 and over	Age unknown	
12	Measles—																											
	Total	27	3	2	3	1	2	11	10	3	1			1	1													
	Males—White	16	2		3	1	2	8	4	3	1																	
	Males—Colored	1							1																			
	Females—White	10	1	2				3	5					1	1													
	Females—Colored																											
13	Typhus fever—																											
	Total	3				1	1	2												1								
	Males—White	2				1		1												1								
	Males—Colored																											
	Females—White	1					1	1																				
	Females—Colored																											
14	Other infections or parasitic diseases—																											
	Total	245	9	8	4	6	4	31	12	10	11	16	16	16	12	17	15	20	16	19	14	6	10	2	1	1		
	Males—White	137	7	5	2	3	3	20	6	6	5	10	8	8	6	9	8	14	9	10	7	2	6	2	1			
	Males—Colored	12			1			1		1	1				2	1	2			2			1					
	Females—White	88	2	3		3	1	9	6	3	3	4	6	8	4	6	4	6	7	7	7	4	3			1		
	Females—Colored	8			1			1			2	2	1			1	1											
15	Cancer and other malignant tumors—																											
	Total	7326	4	3	3	6	3	19	13	13	15	29	37	90	152	270	509	724	913	998	1086	1052	763	439	160	44		
	Males—White	3548	1	1	2	4	2	10	6	5	10	15	12	33	53	98	200	341	449	527	573	550	390	200	62	14		
	Males—Colored	151									2	3	2		2	7	17	21	19	23	21	16	8	3	5	2		
	Females—White	3424	3	2	1	2	1	9	5	8	3	9	20	51	83	146	264	335	418	420	476	469	357	234	89	28		
	Females—Colored	203						2			2	3	6	14	19	28	27	27	28	16	17	8	2	4				
16	Nonmalignant tumors or tumors of unspecified nature—																											
	Total	199	3	1			1	5	3		3	3	9	8	14	22	26	26	21	13	16	15	10	2	1	2		
	Males—White	68					1	1	3			1	2	4	5	8	6	8	6	5	8	5	4	1		1		
	Males—Colored	2														1	1											
	Females—White	114	3	1				4			2	2	6	2	6	11	17	15	15	8	7	10	6	1	1	1		
	Females—Colored	15									1		1	2	3	2	2	3			1							

[illegible]

AGE PERIODS—YEARS

CAUSE OF DEATH, SEX, AND COLOR		AGE PERIODS—YEARS																													
		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 and over	Age unknown				
24	Diseases of the heart—																														
	Total	16279	2		1	1	3	7	13	15	26	58	71	123	221	387	718	1203	1671	1924	2279	2378	2228	1627	939	391	...				
	Males—White	8820	2		1		3	6	6	9	11	26	29	57	129	249	446	801	1100	1149	1306	1249	1085	678	355	149	...				
	Males—Colored	387										2	5	5	12	20	43	43	41	54	52	37	35	19	11	6	...				
	Females—White	6651				1		1	4	4	12	25	31	53	65	97	160	311	483	674	865	1050	1100	905	557	224	...				
	Females—Colored	421							3		3	5	6	8	15	21	39	48	47	67	66	62	28	25	16	12	...				
25	Other diseases of the circulatory system—																														
	Total	1164		1			1	3			3	2	3	8	5	18	14	28	54	81	95	161	223	224	147	94	...				
	Males—White	540						3			1	1		5	4	9	6	17	30	36	56	73	110	97	62	30	...				
	Males—Colored	23														1	2	3	1	4	1	6	2		1	2	...				
	Females—White	570		1			1				2	1	3	2		7	4	6	20	37	37	74	107	125	83	61	...				
	Females—Colored	31											1	1	1	2	2	3	4	1	8	4	2	1	1		...				
26	Bronchitis—																														
	Total	97	7	3	1	2		13		2	1	1	2	4	2	4	3	3	9	12	11	10	9	6	4	1	...				
	Males—White	53	3	2	1			6		1			2	2	1	1	2	1	8	9	8	5	4	1	2		...				
	Males—Colored	3														2			1								...				
	Females—White	37	2	1		2		5		1	1	1		2	1	1	1	2		3	3	5	3	5	2	1	...				
	Females—Colored	4	2					2														2					...				
27	Pneumonia and broncho-pneumonia—																														
	Total	1438	243	35	14	3	6	301	11	8	15	20	16	19	38	46	57	97	101	100	119	129	114	143	65	39	...				
	Males—White	700	116	12	2		2	132	5	2	10	8	8	7	18	22	24	49	58	67	59	69	61	65	20	16	...				
	Males—Colored	97	22	7	1	2		32	1	1	2		3		2	6	12	16	9	5	4		2				...				
	Females—White	564	80	12	9	1	4	106	4	5	2	10	5	8	12	13	15	24	30	25	54	58	51	75	44	23	...				
	Females—Colored	77	25	4	2			31	1		1	2		4	6	5	6	8	4	3	2		2	1	1		...				
28	Other diseases of the respira-tory system—																														
	Total	287	6	2		1	2	11	2		4	6		5	13	15	19	28	32	33	28	30	21	21	13	6	...				
	Males—White	154	2				2	1				5		3	7	7	7	15	20	23	20	17	11	6	6	4	...				
	Males—Colored	13	1	1			2					1				1	3	1	2		1	2					...				
	Females—White	113	3	1		1	2	7	1		3			2	3	5	9	12	9	10	7	11	10	15	7	2	...				
	Females—Colored	7									1			3	2	2			1								...				

29	Diarrrhea and enteritis—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
----	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

DEPARTMENT OF HEALTH

DEPARTMENT OF HEALTH

237

TABLE 18—DEATHS (exclusive of stillbirths) BY CAUSES, BY DAYS, WEEKS AND MONTHS OF THE FIRST YEAR OF LIFE
IN NEW JERSEY—1946

[illegible]

26	Bronchitis	7			1	1			1	2	1	2		1		
27	Pneumonia and bronchopneumonia	243	5	12	8	10	35	5	6	16	62	36	27	62	40	16
28	Other diseases of the respiratory system	6			1		1			1	2		1	1	1	1
29	Diarrhea and enteritis	92			3		3		11	15	29	22	13	11	11	6
30	Appendicitis	2						1			1			1		
31	Diseases of the liver and biliary passages	1									1			1		
32	Other diseases of the digestive system	20	1		1	1	3	1			4	2	2	6	3	3
33	Nephritis	1	1				1				1					
34	Other diseases of the urinary and genital systems	4									1			1	1	1
35	Puerperal infection															
36	Other diseases of pregnancy, childbirth, and the puerperium															
37	Diseases of the skin, cellular tissue, bones, and organs of movement	1												1		
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	2107	972	317	168	231	1688	72	61	53	1874	74	42	66	28	23
	Congenital malformations (stillbirths not included)	474	116	37	28	57	238	26	23	23	310	40	28	48	27	21
	Congenital debility (no other cause stated)	22	2		1		3		2	2	7	1	7	5	1	1
	Premature birth (no other cause stated)	1103	652	177	80	85	994	30	26	23	1073	23	4	3		
	Injury at birth	210	74	53	32	32	191	7	2	2	202	4		3		1
	Other diseases peculiar to the first year of life ..	298	128	50	27	57	262	9	8	3	282	6	3	7		
39	Senility, old age															
40	Suicide															
41	Homicide	8	6	1			7		1		8					
42	Automobile accidents (all motor-driven road vehicles)															
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) ..	65				1	1		1	1	3	13	15	19	9	6
44	Causes of death ill-defined, unknown, or unspecified	9	3	4	1		8				8		1			

[illegible]

26	Bronchitis	7	1	1	1	1	1	1	1	1	1	1	2
27	Pneumonia and bronchopneumonia	243	32	33	13	23	18	16	20	14	9	12	33
28	Other diseases of the respiratory system	6	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhea and enteritis	92	8	11	6	10	7	6	4	12	15	8	4
30	Appendicitis	2	1	1	1	1	1	1	1	1	1	1	1
31	Diseases of the liver and biliary passages	1	1	1	1	1	1	1	1	1	1	1	1
32	Other diseases of the digestive system	20	1	2	2	1	2	1	3	3	2	1	2
33	Nephritis	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of the urinary and genital systems	4	1	1	1	1	1	1	1	1	1	1	2
35	Puerperal infection	1	1	1	1	1	1	1	1	1	1	1	1
36	Other diseases of pregnancy, childbirth, and the puerperium	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of the skin, cellular tissue, bones, and organs of movement	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	2107	144	120	144	143	173	186	164	177	226	238	191
	Congenital malformations (stillbirths not included)	474	37	24	35	36	27	41	35	38	45	52	59
	Congenital debility (no other cause stated)	22	4	2	5	3	2	1	1	1	1	1	3
	Premature birth (no other cause stated)	1103	66	54	79	73	102	104	85	97	130	121	88
	Injury at birth	210	16	20	11	10	18	16	21	13	25	27	15
	Other diseases peculiar to the first year of life ..	298	21	20	14	21	24	25	23	29	25	37	26
39	Senility, old age	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	1	1	1	1	1	1	1	1	1	1	1	1
41	Homicide	8	1	1	2	1	1	1	2	1	1	1	1
42	Automobile accidents (all motor-driven road vehicles)	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) ..	65	8	4	8	4	3	3	5	4	4	7	5
44	Causes of death ill-defined, unknown, or unspecified	9	1	1	2	1	1	1	4	1	1	1	1

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	State Total	Atlantic County	Atlantic City	Hammonon	Pleasantville	Bergen County	Bergenfield	Cliffside Park	Englewood	Fairview	Fort Lee	Gardfield
1. Typhoid fever	3					2			1			
2. Paratyphoid fever												
3. Plague												
4. Cholera												
5. Undulant fever (brucellosis)	1					1			1			
6. Cerebrospinal (meningococcus) meningitis ..	40	1				2					1	
7. Anthrax (infection by Bacillus anthracis) ..	1											
8. Scarlet fever	5											
9. Whooping cough	27					2						
10. Diphtheria	13	3		1					1			
11. Erysipelas	3					1		1				
12. Tetanus	8	1			1			1				
13. Tuberculosis of the respiratory system	1538	48	31	2	5	105	2	4	6		3	8
14. Tuberculosis of the meninges and central nervous system	25					5						1
15. Tuberculosis of the intestines and peritoneum	10					1						
16. Tuberculosis of the vertebral column	10	1	1			2						
17. Tuberculosis of the bones and joints	4					1					1	
18. Tuberculosis of the skin and subcutaneous cellular tissue	1											
19. Tuberculosis of the lymphatic system	3											
20. Tuberculosis of the genito-urinary system ..	13	1										
21. Tuberculosis of other organs	2											
22. Disseminated tuberculosis	37	4	3			2						
23. Leprosy												
24. Septicemia and purulent infection (non-puerperal)	9											
25. Gonococcus infection	10											
26. Other diseases due to bacteria (except dysentery)												
27. Dysentery	15											
28. Malaria	2					1						
29. Other diseases due to parasitic protozoa ..												
30. Syphilis	276	10	3	2	4	19			1			1
31. Relapsing fever												
32. Other diseases due to spirochetes	15					1						
33. Influenza	102	6	5		1	4		1				
34. Smallpox												
35. Measles	27					1						
36. Acute poliomyelitis and acute poliomyelitis	24					4	1					
37. Acute infectious encephalitis (lethargic) ..	24	2			1	2						1
38. Other diseases due to filtrable viruses	4											
39. Typhus fever and typhus-like diseases (due to Rickettsia)	3											
40. Ankylostomiasis												
41. Hydatid disease												
42. Other diseases caused by helminths	1											
43. Mycoses	6					1						
44. Other infectious and parasitic (communicable) diseases	84	2										
45. Cancer of the buccal cavity and pharynx ..	218	9	5			21	1	1	1		1	1
46. Cancer of the digestive organs and peritoneum	3445	105	64	4	9	341	6	15	15	6	12	18
47. Cancer of the respiratory system	733	18	6		3	61	2	2	2		4	4
48. Cancer of the uterus	538	27	20		2	55	1	2	3	2	1	6
49. Cancer of other female genital organs	218	4	3			25	1	1			2	1
50. Cancer of the breast	722	28	14	1		76	2	2	3	1	2	2
51. Cancer of the male genital organs	366	15	7			39	3		2			
52. Cancer of the urinary organs (male and female)	411	10	6		1	34			2	1	1	1
53. Cancer of the skin (except vulva and scrotum)	105	6	3	1	1	11	1				1	

BUREAU OF VITAL STATISTICS

243

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946

[illegible]

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	Essex County	Belleville	Bloomfield	East Orange	Irvington	Maplewood Twp.	Millburn Twp.	Montclair	Newark	Nutley	Orange	South Orange	West Orange	Gloucester County
1. Typhoid fever														
2. Paratyphoid fever														
3. Plague														
4. Cholera														
5. Undulant fever (brucellosis)														
6. Cerebrospinal (meningococcus) meningitis	10							1	7		1			2
7. Anthrax (infection by Bacillus anthracis)														
8. Scarlet fever	2								1				1	
9. Whooping cough														1
10. Diphtheria	1								1					
11. Erysipelas	1								1					
12. Tetanus	368	2	7	26	9	2	2	9	274	2	18	2	9	19
13. Tuberculosis of the respiratory system														
14. Tuberculosis of the meninges and central nervous system	13	1			1				7		1		2	
15. Tuberculosis of the intestines and peritoneum	3				1				2					1
16. Tuberculosis of the vertebral column	3								3					
17. Tuberculosis of the bones and joints	2								2					
18. Tuberculosis of the skin and subcutaneous cellular tissue														
19. Tuberculosis of the lymphatic system									2					
20. Tuberculosis of the genito-urinary system	2													
21. Tuberculosis of other organs	1										1			
22. Disseminated tuberculosis	15		1					1	13					
23. Leprosy														
24. Septicemia and purulent infection (non-puerperal)	2								2					
25. Gonococcus infection	4				1				2				1	
26. Other diseases due to bacteria (except dysentery)														
27. Dysentery	1	1												
28. Malaria														1
29. Other diseases due to parasitic protozoa														
30. Syphilis	64		2	5	4			2	42	3	3	1		4
31. Relapsing fever														
32. Other diseases due to spirochetes	5		1	1					3					
33. Influenza	13			3	1	2		1	4	1			1	3
34. Smallpox														
35. Measles	3		1		1								1	
36. Acute poliomyelitis and acute poli-encephalitis	8			1					6		1			
37. Acute infectious encephalitis (lethargic)	4							1	2				1	
38. Other diseases due to filtrable viruses	3								1					
39. Typhus fever and typhus-like diseases (due to Rickettsia)														
40. Ankylostomiasis														
41. Hydatid disease														
42. Other diseases caused by helminths								1		1				
43. Mycoses	2													
44. Other infectious and parasitic (communicable) diseases	19		4		3	2			6		2		1	
45. Cancer of the buccal cavity and pharynx	47		5	2	2	2		1	28			4	1	2
46. Cancer of the digestive organs and peritoneum	682	21	31	59	56	11	4	38	352	14	34	12	20	53
47. Cancer of the respiratory system	159	6	4	16	7	3	2	1	94	4	4	4	3	11
48. Cancer of the uterus	98	2	5	10	6	4		7	49	3	4	1	2	9
49. Cancer of other female genital organs	48	1	1	5	1	1	1	3	23	1	3	3	2	
50. Cancer of the breast	168	8	12	23	11	4	3	11	65	6	6	7	4	13
51. Cancer of the male genital organs	55	1	4	10		1		7	22	2	2	1	1	11
52. Cancer of the urinary organs (male and female)	101	9	3	9	6	6	1	9	50	1	3		1	4
53. Cancer of the skin (except vulva and scrotum)	19	1	1	3	1	1			9		1		1	

BUREAU OF VITAL STATISTICS

245

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946

Woodbury	Hudson County	Bayonne	Guttenberg	Harrison	Hoboken	Jersey City	Kearny	North Bergen Twp.	Secaucus	Union City	Weehawken Twp.	West New York	Hunterdon County	Mercer County	Princeton	Trenton	Middlesex County	Carteret	Highland Park	New Brunswick	Perth Amboy	Sayreville	South Amboy	South River	Woodbridge Twp.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	4	...	...	...	...	1	...	1	...	2	...	...	...	2	...	1	5	...	...	...	2	...	...	...	3
...	3	...	...	...	...	3	...	...	...	1	...	...	...	1	...	1	1	...	...	...	1	...	...	...	...
...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	4	...	...	2	...	...	...	...	...
...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	64	65	...	3	19	13	1	2	5	7
...	306	25	1	4	27	181	9	6	3	26	7	15	9	97	5	...	...	...	...	...	...	...	...	...	...
...	3	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...
...	4	...	...	...	1	1	...	1	...	...	...	1	...	2	...	2	...	...	...	...	...	...	...	...	...
...	7	1	...	...	...	6	...	...	...	...	...	1	3	...	3	2	1	...	...	...	...	...	...	...	...
...	2	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
...	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
...	34	1	...	...	8	18	2	...	1	3	...	1	3	13	2	7	15	...	...	6	2	...	...	...	1
...	4	1	...	...	...	3	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...
...	1	8	2	...	...	4	...	1	...	1	...	...	3	7	...	7	10	...	...	1	1	...	1	...	1
...	4	2	...	...	...	1	...	1	...	...	...	...	...	1	...	...	2	...	...	...	1	...	...	...	...
...	1	5	...	...	...	3	1	...	...	...	...	1	...	2	...	1	3	1	1	1	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	10	...	...	...	2	2	1	4	...	...	...	1	...	5	...	3	1	...	...	...	...	...	1	...	1
...	33	1	...	1	6	21	...	3	...	1	...	...	1	9	1	6	8	...	1	...	4	...	...	...	...
...	4	576	65	8	8	38	263	36	39	4	64	18	30	25	167	4	109	161	8	11	25	30	3	3	17
...	1	128	12	...	2	10	62	6	7	1	17	4	5	5	35	1	25	39	1	2	6	8	2	2	5
...	1	80	11	2	1	7	41	4	5	1	5	1	2	4	29	1	14	19	1	...	1	1	...	1	3
...	35	7	...	...	2	15	2	3	...	3	1	2	4	8	12	1	7	4	...	1	1	...	...	...	...
...	2	110	6	...	2	9	52	6	4	1	19	4	7	8	34	2	17	18	1	1	2	2	...	1	2
...	2	47	3	...	...	2	32	...	2	...	5	1	2	6	18	...	10	19	...	3	3	1	1	2	1
...	1	63	9	1	...	5	29	5	2	2	6	1	3	4	8	...	8	14	...	1	2	4	...	2	...
...	13	2	1	...	...	4	2	1	...	1	1	1	1	8	1	4	5	...	...	2	1	...	...	...	1

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	Monmouth County	Asbury Park	Long Branch	Neptune Twp.	Red Bank	Morris County	Dover	Madison	Morristown	Ocean County	Passaic County	Clifton
1. Typhoid fever												
2. Paratyphoid fever												
3. Plague												
4. Cholera												
5. Undulant fever (brucellosis)												
6. Cerebrospinal (meningococcus) meningitis	3		1	1								
7. Anthrax (infection by Bacillus anthracis)												
8. Scarlet fever												
9. Whooping cough	1					3				1	2	
10. Diphtheria												
11. Erysipelas												
12. Tetanus	1											
13. Tuberculosis of the respiratory system	64	15	6	4	2	32	3	2	4	14	115	13
14. Tuberculosis of the meninges and central nervous system	1											
15. Tuberculosis of the intestines and peritoneum	2	1			1	1	1					
16. Tuberculosis of the vertebral column											1	
17. Tuberculosis of the bones and joints												
18. Tuberculosis of the skin and subcutaneous cellular tissue												
19. Tuberculosis of the lymphatic system												
20. Tuberculosis of the genito-urinary system											2	1
21. Tuberculosis of other organs											1	
22. Disseminated tuberculosis	3	1		1								
23. Leprosy												
24. Septicemia and purulent infection (non-puerperal)											1	1
25. Gonococcus infection											1	
26. Other diseases due to bacteria (except dysentery)												
27. Dysentery	2				1	1	1			1	2	
28. Malaria												
29. Other diseases due to parasitic protozoa												
30. Syphilis	15	2	2	2		7	1	2	1	5	20	3
31. Relapsing fever												
32. Other diseases due to spirochetes											1	
33. Influenza	4	1		1	1	7	1		3		4	1
34. Smallpox												
35. Measles	4		1		1	1						
36. Acute poliomyelitis and acute polioencephalitis	3				1	2			1		1	
37. Acute infectious encephalitis (lethargic)											4	3
38. Other diseases due to filtrable viruses											1	
39. Typhus fever and typhus-like diseases (due to Rickettsia)	1											
40. Ankylostomiasis												
41. Hydatid disease												
42. Other diseases caused by helminths												
43. Mycoses											1	
44. Other infectious and parasitic (communicable) diseases	7			1	1	4		1		1	6	
45. Cancer of the buccal cavity and pharynx	8	1		3		7	1	1	2	5	13	1
46. Cancer of the digestive organs and peritoneum	159	10	18	12	9	106	7	7	22	47	245	27
47. Cancer of the respiratory system	35	7	8	2	1	16	1	1	1	10	60	6
48. Cancer of the uterus	32	2	3	3	4	13	2		2	4	37	8
49. Cancer of other female genital organs	8			2		4			1	3	22	4
50. Cancer of the breast	30	4	4	2	6	28	1	3	4	6	43	10
51. Cancer of the male genital organs	23	5	1	1	5	10	2	1		2	33	6
52. Cancer of the urinary organs (male and female)	22	4		1	3	14		1	5	1	19	4
53. Cancer of the skin (except vulva and scrotum)	5		1			2			2	1	6	1

BUREAU OF VITAL STATISTICS

247

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946

Hawthorne	Passaic	Paterson	Salem County	Salem City	Somerset County	Bound Brook	North Plainfield	Somerville	Sussex County	Union County	Cranford Twp.	Elizabeth	Hillside Twp.	Linden	Plainfield	Rahway	Roselle	Roselle Park	Summit	Union Twp.	Westfield	Warren County	Phillipsburg
...	...	...	1	...	...	...	1	...	...	3	...	2	...	...	...	1	...	...	...	...	...	1	1
2	21	62	11	3	22	3	2	1	4	110	3	51	5	4	15	3	3	1	5	6	4	12	5
...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	1	1	...	...
...	2	...	...	...	...	...	...	...	1	2	...	2	...	...	...	...	...	...	...	...	...	...	...
...	1	13	8	1	3	...	...	2	1	21	...	7	1	3	2	1	3	...	2	1	1	6	2
1	...	2	1	6	2	...	...	...	1	11	1	3	...	...	1	2	1	...	...	1	1	1	1
...	...	...	...	...	1	1	...	...	...	4	...	2	...	...	...	...	...	1	...	...	1	...	...
...	1	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1
...	1	5	1	1	1	...	...	...	1	6	...	2	1	1	...	...	...	...	...	...	1	2	1
...	4	7	...	...	2	1	...	...	...	18	1	7	1	2	2	1	...	1	...	1	...	6	3
11	47	121	32	3	51	6	7	6	25	264	12	93	11	14	35	17	10	8	11	16	10	35	14
3	13	27	6	1	11	1	1	3	7	54	4	15	3	2	3	2	3	1	6	7	5	3	...
1	5	19	8	2	12	1	3	1	4	29	...	9	2	1	6	...	1	1	1	3	2	7	3
1	7	6	1	1	3	1	...	1	...	16	...	6	...	1	4	1	1	...	1	1	...	3	...
1	8	19	7	...	8	1	2	...	8	56	...	18	5	4	12	6	1	1	1	3	3	2	1
2	8	13	3	2	7	...	...	1	3	18	1	5	...	2	2	1	...	...	...	2	3	9	5
...	3	6	1	...	7	...	4	1	3	31	...	6	1	...	7	1	3	2	1	2	5	4	...
1	...	3	1	...	2	...	1	...	1	11	2	2	2	...	1	1	1	...	...	1	...	1	...

DEPARTMENT OF HEALTH

BUREAU OF VITAL STATISTICS

249

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946--Continued[illegible]

	Essex County	Belleville	Bloomfield	East Orange	Irrington	Maplewood Twp.	Millburn Twp.	Montclair	Newark	Nutley	Orange	South Orange	West Orange	Gloucester County
54. Cancer of the brain and other parts of the central nervous system	22	1		2	1			1	12	1	1		1	
55. Cancer of other and unspecified organs	101	3	3	8	6	3	1	11	46	2	8	3	5	6
56. Nonmalignant tumors (including dermoid cysts)	33		1	5	4	1		3	16	1				
57. Tumors of unspecified nature	23		1	3	1	2	1		9	1	2	1	2	2
58. Acute rheumatic fever	4								4					
59. Chronic rheumatism and other rheumatic diseases	9	1		1	2				3	1			1	1
60. Gout	290	9	14	31	22	5	3	7	162	6	11	4	6	27
61. Diabetes mellitus	3								3					
62. Diseases of the pituitary gland	22		3	1	3				12	1		1	1	
63. Diseases of the thyroid and parathyroid glands	5		1					1	3					1
64. Diseases of the thymus gland	2								1			1		
65. Diseases of the adrenal glands (not specified as tuberculous)	2								1					
66. Other general diseases	2			1					1					
67. Scurvy	1								1					
68. Beriberi	1								1					
69. Pellagra	1								1					
70. Rickets	1								1					
71. Avitaminoses	1								1					
72. Hemorrhagic conditions	1								1					
73. Anemias (except splenic anemia)	12		2	2	1			1	5				1	1
74. Leukemias and aleukemias	56		3	4	1	2		3	31	3	1	1	2	7
75. Diseases of the spleen	4								1					
76. Other diseases of the blood and blood-forming organs	3			1	1				1					
77. Alcoholism	12				1				10			1		
78. Lead poisoning														
79. Chronic poisoning by other mineral or organic substances														
80. Encephalitis (nonepidemic)	9	1			1				6		1			
81. Meningitis (not due to meningococcus)	6				1				5					
82. Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	24	1	1	2	1	1		3	13					1
83. Intracranial lesions of vascular origin	722	23	41	87	45	18	11	44	350	19	24	14	18	81
84. Mental diseases and deficiency (except general paralysis of the insane)	13			1	1			1	9			1		
85. Epilepsy	11	1			1				6	1	1			1
86. Convulsions (under 5 years of age)									1					
87. Other diseases of the nervous system	25		3	3	4			1	11		1	1		2
88. Diseases of the organs of vision														
89. Diseases of the ear and mastoid process	6	1			1		1		2	1				1
90. Pericarditis (except acute rheumatic)	4								2		1		1	
91. Acute endocarditis (except rheumatic)	7	1						1	3					2
92. Chronic affections of the valves and endocardium	164	5	10	16	12	3	3	7	75	6	8	3	8	22
93. Diseases of the myocardium	2144	42	80	235	112	47	27	105	1152	44	110	46	65	114
94. Diseases of the coronary arteries and angina pectoris	839	26	41	84	65	33	15	55	377	22	32	12	25	106
95. Other diseases of the heart	191	8	10	11	9	4		8	115	3	6	3	7	16
96. Aneurysm (except of heart and aorta)	18		2	1	1		1		9		2		1	
97. Arteriosclerosis (except coronary or renal sclerosis)	168	2	14	14	10	4		9	91	1	6	3	5	12
98. Gangrene	2							1	1					
99. Other diseases of the arteries	14		2					1	6	2	1		2	1
100. Diseases of the veins	5			1					3		1			
101. Diseases of the lymphatic system														
102. High blood pressure (idiopathic)	10		1		1	1			6	1				
103. Other diseases of the circulatory system														
104. Diseases of the nasal fossae and accessory sinuses	1													

BUREAU OF VITAL STATISTICS

251

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued

[illegible]

DEPARTMENT OF HEALTH

BUREAU OF VITAL STATISTICS

253

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued[illegible]

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	State Total	Atlantic County	Atlantic City	Hammonton	Pleasantville	Bergen County	Bergenfield	Cliffside Park	Englewood	Fairview	Fort Lee	Garfield
105. Diseases of the larynx	6	2	2			1						
106. Bronchitis	97	5	3			8	1					1
107. Bronchopneumonia (including capillary bronchitis)	773	20	13		2	47		2	1	3	2	4
108. Lobar pneumonia	594	24	18	2	2	44	1	1	3			5
109. Pneumonia (unspecified)	71	6	3		1	4	1					
110. Pleurisy (not specified as tuberculous)	29	1										
111. Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	100	4	1			9	2					
112. Asthma	78	1	1			11						2
113. Pulmonary emphysema	3					1						
114. Other diseases of the respiratory system (except tuberculosis)	64	3	1			1						1
115. Diseases of the buccal cavity, pharynx, tonsils and adnexa	40	2	1			1						
116. Diseases of the esophagus	6											
117. Ulcer of stomach or duodenum	280	6	4		1	22		3	1		1	2
118. Other diseases of the stomach (except cancer)	18					1						
119. Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	103	1		1		5	1					
120. Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	52	3	3			6			1			
121. Appendicitis	177	8	4		1	14				1		2
122. Hernia and intestinal obstruction	345	10	6	1		35		1	3		1	1
123. Other diseases of the intestines	60	1				6		1				
124. Cirrhosis of the liver	552	25	16			67		3	2	1	2	5
125. Other diseases of the liver	45	4	2		1	3		1				
126. Biliary calculi	149	3	1	1		13						1
127. Other diseases of the gallbladder and biliary ducts	62	5	2			8						1
128. Diseases of the pancreas (except diabetes mellitus)	43	1	1			3						
129. Peritonitis (cause not stated)	22					3						
130. Acute nephritis	65	4	2		1	3						
131. Chronic nephritis	2473	207	111	7	27	187	5	2	8	3	5	9
132. Nephritis unspecified (10 years of age and over)	101	6	5	1		13						
133. Other diseases of the kidneys and ureters	88	2				6			1			
134. Calculi of the urinary passages	48	3	1	1	1	7						
135. Diseases of the urinary bladder	24	1		1		1						1
136. Diseases of the urethra (except calculus)	6											
137. Diseases of the prostate	206	5	1	1		23	1			1		2
138. Diseases of other male genital organs (not specified as venereal)	1											
139. Diseases of the female genital organs	29					1						
140. Abortion with mention of infection	11	1	1			1						1
141. Abortion without mention of infection	7											
142. Ectopic gestation	10	3	1		1	1						
143. Hemorrhage of pregnancy (death before delivery)	3											
144. Toxemias of pregnancy (death before delivery)	9	1	1									
145. Other diseases and accidents of pregnancy (death before delivery)	1											
146. Hemorrhage of childbirth and the puerperium	10	1										
147. Infection during childbirth and the puerperium	29	1		1								
148. Puerperal toxemias (excluding death before delivery)	23	1										
149. Other accidents and specified conditions of childbirth	11					1						

[illegible]

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	Essex County	Belleville	Bloomfield	East Orange	Irrington	Maplewood Twp.	Millburn Twp.	Montclair	Newark	Nutley	Orange	South Orange	West Orange	Gloucester County
105. Diseases of the larynx	19	1		4	2				10	1			1	4
106. Bronchitis														
107. Bronchopneumonia (including capillary bronchitis)	138	1	6	12	9	4		13	68	4	6	4	3	13
108. Lobar pneumonia	108	3	8	14	4	1		7	59	4	3		1	10
109. Pneumonia (unspecified)	14			1		1		1	8		1		1	2
110. Pleurisy (not specified as tuberculous)	4			2				1	2					
111. Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	17		1	1		1		9		2	1			2
112. Asthma	14			2			1	9		1	1			1
113. Pulmonary emphysema	1							1						
114. Other diseases of the respiratory system (except tuberculosis)	23			2		1		1	18		1			1
115. Diseases of the buccal cavity, pharynx, tonsils and adnexa	6							1	3				1	2
116. Diseases of the esophagus														
117. Ulcer of stomach or duodenum	60	2	3	8	8	2	2	2	26	2	1		3	2
118. Other diseases of the stomach (except cancer)	4					1			2					
119. Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	14	2			1			1	8		1	1		2
120. Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	7						1	1	4					
121. Appendicitis	37		1	3	6	1		2	19	2			2	2
122. Hernia and intestinal obstruction	62	3	3	5	4	4	2	4	27	2	4	1	1	6
123. Other diseases of the intestines	10	1	1		3				3			1	1	3
124. Cirrhosis of the liver	112	5	3	11	3	2		5	69	2	6	1	2	10
125. Other diseases of the liver	5			1	1			3	3					
126. Biliary calculi	28		1	2		1		1	16			1		1
127. Other diseases of the gallbladder and biliary ducts	9		3	1	1				3		1			
128. Diseases of the pancreas (except diabetes mellitus)	9		1	2	1				5					
129. Peritonitis (cause not stated)	3				1			1	1		1			1
130. Acute nephritis	11							1	6	1	1	1	1	1
131. Chronic nephritis	489	17	45	44	26	8	4	27	246	16	11	9	16	80
132. Nephritis unspecified (10 years of age and over)	12		1	1	2				5		1			3
133. Other diseases of the kidneys and ureters	18		1	2	2	1		1	8		1			3
134. Calculi of the urinary passages	5	1		1					3					1
135. Diseases of the urinary bladder	8	1		1					3				1	
136. Diseases of the urethra (except calculus)	1							1						1
137. Diseases of the prostate	38			5	1	3	1	2	22			1	3	3
138. Diseases of other male genital organs (not specified as venereal)														
139. Diseases of the female genital organs	10							1	7	1			1	
140. Abortion with mention of infection	3								3					
141. Abortion without mention of infection	1								1					
142. Ectopic gestation	1								1					
143. Hemorrhage of pregnancy (death before delivery)														
144. Toxemias of pregnancy (death before delivery)	1								1					
145. Other diseases and accidents of pregnancy (death before delivery)														
146. Hemorrhage of childbirth and the puerperium	3							1	1					
147. Infection during childbirth and the puerperium	4								3		1			
148. Puerperal toxemias (excluding death before delivery)	3								3					
149. Other accidents and specified conditions of childbirth	3		1						2					

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued

[illegible]

	Monmouth County	Asbury Park	Long Branch	Neptune Twp.	Red Bank	Morris County	Dover	Madison	Morristown	Ocean County	Passaic County	Clifton
105. Diseases of the larynx	2					1				1	8	2
106. Bronchitis	43	2	7	2	3	15	2	1	3	13	51	5
107. Bronchopneumonia (including capillary bronchitis)	28		8	3	2	13	2	2	3	8	33	3
108. Lobar pneumonia	2					2				2	3	1
109. Pneumonia (unspecified)	1										2	
110. Pleurisy (not specified as tuberculous)	14		1		2	3			2	1	10	4
111. Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	4			2						1	6	2
112. Asthma												
113. Pulmonary emphysema												
114. Other diseases of the respiratory system (except tuberculosis)	2					2					3	
115. Diseases of the buccal cavity, pharynx, tonsils and adnexa	2					3	1				1	
116. Diseases of the esophagus	1			1		1						
117. Ulcer of stomach or duodenum	10	3		1	1	8	2		2	2	23	2
118. Other diseases of the stomach (except cancer)	2	1									2	
119. Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	4					6				1	4	
120. Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	2		1			4		1		1	2	
121. Appendicitis	9		1	2	1	4	1			4	3	
122. Hernia and intestinal obstruction	12	1	1	1	1	14			3	6	19	2
123. Other diseases of the intestines	7	1		1		1			1	2	5	1
124. Cirrhosis of the liver	22	3	3	3	2	17	1	2	1	5	31	1
125. Other diseases of the liver	2									1	3	
126. Biliary calculi	8			2		6	2	1		4	17	2
127. Other diseases of the gallbladder and biliary ducts	2					3					8	2
128. Diseases of the pancreas (except diabetes mellitus)	2					1	1			1	6	1
129. Peritonitis (cause not stated)	1					2				1	2	
130. Acute nephritis	1			1		2					5	
131. Chronic nephritis	128	20	12	17	6	74	6	3	11	33	140	20
132. Nephritis unspecified (10 years of age and over)	3									2	8	1
133. Other diseases of the kidneys and ureters	11	2	2			4					7	
134. Calculi of the urinary passages	3	1	1								6	1
135. Diseases of the urinary bladder	1					1					3	
136. Diseases of the urethra (except calculus)						1			1		1	
137. Diseases of the prostate	8	1		1		6			1	5	18	3
138. Diseases of other male genital organs (not specified as venereal)												
139. Diseases of the female genital organs						1				1		
140. Abortion with mention of infection	2										1	1
141. Abortion without mention of infection											1	
142. Ectopic gestation	1			1								
143. Hemorrhage of pregnancy (death before delivery)	1				1						1	
144. Toxemias of pregnancy (death before delivery)												
145. Other diseases and accidents of pregnancy (death before delivery)											1	
146. Hemorrhage of childbirth and the puerperium	2											
147. Infection during childbirth and the puerperium												
148. Puerperal toxemias (excluding death before delivery)											8	1
149. Other accidents and specified conditions of childbirth	2			1		1	1				2	2

BUREAU OF VITAL STATISTICS

259

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued

Hawthorne	Passaic	Paterson	Salem County	Salem City	Somerset County	Bound Brook	North Plainfield	Somerville	Sussex County	Union County	Cranford Twp.	Elizabeth	Hillside Twp.	Linden	Plainfield	Rahway	Roselle	Roselle Park	Summit	Union Twp.	Westfield	Warren County	Phillipsburg
...	1	5	1	...	1	...	...	...	...	11	...	3	...	2	2	2	1	...	...	...	...	1	1
2	10	28	8	1	19	2	1	4	5	73	4	29	3	4	9	4	2	1	3	2	5	17	4
1	6	17	9	8	8	1	2	1	7	52	2	20	2	2	6	1	2	...	5	3	3	2	1
...	1	1	1	...	2	...	...	...	...	3	...	3	...	...	...	...	...	...	...	...	...	2	1
...	...	2	...	...	1	...	...	...	...	2	...	1	...	...	1	...	...	...	...	...	1	1	1
...	2	4	3	2	4	...	...	2	1	6	...	2	...	1	...	...	2	...	...	1	...	...	...
...	...	4	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...	...	5	4	...
...	...	2	...	...	2	...	...	1	...	3	...	1	...	1	...	...	...	1	...	...	1	...	...
...	...	1	...	...	1	...	...	...	...	5	...	...	...	1	2	...	...	...	...	...	2	...	...
2	4	9	1	1	5	...	1	1	4	19	1	7	...	1	5	...	...	3	...	...	5	3	...
...	1	1	...	...	...	...	...	...	1	2	...	...	...	1	...	...	...	...	...	...	1	1	1
...	2	2	1	1	4	...	...	1	...	5	1	3	...	...	...	...	...	...	...	...	3	...	...
...	...	2	3	...	1	...	1	...	1	16	...	7	1	2	1	1	1	...	...	2	1	1	1
...	1	2	2	1	7	1	...	1	6	26	4	9	2	2	4	1	...	1	2	...	6	1	...
...	3	5	19	1	2	2	1	1	9	38	...	12	...	3	7	4	2	...	2	3	2	12	5
...	1	5	5	...	1	...	1	...	2	3	...	2	...	...	3	2	1	...	...	1	1	2	...
...	1	3	...	...	...	...	...	...	...	14	...	4	3	...	3	...	...	...	...	...	...	...	...
...	1	...	1	...	...	...	...	...	...	6	...	3	...	...	...	...	...	1	...	...	...	...	...
...	1	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...
...	2	3	1	...	...	...	...	...	1	5	...	1	...	1	...	...	1	...	...	...	1	3	1
9	24	62	16	6	48	4	6	5	17	146	4	41	10	7	26	11	4	4	12	11	8	29	13
...	3	3	3	...	...	...	...	...	1	8	1	2	...	1	...	...	1	1	...	1	...	...	...
...	3	4	3	...	3	1	2	...	...	2	1	...	...	...	...	...	...	...	...	...	1	...	...
...	1	3	...	...	...	...	...	...	1	5	...	4	...	...	1	...	...	...	...	...	1	...	...
...	1	2	...	...	2	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
...	6	8	5	3	5	...	3	...	4	13	1	3	1	...	4	1	1	...	1	...	1	8	2
...	...	...	1	...	...	...	...	...	...	3	...	...	...	1	...	...	...	...	...	...	...	1	1
...	...	1	...	...	1	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	1	...
...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
...	2	5	1	...	1	...	...	...	...	2	1	...	...	...	1	...	...	...	...	1	...	...	...
...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	State Total	Atlantic County	Atlantic City	Hammoneta	Pleasantville	Bergen County	Bergenfield	Cliffside Park	Englewood	Fairview	Fort Lee	Garfield
150. Other and unspecified conditions of child-birth and the puerperium	5					1						1
151. Carbuncle and furuncle	8					1						
152. Phlegmon and acute abscess	18					3						1
153. Other diseases of the skin and cellular tissue	9					1						
154. Osteomyelitis and periostitis	11	1	1			1						
155. Other diseases of the bones (except tuberculosis)	15					2						
156. Diseases of the joints and other organs of movement	529	22	10	1	3	57	2	3	4		1	3
157. Congenital malformations (stillbirths not included)	23	1	1			2						
158. Congenital debility (cause not stated)	1103	34	19	2	4	91	3	3	3	1		6
159. Premature birth (cause not stated)	211	9	7			17						1
160. Injury at birth	298	9	3	1	2	30	4		1	1	2	
161. Other diseases peculiar to the first year of life	184	11	7			17	2					
162. Senility	223	9	6		1	24	1	1			1	1
163. Suicide by poisoning	343	14	4		2	27	2	1			1	2
164. Suicide by other means	7											
165. Infanticide (homicide of infants under 1 year of age)	29	2				1						
166. Homicide by firearms	34					2						
167. Homicide by cutting or piercing instruments	34					2						
168. Homicide by other means	49	1	1			4						1
169. Railway accidents (except collisions with motor vehicles)	728	23	9	2	1	62	2		1	1		4
170. Motor vehicle accidents	10	1	1			1	1					
171. Street car and other road transport accidents	13					1						
172. Water transport accidents	19											
173. Air transport accidents	8											
174. Accidents in mines and quarries	17	1										
175. Agricultural and forestry accidents	15					1						
176. Other accidents involving machinery	6											
177. Food poisoning	113	6	6			9						
178. Accidental absorption of poisonous gas	34	2	2			1						
179. Acute accidental poisoning by solids or liquids	81	1				5						2
180. Conflagration	88	5	1			8						
181. Accidental burns (except conflagration)	46	1				4						
182. Accidental mechanical suffocation	146	1	1			11	1	1	1			
183. Accidental drowning	31	2	1			2						
184. Accidental injury by firearms	6	1			1							
185. Accidental injury by cutting or piercing instruments	835	28	18		2	76	1	3	5	1	1	1
186-1. Accidental injury by fall	16					2						
186-2. Accidental injury by crushing												
187. Cataclysm	4											
188. Injury by animals	2											
189. Hunger or thirst	4											
190. Excessive cold	2											
191. Excessive heat	1											
192. Lightning	18					2						
193. Accidents due to electric currents (except lightning)	119	3	2			13			1		1	
194. Poisoning by venomous animals	2											
195. Other accidents												
196. Deaths of military personnel during operations of war												
197. Deaths of civilians due to operations of war												
198. Legal executions	1					1						
199. Sudden death	57	6	6			4						
200. Ill-defined and unknown causes												
Totals	46261	1722	938	75	150	4118	119	135	191	59	107	209

BUREAU OF VITAL STATISTICS

261

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued

Hackensack	Lodi	Lyndhurst Twp.	North Arlington	Ridgefield Park	Ridgewood	Rutherford	Tenneck Twp.	Wallington	Burlington County	Burlington	Camden County	Audubon	Camden	Collingswood	Gloucester City	Haddonfield	Pennsauken Twp.	Cape May County	Cumberland County	Bridgeton	Millville	Vineland
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.	.	.
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	3	7	2	.	.	2	2	.	13	2	34	2	18	1	2	.	1	7	10	3	5	.
9	4	3	2	.	.	1	9	1	2	5	71	1	31	3	3	1	4	1	33	11	5	4
1	.	1	2	.	1	1	1	.	2	.	7	.	1	.	.	1	.	.	4	2	.	1
2	3	.	.	.	1	.	2	1	11	.	12	1	6	1	1	.	1	1	6	2	1	.
6	.	.	.	.	1	1	1	.	4	.	5	.	4	.	.	.	.	4	5	1	1	.
2	.	.	1	1	1	1	1	.	2	.	13	.	4	1	1	2	1	3	8	5	.	.
1	.	.	.	.	.	.	.	1	7	.	24	1	12	1	.	.	.	3	9	.	.	1
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.	2	.	.	1
.	.	.	.	.	.	.	.	.	4	.	4	.	1	.	1	.	1	1	.	.	.	.
7	.	2	2	3	2	2	2	2	1	3	55	1	23	5	3	3	3	8	16	3	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	.	1	.	.	.	.
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.
.	.	.	.	1	.	.	.	.	2	.	3	.	1	1	.	1	3	.	1	1	.	.
.	1	.	.	.	.	1	.	.	4	1	1	.	1	.	1	.	.	4	1	1	1	.
.	.	1	.	.	2	.	.	.	1	.	4	.	4	.	.	.	.	2	4	.	.	.
1	.	.	.	.	.	.	1	.	7	.	11	.	7	1	1	.	1	1	1	1	1	.
.	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1	1	3	1	.	.
5	.	3	1	.	2	6	7	1	10	.	57	5	26	5	.	5	4	6	16	9	4	1
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
1	.	3	.	.	1	.	1	.	1	.	10	.	6	1	.	.	.	4	3	.	.	2
.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.
327	83	169	88	106	166	181	226	63	1154	134	2914	116	1278	194	157	143	168	474	913	250	205	83

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE

	Essex County	Belleville	Bloomfield	East Orange	Irvington	Maplewood Twp.	Millburn Twp.	Montclair	Newark	Nutley	Orange	South Orange	West Orange	Gloucester County
150. Other and unspecified conditions of child-birth and the puerperium														
151. Carbuncle and furuncle														
152. Phlegmon and acute abscess	2								2					2
153. Other diseases of the skin and cellular tissue	4			2					1		1			
154. Osteomyelitis and perlostitis	3								2				1	
155. Other diseases of the bones (except tuberculosis)	3		1	1					1					1
156. Diseases of the joints and other organs of movement	3								2		1			
157. Congenital malformations (stillbirths not included)	92	1	2	6	10	2		8	48	4	3	1	3	15
158. Congenital debility (cause not stated)	5			2				3						
159. Premature birth (cause not stated)	235	8	10	17	4	1		5	160	3	11	2	7	19
160. Injury at birth	44		2	4	2	2	2	6	18	2	3	1	1	4
161. Other diseases peculiar to the first year of life	60	2	1	4	3	2	1	2	39	4	1			1
162. Senility	29	2	1	1	3	1		15		3	1			4
163. Suicide by poisoning	49	4	5	2	5	3	3	4	18	2	1			3
164. Suicide by other means	54		2	5	5	1		6	25	2	1	4	1	5
165. Infanticide (homicide of infants under 1 year of age)	1								1					
166. Homicide by firearms	6		1						4				1	2
167. Homicide by cutting or piercing instruments	18								16	1	1			
168. Homicide by other means	9							1	8					1
169. Railway accidents (except collisions with motor vehicles)	4		1						3					1
170. Motor vehicle accidents	112	5	6	2	2	2		3	77	2	3	3	3	23
171. Street car and other road transport accidents	2								2					
172. Water transport accidents														
173. Air transport accidents	2			1										
174. Accidents in mines and quarries														3
175. Agricultural and forestry accidents														
176. Other accidents involving machinery	4								4					
177. Food poisoning	1							1						1
178. Accidental absorption of poisonous gas	22					1		1	18		1		1	2
179. Acute accidental poisoning by solids or liquids	7		1						6					1
180. Conflagration	14							1	12					1
181. Accidental burns (except conflagration)	12	1		1					8	1				4
182. Accidental mechanical suffocation	8	1							7					1
183. Accidental drowning	18				1			2	13	1	1			5
184. Accidental injury by firearms	3			1				1	1					
185. Accidental injury by cutting or piercing instruments														
186-1. Accidental injury by fall	209	4	9	17	6	3	1	15	124	2	10	1	8	18
186-2. Accidental injury by crushing	2								2					1
187. Cataclysm														
188. Injury by animals														
189. Hunger or thirst														
190. Excessive cold	1								1					1
191. Excessive heat														
192. Lightning														
193. Accidents due to electric currents (except lightning)	1								1					
194. Poisoning by venomous animals														
195. Other accidents	17	1	1	2	2		1		9					4
196. Deaths of military personnel during operations of war														
197. Deaths of civilians due to operations of war														
198. Legal executions														
199. Sudden death														
200. Ill-defined and unknown causes	9	2							7					
Totals	9296	246	437	883	535	213	95	485	4983	217	388	163	267	817

BUREAU OF VITAL STATISTICS

263

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued

Woodbury	Hudson County	Bayonne	Guttenberg	Harrison	Hoboken	Jersey City	Kearny	North Bergen Twp.	Secaucus	Union City	Weehawken Twp.	West New York	Hunterdon County	Mercer County	Princeton	Trenton	Middlesex County	Carteret	Highland Park	New Brunswick	Perth Amboy	Sayreville	South Amboy	South River	Woodbridge Twp.
1														1	1	1									
2						1	1							1	1	1				1					
3		1					1				1		1												
2	1					1								2	2	2		1				1			
3	70	9			6	26	4	6	2	10	1	6	4	45	2	25	23	2	1	3	3	1	3		1
2					1				1					1	1	1	2						1		
4	198	23	3	5	21	90	12	10	4	12	1	17	5	53	1	37	48	2	4	7	5	4	1	2	10
37	9	1		2	15	3	3			2		2	3	8		4	10	1		3	1		1		1
48	8				9	22	2	2		3		2	1	23		13	18	1	2	3	3	1			2
1	10	1	1	1	1	2	2	1		1		1	6	8		6	8								
1	21				14	2	2			4	1		1	8		6	15		1	1	3		2	1	2
1	51	2	1		8	21	3	2	1	6	1	6	6	21		12	15	2	1	2	2		1		2
1								1						1	1		1								
5	2				2								2	2	2	2									
5	1				4									2	2	2									
8					1	5	1	1	1					4		3	3								1
2	70	15	1		2	26	7	11	1	4	1	2	12	47	1	28	37	1		9	3			2	7
2	1					1								1		1				1					
1					1									2	2	1									
1						1								2	2	1	3								
1					1									2	2	1									
12					7		2		1	1	1	1	2	2	2	2	7			3	2				
6	1				1	1	1	1			1			1			4			3					2
13						9		3			1			8		1	4								
23	2				3	13	2		1	1	1	1		4	2	2	6			2			1		
5					3							2	1	3	2	1	5			1					
31	2	1			3	22		2	1					2	9	8	9	1		2	1		1	1	2
													1				4						1	1	2
1	131	16	3	1	16	64	7	5	2	6	6	5	10	88	2	23	34	4		8	6	2	1	1	5
5					2		1			1	1														
													1		1	1									
	5	1				4								2		2	1					1			
1	14	1			2	9		1		1				6		5	9		1	4	3				1
														1		1	1	1							
																	6	1		1					
	5				2	2				1				1						1					
104	7034	700	74	122	643	3418	397	402	75	624	178	371	416	2223	78	1413	2141	99	81	380	373	69	90	89	254

DEPARTMENT OF HEALTH

TABLE 20—DEATHS FROM EACH CAUSE, DETAILED INTERNATIONAL LIST, IN THE
(COUNTY FIGURES INCLUDE)

	Monmouth County	Asbury Park	Long Branch	Neptune Twp.	Red Bank	Morris County	Dover	Madison	Morristown	Ocean County	Passaic County	Clifton
150. Other and unspecified conditions of child birth and the puerperium						1						
151. Carbuncle and furuncle												
152. Phlegmon and acute abscess												
153. Other diseases of the skin and cellular tissue						1				1	3	
154. Osteomyelitis and periostitis	1	1										
155. Other diseases of the bones (except tuberculosis)												
156. Diseases of the joints and other organs of movement	1	1									1	
157. Congenital malformations (stillbirths not included)	23	3	2	1	2	11		2		3	24	7
158. Congenital debility (cause not stated)						1					3	
159. Premature birth (cause not stated)	40	3	6	2	5	26	1	1	4	12	63	15
160. Injury at birth	8			1	1	2		1		3	24	6
161. Other diseases peculiar to the first year of life	12		2	1	1	8		2	2	4	19	2
162. Senility	29	5	3	2	1	6			2	2	10	2
163. Suicide by poisoning	9	1	1	1	1	3				2	22	4
164. Suicide by other means	16	1	1	2		16	1		2	7	21	2
165. Infanticide (homicide of infants under 1 year of age)						1				1		
166. Homicide by firearms	3										1	
167. Homicide by cutting or piercing instruments	2					1					2	
168. Homicide by other means	3					2			2		3	
169. Railway accidents (except collisions with motor vehicles)	4	1	1			1					4	1
170. Motor vehicle accidents	49	5	2	5	2	24	2		5	18	45	6
171. Street car and other road transport accidents	1			1								
172. Water transport accidents	1	1									3	
173. Air transport accidents						3	1			1		
174. Accidents in mines and quarries						3						
175. Agricultural and forestry accidents	3											
176. Other accidents involving machinery	2				1	1			1	1	1	
177. Food poisoning						1					1	
178. Accidental absorption of poisonous gas	7	1	1	2		2				2	9	
179. Acute accidental poisoning by solids or liquids	4	1									1	
180. Conflagration	1					4		2	2	1	6	
181. Accidental burns (except conflagration)						2					4	
182. Accidental mechanical suffocation	4					4		2		2		
183. Accidental drowning	6				1	6	1		2	3	6	
184. Accidental injury by firearms	1					2				1		
185. Accidental injury by cutting or piercing instruments	1										2	
186-1. Accidental injury by fall	39	2	3	4	4	21	1	3	2	11	56	8
186-2. Accidental injury by crushing						1	1				1	
187. Cataclysm												
188. Injury by animals												
189. Hunger or thirst												
190. Excessive cold	1											
191. Excessive heat	1											
192. Lightning						1						
193. Accidents due to electric currents (except lightning)	1										1	
194. Poisoning by venomous animals												
195. Other accidents	9	1		1	1	4	1			3	7	1
196. Deaths of military personnel during operations of war												
197. Deaths of civilians due to operations of war												
198. Legal executions												
199. Sudden death												
200. Ill-defined and unknown causes	5	1				2			2		1	
Totals	2296	249	232	204	163	1376	119	93	220	578	3221	478

BUREAU OF VITAL STATISTICS

265

COUNTIES OF NEW JERSEY AND SELECTED MUNICIPALITIES AND TOWNSHIPS
PLACES WHICH FOLLOW): 1946—Continued[illegible]

**Abridged International
List Number**

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1722	777	682	138	125	87	102	5	3	18	36	59	62	105	282	385	408	221	36	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria	3	2	1				1			1		1								
6	Tuberculosis of the respiratory system	48	11	16	12	9					4	10	8	4	8	8	3		3		
7	All other forms of tuberculosis	6	1	1	3			2			1	1	1	1							
8	Malaria																				
9	Syphilis	10	3	4	3								2	2	2		2	1	1		
10	Influenza	6	1	2	1	2	1	1							1	1	1	2			
11	Smallpox																				
12	Measles																				
13	Typhus fever			2											1	2					
14	Other infectious or parasitic diseases	6	4					1	1	1								1			
15	Cancer and other malignant tumors	243	102	116	11	14	1	2				3	5	13	18	49	71	61	20	1	
16	Nonmalignant tumors or tumors of unspecified nature	6	1	4		1									2	1	2	1			
17	Chronic rheumatism and gout	1		1																	
18	Diabetes mellitus	52	17	32	1	2									1	6	22	17	5	1	
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	16	7	6	1	2	1	2					3	3	1	2	1	3	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	7	2	4	1			1								1	1	1	1	1	
22	Intracranial lesions of vascular origin	169	65	73	19	12						1	4	5	7	27	46	47	26	6	

Rate per 1,000 population, 16.0.

TABULATION OF DEATHS IN ATLANTIC CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	938	370	349	116	103	44	51	3	2	8	13	38	34	73	181	226	193	101	15	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	31	4	7	12	8					4	4	7	1	7	6	2				
7	All other forms of tuberculosis	4			1	3		2			1		1								
8	Malaria																				
9	Syphilis	3	1	1	1										1		1		1		
10	Influenza	5	1	1	1	2	1	1							1	1	1	1			
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases																				
15	Cancer and other malignant tumors	138	45	69	11	13		1				1	5	7	13	35	39	28	8	1	
16	Nonmalignant tumors or tumors of unspecified nature	2		1		1									2						
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	27	11	14		2									1	4	12	8	1	1	
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	7	2	4		1							1	2	1	2		1			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	1		1											1						
22	Intracranial lesions of vascular origin	95	33	36	15	11							2	3	7	20	26	22	12	3	

269

Rate per 1,000 Population, 14.6.

TABULATION OF DEATHS IN BERGEN COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods															
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown	
	ALL CAUSES	4118	2088	1923	54	53	227	265	11	10	26	76	145	138	180	660	961	1038	523	85		
1	Typhoid and paratyphoid fevers	2	1		1								1	1								
2	Plague																					
3	Scarlet fever																					
4	Whooping cough	2		1		1	1	1	1													
5	Diphtheria																					
6	Tuberculosis of the respiratory system	105	63	26	8	8		1			2	14	14	5	11	23	18	14	3			
7	All other forms of tuberculosis	11	5	6				4			1	2	2				1	1				
8	Malaria	1	1																			
9	Syphilis	19	12	3	3	1	1	1	1				1		1	7	5	4				
10	Influenza	4	3	1			1	1								2		1				
11	Smallpox																					
12	Measles	1	1																			
13	Typhus fever																					
14	Other infectious or parasitic diseases	24	9	15			1	2			1	3	3	3		2	6	2	1			
15	Cancer and other malignant tumors	714	356	347	3	8	1	3					2	22	28	47	142	204	201	60	5	
16	Nonmalignant tumors or tumors of unspecified nature	19	8	10		1		1			1	2	1	4	2	4	3		1			
17	Chronic rheumatism and gout	3	2	1																		
18	Diabetes mellitus	145	45	99		1							2		8	2	21	51	44	15	2	
19	Chronic or acute alcoholism	3	1	1	1										1		1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	55	25	30			3	4	3	1		4	2	3	4	10	11	8	5			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	16	7	7	1	1	2	3					2	2	1	6	2					
22	Intracranial lesions of vascular origin	351	127	212	6	6						1	6	6	9	49	92	108	71	9		

Rate per 1,000 Population, 9.8.

TABULATION OF DEATHS IN BURLINGTON COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1154	560	509	42	43	74	87	8	3	13	35	28	25	44	147	246	297	177	44	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	3	1	1	1		2	3													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	25	15	8	2						1	3	1	4	3	5	5	2	1		
7	All other forms of tuberculosis	1		1				1													
8	Malaria																				
9	Syphilis	9	2		4	3					1				2	3	1	2			
10	Influenza	4	1	3				1										3			
11	Smallpox																				
12	Measles	1	1						1												
13	Typhus fever	1	1					1													
14	Other infectious or parasitic diseases	4	1	3			1	1			1	2									
15	Cancer and other malignant tumors	177	79	88	4	6						5	2	6	10	33	46	51	22	2	
16	Nonmalignant tumors or tumors of unspecified nature	5	3	2								1	1	1			1	1			
17	Chronic rheumatism and gout	1		1									1				1				
18	Diabetes mellitus	38	7	29		2									2	5	15	13		3	
19	Chronic or acute alcoholism	2	2												1	1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	15	6	9			1	3	2				1			4	3	1		1	
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	2	1			1	1	1			1										
22	Intracranial lesions of vascular origin	108	44	53	5	6	1	12					1	4	3	10	31	33	23	1	

Rate per 1,000 Population, 12.8.

DEPARTMENT OF HEALTH

DEPARTMENT OF HEALTH

23	Other diseases of the nervous system and sense organs	20	11	7	1	1	1	2	2	3	1	1	1	1	2	3	1	3	
24	Diseases of the heart	1006	537	397	37	35			2	3	5	17	28	40	174	262	276	176	23
25	Other diseases of the circulatory system	509	27	29	1	2					1		1		8	8	20	16	5
26	Bronchitis	5	2	2		1		2					1		1		2		
27	Pneumonia and bronchopneumonia	102	34	44	14	10	16	20	1	1	4	4	5	6	16	13	22	6	4
28	Other diseases of the respiratory system	32	15	13	2	2	1	2			1	2	2	2	8	6	5	1	3
29	Diarrhea and enteritis	10	6	2	2		4	6							1	1	2	1	
30	Appendicitis	12	8	3	1		2	2		1	1	2	1		3	1	1		
31	Diseases of the liver and biliary passages	36	21	14		1				1	1	2	6	6	6	4	10	1	
32	Other diseases of the digestive system	55	33	16	4	2	2	5	4	1	3	1	5	3	7	12	11	2	1
33	Nephritis	235	107	100	18	10				1	4	2	6	9	30	50	78	49	6
34	Other diseases of the urinary and genital systems	16	11	4	1						1		1		7	6	1		
35	Puerperal infection	2		2															
36	Other diseases of pregnancy, childbirth, and the puerperium	8		7		1				1	3	4							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	2	2						1						1				
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	124	61	46	11	6	123	124										3	2
39	Senility, old age	5		5						1	2	4	2	4	14	5	4		1
40	Suicide	37	25	11		1				1	1	2		2	2		1		
41	Homicide	9	6	2	1		1	1			1	2							
42	Automobile accidents (all motor-driven road vehicles)	55	36	15	2	2		2	4	4	2	3	1	5	15	7	6	6	
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	110	60	42	6	2	3	8	3	5	3	7	6	5	4	11	8	25	23
44	Causes of death ill-defined, unknown, or unspecified	4	2	2		1	1								1	1		1	

Estimated Population, 254,085.

Total Resident Deaths, 2,914.

Rate per 1,000 Population, 11.5.

TABULATION OF DEATHS IN CAMDEN CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1278	594	510	101	73	75	92	10	12	15	30	49	57	66	214	310	285	125	13	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	2		2			2	2													
5	Diphtheria	1		1				1													
6	Tuberculosis of the respiratory system	42	20	11	7	4				2	3	4	7	5	4	7	7	3			
7	All other forms of tuberculosis	2	1		1			1								1					
8	Malaria																				
9	Syphilis	7	3	2	2										1	5	1				
10	Influenza	5	3	1	1				1							2		2			
11	Smallpox																				
12	Measles	2	1		1			1	1												
13	Typhus fever																				
14	Other infectious or parasitic diseases	7	3	1	2	1		1		1	2		1	1	1						
15	Cancer and other malignant tumors	200	83	101	6	10					2	1	3	8	10	14	31	78	42	11	
16	Nonmalignant tumors or tumors of unspecified nature	9	4	5									1	1	2	1	2	2			
17	Chronic rheumatism and gout	1		1															1		
18	Diabetes mellitus	40	12	25	2	1				1		1			1	10	11	13		3	
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	14	5	7		2	1	1	1	1		2	3		1	1	1	2	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	5	5					2													
22	Intracranial lesions of vascular origin	102	33	54	8	7	1	1			1	1	2	3	2	18	33	30	11		

277

Rate per 1,000 Population, 10.9.

TABULATION OF DEATHS IN CAPE MAY COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	474	226	198	22	28	21	27	4	2	2	7	11	10	15	74	102	140	65	15	...
1	Typhoid and paratyphoid fevers	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	Plague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	Scarlet fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	Whooping cough	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5	Diphtheria	1	1	...	...	...	...	...	1	...	...	...	...	...	...	4	3	1	...	...	...
6	Tuberculosis of the respiratory system	10	5	2	2	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
7	All other forms of tuberculosis	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
8	Malaria	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...
9	Syphilis	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10	Influenza	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11	Smallpox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12	Measles	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
13	Typhus fever	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...
14	Other infectious or parasitic diseases	3	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15	Cancer and other malignant tumors	81	34	36	3	8	...	...	...	...	...	...	...	...	6	13	30	27	3	2	...
16	Nonmalignant tumors or tumors of unspecified nature	4	2	1	...	1	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...
17	Chronic rheumatism and gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18	Diabetes mellitus	14	1	11	1	1	...	...	...	...	...	...	...	...	...	4	4	4	1	...	...
19	Chronic or acute alcoholism	4	1	2	1	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	4	2	1	...	1	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
22	Intracranial lesions of vascular origin	44	16	20	3	5	...	...	...	...	...	...	...	...	1	6	13	14	9	1	...

279

Rate per 1,000 Population, 16.9.

TABULATION OF DEATHS IN CUMBERLAND COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	913	465	360	48	40	71	77	1		4	17	34	24	38	127	171	235	163	22	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever	1		1								1									
4	Whooping cough	2			2		2	2													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	18	8	5	3	2					1	2	6	2	2	3	2				
7	All other forms of tuberculosis	1	1																		
8	Malaria																				
9	Syphilis	7	3	3		1							1	1	1	2	1	1			
10	Influenza	2	1		1											2					
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	4	1	1	2			1				1	1			1					
15	Cancer and other malignant tumors	120	56	52	5	7		1	1			2	4	2	9	29	28	35	10		
16	Nonmalignant tumors or tumors of unspecified nature	7	1	4		2							1		2	4					
17	Chronic rheumatism and gout	1	1																		
18	Diabetes mellitus	18	5	12	1								1			5	4	8			
19	Chronic or acute alcoholism	2	1			1							1		1						
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	6	1	4	1								1			1	4				
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	3	2			1	1	1									1				
22	Intracranial lesions of vascular origin	126	60	60	3	3						1		2	3	6	27	40	41	6	

281

Rate per 1,000 Population, 12.4.

TABULATION OF DEATHS IN ESSEX COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	9296	4413	3882	514	487	518	597	46	34	73	236	436	335	524	1592	2136	2011	1127	149	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	2		1		1	2	2													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	368	165	59	85	59	1	2	3	2	16	59	83	38	37	76	40	9	3		
7	All other forms of tuberculosis	39	10	11	8	10	2	7	3	2	4	4	11	1	1	4	1	1			
8	Malaria																				
9	Syphilis	64	35	10	10	9	1	1			1	4	2	7	11	22	9	4	3		
10	Influenza	13	7	5		1	4	7			1	1					1		3		
11	Smallpox																				
12	Measles	3	2	1				1	2												
13	Typhus fever																				
14	Other infectious or parasitic diseases	60	34	19	5	2	1	8	2	2	2	10	9	3	5	8	6	5			
15	Cancer and other malignant tumors	1500	679	720	39	62		2	6	2	2	15	54	64	103	361	410	353	121	7	
16	Nonmalignant tumors or tumors of unspecified nature	56	18	34		4	2	2	2		1	2	5	4	10	15	4	10		1	
17	Chronic rheumatism and gout	9	4	4	1								1				3	4	1		
18	Diabetes mellitus	290	77	202	4	7				2		3	5	3	7	52	110	80	27	1	
19	Chronic or acute alcoholism	12	7	3	1	1						1	5	1		2	3				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	116	51	55	4	6	4	13	4	2	7	2	10	5	7	19	19	17	11		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	30	12	15	2	1						1	3	3	3	10	5	4	1		
22	Intracranial lesions of vascular origin	722	317	328	35	42			2			6	16	24	28	111	197	217	106	15	

23	Other diseases of the nervous system and sense organs	65	34	20	5	6	2	6	4	2	3	9	3	5	8	10	5	8	2		
24	Diseases of the heart	3349	1704	1378	116	151		1	5	4	5	32	76	85	165	578	909	869	538	82	
25	Other diseases of the circulatory system	217	90	110	10	7		1	1		1		5	4	4	14	35	64	75	13	
26	Bronchitis	19	10	7	1	1		2				2	1	1		1	4	6	2		
27	Pneumonia and bronchopneumonia	260	125	100	24	11	41	50	2	2	3	8	13	10	14	35	43	47	28	5	
28	Other diseases of the respiratory system	60	35	20	2	3					1	2	4	2	8	16	11	9	7		
29	Diarrhea and enteritis	21	11	8	2		11	13				1	1	2		1	2		1		
30	Appendicitis	37	21	12	2	2		2	2	2	2	3	3	1	5	7	5	5			
31	Diseases of the liver and biliary passages	154	74	71	6	3		1			2	1	10	7	12	35	48	31	6	1	
32	Other diseases of the digestive system	154	90	49	9	6	3	6	1	2	1	3	16	9	15	39	29	21	12		
33	Nephritis	512	220	233	33	26		2			3	10	23	21	37	83	114	129	78	12	
34	Other diseases of the urinary and genital systems	80	47	23	5	5	1	1				3	8	3	3	9	17	23	13		
35	Puerperal infection	7		6		1						1	6								
36	Other diseases of pregnancy, childbirth, and the puerperium	12		8		4						5	6	1							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	15	5	7	1	2		1			2	2	1		2	2	1	1	3		
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	436	222	140	42	32	427	432		1	1		1	1			2	4	17	6	
39	Senility, old age	29	6	23																	
40	Suicide	103	61	34	5	3					2	13	15	6	14	20	22	9	2		
41	Homicide	34	7	5	16	6	1	1			3	9	9	4	5	2	1				
42	Automobile accidents (all motor-driven road vehicles)	112	73	23	14	2		8	3	4	6	14	11	8	6	18	15	12	7		
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	327	153	137	26	11	14	25	3	5	4	10	20	12	14	42	57	69	60	6	
44	Causes of death ill-defined, unknown, or unspecified	9	7	1	1		1	1									8				

Estimated Population, 824,845.

Total Resident Deaths, 9,296.

Rate per 1,000 Population, 11.3.

TABULATION OF DEATHS IN EAST ORANGE CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	883	376	421	33	53	35	39	1	1	5	11	25	20	26	124	213	234	169	15	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	26	11	4	6	5					2	5		2	1	9	5	1	1		
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	5	4		1											4		1			
10	Influenza	3	2	1				1			1						1				
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	2		2													1	1			
15	Cancer and other malignant tumors	147	64	70	4	9			1			1	6	4	6	30	39	41	18	1	
16	Nonmalignant tumors or tumors of unspecified nature	8	2	6			1	1								2	2	3			
17	Chronic rheumatism and gout	1		1																	
18	Diabetes mellitus	31	8	22		1										1	11	9	10		
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	9	5	4				1								3	3	1	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	2		1	1											1	1				
22	Intracranial lesions of vascular origin	87	35	47	1	4							2	1	2	16	20	31	15		

285

Rate per 1,000 Population, 12.8.

TABULATION OF DEATHS IN IRVINGTON FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	535	291	242	1	1	23	28	3	3	1	11	19	19	25	93	134	130	60	8	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	9	6	3								1	4		1		2	1			
7	All other forms of tuberculosis	2	1	1			1	1							1						
8	Malaria																				
9	Syphilis	4	4												2	1		1			
10	Influenza	1	1				1	1													
11	Smallpox																				
12	Measles	1		1					1												
13	Typhus fever																				
14	Other infectious or parasitic diseases	4	2	2												2	2				
15	Cancer and other malignant tumors	97	45	51	1							2	4	8	5	25	19	25	8	1	
16	Nonmalignant tumors or tumors of unspecified nature	5	1	4								1		1		1		2			
17	Chronic rheumatism and gout	2		2													1	1			
18	Diabetes mellitus	22	7	15									1			3	12	4	2		
19	Chronic or acute alcoholism	1		1			1									1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	5	1	4									2			1	1	1			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	2	2											1				1			
22	Intracranial lesions of vascular origin	45	25	20									2		1	8	12	18	4		

Rate per 1,000 Population, 9.7.

TABULATION OF DEATHS IN NEWARK FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	4983	2403	1839	398	343	323	362	29	18	48	159	276	213	312	900	1169	966	473	58	...
1	Typhoid and paratyphoid fevers	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	Plague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	Scarlet fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4	Whooping cough	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
5	Diphtheria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6	Tuberculosis of the respiratory system	274	116	38	69	51	1	2	3	2	14	47	60	28	28	56	26	6	2	...	...
7	All other forms of tuberculosis	29	6	7	8	8	1	3	1	1	3	4	11	1	...	3	1	1	...	...	...
8	Malaria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9	Syphilis	42	21	7	7	7	1	1	...	...	1	2	1	5	7	12	8	2	3	...	...
10	Influenza	4	2	1	...	1	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...
11	Smallpox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12	Measles	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13	Typhus fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	Other infectious or parasitic diseases	31	18	7	4	2	...	6	2	1	1	6	5	3	1	3	2	1	...	...	...
15	Cancer and other malignant tumors	750	355	329	26	40	...	2	2	1	2	7	30	37	54	175	232	164	40	4	...
16	Nonmalignant tumors or tumors of unspecified nature	25	8	15	...	2	1	1	1	...	1	...	...	3	8	8	1	1	...	...	...
17	Chronic rheumatism and gout	3	2	...	1	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...
18	Diabetes mellitus	162	36	118	2	6	...	...	...	1	...	1	3	3	5	35	60	47	6	1	...
19	Chronic or acute alcoholism	10	6	2	1	1	...	...	...	...	...	1	5	...	2	2	...	...	...	...	...
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	64	29	27	4	4	1	5	3	...	5	2	5	4	5	10	10	9	6	...	...
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	18	7	9	1	1	...	...	...	...	...	1	2	1	3	5	3	2	1	...	...
22	Intracranial lesions of vascular origin	350	165	131	29	25	...	...	1	...	...	6	7	18	15	64	88	101	42	8	...

23	Other diseases of the nervous system and sense organs	34	14	12	3	5	1	1	2	1	2	7	1	3	6	6	2	2	1	
24	Diseases of the heart	1724	902	645	85	92			4	4	2	19	39	47	103	322	511	420	224	29
25	Other diseases of the circulatory system	116	52	50	9	5			1				3	1	2	9	21	32	42	5
26	Bronchitis	10	7	2		1		2				2	1			1	1	3		
27	Pneumonia and bronchopneumonia	135	67	42	18	8	25	31	2	1	1	7	10	8	7	23	21	13	10	1
28	Other diseases of the respiratory system	39	26	9	2	2				1	1	2	4	1	6	12	7	4	2	
29	Diarrhea and enteritis	12	7	4	1		7	8						2	2		1			
30	Appendicitis	19	10	6	2	1		1				1	3	1	2	3	6	5		
31	Diseases of the liver and biliary passages	91	46	37	5	3		1				1	7	4	8	24	26	15	3	1
32	Other diseases of the digestive system	67	32	23	8	4	3	4	1			1	9	4	7	15	12	8	6	
33	Nephritis	257	111	105	25	16		2			1	6	19	13	23	50	54	52	32	5
34	Other diseases of the urinary and genital systems	43	26	9	4	4	1	1				1	5	2	2	4	7	14	7	
35	Puerperal infection	6		5		1						1	5							
36	Other diseases of pregnancy, childbirth, and the puerperium	9		5		4						3	5	1						
37	Diseases of the skin, cellular tissue, bones, and organs of movement	8	3	4		1					2	1			1	2		1	1	
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	268	129	76	34	29	265	266		1			1							
39	Senility, old age	15	4	11													1	3	10	1
40	Suicide	43	32	8	2	1					1	7	7	3	4	7	11	3		
41	Homicide	29	6	3	14	6	1	1			2	7	8	4	4	2	1			
42	Automobile accidents (all motor-driven road vehicles)	77	49	13	14	1		4	3	1	5	9	9	8	2	14	10	8	4	
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	211	103	78	20	10	11	16	3	4	2	7	10	8	9	33	39	48	29	3
44	Causes of death ill-defined, unknown, or unspecified	7	6	1													7			

1940 Census Population, 429,760.

Total Resident Deaths, 4,983.

Rate per 1,000 Population, 11.6.

TABULATION OF DEATHS IN GLOUCESTER COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	817	413	316	42	46	52	60	8	6	7	22	28	20	43	114	169	199	118	23	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria	1	1					1													
6	Tuberculosis of the respiratory system	19	5	7	3	4						4	5	1	1	3	2	3			
7	All other forms of tuberculosis	1				1											1				
8	Malaria	1	1																1		
9	Syphilis	4	2	1		1	1	1					1		1		1				
10	Influenza	3		1	1	1	1	1				1						1			
11	Smallpox																				
12	Measles																				
13	Typhus fever	2	2																		
14	Other infectious or parasitic diseases	2	2								1					1					
15	Cancer and other malignant tumors	115	57	51	1	6		1					3	1	12	23	27	34	14		
16	Nonmalignant tumors or tumors of unspecified nature	2	2						1							1					
17	Chronic rheumatism and gout	1		1															1		
18	Diabetes mellitus	27	10	16	1				1			1		1	1	8	12	3			
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	9	6	3			1	2					1			3	2	1			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	1				1						1									
22	Intracranial lesions of vascular origin	81	34	42	3	2							1		6	5	24	28	15	2	

Rate per 1,000 Population, 10.9.

TABULATION OF DEATHS IN HUDSON COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods															
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown	
	ALL CAUSES	7034	3834	2950	123	127	424	490	29	37	41	152	320	278	396	1387	1707	1467	646	84	...	
1	Typhoid and paratyphoid fevers																					
2	Plague																					
3	Scarlet fever																					
4	Whooping cough	3	2	1		1												1				
5	Diphtheria	2		2			1															
6	Tuberculosis of the respiratory system	306	193	86	16	11			1		5	34	67	37	30	69	44	15	3			
7	All other forms of tuberculosis	16	6	7	2	1	1	4		1		3	1	1		2	3	1				
8	Malaria																					
9	Syphilis	34	24	4	4	2	1	1			1			1	2	15	12	2				
10	Influenza	8	3	5			1	1	1							2		3	1			
11	Smallpox																					
12	Measles	4	1	3			1	2		1			1									
13	Typhus fever																					
14	Other infectious or parasitic diseases	30	21	6		3		3		3		3	6	3	3	5	3	1				
15	Cancer and other malignant tumors	1161	614	515	11	21		2	2	4	5	10	42	48	87	291	335	267	63	5		
16	Nonmalignant tumors or tumors of unspecified nature	25	13	12				1				1	4	4	2	4	5	3	1			
17	Chronic rheumatism and gout	4	2	2													2	1	1			
18	Diabetes mellitus	213	62	148	1	2			1		3	2	3	1	7	45	83	53	13	2		
19	Chronic or acute alcoholism	8	5	2		1						1	3	1		2	1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	76	28	48			2	5	3	1	1	6	9	6	9	12	13	9	2			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	21	12	8	1		3	6	1				2	1	2	5	3	1				
22	Intracranial lesions of vascular origin	532	238	278	8	8	2	2		1		5	8	18	26	104	148	153	62	5		

23	Other diseases of the nervous system and sense organs	43	21	21		1	2	2		2	3	5	9	1	8	6	4	2		1	
24	Diseases of the heart	2676	1496	1110	33	37		1	1	3	3	24	76	77	124	541	736	703	339	48	
25	Other diseases of the circulatory system	106	53	49	2	2					1	2	2	4	3	16	19	33	20	6	
26	Bronchitis	15	2	1	1	1	2	3				1	1	1	2	6		1			
27	Pneumonia and bronchopneumonia	230	133	83	5	9	42	56	3	1	3	5	7	11	11	36	34	27	32	4	
28	Other diseases of the respiratory system	35	20	15						1	1	3	2	2	11	8	3	4			
29	Diarrhea and enteritis	22	9	11	1	1	10	14	1			1	2		2	1	1				
30	Appendicitis	33	23	10				1	3	1	1	1		4	3	5	11	2	1		
31	Diseases of the liver and biliary passages	149	76	71		2		1		1		2	7	12	16	36	46	22	5	1	
32	Other diseases of the digestive system	126	76	48	1	1	3	6		1		4	7	5	13	40	29	15	4	2	
33	Nephritis	296	135	149	4	8	1	3	1	3	2	8	11	15	18	41	71	75	43	5	
34	Other diseases of the urinary and genital systems	57	43	12	1	1		1	1			1		3	1	13	13	16	7	1	
35	Puerperal infection	6		6								1	5								
36	Other diseases of pregnancy, childbirth, and the puerperium	8		7		1						4	4								
37	Diseases of the skin, cellular tissue, bones, and organs of movement	7	1	6								1	1			1	2	1	1		
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	355	215	115	16	9	343	351	1	2	1										
39	Senility, old age	10	2	8														1	8	1	
40	Suicide	72	56	14	1	1					2	2	10	3	10	19	17	5	4		
41	Homicide	11	4	3	4						1	3	5	1		1					
42	Automobile accidents (all motor-driven road vehicles)	70	54	14	1	1		2	5	2	2	8	4	2	6	16	13	9	1		
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	259	177	69	10	3	8	18	4	8	6	15	21	14	11	45	44	41	29	3	
44	Causes of death ill-defined, unknown, or unspecified	5	4	1		1	1								1		1	1	1		

Estimated Population, 597,092.

Total Resident Deaths, 7,034.

Rate per 1,000 Population, 11.8.

TABULATION OF DEATHS IN BAYONNE FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	700	383	304	5	8	58	67	4	6	4	21	37	28	43	153	160	124	46	7	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	25	15	10								5	5	2	1	7	4		1		
7	All other forms of tuberculosis	3	2	1				1								2					
8	Malaria																				
9	Syphilis	1	1													1					
10	Influenza	2		2				1	1	1											
11	Smallpox																				
12	Measles	2	1	1																	
13	Typhus fever																				
14	Other infectious or parasitic diseases	1	1														1				
15	Cancer and other malignant tumors	128	64	60		4		1	1	1		3	6	5	5	45	30	27	4		
16	Nonmalignant tumors or tumors of unspecified nature	2	1	1					1					1							
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	25	6	19								1	1				9	9	5		
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	10	3	7				1		1		1	2		1	2	1		1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	4	2	2			1	2	1								1				
22	Intracranial lesions of vascular origin	48	23	25								1		4	3	8	8	15	8	1	

295

Rate per 1,000 Population, 8.8.

TABULATION OF DEATHS IN HOBOKEN FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	643	401	239	1	2	48	54	4	...	6	9	24	17	30	131	147	153	64	4	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	27	21	6								1	6	5	2	7	4	2			
7	All other forms of tuberculosis	2	1	1				1				1									
8	Malaria																				
9	Syphilis	8	7			1							1	1	3	3					
10	Influenza																				
11	Smallpox																				
12	Measles																				
13	Typhus fever	2	1	1																	
14	Other infectious or parasitic diseases		1									1									
15	Cancer and other malignant tumors	85	49	35		1					2			2	5	17	34	22	3		
16	Nonmalignant tumors or tumors of unspecified nature	1		1												1				1	
17	Chronic rheumatism and gout	1	1																		
18	Diabetes mellitus	24	9	15									1			2	9	9		3	
19	Chronic or acute alcoholism	1	1													1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	10	6	4					1			1	1				5	1	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	2	2													1		1			
22	Intracranial lesions of vascular origin	30	18	12									1		1	8	7	11	2		

Rate per 1,000 Population, 12.8.

TABULATION OF DEATHS IN JERSEY CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	3418	1769	1420	114	115	192	226	18	19	20	81	173	145	199	652	858	688	294	45	...
1	Typhoid and paratyphoid fevers																				...
2	Flague																				...
3	Scarlet fever																				...
4	Whooping cough	3	2	1			1	2										1			...
5	Diphtheria	1	1	1																	...
6	Tuberculosis of the respiratory system	181	105	49	16	11			1		8	20	42	22	20	36	24	11	2		...
7	All other forms of tuberculosis	8	9	2	2	1	1	1		1		1	1				3				...
8	Malaria																				...
9	Syphilis	18	10	3	4	1	1	1			1				1	7	7	1			...
10	Influenza	4	2	2												1		2	1		...
11	Smallpox																				...
12	Measles	1		1			1	1													...
13	Typhus fever																				...
14	Other infectious or parasitic diseases	13	7	3		3		1		3		1	2	2	1	2	1				...
15	Cancer and other malignant tumors	548	291	230	11	16		1	1	3		5	24	23	51	129	162	116	29	4	...
16	Nonmalignant tumors or tumors of unspecified nature	14	6	8								1	3	1	2	1	2	3	1		...
17	Chronic rheumatism and gout	3	1	2																	...
18	Diabetes mellitus	91	18	71		2			1		2		2	1	5	18	37	19	5	1	...
19	Chronic or acute alcoholism	5	3	1		1						1	2	1		1					...
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	31	9	22			1	3	1			3	5	4	4	3	5	3			...
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	12	7	4	1		2	3					1	1	2	3	2				...
22	Intracranial lesions of vascular origin	288	121	151	8	8	1	1				3	5	12	14	60	90	73	28	2	...

23	Other diseases of the nervous system and sense organs	19	9	9	1	2	2	1	1	1	5	3	2	3	1	...	...
24	Diseases of the heart	1305	693	549	30	33	1	2	1	13	40	39	57	262	360	349	156
25	Other diseases of the circulatory system	55	26	25	2	2	...	...	...	1	2	2	2	7	13	14	12
26	Bronchitis	7	5	...	1	1	1	2	...	...	1	1	...	...	4	...	...
27	Pneumonia and bronchopneumonia	110	64	35	4	7	19	27	2	1	2	3	4	7	5	11	17
28	Other diseases of the respiratory system	14	8	6	...	...	...	...	...	...	...	1	1	1	6	1	3
29	Diarrhea and enteritis	11	5	4	1	1	4	6	1	...	...	2	...	...	...	1	...
30	Appendicitis	14	10	4	...	...	...	...	2	1	...	1	...	...	...	...	...
31	Diseases of the liver and biliary passages	71	36	33	...	2	...	1	...	1	1	5	7	16	24	9	1
32	Other diseases of the digestive system	54	30	22	1	1	3	3	...	...	3	1	2	33	20	12	9
33	Nephritis	141	56	73	4	8	1	2	1	1	1	7	9	6	7	19	34
34	Other diseases of the urinary and genital systems	23	15	6	1	1	...	1	1	...	1	...	2	...	3	8	6
35	Puerperal infection	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1
36	Other diseases of pregnancy, childbirth, and the puerperium	3	...	2	...	1	...	...	...	2	1	...	...	...	...	...	...
37	Diseases of the skin, cellular tissue, bones, and organs of movement	2	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	154	86	44	15	9	150	154	...	...	...	...	...	...	...	...	...
39	Senility, old age	2	1	1	...	...	...	...	...	...	5	...	...	...	...	1	1
40	Suicide	35	27	6	1	1	...	...	...	2	...	...	6	9	9	1	3
41	Homicide	6	1	2	3	...	...	...	...	1	1	3	1	...	...	...	...
42	Automobile accidents (all motor-driven road vehicles)	26	20	5	...	1	...	2	4	1	1	2	2	...	5	6	2
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	142	91	39	9	3	3	9	3	6	4	9	6	7	7	28	28
44	Causes of death ill-defined, unknown, or unspecified	2	1	1	...	1	1	...	...	...	...	...	...	...	...	...	1

1940 Census Population, 301,173.

Total Resident Deaths, 3,418.

Rate per 1,000 Population, 11.3.

TABULATION OF DEATHS IN UNION CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	624	335	288		1	29	31	1	5	5	5	21	28	32	110	164	135	75	9	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria	1		1						1											
6	Tuberculosis of the respiratory system	26	17	9						1	1	2	2	4	6	5	5				
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	3	2	1												1	1	1			
10	Influenza	1		1														1			
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	2	2					1						1							
15	Cancer and other malignant tumors	129	69	60							2		1	7	8	21	37	42	11		
16	Nonmalignant tumors or tumors of unspecified nature	1	1														1				
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	20	6	14								1				7	5	5	2		
19	Chronic or acute alcoholism	1		1									1								
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	7	2	5											2	2		3			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord																				
22	Intracranial lesions of vascular origin	50	25	25								1			1	8	18	13	8	1	

23	Other diseases of the nervous system and sense organs	5	2	3					1		1		2				1	
24	Diseases of the heart	229	131	97		1				1	6	7	11	45	74	50	31	4
25	Other diseases of the circulatory system	7	4	3										2		2	1	
26	Bronchitis	1	1			1	1											
27	Pneumonia and bronchopneumonia	23	8	15		2	2			1		1	4	4	3	8		
28	Other diseases of the respiratory system	5	4	1						1	1			2		1		
29	Diarrhea and enteritis	2		2		1	2											
30	Appendicitis	4	1	3							2			2				
31	Diseases of the liver and biliary passages	14	5	9				1			2	1	4	4	1	1		
32	Other diseases of the digestive system	8	3	5						1	1	1	1	2	1	1		
33	Nephritis	24	12	12				1		1	1			6	7	7	1	
34	Other diseases of the urinary and genital systems	6	3	3									1	2		2	1	
35	Puerperal infection	1		1						1								
36	Other diseases of pregnancy, childbirth, and the puerperium	1		1														
37	Diseases of the skin, cellular tissue, bones, and organs of movement																	
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	27	19	8		25	25	1		1								
39	Senility, old age	1		1													1	
40	Suicide	10	8	2							3			3	1	3		
41	Homicide																	
42	Automobile accidents (all motor-driven road vehicles)	4	3	1					1	1				1		1		
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	10	6	4						1	2	2		2	1		2	
44	Causes of death ill-defined, unknown, or unspecified	1	1												1			

1940 Census Population, 56,173.

Total Resident Deaths, 624.

Rate per 1,000 Population, 11.1.

TABULATION OF DEATHS IN HUNTERDON COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	416	216	190	7	3	20	25	3	3	2	10	11	12	17	52	66	118	75	22	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	9	6	3				1				1	2			2	2	1			
7	All other forms of tuberculosis	1		1												1					
8	Malaria																				
9	Syphilis	2	3			1										2	1				
10	Influenza	3	1	1		1	1	2									1				
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases																				
15	Cancer and other malignant tumors	61	26	35									2	3	3	12	11	19	10	1	
16	Nonmalignant tumors or tumors of unspecified nature	1	1																		
17	Chronic rheumatism and gout	1	1																		
18	Diabetes mellitus	4	1	3												1	2	1			
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	7	3	4			4	5										1	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	1		1													1				
22	Intracranial lesions of vascular origin	32	14	17	1										1	1	7	14	7	2	

303

Rate per 1,000 Population, 12.1.

TABULATION OF DEATHS IN MERCER COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	2223	1107	904	119	93	178	207	15	9	10	73	113	47	118	361	464	493	283	30	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1	1					1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	97	45	25	19	8		1				17	19	6	9	18	18	4	3	1	
7	All other forms of tuberculosis	7	3		2	2					1	1	1	1		1	2				
8	Malaria																				
9	Syphilis	13	10	1	2									2	1	3	7				
10	Influenza	7	4	1	1	1	2	6								1					
11	Smallpox																				
12	Measles	1	1						1												
13	Typhus fever																				
14	Other infectious or parasitic diseases	11	5	6							1	2	2		1	2	3				
15	Cancer and other malignant tumors	353	159	171	12	11	1	1	1		1	2	18	11	28	84	95	81	31		
16	Nonmalignant tumors or tumors of unspecified nature	7	3	4									1				3	2		1	
17	Chronic rheumatism and gout	2	1	1															1		
18	Diabetes mellitus	56	15	39		2								1	1	14	21	17	2		
19	Chronic or acute alcoholism	4	2		2								1	1	1	1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	28	11	13	2	2	5	7				3	2	2		8	3	2	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	10	2	5	1	2							1	2	1	2	3	1			
22	Intracranial lesions of vascular origin	197	84	93	6	14			2			1	2	7	10	30	46	67	31	1	

23	Other diseases of the nervous system and sense organs	16	9	6	1	1	1	1	6	1	1	2	1	3	1	3	126	16	...
24	Diseases of the heart	697	371	285	23	18	1	1	2	9	13	4	29	121	180	196	126	16	...
25	Other diseases of the circulatory system	57	26	25	4	2	1	1	1	1	1	1	1	9	30	14	1	...	...
26	Bronchitis	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...
27	Pneumonia and bronchopneumonia	93	47	31	8	7	18	20	2	5	5	2	3	11	15	12	17	1	...
28	Other diseases of the respiratory system	12	10	1	1	1	1	1	1	2	2	1	1	1	2	5	1	1	...
29	Diarrhea and enteritis	26	18	6	2	1	22	24	1	1	1	1	1	2	2	1	1	1	...
30	Appendicitis	10	6	3	1	1	1	1	1	2	1	1	1	4	1	1	1	1	...
31	Diseases of the liver and biliary passages	34	19	14	1	1	1	1	1	1	4	1	8	5	7	5	4	1	...
32	Other diseases of the digestive system	33	18	14	1	1	2	1	1	1	1	1	2	11	5	7	3	1	...
33	Nephritis	112	57	46	2	7	1	1	1	1	6	1	7	17	19	30	23	7	...
34	Other diseases of the urinary and genital systems	16	13	1	1	1	1	1	1	1	1	1	1	1	1	10	4	1	...
35	Puerperal infection	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...
36	Other diseases of pregnancy, childbirth, and the puerperium	7	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...
37	Diseases of the skin, cellular tissue, bones, and organs of movement	5	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	130	60	56	6	8	124	127	1	2	1	1	2	5	5	1	5	1	...
39	Senility, old age	8	2	5	1	1	1	1	1	7	7	2	2	5	5	1	5	1	...
40	Suicide	29	21	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...
41	Homicide	5	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	...
42	Automobile accidents (all motor-driven road vehicles)	47	32	7	7	1	7	2	1	2	5	4	2	4	7	8	2	3	...
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	84	42	26	14	2	5	9	1	5	13	2	6	7	7	14	13	1	...
44	Causes of death ill-defined, unknown, or unspecified	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	...

Estimated Population, 196,424.

Total Resident Deaths, 2,223.

Rate per 1,000 Population, 11.3.

TABULATION OF DEATHS IN TRENTON FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1413	703	573	72	65	115	130	7	4	6	54	70	28	70	252	298	330	154	10	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1	1					1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	64	27	15	15	7		1			1	14	11	4	6	13	11	1	1	1	
7	All other forms of tuberculosis	6	2		2	2					1	1		1		1	2				
8	Malaria																				
9	Syphilis	7	6	1											1	2	4				
10	Influenza	7	4	1	1	1	2	6								1					
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	6	3	3									2			2	2				
15	Cancer and other malignant tumors	221	110	97	5	9						1	13	7	16	54	67	47	16		
16	Nonmalignant tumors or tumors of unspecified nature	4	2	2									1				1	1		1	
17	Chronic rheumatism and gout	1		1																	
18	Diabetes mellitus	42	11	29		2								1		12	13	14	1	2	
19	Chronic or acute alcoholism	4	2		2								1	1	1	1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	18	7	9	1	1	3	4				3	1			6	2	2			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	7	1	5	1									1	1	2	2	1			
22	Intracranial lesions of vascular origin	136	57	67	4	8			2				2	2	3	24	36	51	16		

23	Other diseases of the nervous system and sense organs	8	4	3	1							4			1	1		2		
24	Diseases of the heart	420	223	173	14	10	1	1				7	6	2	15	84	108	127	64	6
25	Other diseases of the circulatory system	40	19	16	3	2								1			7	21	11	
26	Bronchitis	2	1	1								1			1					
27	Pneumonia and bronchopneumonia	59	35	16	3	5	11	12				3	3	2	3	9	7	9	11	
28	Other diseases of the respiratory system	7	5	1		1							1	1			1	4		
29	Diarrhea and enteritis	21	15	5	1		19	20									1			
30	Appendicitis	3	1	2								1				1		1		
31	Diseases of the liver and biliary passages	28	16	11	1							1	3		6	4	6	4	4	
32	Other diseases of the digestive system	19	11	8				1							1	7	3	6	1	
33	Nephritis	71	32	32		7						1	1	5	6	13	11	19	13	2
34	Other diseases of the urinary and genital systems	11	9		1	1						1	1					8	1	
35	Puerperal infection	2		2								1	1							
36	Other diseases of pregnancy, childbirth, and the puerperium	5		4		1							5							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	5	3	2								1			1	2	1			
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	80	35	35	5	5	77	78	1			1						2	4	
39	Senility, old age	6	1	4		1														
40	Suicide	18	13	5								5	3	2	1	3	4			
41	Homicide	4	2	1	1			1				1			1	1				
42	Automobile accidents (all motor-driven road vehicles)	28	18	5	4	1		4	2	1	1	4	2	1	3	4	3	1	2	
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	52	27	17	7	1	2	2	1	3	1	4	9	2	3	5	6	9	7	
44	Causes of death ill-defined, unknown, or unspecified																			

1940 Census Population, 124,697.

Total Resident Deaths, 1,413.

Rate per 1,000 Population, 11.3.

TABULATION OF DEATHS IN MIDDLESEX COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	2141	1206	858	52	25	125	145	15	9	10	66	82	58	131	405	507	443	230	31	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever	1	1										1								
4	Whooping cough																				
5	Diphtheria	4	1	3				1	1	1		1									
6	Tuberculosis of the respiratory system	65	44	11	6	4						14	7	2	11	16	10	2	2	1	
7	All other forms of tuberculosis	5	2	1	2					1		1		1							
8	Malaria																				
9	Syphilis	15	9	3	3								2	1		4	5	2	1		
10	Influenza	10	5	4		1	3	4				1			1	2		1	1		
11	Smallpox																				
12	Measles	2	1	1			1	1	1												
13	Typhus fever																				
14	Other infectious or parasitic diseases	13	8	5			1	3	4	1	1			1	1	1		1			
15	Cancer and other malignant tumors	327	178	146	2	1	1	2		1	1	4	12	9	25	80	104	68	16	5	
16	Nonmalignant tumors or tumors of unspecified nature	14	2	9	2	1						1	3	1	2	5	2				
17	Chronic rheumatism and gout	1			1																
18	Diabetes mellitus	52	20	29		3				1	1	1	1	1	1	15	18	11	3		
19	Chronic or acute alcoholism	4	3			1								2		2					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	31	14	17			1	2	2		2	2	1		3	4	9	4	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	12	4	8				3						2		4	2	1			
22	Intracranial lesions of vascular origin	195	97	94	3	1					2	2	2	4	8	36	48	61	32		

23	Other diseases of the nervous system and sense organs	16	8	8				1	2	2		1	4	1	3	2		
24	Diseases of the heart	730	417	296	12	5			1	7	16	17	36	143	182	202	112	14
25	Other diseases of the circulatory system	33	14	18		1						1		3	8	7	10	4
26	Bronchitis	6	3	3		1		1				1			2	1		
27	Pneumonia and bronchopneumonia	76	48	26		2	8	11		1	3	1	3	18	11	16	11	1
28	Other diseases of the respiratory system	12	7	4	1			1	1			1		1	7	1		
29	Diarrhea and enteritis	2	1	1										1	1			
30	Appendicitis	6	4	1										1	1			
31	Diseases of the liver and biliary passages	43	27	16		1		1		1		1	1	1	2			
32	Other diseases of the digestive system	47	40	7		2	3		2	1	1	4	6	9	12	4	4	
33	Nephritis	113	65	39	7	2		1		3	4	2	5	10	10	5	4	1
34	Other diseases of the urinary and genital systems	22	15	6	1			1		2	2	5	6	24	25	27	19	1
35	Puerperal infection	2		2						1	1		3	1	8	5	3	1
36	Other diseases of pregnancy, childbirth, and the puerperium	5		5						4	1							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	3	3							1	1			1				
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	101	58	43		100	100	1										
39	Senility, old age	8	5	3													6	2
40	Suicide	30	20	10					1	1	6	3	4	7	5	3		
41	Homicide	1			1	1	1											
42	Automobile accidents (all motor-driven road vehicles)	37	27	8	2		2	2		10	2		1	4	12	3	1	
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	91	51	30	9	1	5	9	3	1	2	6	9	2	7	11	22	15
44	Causes of death ill-defined, unknown, or unspecified	6	4	1	1		1	1					2	1		1	1	

Estimated Population, 224,139.

Total Resident Deaths, 2,141.

Rate per 1,000 Population, 9.6.

TABULATION OF DEATHS IN MONMOUTH COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods															
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown	
	ALL CAUSES	2296	1125	926	123	122	117	138	12	7	19	51	81	56	95	356	500	596	341	44	...	
1	Typhoid and paratyphoid fevers																					
2	Plague																					
3	Scarlet fever																					
4	Whooping cough	1			1		1	1														
5	Diphtheria																					
6	Tuberculosis of the respiratory system	64	27	18	8	11	2	3	1		5	8	7	5	4	11	7	8	5			
7	All other forms of tuberculosis	6	3	1	1	1		2					1			1	2					
8	Malaria																					
9	Syphilis	15	6	2	6	1							3	2	3	1	3	3				
10	Influenza	4	1	3													1	1				
11	Smallpox												1							1		
12	Measles	4	2	2				1	1		1											
13	Typhus fever	1	1														1					
14	Other infectious or parasitic diseases	16	8	8				2	1	1	1	3			1	2	3	2				
15	Cancer and other malignant tumors	351	169	146	16	20		1	1	1		1	8	14	19	72	105	97	30	2		
16	Nonmalignant tumors or tumors of unspecified nature	8	2	5		1										1	2	2	1			
17	Chronic rheumatism and gout																					
18	Diabetes mellitus	62	21	39	1	1						1	1		1	7	23	22	7			
19	Chronic or acute alcoholism	2	1	1									1	1								
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	16	5	8	1	2	2	3	1			1	1			3	5	2				
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	9	6	3				1								1	2	4				
22	Intracranial lesions of vascular origin	188	71	98	10	9					1		6	6	6	19	41	68	38	3		

Rate per 1,000 Population, 13.3.

TABULATION OF DEATHS IN MORRIS COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1376	683	651	29	13	73	86	5	4	12	29	52	37	47	195	298	382	193	36	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	3	1	2			2	3													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	32	21	9	1	1						1	6	4	1	6	12	1	1		
7	All other forms of tuberculosis	1		1								1									
8	Malaria																				
9	Syphilis	7	6		1									1	2	2	1	1			
10	Influenza	7	1	5		1	1	1				1					1	3	1		
11	Smallpox																				
12	Measles	1	1								1										
13	Typhus fever																				
14	Other infectious or parasitic diseases	7	5	2				1	1	1			1	1		1	1				
15	Cancer and other malignant tumors	221	99	112	7	3		2			1	2	10	8	11	43	62	56	22	2	
16	Nonmalignant tumors or tumors of unspecified nature	4	1	2		1							2		1		1				
17	Chronic rheumatism and gout	6		6													1	2	3		
18	Diabetes mellitus	42	14	28							1		1			11	15	13	1		
19	Chronic or acute alcoholism	1	1												1						
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	14	5	8	1		2	4	2			2	1			2	3				
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	4	2	2						1	1			1		1					
22	Intracranial lesions of vascular origin	103	47	54	2						1	1	1	2	1	12	14	52	17	3	

23	Other diseases of the nervous system and sense organs	12	3	9		1	2		1	2	2		1	1	3		
24	Diseases of the heart	489	247	235	5	2			2	11	10	17	68	117	168	84	12
25	Other diseases of the circulatory system	68	35	33									9	7	22	29	7
26	Bronchitis	1	1											1			
27	Pneumonia and bronchopneumonia	30	12	16	1	1	5	5	1	1	1	1		2	5	6	2
28	Other diseases of the respiratory system	5	3	2									2	2		1	
29	Diarrhea and enteritis	10	5	5		6	7	1					1	1	1		
30	Appendicitis	4	2	2						1			1	1	1		
31	Diseases of the liver and biliary passages	26	15	11						2	1	3	6	10	4		
32	Other diseases of the digestive system	30	20	9	1		2	3		1		3	7	6	5	2	3
33	Nephritis	76	29	44	3				3		1	1	15	18	24	10	4
34	Other diseases of the urinary and genital systems	12	8	2	1	1	1	1		1	2			2	5	1	
35	Puerperal infection																
36	Other diseases of pregnancy, childbirth, and the puerperium	2		2						2							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	1		1								1					
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	48	27	19	1	1	47	48									
39	Senility, old age	6	2	4											1	5	
40	Suicide	19	13	6					3	5	1	2	4	5		1	
41	Homicide	3		1	1	1	2	2						1			
42	Automobile accidents (all motor-driven road vehicles)	24	17	6	1				3	4	1	1	1	3	5	4	1
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	55	40	13	1	1	3	6	1	4	6	6	2	2	3	5	10
44	Causes of death ill-defined, unknown, or unspecified	2			2		1	1				1					

Estimated Population, 127,250.

Total Resident Deaths, 1,376.

Rate per 1,000 Population, 10.8.

TABULATION OF DEATHS IN OCEAN COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	578	307	246	17	8	36	37	3	1	1	13	19	14	21	67	130	158	92	22	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1	1				1	1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	14	8	4	1	1							3	1	2	3	2	3			
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	5	2	1	1	1							1		1	1	1	1			
10	Influenza																				
11	Smallpox																				
12	Measles																				
13	Typhus fever	1	1																1		
14	Other infectious or parasitic diseases	1		1													1				
15	Cancer and other malignant tumors	90	42	44	3	1			1			1	2	1	4	15	24	25	15	2	
16	Nonmalignant tumors or tumors of unspecified nature																				
17	Chronic rheumatism and gout	1		1													1				
18	Diabetes mellitus	21	4	16		1						1				5	6	7	2		
19	Chronic or acute alcoholism	2	1	1									1				1				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	6	3	3											1	1	2	1		1	
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	1		1							1										
22	Intracranial lesions of vascular origin	53	24	27	2										1	4	14	28	4	4	

23	Other diseases of the nervous system and sense organs	3	2	1						1	1					1			
24	Diseases of the heart	197	117	73	5	2				1	1	4	6	3	20	51	57	46	9
25	Other diseases of the circulatory system	9	4	5											1		2	2	
26	Bronchitis	1	1														1	1	
27	Pneumonia and bronchopneumonia	23	15	8		8	8					1	1			4	3	5	1
28	Other diseases of the respiratory system	2	1	1		1	1										1		
29	Diarrhea and enteritis	2	1		1		1	1								1			
30	Appendicitis	4	2	2		1	1				1		1			1	1		
31	Diseases of the liver and biliary passages	10	3	6	1							1	2		2	3	2		
32	Other diseases of the digestive system	12	3	9			1					1	2	1	1	1	4	2	
33	Nephritis	35	18	14	1	2						2		2	3	8	10	8	2
34	Other diseases of the urinary and genital systems	6	5	1											1		3	2	
35	Puerperal infection																		
36	Other diseases of pregnancy, childbirth, and the puerperium																		
37	Diseases of the skin, cellular tissue, bones, and organs of movement	1	1													1			
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	22	8	14		22	22												
39	Senility, old age	2	1	1														1	1
40	Suicide	9	8		1						2	3			2		2		
41	Homicide	1		1		1	1												
42	Automobile accidents (all motor-driven road vehicles)	18	16	2			1	1			4	1	2	1	2	5	1		
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	25	15	9	1	2	2				3	1	1		6	2	6	4	
44	Causes of death ill-defined, unknown, or unspecified																		

Estimated Population, 37,088.

Total Resident Deaths, 578.

Rate per 1,000 Population, 15.6.

TABULATION OF DEATHS IN PASSAIC COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	3221	1735	1383	51	52	166	190	13	11	14	70	93	113	168	387	740	782	387	53	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	2		1		1	1	1	1												
5	Diphtheria																				
6	Tuberculosis of the respiratory system	115	61	44	4	6		1	1	1		15	20	8	7	27	20	11	4		
7	All other forms of tuberculosis	4	3	1								1	1		1	1					
8	Malaria																				
9	Syphilis	20	10	6	4						1	1	1	1	1	7	8				
10	Influenza	4	2	2			2	2			1						1				
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	18	10	6	2		1	2	1		1	2	3	1	2	2	4				
15	Cancer and other malignant tumors	514	277	230	3	4					1	2	11	20	39	129	135	131	44	2	
16	Nonmalignant tumors or tumors of unspecified nature	11	3	8							1	1		2	2	4		1			
17	Chronic rheumatism and gout	5	2	3													1	1	2	1	
18	Diabetes mellitus	114	41	70	1	2		1				1		1	1	21	43	32	14		
19	Chronic or acute alcoholism	12	7	1	3	1							2	2	1	4	3				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	44	29	13		2	3	7	1	1	2	2		1	3	7	14	4	1	1	
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	14	7	6	1		3	3	1		1				1	3	5				
22	Intracranial lesions of vascular origin	289	137	148	3	1						2	2	2	16	40	82	98	43	4	

23	Other diseases of the nervous system and sense organs	25	12	8		5	1	3		1	1	2	5	1		3	2	6		1	
24	Diseases of the heart	1115	643	456	7	9		1	1	2		9	19	27	52	226	299	311	150	18	
25	Other diseases of the circulatory system	123	55	65	1	2						1	1	2	2	6	18	42	43	8	
26	Bronchitis	8	4	4						1					1	2	2	2			
27	Pneumonia and bronchopneumonia	87	41	37	7	2	10	11		1		1	3	5	5	11	7	20	20	3	
28	Other diseases of the respiratory system	22	11	11		2	2			1		1		2	1	4	4	3	5		
29	Diarrhea and enteritis	6	1	5		4	4	1									1				
30	Appendicitis	3	3					1					1			1					
31	Diseases of the liver and biliary passages	59	31	27	1			1					2	6	6	14	13	13	4		
32	Other diseases of the digestive system	58	37	18	1	2	2	3				2	1	4	6	9	14	16	3		
33	Nephritis	153	76	71	3	3				1	1	3	4	7	10	26	28	41	27	5	
34	Other diseases of the urinary and genital systems	35	29	6			1	1						2	1	4	8	14	4	1	
35	Puerperal infection	9		8		1						5	4								
36	Other diseases of pregnancy, childbirth, and the puerperium	5		5								2	1	2							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	4	2	2												1	1	1		1	
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	136	72	55	3	6	133	136													
39	Senility, old age	10	4	6													1	3	3	3	
40	Suicide	43	32	10	1					1	1	7	4	6	3	6	8	6		1	
41	Homicide	6	2	1	2	1						1	2	1	1	1					
42	Automobile accidents (all motor-driven road vehicles)	45	36	9				3	4		1	4	4	3	4	7	7	7	1		
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	102	54	40	4	4	3	7	2	2	2	5	2	7	2	20	12	18	19	4	
44	Causes of death ill-defined, unknown, or unspecified	1	1													1					

Estimated Population, 293,623.

Total Resident Deaths, 3,221.

Rate per 1,000 Population, 11.0.

TABULATION OF DEATHS IN PASSAIC CITY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	599	336	240	7	16	35	38	4		4	15	14	19	31	151	149	132	34	8	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	21	14	6		1			1			2	6	1		3	7	1			
7	All other forms of tuberculosis	1	1									1									
8	Malaria																				
9	Syphilis	1	1													1					
10	Influenza																				
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	5	2	1	2			1	1					1			2				
15	Cancer and other malignant tumors	98	61	33	1	3								3	6	37	28	22	2		
16	Nonmalignant tumors or tumors of unspecified nature	3	1	2												1					
17	Chronic rheumatism and gout	2	1	1													1	1			
18	Diabetes mellitus	22	10	12											1	5	10	4	2		
19	Chronic or acute alcoholism	5	4			1							2	1			2				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	6	3	3			1	1				1				3	1				
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	2	2													1	1				
22	Intracranial lesions of vascular origin	58	32	26											3	17	17	18	3		

23	Other diseases of the nervous system and sense organs	5	2	3						1	1	2		1
24	Diseases of the heart	194	109	85					4	2	3	8	46	61
25	Other diseases of the circulatory system	16	6	8	2							1	3	8
26	Bronchitis	1	1									1		3
27	Pneumonia and bronchopneumonia	17	7	7	1	2			1	2	1	3	3	1
28	Other diseases of the respiratory system	3		3		1	1						1	1
29	Diarrhea and enteritis	2		2		2	2							
30	Appendicitis	1	1						1					
31	Diseases of the liver and biliary passages	11	4	7							3	6	1	1
32	Other diseases of the digestive system	7	5	2					1		1	3	2	1
33	Nephritis	29	19	9	1				1	1	2	3	7	3
34	Other diseases of the urinary and genital systems	11	8	3								4	3	4
35	Puerperal infection	2		2					2					
36	Other diseases of pregnancy, childbirth, and the puerperium	1		1							1			
37	Diseases of the skin, cellular tissue, bones, and organs of movement	1	1									1		
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	32	14	14	1	3	31	32						
39	Senility, old age	1		1										1
40	Suicide	10	7	3					1	2		1	2	1
41	Homicide	3		1	1	1				1		1	1	
42	Automobile accidents (all motor-driven road vehicles)	9	7	2				1	1			1	1	3
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	19	15	4			1	1	1			1	7	2
44	Causes of death ill-defined, unknown, or unspecified												3	2
														1

1940 Census Population, 61,394.

Total Resident Deaths, 599.

Rate per 1,000 Population, 9.8.

TABULATION OF DEATHS IN PATERSON FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1559	806	678	41	34	68	84	6	6	6	32	48	53	69	260	361	391	217	26	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1		1			1	1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	62	31	22	4	5		1		1		7	10	4	5	16	10	6	2		
7	All other forms of tuberculosis	2	1	1									1		1						
8	Malaria																				
9	Syphilis	13	6	3	4							1	1	1	1	3	5				
10	Influenza	2	1	1			1	1				1									
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	8	6	2			1	1			1	1	1		1	2	1				
15	Cancer and other malignant tumors	244	119	123	1	1						1	2	4	8	19	54	63	68	23	2
16	Nonmalignant tumors or tumors of unspecified nature	4	1	3												3		1			
17	Chronic rheumatism and gout	1		1															1		
18	Diabetes mellitus	56	23	30	1	2		1				1				10	19	18	7		
19	Chronic or acute alcoholism	6	3		3										1	4	1				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	25	16	7		2	2	6			1	1		1	1	4	7	3	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	7	1	5	1		3	3								2	2				
22	Intracranial lesions of vascular origin	147	64	79	3	1						1	2	1	7	16	44	49	23	4	

23	Other diseases of the nervous system and sense organs	11	6	3		2	1	3		1	2		1	1	2				
24	Diseases of the heart	548	312	221	7	8		1	1		2	12	12	22	102	148	155	84	8
25	Other diseases of the circulatory system	56	22	33	1								1	3	5	17	26	4	
26	Bronchitis	5	1	4										2	1	1			
27	Pneumonia and bronchopneumonia	46	22	19	5		6	6				3	2	6	4	11	12	2	
28	Other diseases of the respiratory system	12	8	4			1	1			1		2		2	3	1	2	
29	Diarrhea and enteritis	4	1	3			2	2	1							1			
30	Appendicitis	2	2					1							1				
31	Diseases of the liver and biliary passages	29	17	11	1						2	6	2	3	9	5	2		
32	Other diseases of the digestive system	28	14	11	1	2	2	3			2	1	1	3	1	9	7	1	
33	Nephritis	68	28	36	1	3			1		1	1	3	1	10	11	23	16	1
34	Other diseases of the urinary and genital systems	18	16	2								2			4	9	2	1	
35	Puerperal infection	5		4		1					2	3							
36	Other diseases of pregnancy, childbirth, and the puerperium	2		2							1	1							
37	Diseases of the skin, cellular tissue, bones, and organs of movement	2		2												1		1	
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	47	29	13	2	3	46	47											
39	Senility, old age	3	2	1													2	1	
40	Suicide	18	14	3	1				1		3	1	3	1	2	4	3		
41	Homicide	3	2		1						2	1							
42	Automobile accidents (all motor-driven road vehicles)	24	19	5			2	3			3	2	1		5	3	4	1	
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	49	18	23	4	4	2	4	1	1	3	2	3	1	7	7	6	12	2
44	Causes of death ill-defined, unknown, or unspecified	1	1											1					

1940 Census Population, 139,656.

Total Resident Deaths, 1,559.

Rate per 1,000 Population, 11.2.

TABULATION OF DEATHS IN SALEM COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods															
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown	
	ALL CAUSES	463	215	175	44	29	50	57	4	1	7	10	20	12	19	61	81	109	70	12	...	
1	Typhoid and paratyphoid fevers	1	1												1							
2	Plague																					
3	Scarlet fever	1		1									1									
4	Whooping cough	1	1				1	1														
5	Diphtheria																					
6	Tuberculosis of the respiratory system	11	2	1	4	4		1				2	2	1		3	1		1			
7	All other forms of tuberculosis																					
8	Malaria																					
9	Syphilis	3	2			1											1	2				
10	Influenza	6	3	2	1											2	3		1			
11	Smallpox																					
12	Measles																					
13	Typhus fever																					
14	Other infectious or parasitic diseases	3	2	1									1			2						
15	Cancer and other malignant tumors	60	20	33	5	2						1	2	2	6	7	14	21	7			
16	Nonmalignant tumors or tumors of unspecified nature	4	1	3												1	2	1				
17	Chronic rheumatism and gout																					
18	Diabetes mellitus	5		4	1								1			1		3				
19	Chronic or acute alcoholism	1	1													1						
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	4	2	2			3	3								1						
21	Meningitis (nonmeningococcal) and diseases of the spinal cord																					
22	Intracranial lesions of vascular origin	52	22	26	2	2								1		6	12	14	15	4		

23	Other diseases of the nervous system and sense organs	2	1			1	1	2												
24	Diseases of the heart	142	79	49	4	10		1			1	2	5	4	21	34	45	23	6	
25	Other diseases of the circulatory system	13	4	9							1		1				4	6	2	
26	Bronchitis																			
27	Pneumonia and bronchopneumonia	18	5	8	4	1	7	8	1		1		1	1	1	2		4		
28	Other diseases of the respiratory system	4	2	1	1		1	1								3				
29	Diarrhea and enteritis	4	1	2		1	1	2					1			1				
30	Appendicitis																			
31	Diseases of the liver and biliary passages	1	1															1		
32	Other diseases of the digestive system	5	2	2	1			1			1		1	1	2					
33	Nephritis	20	11	5	3	1					1	1	2	2	2	2	8	4		
34	Other diseases of the urinary and genital systems	9	3	2	4								1		1	1	4	2		
35	Puerperal infection	1				1				1										
36	Other diseases of pregnancy, childbirth, and the puerperium																			
37	Diseases of the skin, cellular tissue, bones, and organs of movement																			
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	36	16	11	6	3	35	36												
39	Senility, old age	3	1	2													1	2		
40	Suicide	7	2	3	1	1						2			3	1	1			
41	Homicide	3		1	2		1	1			1			1						
42	Automobile accidents (all motor-driven road vehicles)	18	15	1	1	1		1		4	3	4		2	1	1	2			
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	25	15	6	4			1	2		1	2	1	2	5	3	3	4		
44	Causes of death ill-defined, unknown, or unspecified																			

Estimated Population, 42,599.

Total Resident Deaths, 463.

Rate per 1,000 Population, 10.9.

TABULATION OF DEATHS IN SOMERSET COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	768	426	316	12	14	53	61	2	4	7	14	23	24	34	135	160	177	106	21	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever	1	1							1											
4	Whooping cough	1		1			1	1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	22	14	7		1					2	2	5	1	1	5	5	1			
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	3	1	1	1									1		2					
10	Influenza	2	2				1	1								1					
11	Smallpox																				
12	Measles	1	1						1												
13	Typhus fever																				
14	Other infectious or parasitic diseases	5	4	1		1	1	1				1		1		1	1				
15	Cancer and other malignant tumors	111	57	49	3	2		1					3	5	5	20	37	29	10	1	
16	Nonmalignant tumors or tumors of unspecified nature	1		1														1			
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	27	9	18										1	2	5	10	8	1		
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	9	6	3				2		1			1		2	3					
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	3	1	2			1	1									1	1			
22	Intracranial lesions of vascular origin	83	40	43		1	1	1				3		1	6	12	19	24	17		

23	Other diseases of the nervous system and sense organs	8	2	5	1			1	1		1	1		2		1			
24	Diseases of the heart	253	160	86	2	5					2	5	6	11	56	55	70	39	9
25	Other diseases of the circulatory system	19		10							2		1		1	2	8	6	1
26	Bronchitis	1		1											1				
27	Pneumonia and bronchopneumonia	29	18	9		2	5	5		1					2	6	7	6	2
28	Other diseases of the respiratory system	7	2	5								1			3	2	1		
29	Diarrhea and enteritis	4	2	1	1			3	4										
30	Appendicitis	1		1													1		
31	Diseases of the liver and biliary passages	10	3	7								2		3	2			1	
32	Other diseases of the digestive system	14	6	7	1							1	3	3	3	1	5	1	
33	Nephritis	48	27	19		2		1		1	1	1	2	1	4	7	13	14	3
34	Other diseases of the urinary and genital systems	10	6	3	1						1				2	2	3	2	
35	Puerperal infection	1		1							1								
36	Other diseases of pregnancy, childbirth, and the puerperium	1				1						1							
37	Diseases of the skin, cellular tissue, bones, and organs of movement																		
38	Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life	43	21	19	2	1	39	42						1					
39	Senility, old age	5	3	2													4		1
40	Suicide	7	6	1							1	2			2	1			
41	Homicide																		
42	Automobile accidents (all motor-driven road vehicles)	9	6	3						1	1	2			3				
43	Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted)	28	17	11				1		1	2	1	1		3	6	3	5	3
44	Causes of death ill-defined, unknown, or unspecified	1	1														1		

Estimated Population, 68,661.

Total Resident Deaths, 768.

Rate per 1,000 Population, 11.2.

TABULATION OF DEATHS IN SUSSEX COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	374	219	154	1		20	23	1	1	1	7	8	7	12	45	84	101	70	14	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough																				
5	Diphtheria																				
6	Tuberculosis of the respiratory system	4	2	2										1			1	2			
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	1	1													1					
10	Influenza	1	1															1			
11	Smallpox																				
12	Measles																				
13	Typhus fever																				
14	Other infectious or parasitic diseases	3	2	1												1	1				
15	Cancer and other malignant tumors	56	29	27							1		2	1		1	15	12	12	1	
16	Nonmalignant tumors or tumors of unspecified nature	1	1													1					
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	15	3	12												1	2	6	4	2	
19	Chronic or acute alcoholism	2	2													1					
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	1	1																1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord																				
22	Intracranial lesions of vascular origin	33	18	15												1	5	7	10	10	

Rate per 1,000 Population, 11.6.

TABULATION OF DEATHS IN UNION COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	3355	1705	1418	107	125	198	233	16	10	34	87	155	121	179	579	750	739	385	67	...
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1			1		1	1													
5	Diphtheria	1		1				1													
6	Tuberculosis of the respiratory system	110	55	24	10	21		1		1	5	16	20	14	7	27	13	2	3	1	
7	All other forms of tuberculosis	1	1														1				
8	Malaria																				
9	Syphilis	21	13	4	3	1	1	1		1				3	4	5	5		2		
10	Influenza	11	3	5	2	1	2	2				2	3		1	1	1	1			
11	Smallpox																				
12	Measles	4	1	3				2	2												
13	Typhus fever																				
14	Other infectious or parasitic diseases	17	7	8		2	1	2	1			3	1	1		3	4	2			
15	Cancer and other malignant tumors	548	268	254	12	14			2	1	3	7	27	17	45	119	159	116	48	4	
16	Nonmalignant tumors or tumors of unspecified nature	9		6		3						2	2			1	3	1			
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	95	26	63	2	4					1	2		1	2	19	36	30	4		
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	45	20	24	1		2	4	1	2	4	5	4	3	2	11	4	6	1		
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	10	5	4		1		2				1		1	2	1	2	1			
22	Intracranial lesions of vascular origin	287	135	138	5	9	1	1	1				5	10	12	45	72	78	56	7	

Rate per 1,000 Population, 10.1.

TABULATION OF DEATHS IN ELIZABETH FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths	White		Colored		Age Periods														
			Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 44	45 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and Over	Unknown
	ALL CAUSES	1166	620	478	30	38	64	72	4		12	33	56	52	68	220	275	249	112	13	
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1			1		1	1													
5	Diphtheria																				
6	Tuberculosis of the respiratory system	51	25	12	5	9					3	8	12	8	5	10	3	1		1	
7	All other forms of tuberculosis																				
8	Malaria																				
9	Syphilis	7	6	1										1	2	1	2	1			
10	Influenza	3	1	1		1						2	1								
11	Smallpox																				
12	Measles	2	1	1																	
13	Typhus fever																				
14	Other infectious or parasitic diseases	8	3	4		1	1	2				2					2	2			
15	Cancer and other malignant tumors	182	88	83	4	7			1		2	1	9	8	17	50	46	38	9	1	
16	Nonmalignant tumors or tumors of unspecified nature	2				2						1	1								
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	27	6	19		2					1	1		1		4	12	7	1		
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	17	8	8	1		1	1			1	1	1	1		7	2	3			
21	Meningitis (nonmeningococcal) and diseases of the spinal cord	3	2	1													1	1			
22	Intracranial lesions of vascular origin	103	52	48		3								3	5	16	35	24	19	1	

331

Rate per 1,000 Population, 10.6.

TABULATION OF DEATHS IN WARREN COUNTY FOR 1946, ACCORDING TO THE ABRIDGED INTERNATIONAL LIST OF CAUSES OF DEATH

Abridged International List Number	CAUSE OF DEATH	All Deaths		White		Colored		Age Periods													
				Male	Female	Male	Female	Under 1 year	Under 5 years	5 to 9	10 to 14	15 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over	Unknown
	ALL CAUSES	608	338	264	6			34	41	3	1	6	15	18	17	25	72	132	169	92	17
1	Typhoid and paratyphoid fevers																				
2	Plague																				
3	Scarlet fever																				
4	Whooping cough	1	1																		
5	Diphtheria																1				
6	Tuberculosis of the respiratory system	12	8	4									1	3	1	1	2	1	3		
7	All other forms of tuberculosis	1	1														1				
8	Malaria																				
9	Syphilis	6	3	2	1								1			2	1		2		
10	Influenza	1		1														1			
11	Smallpox																				
12	Measles	1	1								1										
13	Typhus fever																				
14	Other infectious or parasitic diseases	4	3	1				1	1				1		1				1		
15	Cancer and other malignant tumors	73	43	30					1				1	3	3	4	12	19	26	4	
16	Nonmalignant tumors or tumors of unspecified nature	4	1	3				1	1				1	1		1					
17	Chronic rheumatism and gout																				
18	Diabetes mellitus	20	6	14							1				1		3	6	6	3	
19	Chronic or acute alcoholism																				
20	Avitaminoses, other general diseases, diseases of the blood, and chronic poisonings	14	7	7				1	2	1						1	3	4	1	2	
21	Menigitis (nonmeningococcal) and diseases of the spinal cord	3	1	2									1						1		
22	Intracranial lesions of vascular origin	61	25	36											1	3	7	13	24	10	3

NEW JERSEY STATE LIBRARY

INDEX.

	A	PAGE
Accidental deaths		222-225
Activities:		
Departmental		7
Activities of Bureaus, Divisions and Programs:		
Adult and Industrial Health	11,	119
Bacteriology		25
Cancer Control		125
Chemistry		43
Dental Health Program	11,	129
Engineering and Sanitation		47
Food and Drugs		71
Health Education		85
Local Health Services		91
Maternal and Child Health		141
Negro Health		147
Personnel, Administration, Records and Accounts		13
Preventable Diseases	11,	115
Rabies Control		153
Tuberculosis Control		159
Venereal Disease Control		165
Vital Statistics		181
Acute Anterior Poliomyelitis:		
Reported cases by age groups and months		110
Reported cases and deaths by age groups and sex		110
Reported cases and deaths by counties		104, 106
Reported cases and deaths with rates		103
Adult and Industrial Health:		
Activities		119-123
Laboratory analyses		121
Nuisance complaints		123
Plants visited		120
Sight Conservation Program		122
Special Projects		122
State's industry, coverage of		119
Surveys		122
Advisory Public Health Nurse		117

Alexander, Walter G., M.D.:	PAGE
Elected Vice-President of Board	13
Member of Committees: Legislative, Budgets and Salaries, Medical Care, To serve as Liaison Group between the State Board of Health and New Jersey Health Officers' Association, Health District	13, 14
Analyses of Water Samples, Statement of Revenue	20
Animal Experimentation	15
Annual Conference of State and Local Health Officials	87
Anthrax	93
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106

Appointments to:

Committees	13, 14
Membership on the Board	13
Appropriations	20
Audiometer	142
Revenue from rental of	20
Automobile fatalities	223

B

Baby Keep-Well Stations	142
Bacteriology, activities of Bureau of	25
Bakeries	73
Basic Public Health Course	10
Bergsma, Daniel, M.D., appointed Deputy Director	14
Bills introduced in Legislature	15
Biologicals	8, 97
Births	181-197, 199, 202-206
By counties and municipalities	187-197
By months	187
Illegitimate	144
Number and rates	186, 199
Infants	202, 204-206
Blanchard, Cecil K., resignation of	9, 14
Blood Plasma	97
Blood Tests	31, 32
Program	175
Pre-Natal	178
Pre-Marital	178
Syphilis	176
Board of Examiner of Health Officers and Inspectors	14
Budget and Salaries Committee	13
Building Committee	13

INDEX

337

C

PAGE

Camp Inspectors	101
Cancer :	
Death rate	215
Death rates—five-year average	217
Deaths by color	220
Deaths by organ affected, age groups and sex	218-220
Cancer Control, Division of	11, 125
Activities	125, 127
Council	127
Fellowships	126
Lay Education	127
Nurses' Training	127
Pathologists, Consulting Board	126
Professional Relations	127
Reference Library	126
Statistical Research	127
Tissue Laboratory	126
Tumor Slide Registry	125
Candy bars	44
Case-finding	149, 150, 173
Chandler, L. Van D.:	
Member of Committees: Legislative, Joint Rabies, To Serve as Liaison Group between the State Board of Health and New Jersey Health Officers' Association, Building, Health District...	13, 14
Charts and Tables, vital statistics, list of	181
Chemical examinations	43
Chemistry, Bureau activities	43
Chest examinations	92
Chickenpox :	
Reported cases and deaths, case and death rates	103
Reported cases and deaths by counties	104, 106
Cold storage	81
Colored Races :	
Deaths	266-297
Infant and Maternal Mortality	200
Nursing Services	147
Tuberculosis	149, 215
Committees appointed	13, 14
Communicable Diseases	7
Investigations of	95
On dairies	95
Reportable	92
Reported cases and deaths	103-113
Communities paying portion of nurses' salaries	143
Community Health Organization	85

	PAGE
Conference of State and Local Health Officials	87
Cream, milk products, samples of	80
Cross-connections	61

D

Dairy premises, communicable diseases on	95
Dairy farm and milk plant inspection	73
Table	74, 75
Deaths	181-333
Accidental	222-225
Age period	198
Age, sex and color	230-237
By counties and municipalities	187-197
By counties, white and colored	266-297
Cause and sex	226
Cause by counties, cities and municipalities	242-333
Infants	187-198, 201-206, 238-241
Months	187, 228
Number and rates	181, 186, 198, 206-227

Dental Health:

Activities	11, 129-140
Educational	130
Programs:	
Investigatory	131
Budget	135
Consultative	131
Dental Care	132
Personnel	135
Deputy Director appointed	14
Diphtheria	92
Death rate	212
Death rates—five-year average	214
Reported cases by age groups and months	108
Reported cases and deaths by age groups and sex	108
Reported cases and deaths by counties	104, 106
Reported cases and deaths with rates	103, 212, 214
Specimens examined for	36
Director of Health, Report of	7
District Health Offices	9, 91

Dogs:

Bites	154, 157
Registration fees	9, 20

Drugs:

Samples examined	80
Sales expanded	72

INDEX

339

Dysentery :	PAGE
Reported cases and deaths by counties	104, 106
Reported cases and deaths	103

E

Eating establishments	73
-----------------------------	----

Education :

Activities	142
Negro Health	149
Public Health Courses	86
Eggs in storage	84
Emergency Maternity and Infant Care Program	12, 144

Encephalitis Lethargic :

Deaths	221
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106

Engineering and Sanitation, Bureau of :

Activities	47
Cross-connections	61
Federal Legislation—Stream pollution	62
Industrial Wastes treatment	64, 67
Interstate Sanitation Commission	65
Licensing Act	60
Man-hours	48
Personnel	69
Resolutions, Notices and Orders	49
Sewage collection and treatment	67
Summer water supplies	60
Surf samples	51-59
Water and Sewerage Projects	47

Epidemic Cerebro-Spinal Meningitis :

Reported cases by age groups and months	108
Reported cases and deaths by age groups and sex	109
Reported cases and deaths by counties	104, 106
Reported cases and deaths with rates	103

Evaluation study	35
------------------------	----

Examinations re Board of Examiners of Health Officers and Inspectors..	14
--	----

Expenditures, statement of	21-24
----------------------------------	-------

F

Feces and urine specimens checked	38
---	----

Fees :

Analyses of water samples	20
Audiometer	20
Dog Registration	20
Laboratory Receipts	20

Fees:—(Continued)	PAGE
Licenses	20
Penalties:	
Dog Control Act	20
Violations of Food and Drug Laws	20
Statement of	20
Vital statistics certificates	20
Federal funds	20
Federal Legislation re control of stream pollution	62-64
 Fischelis, Robert P., Phar.D.:	
Member of Committees: Organization, Medical Care, Health Dis-	
tricts, Food and Drugs	13, 14
Flour and bread enrichment act	10, 72
Fluorine tests	43, 44
 Food:	
Adulteration	71
Cold storage	81-83
Table	84
Condemned	79
Eggs in storage	84
Enriched white bread and flour	10, 72
 Inspections:	
Bakeries	73
Dairies	73
Establishments where foodstuffs are produced	81
Food and Drug establishments	81
Meat	76-78
Milk Plants	73
Public eating places	73
Shellfish establishments	78, 79
Slaughterhouses	76
Mineral Oil substituted	44
Samples examined	45, 80
Vending establishments	101
Food and Drug Committee	14
 Food and Drugs:	
Fees—licenses and permits	20, 80
Inspections of establishments	81
Penalties for violations of law	80
Samples examined	45
Table, character of samples examined	45
 Funds:	
Appropriated to the Department	20
Statement of Expenditures	21-24

INDEX

341

G

PAGE

Gastro-Enteritis	95
General Hospital, Laurel Hill—permit for animal experimentation	15
German Measles:	
Reported cases and deaths, with rates	103
Reported cases and deaths by counties	104, 106
Gonococcus culture specimens	177
Gonorrhea	165, 174, 177
Culture tests	177
Reported cases	179
Specimens examined	36
Guinea pig inoculations	37

H

Health courses at Rutgers	86
Health District Committee	14
Health Education:	
Activities	10, 85
Community Health Organization	85
Division of	85
Negro Health	149
Printshop	88
Program	85
Warehouse, Workshop	88
Health Officers:	
Licenses issued	15
Members of Board of Examiners of	14

I

Induction Boards re tuberculosis	98
Industrial Health	119-123
Bulletin	11
Division of—title changed	119
Industrial wastes	48
Statistics on	67, 68
Treatment	64, 65
Infant Mortality	12, 141, 200
Influenza:	
Reported cases and deaths, with rates	103
Reported cases and deaths, by counties	104, 106
Interstate Sanitation Commission	65-67

	K	PAGE
Kahn tests		31, 32, 35
Kandle, Dr. Roscoe P.:		
Appointment		115
Member of Board of Examiners		9, 14
Kline tests		31, 32, 35
Kolmer tests		31, 32, 35
	L	
Laboratories:		
Blood tests made in		38
F. & D. samples examined in		45
Laws and Regulations re issuance of certificates of approval		26-29
Specimens examined in		36-42
Services		10
Sewage and water samples analyzed in		46
Laboratory supplies, short		41
Laurel Hill, General Hospital, permit for animal experimentation		15
Lawrence, Thomas L.:		
Member of Committees: Budget and Salaries of Personnel, Food and Drugs, Joint Rabies, Health District		13, 14
Lee, Dr. Frederick P.:		
Elected President of Board		13
Legislation		15-18
Legislative Committee		13
Lendall, Harry N., C.E.:		
Appointed Board Member		13
Lethargic Encephalitis:		
Deaths		221
Reported cases and deaths		103
Reported cases and deaths by counties		104, 106
Liaison Group Between State Board of Health and N. J. Health Officers' Assn.—Committee to serve as		14
Licenses and permits:		
Health Officers and Inspectors		15
Food and Drugs		80
Maternity homes		143
Revenue from		20
Water and sewage plant operators		60
Licensing Act—Operators of water and sewage plants		60
Local Boards of Health		101

INDEX

343

Local Health Services:	PAGE
Bureau of	91
Services rendered	102

M

MacCarthy, Mrs. Gloanna W.:	
Appointed Board Member	13
Member of Committees: Organization, Legislative	13

Man-hours:	
Sewage, industrial wastes, stream pollution	49
Mailing cases	42
Malaria	93
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106
Deaths	209
Marriages	181-197
By counties and municipalities	187-197
By months	187
Number and rates	186
Maternal and Child Health Activities	141
Maternal Mortality	12, 141, 200-203
Maternity homes	143
Mayonnaise, samples examined	44
Mazzini tests	31, 32, 35
Measles	92
Death rate	209
Death rates—five-year average	210
Reported cases and deaths by counties	104, 106
Reported cases and deaths, with rates	103

Measles, German:	
Reported cases and deaths by counties	104, 106
Reported cases and deaths, with rates	103
Meat inspections	76-78
Media supplies	42
Medical Care Committee	13
Meningitis Epidemic Cerebro-Spinal	92
Reported cases by age groups and months	108
Reported cases and deaths by age groups and sex	109
Reported cases and deaths by counties	104, 106
Reported cases and deaths with rates	103
Mental Health Committee	14
Midwifery	144
Migrant workers	174, 175
Mice inoculations	41

Milk:	PAGE
Samples collected for analyses	45, 80
Dairy farms and plant inspections	73
Tables	74, 75
Fees for licenses and permits	80
Pasteurization	75
Permits revoked	10
Plant inspection	73
Samples adulterated	44
Mineral oil substituted	44
Morbidity tables	103-113
Mortality:	
Infant	201, 204
Maternal	202
Tables	103-113
Motor Vehicle Fatalities	223
Mumps:	
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106
N	
Negro Health Program:	
Activities	147, 151
Case-finding, tuberculosis	149
Chest X-ray surveys	147
Health Education	147, 149
Immunization Programs	150
National Negro Health Week	12, 148
Summary	151
Negroes, death rates of	200, 227
Nephritis	221
Notices, engineering	49
Nurses:	
Public Health	91
Salary assumed by communities	143
Statistical summary of work	144
Nursing services	142, 143, 173
Nutritionist	116
O	
Ophthalmia Neonatorium:	
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106
Orders of Necessity	49
Organization Committee	13

INDEX

345

Osborne, Frank J.:	PAGE
Member of Committees: Organization; Building; Mental Health; To serve as Liaison Group between the State Board of Health and New Jersey Health Officers' Association	13, 14
P	
Paratyphoid Fever	38
Reported cases and deaths	103
Reported cases and deaths by counties	104, 106
Peacock, Arthur B., M.D.:	
Member of Committees: Building, Medical Care, Mental Health, To Serve as Liaison Group Between the State Board of Health and New Jersey Health Officers' Association	13, 14
Pediatric cases	12
Penalties, Food and Drug	80
Penicillin	9, 165-169
Personnel:	
Engineering activities limited	69, 70
Professional—advanced training of	15
Photostatic:	
Death certificates	10
Services	181
Photofluorographic units	159
Pneumonia	92
Reported cases by age groups and months	109
Reported cases and deaths by age groups and sex	109
Reported cases and deaths by counties	104, 106
Reported cases and deaths with rates	103
Poliomyelitis, Acute Anterior	92
Reported cases by age groups and months	110
Reported cases and deaths by age groups and sex	110
Reported cases and deaths by counties	104, 106
Reported cases and deaths with rates	103
Population	185
Pre-Marital:	
Blood tests	32
Law	33, 34
Pre-Natal:	
Blood tests	32
RH typing	29
President of Board—Frederick P. Lee, M.D.	13
Public eating establishments	73
Public Health Courses at Rutgers	10, 86
Public Health News	89
Public health nurses	173

R

Rabies:	PAGE
Animals examined	40
By counties	40
Cases	153, 156
Dog bites	154, 157
In humans	154
Control	9
Fines for violation	155, 157
Legal action	154
Mice inoculations for	41, 153
Proposed program	154
Revenue	155
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107
Committee	13
 Rabies Control Unit:	
Activities	153-157
Funds	22
Personnel	153
Reorganization of the State Department of Health	7, 19
Report of Director	7
Reportable diseases	92
Resolutions, Engineering	49
Revenue, statement of	20
Rocky Mountain Spotted Fever	38, 93
Reported cases and deaths by counties	105, 107
Reported cases and deaths with rates	103
Rutgers University training courses	86

S

Salaries of Personnel, Committee on	13
 Samples examined:	
Milk, Cream, Food and Drugs	44, 80
Shellfish establishments	79
Water and Sewage	44, 45, 79
Sanitary Inspectors licenses issued	15
Sanitary Shellfish Control	78
Scarlet Fever	92
Death rate	209
Death rates—five-year average	211
Reported cases by age groups and months	110
Reported cases and deaths by age groups and sex	111
Reported cases and deaths by counties	105, 107
Reported cases and deaths with rates	103

INDEX

347

	PAGE
Sewage collection and treatment, statistics on	67
Sewage, industrial wastes, stream pollution, man hours on	48
Sewage and water samples analyzed	100
Sewerage and water projects examined and approved	11, 47
Shellfish control	78
Shortages handicap department	12
Slaughterhouses	50, 76
Smallpox :	
Reported cases and deaths	103, 209
Reported cases and deaths by counties	105, 107
Smillie, E. W., V.M.D., reappointed Member of Board	13
Member of Committees: Organization, Joint Rabies, Food and Drug, To Serve as Liaison Group between the State Board of Health and New Jersey Health Officers' Association	13, 14
Snegireff, Leonid S., M.D., resignation of	115
Specimens examined	10, 25, 30
Blood agglutinations	37, 38
Diphtheria	36
Feces and urine	38
Gonorrhea	36
Mailing cases for collection of	42
Miscellaneous	38, 39
Rabies	39, 40
Syphilis	31
Tuberculosis	37
Typhoid fever	38
Spinal fluid	31, 32
State and Local Health Officials, Annual Conference	87
Statement of Expenditures :	
Federal funds	23, 24
State funds	21, 22
State and Federal funds	24
Statement of Revenue	20
Statistical Tables	181
Statistical research	116, 127
Stillbirths	185, 202, 203
Stream pollution	48
Abatement of	62
Streptococcic sore throat, reported cases and deaths by counties	105, 107
Suicide	221
Surf Samples examined, Raritan and Sandy Hook Bays, Ocean Waters	51-59

Syphilis :	PAGE
Blood tests	175, 176, 178
Case-finding	173
Migrant workers	174, 175
Military contacts	170
Penicillin treatment	165, 168
Reported cases	168
Specimens examined	31
Treatment	168
Standard drugs in treatment of	169
Serologic tests	175, 177, 178
Civilian contacts	171

T

Tables :	
Communicable diseases	103-113
Venereal diseases	168, 170-174, 176-179
Vital statistics	183, 184, 185
Tetanus :	
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107
Toxoid	96
Trachoma, reported cases and deaths	103
Training courses	86
Trichinosis	94
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107
Tuberculosis	93, 98, 162
Activities of Division	159-163
Case-finding	159
Control program	8
Deaths	215
Five-year average death rates	216
Follow-up examinations	8, 98, 99, 160
Guinea pig inoculations for	37
Industrial plants	99
Reported cases by age groups and months	111
Reported cases and deaths by age groups and sex	111
Reported cases and deaths by counties	105, 107
Reported cases and deaths with rates	103
Reports from Veterans' Administration	100
Reports from veterans' hospitals	100
Specimens examined	30
X-ray surveys	161
Tularemia	38, 94
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107

INDEX

349

	PAGE
Typhoid carriers	96
Typhoid fever	38, 93
Reported cases by age groups and months	112
Reported cases by age groups and sex	112
Reported cases and deaths by counties	105, 107
Reported cases and deaths with rates	103
Death rate	206, 208
Death rates—five-year average	207
Typhus fever:	
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107
Tyndall, Martha W., M.D.:	
Reappointed Member of Board	13
Member of Committees: Mental Health, Medical Care, To Serve as Liaison Group between State Board of Health and the N. J. Health Officers' Association	13, 14

U

Undulant fever	38, 94
Reported cases and deaths	103
Reported cases and deaths by counties	105, 107

V

Vaccine	96
Venereal Disease Control:	
Blood test program	175
Case-finding	150, 173
Cases reported	179
Civilian contacts	171, 172
Clinics	174
Contact tracing	173
Educational program	179
Hospital co-operation	166
International migrants	175
Migrant agricultural workers	174
Military contacts	170
Penicillin treatment	165, 168
Specimens	30, 31
Treatment	9, 168
Vice-President of Board, Walter G. Alexander, M.D.	13
Vital Certificates—Statement of Revenue	20
Vital Statistics, Bureau activities	181
Vital Statistics—Charts and Tables	183, 184, 185

	PAGE
W	
Wassermann tests	30-32
Water and sewerage projects examined and approved	11, 47
Water and sewage samples analyzed	46
Water samples, Revenue from	20
Water supplies:	
Licensing Act	60
Private	101
Projects examined	47
Public potable	70
Surf samples	52-59
Summer Water Supplies	60
Wescott, Eugene R., D.D.S:	
Appointed Member of Board	13
Member of Committees: Organization, Budgets and Salaries, Legislative, Building, Health Districts	13, 14
Whooping Cough	93
Reported cases by age groups and months	112
Reported cases and deaths by age groups and sex	113
Reported cases and deaths by counties	105, 107
Reported cases and deaths, with rates	103
Death rate	212
Death rates—five-year average	213
X	
X-ray surveys	8, 147, 149, 161
Chest examinations and surveys	92, 147, 160, 161
X-ray Units	92, 159