

**REPORT
TO THE
NEW JERSEY LEGISLATURE
SENATE ENVIRONMENT &
ASSEMBLY ENVIRONMENT
COMMITTEES**

***SUMMARIZING LABORATORY TEST RESULTS ON
THE QUALITY OF BOTTLED DRINKING WATER
FOR THE PERIOD
JANUARY 1, 2008 THROUGH DECEMBER 31, 2008***

MAY, 2009

New Jersey Department of Health and Senior Services
Public Health Services Branch
Division of Epidemiology, Environmental & Occupational Health
Consumer and Environmental Health Services
Food and Drug Safety Program



**JON S. CORZINE
GOVERNOR**

**HEATHER HOWARD
COMMISSIONER**

TABLE OF CONTENTS

<i>TOPIC</i>	<i>PAGE</i>
<i>Introduction.....</i>	<i>3</i>
<i>Public Health Aspects.....</i>	<i>4</i>
<i>Statutory and Regulatory Provisions.....</i>	<i>5</i>
<i>New Jersey Bottled Drinking Water Standards.....</i>	<i>7</i>
<i>Bottled Water Project Activities.....</i>	<i>10</i>
<i>Summary of Test Submission Results.....</i>	<i>11</i>
<i>Spot Check Testing Summary.....</i>	<i>12</i>
<i>Conclusion.....</i>	<i>15</i>
<i>Appendices.....</i>	<i>16</i>

Appendix 1: Types of Bottled Water

Appendix 2: Bottled Water Resource Information

INTRODUCTION

The Department of Health and Senior Services is required by Public Law 1994, Chapter 79 (N.J.S.A. 24:12-11), enacted on July 24, 1994, to prepare and submit a report annually on the quality of bottled water to the Senate Environment and Assembly Environment Committees or their successors. The Legislation calls for the Department to summarize test data submitted by water bottlers, both imported and domestic, and any analytical spot checks conducted by the Department. In addition to summarizing the bottled water test data, the report provides information on the ongoing bottled water inspectional activities and consumer services provided by the Department. The report delineates the major activities associated with the certification of bottlers selling water in New Jersey and enforcement actions taken by the Department.

The bottled water industry has had a relatively stable growth rate since 2000, however, the rate dropped to 6.7 percent in 2008, as compared with 9.1 percent in 2007. Growth of New Jersey bottled water sales was comparable to the national bottled water sales trend according to the Beverage Marketing Corporation.

New Jersey continues to rank eleventh nationwide in the consumption of bottled water with an estimated 220,300,000 gallons of water consumed in 2008. The per capita consumption of bottled water in New Jersey increased from 23.7 gallons to 25.4 gallons.

Nationally, the majority of bottled water sold continues to be non-sparkling product in one, two, five, and six-gallon containers. Imported water sales were on the rise from 2002 through 2005; however, there has been a steady decrease in sales of approximately four to six percent in the North American region during the last few reporting years.

PUBLIC HEALTH ASPECTS

With the continued increase in bottled water use, there has been a greater awareness and interest in the safety and quality of these products. Bottled water source supplies are subject to the same types of contaminants that can impact public drinking supplies. Bottled water producers primarily rely on springs and wells for their water supplies and these sources can be influenced by contaminants entering the water bearing strata. While chemical contaminants are seldom found in bottled or public drinking water supplies at high enough levels to cause acute health affects, small amounts over a long period of time could lead to chronic or long-term adverse health effects.

Specific standards have been developed for impurities that have been detected in ground and surface water supplies. Bottled water sources must meet the same water safety standards that have been developed under the State's Safe Drinking Water Act and the regulations establishing New Jersey Maximum Contaminant Levels (MCLs) for public drinking water supplies. These standards are developed by examining the toxicological data for the contaminants of concern through animal studies or epidemiological human health studies. This information is used to develop an estimate of the concentration of the contaminant that may be toxic and the concentration determined, if any, that would not cause an adverse health affect. A MCL is the highest amount of a specific contaminant allowed in drinking water, including bottled water products. MCLs are set for carcinogens to expect no more than one cancer case, or other major adverse health effect, to occur in one million persons ingesting the chemical contaminant in a lifetime. The MCLs are based on a daily consumption of two liters of water.

The New Jersey Drinking Water Quality Institute reviews ongoing scientific studies on the effects of chemicals detected in drinking water and recommends MCLs for each chemical contaminant of concern. The Institute is made up of representatives from the New Jersey Department of Environmental Protection (DEP), the Department of Health and Senior Services (DHSS), the academic scientific community, water suppliers, and the general public.

The DHSS bottled water oversight activities are in place to ensure that bottled water products sold in the State:

- Meet the established MCLs for chemical, radiological, and microbiological contaminants;
- Are derived from an approved source;

- Are bottled in a safe and sanitary manner; and are properly labeled.

In addition to the potential for chemical contamination, source water supplies can also be subject to microbiological contamination. Spring water supplies can be vulnerable to the infiltration of surface water and pathogenic microorganisms including protozoa, such as *Giardia lamblia* and *Cryptosporidium parvum*. These pathogens may enter the ground water strata from which a bottler draws their supply. While pathogenic bacteria are readily eliminated through disinfection, standard disinfection techniques employed by water bottlers such as ozonation and ultra-violet light (UV) treatment do not eliminate protozoan cysts. In order to address this potential problem, the DHSS established rules that require water bottlers to evaluate their source of supply for direct surface water influences. Microscopic particulate analysis or other hydrologic evaluations are conducted and the bottlers must certify that their water is not under the direct influence of surface water or employ additional treatment, which includes submicron filtration to eliminate the potential for the presence of protozoa.

STATUTORY AND REGULATORY PROVISIONS

DHSS is responsible for enforcing the laws and regulations governing bottled water. The DHSS's Epidemiological, Environmental and Occupational Health Services Division, Consumer and Environmental Health Services, Food and Drug Safety Program (FDSP) administer the Bottled Water Project.

Title 24 - Food and Drugs

Bottled water is considered, under federal and state laws, to be a food product. As such, bottled water manufactured or sold in the State must comply with the laws governing bottled water under N.J.S.A. 24:12-8 et seq.

The following delineates the major provisions of the law enforced by the DHSS:

- Bottled water sold in the State must meet the water quality standards adopted by the DEP for drinking water, pursuant to the New Jersey Safe Drinking Water Act (N.J.S.A. 58:12A-1).
- Plant operators must test bottled water for microbiological and hazardous chemical contaminants at prescribed frequencies. Product testing must be conducted in a laboratory certified by the Department of Environmental Protection (N.J.S.A. 24:12-10).

- Test results must be forwarded to the DHSS at prescribed frequencies (N.J.S.A. 24:12-11).
- The DHSS shall prepare and submit an annual report to the Senate Environment and Assembly Environment Committees, or their successors, summarizing the test results submitted to the DHSS and any spot checks conducted by the DHSS (N.J.S.A. 24:12-11).
- The law provides specific penalty provisions and actions the Commissioner, DHSS, can take when bottled water may present an imminent and substantial health endangerment (N.J.S.A. 24:12-14).
- Requires the Commissioner, DHSS, to adopt and implement rules for (1) monitoring, sampling, and inspection procedures for source and finished product bottling, (2) maintenance and retention of required records, (3) submission of monitoring and sampling reports to the DHSS, and (4) other information that the Commissioner deems necessary to determine compliance with the law (N.J.S.A. 24:12-12).

Rules Governing Manufacture, Storage, Distribution, and Handling of Bottled Water:

The rules governing bottled water adopted by the DHSS are found in the administrative code at N.J.A.C. 8:21-5.1. The major provisions of the rules enforced by the DHSS relate to the standards and testing criteria for bottled water and are as follows:

- Delineates the good manufacturing practices and sanitary controls for water bottling plants operating in the State.
- Requires bottlers to address the potential for groundwater contaminants impacting their source of supply, and requires adequate treatment systems in place when groundwater influences are identified.
- Sets the specific water quality standards and testing frequencies. (The microbiological, physical, chemical, and radiological standards, including testing frequencies, are listed in the Water Quality Standards section of the report.)
- Adopts by reference the DEP Safe Drinking Water Act Water Quality Standards. This will ensure that the water quality standards are kept current without formal rule changes each time the DEP amends or adds new water quality standards.

- Establishes the procedures for submission of required test results by laboratories certified by the DEP. A list of certified laboratories is available from DEP.
- Adopts federal labeling standards and nomenclature requirements promulgated by the U.S. Food and Drug Administration for bottled water products.
- Requires certification of in-state, out-of-state, and foreign bottling plants selling water in New Jersey.
- Requires certification fees to support inspections of water bottlers, conduct expanded spot checks of bottled water products, and administer bottled water project activities.

NEW JERSEY BOTTLED DRINKING WATER STANDARDS

All in-state and out-of-state certified bottled water firms must submit water analysis test results to the DHSS on both source water and each finished bottled water type; (i.e. spring, distilled, mineral or well water). Sampling frequencies and bottled drinking water standards are listed as follows:

SAMPLING FREQUENCIES

Frequency of Sampling		
Type of Analysis	Source Water*	Finished Bottled Water
Volatile Organics	Annually	Annually
Inorganics	Annually	Annually
Synthetic Organics	Annually	Annually
Secondary Standards	Annually	Annually
Radiological	Every 4 years	Every 4 years
Microbiological	Weekly	Weekly

* Source water is water from an approved source that has not been treated or disinfected.

Note: If an approved Community Water System (municipal water supply) is used as a water supply for bottled water, the results from the water utility may be used to prevent duplication in testing.

New Jersey Bottled Drinking Water Standards

VOLATILE ORGANIC COMPOUNDS		INORGANIC COMPOUNDS	
CONTAMINANTS	MCL (ug/l or ppb)	CONTAMINANTS	MCL (ug/l or ppb)
Benzene	1.0	Antimony	6.0
Carbon Tetrachloride	2.0	Arsenic	10.0
Meta-Dichlorobenzene	600.0	Asbestos	7x10 ⁶ fibers/l >10 um
Ortho-Dichlorobenzene	600.0	Barium	2000.0
Para-Dichlorobenzene	75.0	Beryllium	4.0
1,1-Dichloroethane	50.0	Cadmium	5.0
1,2-Dichloroethane	2.0	Chromium	100.0
1,1-Dichloroethylene	2.0	Copper	1000.0
<i>Cis</i> -1,2-Dichloroethylene	70.0	Cyanide	200.0
<i>Trans</i> -1,2-Dichloroethylene	100.0	Fluoride	2400.0
1,2-Dichloropropane	5.0	Lead	5.0
Ethylbenzene	700.0	Mercury	2.0
Methyl tertiary Butyl Ether	70.0	Nitrate (as nitrogen)	10000.0
Methylene Chloride	3.0	Nitrite (as nitrogen)	1000.0
Monochlorobenzene	50.0	Nitrate/Nitrite combined	10000.0
Napthalene	300.0	Selenium	50.0
Styrene	100.0	Thallium	2.0
1,1,2,2-Tetrachloroethane	1.0	Turbidity	0.5 NTU
Tetrachloroethylene	1.0		
Toluene	1,000.0	TOTAL TRIHALOMETHANES (THMs) INCLUDES:	
1,2,4-Trichlorobenzene	9.0	Bromoform	
1,1,1-Trichloroethane	30.0	Dibromochloromethane	
1,1,2-Trichloroethane	3.0	Chloroform	
Trichloroethylene	1.0	Dichlorobromomethane	
Vinyl Chloride	2.0	Sum of the four compounds:	80.0
Xylenes (total)	1,000.0		
		Phenols	1.0
Disinfectant/Disinfectant By-Products			
Chlorine	4,000.0		
Chloramine	4,000.0		
Chlorine Dioxide	800.0		
Haloacetic Acids	60.0		
Chlorite	1,000.0		
Bromate	10.0		

KEY: One microgram per liter (ug/l) is equal to one part per billion (ppb).

New Jersey Bottled Drinking Water Standards (continued)

SYNTHETIC ORGANIC COMPOUNDS		SECONDARY STANDARDS	
CONTAMINANTS	MCL (ug/l or ppb)	PHYSICAL & CHEMICAL CHARACTERISTICS	RECOMMENDED UPPER LIMIT
Alachlor	2.0	Color	10 color units
Atrazine	3.0	Odor	3 threshold odor units
Benzo [a] pyrene	0.2	PH	6.5 to 8.5 (optimum range)
Carbofuran	40.0	Taste	No objectionable taste
Chlordane	0.5	MBAS (foaming agents)	0.5 ppm
Dalapon	200.0	Aluminum	0.2 ppm
Dibromochloropropane	0.2	Chloride	250.0 ppm
Di[2-ethylhexyl] adipate	400.0	Fluoride	2.0 ppm
Di[2-ethylhexyl] phthalate	6.0	Hardness as CaCO ³	250.0 ppm
Dinosep	7.0	Iron	0.3 ppm
Diquat	20.0	Manganese	0.05 ppm
Endothall	100.0	Silver	0.1 ppm
Endrin	2.0	Sodium	50.0 ppm
Ethylene dibromide (ED)	0.05	Sulfate	250.0 ppm
Glyphosate	700.0	Total dissolved solids	500.0 ppm
Heptachlor	0.4	Zinc	5.0 ppm
Heptachlor Epoxide	0.2	MICROBIOLOGICAL STANDARDS	
Hexachlorobenzene	1.0	Total Coliform	Membrane Filter Method <1 cfu/100 ml
Hexachlorocyclopentadiene	50.0	Total Coliform	Absent by Presence/Absence Method
Lindane	0.2	RADIONUCLIDES STANDARDS	
Methoxychlor	40.0		MCL in pCi/l (picocuries per liter)
Oxamyl	200.0	Gross Alpha	15
PCBs (Polychlorinated Biphenyls)	0.5	Combined Radium 226 and 228	5
Pentachlorophenol	1.0		
Picloram	500.0		
Simazine	4.0		
Toxaphene	3.0		
2,3,7,8-TCCD (Dioxin)	3x10 ⁻⁵		
2,4-D (2,4 - Dichlorophenoxyacetic Acid)	70.0		
2,4,5-TP (Silvex)	50.0		

KEY: One microgram per liter (ug/l) is equal to one part per billion (ppb)
Microbiological methodology is established in the most recent edition of *Standard Methods for the Examination of Water and Waste Water*.

BOTTLED WATER PROJECT ACTIVITIES

The FDSP certifies out-of-state firms marketing products in the State as well as New Jersey bottled water plants. The project reviews all test results that are required to be submitted to the DHSS and takes regulatory action to gain compliance, when necessary. As part of the DHSS's regulatory responsibilities and consumer health service activities, the project responds to consumer inquiries and complaints, collects samples for analysis by the DHSS's Public Health and Environmental Laboratory (PHEL), and conducts compliance inspections of water bottling plants. Product labels are also reviewed before approval is given to market a product in the State. The following is a summary of the DHSS's major activities during the 2008 reporting period to regulate the bottled water industry and respond to consumers' requests for information concerning these products:

In continuation of our food defense initiatives, the Bottled Water Project maintains a strong partnership with the U.S. FDA Imports Branch to notify the Project of unlicensed imported bottled water entries whenever an importer files a Prior Notice of Importation with FDA.

- In recent years, DHSS prioritized the investigation of imports based upon notification from FDA. Investigations of these bottled water imports revealed that much of these products were intended for distribution into New Jersey. It is important for DHSS to certify the source and license the foreign bottling facility, as some countries do not have the same strict water quality standards as New Jersey.
- Licensed 205 companies to sell bottled water in New Jersey with twenty one new out-of-state water bottlers licensed in 2008, with fourteen of the twenty one new licenses as foreign water bottlers.
- Responded to 61 consumer requests for information concerning bottled water. This number is an increase compared to the 43 inquiries handled during the 2007 reporting period. The Consumer Information section of this report discusses a DHSS initiative to respond to consumer inquiries and requests for information.
- Handled over 163 requests for information from individuals or firms concerning New Jersey's regulatory requirements, such as test result submission requirements, labeling requirements, and information on obtaining New Jersey bottled water certification.

- Investigated three consumer complaints during 2008 compared to four complaints received during the previous reporting period. The most common complaints continue to be off odor or taste and particulate matter reported by consumers.
- Conducted compliance inspections and food defense/food security audits of seven New Jersey water bottlers.
- Of the seven bottlers, all were issued satisfactory inspection ratings and found to be in substantial compliance with the good manufacturing practice rules enforced by the DHSS.
- There were 10 firms that did not reapply for certification due to discontinuance of operations or discontinuance of wholesale distribution or sale into New Jersey. Of the 10 firms that did not reapply, 9 were domestic, and one was a foreign bottler.
- Conducted 50 spot checks of bottled water products to confirm test results submitted to the DHSS.

SUMMARY OF TEST SUBMISSION RESULTS

Bottled water test submission results for 2008 continue to follow the same pattern as the findings reported during the 1995 through 2007 reporting periods. The findings indicate that the vast majority of bottled water sold in the State continues to meet the water quality standards. Some of the mineral waters continue to be high in sodium and other inorganic compounds. Most exceedances occurred in Secondary Water Quality Standards and were aesthetic rather than public health concerns. The pH exceedance is an example of this. Any exceedance noted in the standards, other than the Secondary Standards were reviewed with the firm in non compliance. The product was subject to corrective action, additional sampling, and review for adherence to the New Jersey Bottled Drinking Water Standards.

Microbiological Results:

The DHSS reviewed over 2,460 microbiological tests for total coliform. There were no exceedances of the total coliform standard for finished products. Total coliform must be less than one colony forming unit per 100 ml or the absence of any total coliform bacteria. In all cases, the finished products produced from these sources were reported to be free of coliform bacteria. Coliform bacteria are indicator organisms of potential microbiological contamination of water supplies, and if present, the treatment processes in place by the bottler must be capable of eliminating microbiological contaminants in the finished product.

Sodium Results:

Sodium levels in bottled waters, excluding mineral water, is insignificant as a source of dietary sodium when compared with the daily sodium intake from other dietary sources. Individuals on a sodium-restricted diet should be aware that some bottled waters may contain elevated levels of sodium and should pay attention to the sodium declaration on bottled water product labels.

Under FDA labeling requirements enforced by the DHSS, bottled water products containing levels of sodium greater than 50 mg/l require a nutritional labeling statement and a sodium declaration on the label. Many of the bottled water manufacturers make low sodium or sodium free claims, and the sodium content appears on the product label. The mineral water products that exceeded the sodium standard reflect this excess with a sodium labeling declaration.

SPOT CHECK SUMMARY TESTING

The DHSS conducts 50 spot checks of bottled water product annually to determine if these results are in conformity with those submitted to the DHSS by bottled water manufacturers as required. The samples are representative of popular and imported brands being sold in the State. Twenty-two were imported brands and twenty-eight were domestically-produced brands. The emphasis on imported brands is congruent with DHSS' efforts to monitor the safety of imported food products sold or distributed in New Jersey.

The spot check samples collected were analyzed for; Microbiology, Volatile Organics, Synthetic Organics, (Pesticides & Herbicides), Inorganics, Secondary standards, Radiological, Physical characteristics, and Trihalomethanes.

The results of the spot check sampling showed no exceedances in the total coliform standard. The standard plate count ranged from <1/ml up to 19,000/ml. There is currently no upper limit set for standard plate count in the regulations.

***INORGANICS**

The Arsenic standard was exceeded in one instance, with a high value of 22 parts per billion (ppb). The Maximum Contaminant Level permitted is 10 ppb. The product in question was voluntarily destroyed by the importer, with the provision that the firm will cease importing and distributing this product.

***SECONDARY STANDARDS**

There were 144 exceedances in the Secondary aesthetic standard parameters which included: Aluminum (50), pH (22), Iron (50), Zinc (5), Manganese (10),

Odor (2) and Sodium (3), Sulfate (1), and Silver (1). The secondary standards are not based on adverse health consequences, and are not considered to be of public health significance.

The pH test submissions exceeded the recommended range of 6.5 - 8.5 pH units in 21 of the bottled waters tested. Twenty of the bottled waters recorded low pH ranges with the lowest pH detected at 4.35. One sample recorded a high pH level of 8.70. Bottled water outside the recommended pH range is not a health or safety issue, but one of concern only to the bottling plant operator, since water with low or high pH may be corrosive or scale forming.

*The MCL for Sodium was exceeded in one instance of imported water with a level of 1120.00 parts per million (ppm).

*The MCL for Aluminum was exceeded in all 50 instances in both domestic and imported products with a level of 101.00 ppm as the high exceedance. Excess Aluminum is associated with color, and the formation of scale and sedimentation.

*The MCL for Iron was exceeded in 49 instances with a level of 22.60 ppm as the high exceedance. Excess Iron is associated with an off taste and discoloration of plumbing fixtures.

*The MCL for Manganese was exceeded in 10 instances with a level of 376.00 ppm as the high exceedance. This metal resembles Iron in its chemical activity in water, and like iron, causes problems related to off taste and staining of clothing and plumbing fixtures. Manganese can be removed or reduced by concentration by the same methods used for iron.

*The MCL for Zinc was exceeded in 5 instances with a level of 39.30 ppm as the high exceedance. This metal is associated with off color and taste.

*The MCL for Silver was exceeded once with a level of 4.20 ppm as the high exceedance. This metal is associated with skin discoloration.

*The MCL for Sulfate was exceeded once with a high level of 452 ppm as the high exceedance. Sulfate is associated with an off flavor such as a salty taste.

SYNTHETIC ORGANIC COMPOUNDS

The standards for Synthetic Organic Compounds were found to be in compliance.

RADIONUCLIDES STANDARDS

The standards for Radionuclides were found to be in compliance.

CONCLUSION

For 2008, bottled water in New Jersey generally met regulatory standards promulgated to ensure a safe, wholesome, and truthfully labeled product. Over the past ten years, bottled water quality has continually improved in meeting or exceeding regulatory standards. The DHSS will continue to closely monitor bottled water quality and safety through spot check sampling, with a significant emphasis on imported products, and through review of the required laboratory test submissions.

Although bottled water is not considered a “high risk food,” continued regulatory oversight is necessary in part due to the explosive growth in the bottled water industry. This growth, for more than a decade, has placed bottled water in nearly every supermarket and vending machine, where dozens of brands compete for consumer dollars. In the coming years, industry experts anticipate that bottled water will be second only to soda as the United States beverage of choice.

The DHSS is also partnering with the International Bottled Water Association and the 13 licensed bulk/bottled water firms in New Jersey to bolster food defense initiatives. Based upon vulnerability assessments, food defense experts are in consensus that bottled water is one of the most likely targeted food products by potential terrorists. The primary goal of this partnership is to target-harden the 13 facilities in order to foil or deter potential tampering or terrorism. Food defense/food security assessments were conducted during one of the bottled water facility inspections in 2008. Furthermore, aggressive enforcement action on imported bottled water products furthered DHSS’ food security initiatives. The elevated arsenic found in one imported brand of mineral water validates these initiatives.

New firms are continually entering the market and require additional focused surveillance. Source waters that could potentially be contaminated require on-going monitoring and the subsequent removal of any pollutants must be ensured. As new water standards are introduced, systems are needed to ensure compliance. With continued surveillance, the quality and safety of the bottled water market in New Jersey can continue to meet all regulatory and industry standards.

APPENDIX 1

TYPES OF BOTTLED WATER

The Department has adopted the Federal Standards of Identity and all bottled water products must conform to the nomenclature established in 21 CFR 165.110(a) (identity). Bottled waters can have differing characteristics that affect the taste, odor, and chemical composition. These characteristics are due to the exposure of the water to underground strata from which they are drawn and also to the treatments applied by the manufacturer prior to bottling. The treatments may result in either the addition or removal of minerals to achieve a desired taste. The standards of identity for all regulated bottled water products that are sold are described as follows:

Artesian Water or Artesian Well Water: Artesian Water is obtained from a well that is under natural pressure due to the water source being confined by layers of clay or rock. The water rises naturally to a height above the top of the aquifer. Artesian or artesian well water may be collected with the assistance of external force (pumps) to enhance the natural underground pressure.

Mineral Water: Mineral water contains very large amounts of mineral salts in excess of 250 mg/l (milligrams per liter). Mineral waters usually contain such salts as calcium, sodium, chloride, sulfate, carbonates, and bicarbonates. All other waters described here also contain these mineral salts but at much lower concentrations.

Distilled Water: Distilled water is processed by heating it to produce water vapor, then condensing and collecting the water. This process leaves most of the minerals behind and produces a very flat and tasteless water. This type of water is used for batteries, clothing irons, and other domestic uses. This water treatment is also effective in removing microorganisms including bacteria and other larger parasites.

Purified Water or Demineralized Water: Purified Water is processed by either (1) distillation described above, (2) reverse osmosis, a process that filters the water through a filter membrane, or (3) deionization, a process in which the minerals are attracted to particles of the opposite electrical charge and removed. All three processes must result in water that meets the established definition of Purified Water in "The United States Pharmacopoeia – National Formulary (USP-NF)", edition 31-25.

Sparkling Bottled Water: Sparkling bottled water is water that has naturally occurring carbon dioxide or effervescence.

Spring Water: Spring water is derived from an underground or subsurface formation where the water flows naturally to the surface and continues as a current of flowing water into a brook, stream, or river. Spring water is collected at the point of discharge or through a borehole tapping the underground formation feeding the spring.

Ground Water: Ground water is derived from a subsurface-saturated zone under pressure equal to or greater than atmospheric pressure. The types of ground water include well, artesian well, spring, and mineral water.

Well Water: Well water is derived from a hole that is bored or drilled into an aquifer or underground water source to extract water. This is accomplished by the installation of a well casing, pumps, and a sanitary seal to extract a safe supply.

APPENDIX 2

BOTTLED WATER RESOURCE INFORMATION

**NJ Department of Health & Senior Services
Consumer & Environmental Health Services**
P.O. Box 369
Trenton, NJ 08625-0369
609-588-3123

General information on bottled water,
bottled water inspections, and
registration requirements
Web Site Address:
<http://www.state.nj.us/health/eoh/foodweb>

**U.S. Environmental Protection Agency
Office of Ground Water and Drinking Water**
Ariel Rios Building
1200 Pennsylvania Avenue NW
Washington, DC 20460-0003
202-564-3750

Safe Drinking Water Hotline
1-800-426-4791
Drinking and bottled water standards
<http://www.epa.gov>

U.S. Food & Drug Administration
200 C Street, S.W.
Building # FB-8
Washington, DC 20204
888-INFO-FDA

Federal bottled water standards,
good manufacturing practices,
procedures, and product labeling
<http://www.fda.gov>

**National Sanitation Foundation
International**
P.O. Box 130140
Ann Arbor, MI 48113-0140
800-673-6275
734-769-8010

Information on bottled water treatment
systems, bottled water dispensing
equipment standards, and bottled
water plant voluntary inspection
<http://www.nsf.org>

International Bottled Water Association
1700 Diagonal Road, Suite 650
Alexandria, VA 22314
703-683-5213
800-WATER-11

General information on bottled water
statistics, processing equipment, and
bottled water products and free
consumer brochures
<http://www.bottledwater.org>