

(b) The Capital Fund Component rate per million gallons listed at (c) below is based on estimated annual capital expenses to properly maintain, rehabilitate or replace the facilities.

(c) Capital Fund Assessment

Period	Allocation	Rate/Million Gallons
7/1/2003 to 6/30/2004	Million Gallons per Day (MGD)	\$7.55

New Rule, R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Amended by R.1995 d.291, effective June 5, 1995.

See: 26 N.J.R. 4907(a), 27 N.J.R. 2205(a).

Fiscal year 1996 rate adjustments.

Recodified from 7:11-2.4 and amended by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

In (c), deleted the rate for the period "7/1/95 to 6/30/96", changed the period "7/1/96 to 6/30/98" to "7/1/97 to 6/30/98", and changed the Rate/Million Gallons from "\$20.00" to "\$29.22". Former section recodified to N.J.A.C. 7:11-2.6.

Amended by R.1998 d.270, effective June 1, 1998 (operative July 1, 1998).

See: 29 N.J.R. 5151(a), 30 N.J.R. 1988(a).

In (c), deleted "7/1/97 to 6/30/98" Period; and in "7/1/98" Period, changed Rate/Million Gallons from \$25.00 to \$28.98.

Amended by R.1999 d.180, effective June 7, 1999 (operative July 1, 1999).

See: 30 N.J.R. 4309(a), 31 N.J.R. 1484(a).

In (c), changed period and increased rate.

Amended by R.2000 d.238, effective June 5, 2000 (operative July 1, 2000).

See: 31 N.J.R. 4199(a), 32 N.J.R. 2077(a).

In (c), changed period and increased rate.

Amended by R.2001 d.208, effective June 18, 2001 (operative July 1, 2001).

See: 32 N.J.R. 4424(a), 33 N.J.R. 2098(a).

In (c), changed period and decreased rate.

Amended by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

In (c), amended period and increased rate

Amended by R.2003 d.245, effective June 16, 2003 (operative July 1, 2003).

See: 35 N.J.R. 164(a), 35 N.J.R. 2650(a).

In (c), and amended period and decreased rate.

## 7:11-2.6 Source Water Protection Fund Component

(a) The Source Water Protection Fund Component Rate per million gallons listed at (b) below is based on the annual source water protection expenses agreed upon by Authority customers to acquire and otherwise protect parcels critical to the preservation of system water quality and quantity.

(b) Source Water Protection Fund Assessment

Period	Allocation	Rate/Million Gallons
7/1/2003 to 6/30/2004	Million Gallons per Day (MGD)	\$10.00

New Rule, R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

Former N.J.A.C. 7:11-2.6, Daily allotment charge, recodified to N.J.A.C. 7:11-2.7.

Amended by R.2003 d.245, effective June 16, 2003 (operative July 1, 2003).

See: 35 N.J.R. 164(a), 35 N.J.R. 2650(a).

In (b), amended period and increased rate.

## 7:11-2.7 Daily allotment charge

(a) Effective on the date of commencement of charges as specified in N.J.A.C. 7:11-2.15 the user shall pay a daily allotment charge amounting to 100 percent of the value of the quantity specified in the agreement for 24-hour withdrawal at the rates specified in this schedule, as it may be amended from time to time.

1. The total charge shall include the general rate schedule for operations and maintenance described in N.J.A.C. 7:11-2.3, the applicable Debt Service Assessment as described in N.J.A.C. 7:11-2.4, the Capital Fund Component as described in N.J.A.C. 7:11-2.5, and the Source Water Protection Fund Component as described in N.J.A.C. 7:11-2.6.

2. The Rate for water diverted, withdrawn or allocated from the Raritan River Basin as supported by Spruce Run/Round Valley Reservoirs water release shall be modified by the appropriate production factor as specified in N.J.A.C. 7:11-2.9.

Amended by R.1989 d.310, effective June 5, 1989 (operative July 1, 1989).

See: 21 N.J.R. 103(a), 21 N.J.R. 1527(a).

Deleted reference to rates "prevailing in the agreement ..." and referenced the Schedule, added "for Operations and Maintenance" after General Rate Schedule.

Recodified from 7:11-2.4 and amended by R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Recodified from 7:11-2.5 and amended by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

Changed N.J.A.C. references throughout the section. Former section recodified to N.J.A.C. 7:11-2.7.

Recodified from N.J.A.C. 7:11-2.6 and amended by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

In (a), amended the N.J.A.C. reference in the introductory paragraph, deleted "and" preceding "the Capital Fund Component" and inserted "and the Source Water Protection Fund Component as described in N.J.A.C. 7:11-2.6" following "N.J.A.C. 7:11-2.5" in 1, and substituted "The Rate for water" for "Water" and amended the N.J.A.C. reference in 2. Former N.J.A.C. 7:11-2.7, Equivalent sustained supply: Spruce Run/Round Valley Reservoirs System, recodified to N.J.A.C. 7:11-2.8.

## 7:11-2.8 Equivalent sustained supply: Spruce Run/Round Valley Reservoirs System

(a) In operating the Spruce Run/Round Valley Reservoirs System to augment natural stream flow during a period of low runoff, optimum dependable supply is attained at the confluence of the Millstone River where the combined flow from the tributaries to the Raritan River above that point becomes effective.

(b) Each application for the diversion, withdrawal or allocation of water from the Raritan River Basin is, therefore, to be evaluated, and differentiation in rates, charges and assessments shall be made on the basis of quantities of water to be supplied, distance between the facility and point

of diversion, the cost in making such water available, the place where the water is to be used, and the character of such use.

Amended by R.1985 d.402, effective August 5, 1985 (operative October 1, 1985).

See: 17 N.J.R. 11(a), 17 N.J.R. 1879(a).

"differentiation" substituted for "differentation".

Amended by R.1989 d.310, effective June 5, 1989 (operative July 1, 1989).

See: 21 N.J.R. 103(a), 21 N.J.R. 1527(a).

Reorganized text into subsections (a) and (b).

Recodified from 7:11-2.5 by R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Recodified from 7:11-2.6 by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

Former section recodified to N.J.A.C. 7:11-2.8.

Recodified from N.J.A.C. 7:11-2.7 by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

Former N.J.A.C. 7:11-2.8, Production factor, recodified to N.J.A.C. 7:11-2.9.

### 7:11-2.9 Production factor

(a) For any depletive diversion at any location above the confluence of the Millstone and Raritan Rivers, the inverse ratio between the allocation and its equivalent in sustained supply at the confluence is expressed as the Production Factor for that allocation as follows: Production Factor = Safe yield at the confluence/yield at the point of diversion.

(b) For any depletive diversion at or below the confluence of the Raritan and Millstone Rivers, the Production Factor shall be considered to be unity (1.0).

(c) The total daily allotment charge set forth in N.J.A.C. 7:11-2.7 shall be multiplied by the production factor for a given allocation.

(c) The total daily allotment charge set forth in N.J.A.C. 7:11-2.7 shall be multiplied by the production factor for a given allocation.

Recodified from 7:11-2.6 by R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Recodified from 7:11-2.7 and amended by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

In (c), changed N.J.A.C. reference. Former section recodified to N.J.A.C. 7:11-2.9.

Amended by R.2001 d.208, effective June 18, 2001 (operative July 1, 2001).

See: 32 N.J.R. 4424(a), 33 N.J.R. 2098(a).

In (a), added "as follows: Production Factor = Safe yield at the confluence/yield at the point of diversion."

Recodified from N.J.A.C. 7:11-2.8 and amended by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

In (a), substituted "the" for "any upstream" following "the inverse ratio between"; in (c), amended the N.J.A.C. reference. Former N.J.A.C. 7:11-2.9, Annual Demand Charge, recodified to N.J.A.C. 7:11-2.10.

### 7:11-2.10 Annual Demand Charge

The Annual Demand Charge for a given allocation shall be computed by multiplying the daily allotment charge by 365. Payment shall be made in equal monthly statements as billed.

Recodified from 7:11-2.7 by R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Recodified from 7:11-2.8 by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

Former section recodified to N.J.A.C. 7:11-2.10.

Recodified from N.J.A.C. 7:11-2.9 by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

Former N.J.A.C. 7:11-2.10, Standby service, recodified to N.J.A.C. 7:11-2.11.

### 7:11-2.11 Standby service

(a) "Standby service" means the supply of water from the System, to the extent from time to time available, in excess of aggregate uninterruptible service, for certain occasional uses, such as fire protection or other emergencies, natural or otherwise, which a System water user is authorized to withdraw pursuant to a contract. Such user shall pay a monthly standby charge instead of a demand charge, but shall in all other respects comply with the rules for the use of water from the Delaware and Raritan Canal-Spruce Run/Round Valley Reservoirs System.

(b) The New Jersey Water Supply Authority reserves the right to revoke such standby service classification at any time on 30 days written notice to the user.

(c) Such revocation shall not prejudice the right of the user to submit an application for normal water use either prior to or following the effective date of revocation.

Amended by R.1985 d.402, effective August 5, 1985 (operative October 1, 1985).

See: 17 N.J.R. 11(a), 17 N.J.R. 1879(a).

"days" substituted for "days".

Amended by R.1989 d.310, effective June 5, 1989 (operative July 1, 1989).

See: 21 N.J.R. 103(a), 21 N.J.R. 1527(a).

"Standby service" more fully defined at (a).

Recodified from 7:11-2.8 by R.1994 d.306, effective June 20, 1994 (operative July 1, 1994).

See: 25 N.J.R. 5742(a), 26 N.J.R. 2595(a).

Recodified from 7:11-2.9 by R.1997 d.230, effective June 2, 1997 (operative July 1, 1997).

See: 28 N.J.R. 5130(a), 29 N.J.R. 2551(b).

Former section recodified to N.J.A.C. 7:11-2.11.

Recodified from N.J.A.C. 7:11-2.10 by R.2002 d.177, effective June 3, 2002 (operative July 1, 2002).

See: 33 N.J.R. 4213(a), 34 N.J.R. 1902(b).

Former N.J.A.C. 7:11-2.11, Standby charge, recodified to N.J.A.C. 7:11-2.12.

### 7:11-2.12 Standby charge

(a) A user classified under standby service, as provided in N.J.A.C. 7:11-2.11, shall pay a monthly minimum charge based on the capacity of the user's withdrawal system as specified below. Said purchaser shall also pay for all water withdrawn during the month in excess of such monthly standby charge, based on charges as set forth under N.J.A.C. 7:11-2.3, 2.4, 2.5, and 2.6.