

APPENDIX A

ACCESS CLASSIFICATION MATRIX
BASED ON DESIRABLE TYPICAL SECTIONS

URBAN CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED >=45 MPH			LOW SPEED <45 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	3 (1)	4 (2)	4 (3)	3 (4)	4 (5)	5 (6)
MINOR ARTERIALS	3/4 (7)	4 (8)	5 (9)	3/4 (10)	4 (11)	5 (12)
COLLECTOR ROADS	4 (13)	5 (14)	6 (15)	4 (16)	5 (17)	6 (18)
LOCAL ROADS	4 (19)	6 (20)	6 (21)	4 (22)	6 (23)	6 (24)

RURAL CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED >=50 MPH			LOW SPEED <50 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	2 (25)	4 (26)	4 (27)	3 (28)	4 (29)	5 (30)
MINOR ARTERIALS	2 (31)	4 (32)	5 (33)	3/4 (34)	4 (35)	5 (36)
MAJOR COLLECTORS	3/4 (37)	5 (38)	6 (39)	4 (40)	5 (41)	6 (42)
MINOR COLLECTORS	4 (43)	5 (44)	6 (45)	4 (46)	5 (47)	6 (48)
LOCAL ROADS	4 (49)	6 (50)	6 (51)	4 (52)	6 (53)	6 (54)

- ACCESS LEVEL DESCRIPTION
- 1 FULLY CONTROLLED ACCESS (ACCESS CELL 0)
 - 2 ACCESS AT STREET INTERSECTIONS OR GRADE-SEPARATED INTERCHANGES
 - 3 RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT WITH LEFT-TURN ACCESS VIA JUGHANDLE WHERE SIGNALIZED SPACING STANDARDS MET
 - 4 RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT, LEFT-TURN INGRESS VIA A LEFT-TURN LANE, AND LEFT-TURN EGRESS FROM AN ACCESS POINT
 - 5 ACCESS TO AND FROM AN ACCESS POINT LIMITED BY SPACING REQUIREMENTS AND SAFETY CONSIDERATIONS
 - 6 ACCESS TO AND FROM AN ACCESS POINT, LIMITED BY EDGE CLEARANCE AND SAFETY CONSIDERATIONS

NOTE FOR CELLS WITH ACCESS LEVEL 3/4; ACCESS LEVEL WILL DEPEND ON DEPARTMENT PLANS FOR THE ROUTE.

APPENDIX B

STATE HIGHWAY ACCESS LEVELS BY ROUTE AND MILEPOST

ACCESS LEVEL (AL)

- 1 Fully Controlled Access
- 2 Access along Street or Interchange Only
- 3 Right-turn Access with Provision for Left-turn Access via Jughandle
- 4 Driveway with Provision for Left-turn Access via Left-turn lane
- 5 Driveway with Provision for Left-turn Access (Limited by Spacing Requirements and Safety Considerations)
- 6 Driveway Access Limited by Edge Clearance and Safety Considerations

DESIRABLE TYPICAL SECTIONS CODES (DTS) AND
RIGHT-OF-WAY WIDTHS (R.O.W.) DESCRIPTION¹

DTS	R.O.W.	DESCRIPTION
1A	Existing	SAME LANE, SHOULDER, AND PARKING CONDITIONS AS EXIST (See Note ²)
2A	78'	2 LANES, WITH SHOULDERS OR PARKING
2B	92'	2 LANES, WITH SHOULDERS OR PARKING, WITH 14' TWO-WAY LEFT-TURN LANE
2C	68'	2 LANES, WITHOUT SHOULDERS, WITH 14' TWO-WAY LEFT-TURN LANE
2D	54'	2 LANES, WITHOUT SHOULDERS (NON-STATE HIGHWAYS ONLY)
4A	114'	4 LANES, DIVIDED, WITH SHOULDERS OR PARKING
4B	90'	4 LANES, DIVIDED, WITHOUT SHOULDERS
4C	102'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING
4D	78'	4 LANES, UNDIVIDED, WITHOUT SHOULDERS
4E	102'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING (URBAN SITUATION)
4F	116'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING, WITH 14' TWO-WAY LEFT-TURN LANE
4G	92'	4 LANES, UNDIVIDED, WITHOUT SHOULDERS, WITH 14' TWO-WAY LEFT-TURN LANE
5A	131'	5 LANES, (2 LANES, 1 DIRECTION + 3 LANES, OPPOSITE DIRECTION), DIVIDED, WITH SHOULDERS
6A	148'	6 LANES, DIVIDED, WITH SHOULDERS OR PARKING
6B	124'	6 LANES, DIVIDED, WITHOUT SHOULDERS
6C	210'	6 LANES, DIVIDED, WITH CD ROADS
8A	172'	8 LANES, DIVIDED, WITH SHOULDERS OR PARKING
8B	148'	8 LANES, DIVIDED, WITHOUT SHOULDERS
8C	234'	8 LANES, DIVIDED, WITH CD ROADS

FOR CELL NUMBER SEE APPENDIX A

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
						1&9	62.13	62.80	4	4A	10
						1&9	62.80	62.93	3	4A	4
						1&9	63.93	63.20	3	6C	1
						1&9	63.20	64.90	3	5A	1
						1B	0.00	2.73	3	4A	1
						1&9 T	0.00	2.29	3	6A	1
						1&9 T	2.29	4.11	3	6A	4
						3	0.00	6.00	3	8A	1
						3	6.00	10.40	1	6C	0
						3	10.40	10.73	1	4A	1
						3	10.73	10.84	3	4A	1
1	0.60	5.46	1	6A	0	4	0.00	2.20	3	4B	4
1	5.46	5.94	3	6A	1	4	2.20	10.89	3	6A	1
1	5.94	7.20	3	6C	1	5	0.00	0.39	5	2A	12
1	7.20	10.79	3	6A	1	5	0.39	0.97	4	2B	12
1	10.79	11.29	3	6B	1	5	0.97	1.80	4	2A	12
1	11.29	22.40	3	6A	1	5	1.80	2.16	4	4E	11
1	22.40	38.34	3	8A	1	5	2.16	3.34	6	2A	18
1&9	38.34	40.45	3	6A	1	7	0.00	0.53	4	4D	5
1&9	40.45	41.80	3	6A	4	7	0.53	1.40	3	4A	1
1&9	41.80	43.20	3	6A	1	7	1.40	1.60	3	4A	4
1&9	43.20	45.45	3	6A	4	7	1.60	4.16	4	4C	5
1&9	45.45	48.68	1	8C	0	7	4.16	5.29	4	4D	11
1&9	48.68	51.09	1	6C	0	7	5.99	9.17	4	4D	11
1&9	51.09	54.65	1	4B	0	7	9.36	10.10	4	4D	11
1&9	54.65	62.00	3	6A	4	9	3.02	6.50	4	4C	32
1&9	62.00	62.13	3	4A	10	9	6.50	9.63	4	4C	35

MILEPOST

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
9	9.63	11.00	4	4C	32	15	2.46	3.66	3	6A	1
9	11.00	13.00	6	2A	42	15	3.66	6.35	2	6A	31
9	13.00	15.08	6	2A	39	15	6.35	6.75	3	6A	1
9	15.08	23.50	4	4C	32	15	6.75	14.13	1	6A	0
9	23.50	24.00	4	4C	35	15	14.13	16.70	5	4E	38
9	24.00	28.30	4	4C	32	15	16.70	18.29	5	4E	41
9	28.30	28.73	4	4C	35	15	18.20	19.52	4	4E	32
9	28.73	29.30	4	4C	29	17	0.00	3.35	4	4E	5
9	29.30	29.80	4	4C	26	17	3.35	3.50	4	4E	2
9	29.80	30.35	4	4C	32	17	3.50	26.81	3	6A	1
9	30.35	30.72	4	4C	35	18	5.14	30.85	1	4A	0
9	31.84	32.11	4	4C	29	18	30.85	34.25	3	4A	1
9	32.11	32.63	4	4C	2	18	34.25	36.94	3	6A	1
9	32.63	33.22	4	4C	5	18	36.94	41.75	3	8A	1
9	33.22	36.00	4	4C	2	18	41.75	42.00	3	6A	1
9	36.00	41.40	4	4C	5	18	42.00	43.71	1	6A	1
9	41.40	42.80	4	4C	2	19	0.00	0.70	1	4A	0
9	42.80	44.53	4	4C	5	19	0.70	2.91	1	6A	0
9	44.53	45.30	4	4C	2	20	0.00	0.70	3	6A	4
9	45.30	45.56	4	4C	35	20	0.70	3.98	3	6A	4
9	45.56	46.18	4	4C	32	21	0.00	0.91	2	6B	1
9	46.18	47.21	4	4C	35	21	0.91	4.00	4	6B	4
9	47.21	48.08	4	4C	32	21	4.00	4.10	3	6A	1
9	48.08	49.04	4	4C	35	21	4.10	12.45	1	6A	0
9	49.04	52.58	4	4C	32	22	0.30	0.62	1	6B	0
9	54.85	55.23	4	4C	32	22	0.62	1.47	3	6N	4
9	55.23	57.30	4	4C	35	22	1.47	2.00	3	6B	1
9	57.30	61.60	4	4C	32	22	2.00	4.45	3	4A	1
9	61.60	62.50	4	4C	35	22	4.45	5.12	1	6A	0
9	62.50	63.30	4	4A	34	22	19.22	19.39	3	4A	7
9	63.30	64.60	2	4A	31	22	19.39	20.04	3	4A	7
9	64.60	68.28	3	4A	34	22	20.04	28.60	3	4A	7
9	68.28	69.34	4	4F	34	22	28.60	30.63	3	4A	1
9	69.34	70.20	4	4F	7	22	30.63	30.92	3	4A	1
9	70.20	70.50	3	4B	7	22	30.92	31.50	3	4A	1
9	70.50	71.08	3	4A	10	22	31.50	37.10	3	6A	1
9	71.08	74.48	3	4A	7	22	37.10	41.59	3	4A	1
9	74.48	75.47	3	4A	10	22	41.59	60.53	3	6A	1
9	75.47	79.15	3	4A	7	22A	2.38	3.47	4	4D	5
9	79.15	80.70	3	4A	34	22A	3.47	3.56	4	4D	2
9	80.70	81.90	4	4D	35	22A	3.56	4.05	4	4D	2
9	81.90	84.22	3	4A	34	23	0.00	2.06	4	4D	5
9	84.22	86.56	3	4A	7	23	2.06	3.99	4	4D	2
9	86.56	88.75	3	4A	1	23	3.99	5.05	4	4D	5
9	88.75	89.95	3	4A	4	23	5.05	6.30	1	6A	0
9	89.95	90.97	3	4A	1	23	6.30	17.00	3	6A	1
9	94.47	100.20	3	4A	1	23	17.00	27.20	2	6A	25
9	100.20	102.96	3	4A	4	23	27.20	28.78	4	4C	26
9	102.96	123.09	3	6A	1	23	28.78	41.15	4	4C	29
9	123.09	136.25	3	8A	1	23	41.15	45.20	4	4C	26
9W	0.00	0.35	3	4B	4	23	45.20	45.21	4	4C	29
9W	0.35	0.76	3	4A	4	23	45.21	45.80	4	4C	29
9W	0.76	1.45	4	4E	5	23	45.80	46.65	4	4C	26
9W	1.45	11.00	3	4A	1	23	46.65	52.53	4	4C	29
9W	11.00	11.17	4	2A	3	24	0.00	7.20	1	4A	0
10	0.00	10.63	3	4A	1	24	7.20	10.59	1	6A	0
10	10.63	19.70	3	6A	1	26	0.00	0.70	4	4E	8
10	19.70	23.47	3	4A	1	26	0.70	2.10	4	4E	11
12	0.95	1.01	4	4A	34	27	0.00	1.49	5	1A	6
12	1.01	10.44	2	4A	31	27	1.49	4.00	5	1A	3
12	10.44	11.70	4	4A	34	27	4.00	6.80	4	2B	3
13	0.00	0.43	4	4D	11	27	6.80	9.50	4	4F	2
13	0.43	0.58	4	4B	10	27	9.50	10.20	4	4F	5
15	0.00	2.05	4	4C	5	27	10.20	11.54	4	4F	2
15	2.05	2.29	3	6A	1	27	11.54	13.85	4	4F	5
15	2.29	2.46	3	8B	1	27	13.85	15.37	4	4E	5

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
27	16.55	18.23	4	4D	5	31	42.12	43.56	3	4A	28
27	18.23	23.85	4	4F	5	31	43.56	46.12	2	4A	25
27	23.85	27.18	4	4F	2	31	46.12	49.00	3	4A	28
27	27.18	35.79	4	4E	2	32	0.00	1.18	3	4A	7
28	0.00	2.22	4	2A	3	33	0.00	0.20	4	4D	5
28	2.22	3.00	5	2A	6	33	1.46	2.30	4	4D	5
28	3.00	3.70	4	2B	5	33	2.30	5.50	4	4C	5
28	3.70	5.08	5	2A	6	33	5.50	7.86	4	4C	2
28	5.08	6.25	4	2A	3	33	12.39	12.70	3	6A	1
28	6.25	6.80	4	4D	2	33	12.70	13.38	4	2B	1
28	6.80	6.90	4	4D	5	33	13.38	13.68	4	4C	2
28	6.90	8.22	5	2A	6	33	13.68	14.70	4	2C	6
28	8.22	12.47	4	4D	5	33	14.70	14.77	4	4D	2
28	17.50	23.00	5	1A	6	33	14.77	15.01	3	6B	1
28	23.00	26.63	4	4A	4	33	15.01	18.90	3	6A	1
29	3.20	6.20	1	4A	0	33	18.90	24.32	2	6A	25
29	6.20	6.70	3	4A	4	33	24.32	29.30	1	4A	0
29	6.70	9.55	1	4A	0	33	29.35	29.74	4	4E	2
29	9.55	13.80	5	2A	9	33	29.74	29.91	4	4E	26
29	13.80	16.72	5	2A	36	33	29.91	33.04	4	4C	32
29	16.72	18.10	6	2A	42	33	33.04	33.25	2	4A	25
29	18.10	18.60	6	4C	41	33	33.25	36.49	3	4A	1
29	18.60	19.60	5	2A	42	33	36.49	36.65	3	4A	1
29	19.60	20.30	6	4C	41	33	36.65	38.30	3	4A	1
29	20.30	23.36	6	2A	42	33	38.30	40.28	4	4C	2
29	23.36	34.26	6	1A	39	33	40.28	40.63	1	6A	0
30	0.96	1.20	3	6A	4	33	40.63	41.82	4	4C	5
30	1.20	3.15	3	8B	1	33	41.82	42.46	4	4C	11
30	3.15	3.32	3	8B	4	33 B	0.00	0.60	1	2D	7
30	3.32	4.26	3	8A	1	33 B	0.60	2.24	4	4C	8
30	4.26	6.40	4	4E	2	33 B	2.24	2.57	3	6A	4
30	6.40	7.95	3	6A	4	33 B	2.57	3.36	5	4D	17
30	7.95	12.70	3	4A	1	33 B	3.36	3.86	4	4E	11
30	12.70	16.30	3	4A	7	33 B	3.86	4.35	5	4C	14
30	16.30	17.05	3	4B	10	33 B	4.35	5.03	5	4C	17
30	17.05	18.00	3	4B	7	34	0.00	0.33	3	4A	1
30	18.00	21.60	3	4A	7	34	0.33	7.70	3	4A	7
30	21.60	27.97	2	4A	31	34	8.75	12.28	2	4A	31
30	27.97	32.60	4	4G	2	34	12.28	13.71	3	4A	32
30	32.60	35.10	4	4G	32	34	13.71	20.44	4	4C	32
30	35.10	40.35	3	4A	32	34	20.44	21.20	4	4C	2
30	40.35	42.10	4	4A	34	34	21.20	22.56	4	4C	5
30	42.10	46.00	4	4G	32	34	22.56	26.79	4	4C	2
30	46.00	52.09	4	4G	2	35	0.00	0.26	4	4B	34
30	52.09	52.20	4	4G	2	35	0.26	0.58	5	2A	36
30	52.39	52.42	4	4G	2	35	0.58	1.44	4	4A	34
30	52.42	53.45	3	4A	1	35	1.44	2.07	4	6A	34
30	53.45	54.39	2	4A	25	35	2.07	2.32	4	6B	34
30	54.39	55.42	2	6B	25	35	2.32	2.48	4	8B	34
30	55.42	56.75	2	8B	25	35	2.48	3.51	1	6A	0
30	56.75	56.79	3	8B	28	35	3.51	3.65	3	6B	28
30	56.79	57.47	3	8B	4	35	3.65	3.77	3	4B	28
30	57.47	58.23	3	6C	4	35	3.77	7.29	3	4A	28
31	1.15	3.82	4	4C	5	35	7.29	9.12	4	4A	28
31	3.82	4.30	4	4C	2	35	9.12	12.76	4	4E	29
31	4.30	4.70	4	4F	2	35	12.76	13.00	4	4E	5
31	4.70	6.34	3	4A	1	35	13.00	14.55	4	4A	4
31	6.34	7.19	3	4A	28	35	14.55	16.04	3	4A	4
31	7.19	8.08	4	4C	29	35	16.04	20.10	4	4F	2
31	8.08	12.37	4	4C	26	35	20.10	20.56	3	4A	1
31	12.37	16.26	3	4A	25	35	20.56	21.05	3	4A	4
31	21.95	22.10	2	4A	25	35	21.05	21.39	4	4D	5
31	22.10	24.40	3	4A	28	35	21.39	22.30	3	6A	4
31	24.40	30.26	2	4A	25	35	22.30	24.61	4	4C	5
31	30.26	34.24	3	4A	1	35	24.61	24.94	3	4A	1
31	34.24	42.12	2	4A	25	35	24.94	29.50	3	6A	1

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
35	29.50	31.20	4	4F	5	40	53.15	53.85	3	6A	1
35	31.20	33.15	4	4C	5	40	53.85	56.79	3	6A	1
35	33.15	34.37	4	4E	5	40	56.79	59.00	3	4A	1
35	34.37	35.80	3	4A	1	40	59.00	59.72	3	4A	4
35	35.80	43.91	3	6A	1	40	59.72	59.98	4	4F	5
35	43.91	44.62	3	6B	1	40	59.98	60.23	3	4A	4
35	44.62	49.52	3	6A	1	40	60.23	60.37	3	4A	28
35	50.79	51.00	1	6A	0	40	60.37	61.63	4	4F	29
35	51.00	52.32	4	4E	5	40	61.63	61.65	4	4F	26
35	52.32	53.35	4	4F	5	40	61.65	63.38	2	4A	25
35	53.35	54.87	4	4C	2	40	63.38	63.57	3	4A	1
35	54.87	58.06	4	4C	5	40	63.57	63.97	4	4F	5
36	0.00	4.00	3	6A	1	40	63.97	64.07	4	4C	5
36	4.00	5.72	4	4D	5	41	0.00	2.32	4	4D	8
36	5.72	6.55	3	4A	4	41	2.32	3.00	4	4G	8
36	6.55	6.71	4	4C	2	41	3.00	3.86	4	4F	8
36	6.71	9.74	4	4C	29	41	3.86	3.91	4	4F	11
36	9.74	11.60	4	4C	2	41	3.91	4.94	4	4C	5
36	11.60	11.80	4	4D	2	41	10.68	11.95	4	4F	5
36	11.80	13.00	3	5A	1	41	11.95	13.02	4	4F	2
36	13.00	19.52	3	4A	1	41	13.02	13.98	3	5A	1
36	19.52	24.18	3	6A	1	42	0.00	6.40	3	6A	1
36	24.18	24.40	3	4A	1	42	6.40	14.28	1	8A	0
37	0.00	1.53	3	4A	7	44	0.00	1.28	6	2A	51
37	1.53	2.90	3	4A	1	44	1.28	2.60	6	2A	39
37	2.90	6.02	3	6A	1	44	2.60	6.28	5	2A	12
37	6.02	6.50	3	4A	1	44	6.28	8.40	5	2A	9
37	6.50	6.75	3	8A	1	44	8.40	9.10	5	2A	12
37	6.75	11.45	3	6A	01	44	9.10	9.60	5	2A	9
37	11.45	12.39	1	6A	0	45	0.00	0.42	4	4E	29
37	12.39	13.42	2	6A	25	45	0.42	2.32	4	4E	35
38	0.00	12.00	3	6A	1	45	2.32	8.79	4	4E	32
38	12.00	15.40	3	4A	1	45	8.79	9.23	4	4E	34
38	15.40	16.80	3	4A	4	45	9.23	10.14	4	4D	11
38	16.80	17.38	4	4A	1	45	10.14	10.45	4	4E	8
38	17.38	18.31	2	4C	25	45	10.45	16.98	4	4E	32
38	18.31	19.23	4	4C	32	45	16.98	17.32	4	4E	35
40	1.85	5.47	2	4A	31	45	17.32	17.77	4	4D	35
40	5.47	8.03	4	4C	32	45	18.16	18.35	4	4E	35
40	8.03	8.55	4	4C	35	45	18.35	20.24	4	4E	32
40	8.55	10.22	4	4C	32	45	20.24	20.88	4	4E	26
40	10.02	10.21	4	4D	35	45	20.88	20.96	4	4E	29
40	10.21	10.40	4	4D	8	45	29.96	22.13	4	4E	2
40	10.40	11.20	4	4D	11	45	22.13	22.53	4	4E	5
40	11.20	11.25	4	4D	35	45	22.53	22.59	3	4A	4
40	11.25	11.66	4	4C	35	45	22.59	24.82	3	4A	1
40	11.66	19.54	4	4C	32	45	24.82	24.90	3	4A	4
40	19.54	20.27	4	4C	35	45	24.90	26.90	5	4D	5
40	20.27	25.25	4	4C	32	45	26.90	28.51	4	4D	2
40	25.50	25.73	4	4C	8	46	0.00	0.85	1	4A	0
40	25.73	26.30	4	4C	2	46	0.85	6.86	4	2A	27
40	26.30	26.42	4	4C	2	46	6.86	7.45	4	4A	25
40	26.42	26.60	4	4C	5	46	7.45	9.63	4	4C	26
40	26.60	27.37	4	4C	5	46	9.63	10.05	4	4C	29
40	27.37	29.10	4	4C	2	46	10.05	10.12	4	4C	35
40	29.10	29.27	4	4C	26	46	10.12	15.82	4	4C	32
40	29.27	32.55	4	4C	32	46	15.82	20.63	4	4C	35
40	32.55	33.79	3	4A	1	46	20.63	21.82	4	4D	29
40	33.79	34.40	3	4A	4	46	21.82	22.40	4	4B	34
40	34.40	35.21	3	4A	1	46	22.40	22.48	4	4A	34
40	35.21	44.95	2	4A	31	46	22.48	24.58	4	4A	31
40	44.95	45.63	3	4A	34	46	24.58	25.50	3	4A	1
40	45.63	46.25	2	4A	31	46	25.50	27.12	3	4A	1
40	46.25	47.48	4	4C	35	46	27.12	28.42	3	4A	28
40	47.48	51.71	2	4A	31	46	28.42	29.60	2	4A	25
40	51.71	53.15	3	4A	1	46	29.60	30.43	3	4A	28

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
46	30.43	31.52	2	4A	25	49	10.10	11.00	4	4C	35
46	31.52	33.30	2	4A	1	49	11.00	12.30	4	4C	32
46	33.30	33.45	3	4A	1	49	12.30	12.88	4	4C	35
46	33.45	34.25	4	4C	2	49	12.88	21.10	4	4C	32
46	34.25	35.10	4	4C	5	49	21.10	21.62	4	4D	35
46	35.10	35.38	4	4C	2	49	21.62	22.10	4	4D	32
46	35.38	36.05	3	4A	1	49	21.10	23.13	4	4C	32
46	36.05	36.58	3	4A	4	49	23.13	24.50	4	4C	2
46	36.58	37.22	3	4A	1	49	24.50	26.25	4	4C	5
46	37.22	42.38	3	4A	4	49	26.25	26.50	3	4B	4
46	42.38	42.50	3	6B	4	49	26.50	26.60	4	4C	5
46	42.50	43.18	3	6A	4	49	26.60	27.20	4	4C	2
46	43.18	61.60	3	6A	1	49	27.20	29.84	4	4C	8
46	61.60	62.26	3	6A	4	49	29.84	30.80	4	4C	32
46	62.26	68.28	3	6A	1	49	30.80	31.45	4	4C	26
46	68.28	69.00	3	8A	1	49	31.45	35.03	4	4C	2
46	69.00	69.18	3	6A	1	49	35.03	36.10	4	4C	5
46	69.18	69.38	4	4F	2	49	36.10	37.37	4	4D	5
46	69.38	70.08	4	4F	5	49	37.37	38.10	4	4D	2
46	70.08	70.40	1	4D	0	49	38.10	38.37	4	4C	2
46	70.40	70.73	3	6A	4	49	38.87	40.80	4	4C	26
46	70.73	71.55	3	8B	1	49	40.80	53.78	4	4C	32
46	71.55	72.15	3	6B	1	50	0.00	0.24	3	4B	34
47	0.66	1.16	4	4A	40	50	0.24	6.18	4	4C	32
47	1.16	3.18	4	4A	37	50	6.18	7.03	4	4C	35
47	3.18	3.73	4	4D	41	50	7.03	7.15	4	4C	32
47	3.73	3.90	4	4D	35	50	7.15	18.56	4	4C	32
47	3.90	4.32	4	4C	35	50	19.18	19.67	4	4C	35
47	4.32	6.10	4	4C	32	50	19.67	20.91	4	4C	32
47	6.10	7.00	4	4C	35	50	20.91	21.20	1	4A	0
47	7.00	17.43	4	4C	32	50	21.20	23.50	4	4C	32
47	17.43	17.63	2	4B	31	50	23.50	24.20	2	4A	31
47	17.63	25.60	4	4C	32	50	24.20	25.53	4	4C	32
47	25.60	26.62	4	4C	35	50	25.53	26.08	4	4C	35
47	26.62	33.12	4	4C	32	52	0.00	1.96	4	4E	29
47	33.12	34.12	4	4C	35	52	1.96	2.74	4	4E	5
47	34.12	34.80	4	4C	32	53	0.00	1.55	4	2B	8
47	34.80	36.08	6	2A	39	53	1.55	2.35	4	4C	8
47	36.08	36.73	5	2A	33	53	2.35	3.32	4	4C	11
47	36.73	38.50	4	2A	9	53	3.32	4.66	4	4E	11
47	38.50	40.80	4	2C	12	54	0.00	1.11	4	4C	2
47	40.80	42.20	4	2C	9	54	1.11	8.20	4	4C	32
47	42.20	45.88	4	4D	8	54	8.20	8.46	4	4C	2
47	45.88	46.75	4	4D	11	54	8.46	9.12	3	4A	1
47	46.75	52.03	4	4D	8	54	9.12	9.98	4	4C	2
47	52.03	52.36	4	4C	11	54	9.98	11.88	4	4C	5
47	52.82	56.00	4	4C	8	55F	20.00	60.53	1	4A	0
47	56.00	56.78	4	4C	11	56	0.00	0.17	4	4D	8
47	56.78	58.17	4	4C	8	56	0.17	1.60	5	4D	14
47	58.17	58.29	4	4C	2	56	1.60	2.00	5	4D	38
47	58.29	59.80	4	4C	5	56	2.00	7.50	6	2A	39
47	59.80	61.96	4	4C	2	56	7.50	7.84	3	4B	7
47	61.96	62.29	4	4C	5	56	7.84	9.23	4	4D	11
47	62.66	63.15	4	4D	5	57	0.00	0.55	4	4C	26
47	63.15	64.12	4	4C	2	57	0.55	2.20	4	4C	32
47	64.12	74.00	4	4C	8	57	2.20	2.80	4	4C	35
47	74.00	74.98	4	4C	11	57	2.80	4.38	4	4C	32
48	0.00	0.61	4	4C	11	57	4.38	5.28	4	4C	35
48	0.61	0.66	4	4C	8	57	5.28	6.40	4	4C	32
48	0.66	2.10	4	4C	32	57	6.40	9.10	4	4C	35
48	2.10	4.26	6	2A	39	57	9.10	9.78	4	2B	33
49	0.00	0.70	4	4C	2	57	9.78	9.81	4	2B	27
49	0.70	3.00	4	4C	5	57	9.81	11.60	4	2B	30
49	3.00	6.29	4	4C	2	57	11.60	11.80	4	2B	36
49	6.29	8.30	4	4C	32	57	11.80	11.90	4	2B	33
49	8.30	10.10	4	4C	29	57	11.90	14.44	4	2C	32

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
57	14.44	15.23	4	2B	33	78	48.54	58.50	1	1A	0
57	15.23	18.60	4	4C	32	79	0.00	0.35	4	4F	11
57	18.60	19.55	4	4C	35	79	0.35	0.57	4	2B	12
57	19.55	20.53	4	4C	32	79	0.57	1.75	4	2C	18
57	20.53	21.10	4	4D	29	79	1.75	2.50	5	4D	17
59	0.00	0.15	4	4B	22	79	2.50	3.90	5	4D	14
63	0.00	0.06	3	4A	4	79	3.90	4.81	5	4C	14
63	0.06	3.00	4	2B	6	79	4.81	5.08	4	4A	13
63	3.00	3.09	3	4A	4	79	5.08	5.33	4	4A	7
64	0.00	0.33	3	4B	4	79	5.33	5.38	4	4A	10
66	0.00	0.40	3	4A	10	79	5.38	5.79	4	4C	11
66	0.40	3.62	3	4A	7	79	5.79	9.38	4	4C	8
67	0.00	1.86	4	4E	11	79	9.38	10.18	4	4C	11
68	0.00	0.60	2	4A	1	79	10.18	10.95	4	4C	8
68	0.60	1.07	3	4A	1	79	10.95	11.38	4	4C	11
68	1.07	7.66	2	4A	31	79	11.38	12.13	4	4D	11
68	7.66	8.02	3	4A	7	80	0.50	42.10	1	8A	0
70	0.00	8.50	3	6A	1	80	42.10	42.90	1	8C	0
70	8.50	14.83	3	4A	1	80	42.90	43.90	1	8A	0
70	14.83	20.10	2	4A	31	80	43.90	46.13	1	1A	0
70	20.10	26.10	4	4C	32	80	46.13	62.50	1	8A	0
70	26.10	26.50	2	4C	31	80	62.50	63.35	1	1A	0
70	26.50	43.25	4	4C	32	81	0.51	1.18	3	5A	1
70	43.25	43.45	4	4C	35	82	0.00	2.65	4	4E	5
70	43.45	44.80	3	4A	34	82	2.65	3.35	4	4E	2
70	44.80	48.58	3	4A	7	82	3.35	4.25	4	4E	5
70	48.58	59.84	3	4A	1	82	4.25	4.93	4	4E	2
71	0.00	0.61	6	2A	18	83	0.00	0.24	2	4B	31
71	0.61	7.40	5	4D	17	83	0.24	3.84	2	4A	31
71	7.40	9.40	5	4E	17	87	0.00	0.57	3	8A	7
71	9.40	10.48	5	4D	17	87	0.57	0.80	3	6A	7
71	10.48	11.64	4	4A	16	87	0.80	1.72	3	4A	7
71	11.64	12.53	4	2B	17	88	0.00	0.30	4	2B	12
71	12.53	13.77	4	2C	17	88	0.30	5.21	4	2C	12
71	13.77	15.71	4	4D	11	88	5.21	8.60	4	2C	6
71	15.71	16.76	4	4C	11	88	8.60	8.96	5	4D	5
72	0.00	5.96	4	4E	32	88	8.96	9.64	4	2C	6
72	5.96	11.47	4	4C	32	88	9.64	10.02	3	4B	4
72	11.47	13.70	4	4E	32	90	2.35	3.20	3	8A	1
72	13.70	18.06	2	4A	31	91	0.00	1.30	4	4C	8
72	18.06	21.00	3	4A	7	91	1.30	2.31	4	4C	11
72	21.00	24.10	3	6A	7	93	0.00	3.52	5	2A	12
72	24.10	26.32	3	4A	7	94	0.20	0.72	4	4D	35
72	26.32	27.18	2	4A	31	94	0.72	2.55	4	4C	32
72	27.18	27.40	2	5A	31	94	2.55	3.36	4	4C	35
72	27.40	27.55	2	6A	31	94	3.36	3.91	4	4C	32
72	27.55	28.18	2	4A	31	94	3.91	9.33	4	4C	35
72	28.18	28.72	3	5A	34	94	9.33	11.82	4	4C	32
73	6.00	10.89	2	6A	31	94	11.82	12.60	4	4D	35
73	10.89	12.70	3	6A	1	94	12.60	14.80	4	4C	35
73	12.70	14.46	2	6A	31	94	14.80	21.25	4	4C	32
73	14.46	32.00	3	6A	1	94	21.35	21.55	4	4D	2
73	32.00	32.35	3	8A	1	94	21.55	22.51	4	4D	5
73	32.35	34.10	3	6A	1	94	24.89	27.68	4	4C	35
76	0.00	1.85	1	1A	0	94	27.95	32.90	4	4C	35
77	0.00	2.19	4	4D	5	94	32.90	35.15	4	4C	32
77	2.70	3.90	4	2A	3	94	35.15	45.76	4	4C	35
77	3.90	5.06	5	1A	9	95	0.00	8.77	1	6A	0
77	5.06	7.18	5	2A	33	109	1.37	1.95	4	4C	35
77	7.18	8.05	5	2A	36	109	1.95	2.50	4	4A	34
77	9.81	22.18	5	2A	33	109	2.50	3.06	4	4C	35
78	4.16	17.85	1	6A	0	120	0.00	0.95	2	6A	1
78	17.85	19.22	1	8A	0	120	0.95	2.65	3	6A	4
78	19.22	29.85	1	6A	0	124	0.00	0.40	5	4E	5
78	29.85	33.13	1	8A	0	124	0.40	1.50	5	4D	5
78	33.13	48.54	1	6A	0	124	1.50	2.80	4	4D	11

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
124	2.80	4.50	5	2A	12	168	0.00	0.78	3	4A	1
124	4.50	5.90	5	2A	6	168	0.78	1.20	4	4C	2
124	5.90	7.45	4	4D	5	168	1.20	2.65	4	2C	6
124	7.45	9.00	4	4A	19	168	2.65	4.73	4	2C	3
124	9.00	10.03	4	4A	22	168	4.73	7.38	4	2C	6
124	10.03	11.70	4	4E	5	168	7.38	8.72	4	4C	5
124	11.70	12.58	3	4A	4	168	8.72	9.79	3	4A	1
124	12.58	14.84	4	4E	5	168	9.79	9.92	3	4B	4
129	0.00	0.29	4	2A	3	168	9.92	10.81	4	4C	5
129	0.29	2.41	1	4A	0	169	0.85	2.25	3	4A	1
130	0.00	0.65	4	4D	11	169	2.25	4.65	3	4A	4
130	0.65	2.25	4	4D	8	169	4.65	5.73	3	4A	1
130	2.25	4.15	4	4D	11	171	0.00	0.08	2	4A	10
130	4.15	5.28	4	4D	8	171	0.08	1.00	4	4F	23
130	5.28	5.88	6	2A	15	172	0.00	0.35	6	4E	23
130	5.88	8.90	6	2A	39	172	0.35	0.81	3	4A	10
130	8.90	11.70	4	4A	13	173	0.00	0.25	5	2A	33
130	11.70	14.30	1	4A	0	173	0.25	0.35	4	2B	33
130	23.53	25.43	3	4A	1	173	0.35	3.19	4	2B	39
130	25.43	29.40	3	6B	1	173	3.19	4.20	4	2B	45
130	30.34	37.10	3	6B	1	173	4.20	4.50	4	2B	48
130	37.10	45.90	3	6A	1	173	4.50	12.07	4	2B	45
130	45.90	46.65	4	8B	4	173	12.43	12.80	4	2B	45
130	46.65	55.43	3	6A	1	173	12.80	13.50	4	2B	48
130	55.43	55.77	3	6A	4	173	13.50	14.62	4	2B	54
130	55.77	56.43	3	8B	4	175	0.27	1.58	6	2A	21
130	56.43	70.85	3	4A	1	175	1.58	2.15	6	2A	24
130	70.85	80.38	3	4A	7	175	2.15	2.73	6	2A	21
130	80.38	83.37	3	4A	1	175	2.73	2.90	4	4A	19
138	0.00	3.52	3	4A	1	179	0.12	0.37	6	2A	42
139	0.00	1.45	3	8B	1	179	0.37	1.13	5	4D	41
140	0.00	0.48	6	2A	18	179	1.13	1.45	5	4D	38
140	0.48	0.95	5	2A	12	179	1.45	6.13	6	2A	39
143	0.00	1.00	6	2A	48	179	6.13	7.46	6	2A	42
143	1.00	1.93	6	2A	45	181	0.00	1.65	4	4C	35
143	1.93	2.27	6	2A	48	181	1.65	4.40	5	4C	41
143	2.27	2.35	6	2A	45	181	4.40	5.98	4	4C	11
147	0.00	0.80	4	4D	35	181	5.98	7.43	5	4C	38
147	0.80	1.63	3	4D	32	182	0.00	0.98	4	4D	29
147	1.63	3.30	4	4D	35	183	0.00	0.20	2	4B	31
147	3.30	4.20	4	4D	41	183	0.20	0.43	2	4A	25
152	0.00	0.17	4	4D	5	183	0.43	0.58	3	4A	28
152	0.17	1.58	4	4D	2	183	0.58	2.12	5	2B	30
152	1.58	1.72	4	4D	5	184	0.00	0.32	3	6A	10
152	1.72	3.16	4	4D	2	184	0.32	1.37	3	4A	10
154	0.00	0.30	4	4C	11	185	0.00	1.42	3	4A	4
154	0.30	1.70	4	4C	8	187	0.00	0.47	4	4E	8
156	0.00	1.21	5	2A	12	195	0.00	34.17	1	4A	0
157	0.00	0.43	5	2A	6	202	0.37	19.04	2	4A	25
157	0.43	0.91	4	2A	3	202	19.04	26.25	3	4A	1
159	0.00	0.45	3	4A	1	202	26.25	28.70	4	4G	2
159	0.45	0.56	3	4A	4	202	28.70	29.00	4	4A	2
159	0.56	1.36	4	4E	11	202	29.00	29.55	3	4A	1
161	0.00	1.10	4	2B	12	202	29.55	29.69	3	4A	4
162	0.00	0.73	6	2A	39	202	29.69	30.02	5	2A	6
163	0.00	0.33	6	2A	51	202	30.02	31.12	3	4A	1
165	0.00	0.10	4	4A	40	202	31.12	31.50	2	4A	25
165	0.10	0.26	5	4D	41	202	31.50	31.80	3	4A	28
166	0.00	1.86	4	2C	6	202	31.80	32.17	5	2A	36
166	1.86	1.98	4	4D	5	202	32.17	32.56	5	2A	36
166	1.98	2.23	4	2C	6	202	32.56	32.77	5	2A	36
166	2.23	3.75	4	2C	3	202	32.77	32.95	6	2A	42
167	0.00	0.62	6	2A	54	202	32.95	34.10	6	2A	39
167	0.95	1.49	6	2A	51	202	34.10	35.80	5	2A	33
167	1.52	1.66	6	2A	51	202	35.80	36.20	5	2A	9
167	1.67	2.78	6	2A	51	202	36.20	36.40	5	2A	12

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
202	36.40	37.85	5	2A	12	206	107.48	108.18	3	4A	1
202	37.85	39.06	4	4C	8	206	108.18	109.93	4	2B	6
202	39.06	39.30	5	2A	9	206	109.93	111.10	4	4C	35
202	39.30	41.03	6	2A	42	206	111.10	114.10	2	4A	31
202	41.03	42.31	6	2A	39	206	114.10	116.28	3	4A	34
202	42.31	42.67	5	2A	9	206	116.28	128.20	2	4A	31
202	42.67	43.90	5	2A	12	206	128.20	129.22	3	4A	34
202	43.90	45.30	5	4E	11	208	0.00	11.02	3	6A	1
202	45.30	45.70	5	4C	11	278	0.00	0.90	1	6A	0
202	45.70	46.31	4	4E	11	280	0.00	7.66	1	6A	0
202	46.31	47.00	4	4D	11	280	7.66	12.50	1	8A	0
202	50.03	50.70	3	4B	1	280	12.50	13.28	1	1A	0
202	51.43	51.87	4	2C	5	280	13.28	16.80	1	6A	0
202	62.99	64.32	3	6A	1	284	0.00	0.63	5	2A	36
202	65.32	65.68	5	2A	6	284	0.63	7.03	5	2A	33
202	72.44	72.66	4	4D	5	287	0.00	0.73	1	1A	0
206	0.00	0.10	3	4A	1	287	0.73	17.82	1	8A	0
206	0.10	2.33	4	4F	2	287	17.82	21.20	1	1A	0
206	2.33	6.27	4	4C	2	287	21.20	42.10	1	8A	0
206	6.27	9.00	4	4C	26	287	42.10	60.00	1	6A	0
206	9.00	23.30	4	4C	32	287	60.00	67.54	1	4A	0
206	23.30	23.70	4	4F	32	295	0.95	26.40	1	6A	0
206	23.70	30.36	4	4C	32	295	26.40	27.00	1	8A	0
206	30.36	31.28	2	4A	31	295	27.00	42.90	1	6A	0
206	31.28	33.26	4	4C	32	295	42.90	44.78	1	8A	0
206	33.26	33.40	4	4C	8	295	44.78	68.06	1	6A	0
206	33.40	34.00	3	4A	7	322	2.24	6.30	2	4A	31
206	34.00	35.50	3	4A	1	322	6.30	10.85	4	4D	39
206	35.50	35.61	3	4A	4	322	10.85	11.53	4	4D	35
206	36.27	38.49	3	4A	1	322	11.53	14.41	4	4C	32
206	38.49	38.90	3	6A	1	322	14.41	16.10	4	4C	35
206	38.90	39.00	3	6A	4	322	16.10	16.75	4	4D	2
206	39.00	40.73	3	4A	4	322	16.75	18.55	4	4D	5
206	44.50	45.01	6	4A	23	322	18.55	19.50	4	4D	2
206	45.01	46.62	4	4C	5	322	19.50	23.05	4	4C	11
206	46.62	47.90	4	4C	29	322	23.05	24.10	4	4C	2
206	47.90	48.50	1	2A	0	322	24.10	24.50	4	4C	5
206	48.50	49.80	5	1A	30	322	24.50	26.85	4	4C	2
206	59.80	52.38	4	2C	29	322	26.85	32.90	4	4C	32
206	52.38	52.90	4	2C	2	322	32.90	48.70	2	4A	31
206	52.90	54.25	4	1A	3	322	48.70	48.96	2	6A	31
206	54.25	54.50	4	1A	5	322	48.96	50.10	3	6A	1
206	54.50	55.77	4	2C	5	324	0.90	1.51	6	2A	51
206	55.77	55.80	4	2C	2	439	0.00	3.94	4	4E	5
206	55.80	57.20	4	2C	35	440	0.00	3.10	1	6A	0
206	57.20	57.38	4	2B	11	440	3.10	3.98	1	6C	0
206	57.38	57.90	4	2B	8	440	17.60	23.28	3	6A	1
206	57.90	58.24	3	4A	1	495	0.80	1.97	1	6A	0
206	58.24	62.69	2	4A	25	524	0.45	0.90	4	4B	13
206	62.29	68.90	3	4A	1	676	0.00	3.79	1	6A	0
206	68.90	71.25	3	6A	1						
206	78.32	78.65	2	4A	25						
206	78.65	79.10	4	4C	26						
206	79.10	86.70	2	4A	31						
206	86.70	87.20	4	4C	32						
206	87.20	89.49	2	4A	31						
206	89.49	95.61	2	4A	25						
206	97.01	97.51	2	4A	25						
206	97.51	97.80	2	4A	31						
206	97.80	98.40	2	4A	25						
206	98.40	99.23	3	4A	28						
206	99.23	102.72	2	4A	31						
206	102.72	103.35	4	4A	34						
206	103.35	104.50	4	2C	35						
206	104.50	107.18	2	4A	31						
206	107.18	107.48	3	4A	34						

Amended by R.1993 d.210, effective May 17, 1993.

See: 25 N.J.R. 903(a), 25 N.J.R. 1990(a).

Revised milepost 322.

Amended by R.1993 d.524, effective November 1, 1993.

See: 25 N.J.R. 3129(a), 25 N.J.R. 4915(b).

Amended by R.1995 d.107, effective February 21, 1995.

See: 26 N.J.R. 2549(a), 27 N.J.R. 736(c).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

For Route 41, milepost 2.32 to 3.00, DTS changed from "4C" to "4G"; for Route 46, milepost 24.58 to 25.50, AL changed from "2" to "3" and CELL changed from "31" to "1"; and for Route 46, milepost 25.50 to 27.12, AL changed from "2" to "3" and CELL changed from "25" to "1".

Amended by R.1998 d.27, effective January 5, 1998.

See: 29 N.J.R. 4253(a), 30 N.J.R. 103(b).

Amended by R.1998 d.183, effective April 6, 1998.

See: 30 N.J.R. 533(a), 30 N.J.R. 1301(b).

For Route 206, substituted references to mileposts 78.32 to 78.65, 78.65 to 79.10, and 79.10 to 89.49 for references to mileposts 78.32 to 79.25 and 79.25 to 89.49.

Amended by R.1999 d.89, effective March 15, 1999.

See: 30 N.J.R. 4334(a), 31 N.J.R. 776(b).

For Route 206, substituted references to mileposts 79.10 to 86.70, 86.70 to 87.20 and 87.20 to 89.49 for a reference to milepost 79.10 to 89.49.

Administrative change.

See: 31 N.J.R. 2910(a).

Restored text in explanatory material under heading "DESIRABLE TYPICAL SECTIONS..." which was originally adopted April 20, 1992.

Amended by R.2000 d.13, effective January 3, 2000.

See: 31 N.J.R. 2860(a), 32 N.J.R. 99(a).

In the Milepost table, changed references to Routes 40 and 322.

Amended by R.2000 d.14, effective January 3, 2000.

See: 31 N.J.R. 3053(a), 32 N.J.R. 101(a).

In the Milepost table, changed references to Route 34.

Amended by R.2000 d.133, effective March 20, 2000.

See: 32 N.J.R. 24(a), 32 N.J.R. 1038(a).

Inserted new Route 72 milepost information.