

APPENDIX A

ACCESS CLASSIFICATION MATRIX
BASED ON DESIRABLE TYPICAL SECTIONS

URBAN CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED ≥ 45 MPH			LOW SPEED < 45 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	3 (1)	4 (2)	4 (3)	3 (4)	4 (5)	5 (6)
MINOR ARTERIALS	3/4 (7)	4 (8)	5 (9)	3/4 (10)	4 (11)	5 (12)
COLLECTOR ROADS	4 (13)	5 (14)	6 (15)	4 (16)	5 (17)	6 (18)
LOCAL ROADS	4 (19)	6 (20)	6 (21)	4 (22)	6 (23)	6 (24)

RURAL CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED ≥ 50 MPH			LOW SPEED < 50 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	2 (25)	4 (26)	4 (27)	3 (28)	4 (29)	5 (30)
MINOR ARTERIALS	2 (31)	4 (32)	5 (33)	3/4 (34)	4 (35)	5 (36)
MAJOR COLLECTORS	3/4 (37)	5 (38)	6 (39)	4 (40)	5 (41)	6 (42)
MINOR COLLECTORS	4 (43)	5 (44)	6 (45)	4 (46)	5 (47)	6 (48)
LOCAL ROADS	4 (49)	6 (50)	6 (51)	4 (52)	6 (53)	6 (54)

ACCESS LEVEL	DESCRIPTION
1	FULLY CONTROLLED ACCESS (ACCESS CELL 0)
2	ACCESS AT STREET INTERSECTIONS OR GRADE-SEPARATED INTERCHANGES
3	RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT WITH LEFT-TURN ACCESS VIA JUGHANDLE WHERE SIGNALIZED SPACING STANDARDS MET
4	RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT, LEFT-TURN INGRESS VIA A LEFT-TURN LANE, AND LEFT-TURN EGRESS FROM AN ACCESS POINT
5	ACCESS TO AND FROM AN ACCESS POINT LIMITED BY SPACING REQUIREMENTS AND SAFETY CONSIDERATIONS
6	ACCESS TO AND FROM AN ACCESS POINT, LIMITED BY EDGE CLEARANCE AND SAFETY CONSIDERATIONS

NOTE FOR CELLS WITH ACCESS LEVEL 3/4; ACCESS LEVEL WILL DEPEND ON DEPARTMENT PLANS FOR THE ROUTE.

APPENDIX B

STATE HIGHWAY ACCESS LEVELS BY ROUTE AND MILEPOST

ACCESS LEVEL (AL)

- 1 Fully Controlled Access
- 2 Access along Street or Interchange Only
- 3 Right-turn Access with Provision for Left-turn Access via Jughandle
- 4 Driveway with Provision for Left-turn Access via Left-turn lane
- 5 Driveway with Provision for Left-turn Access (Limited by Spacing Requirements & Safety Considerations)
- 6 Driveway Access Limited by Edge Clearance and Safety Consideration

DESIRABLE TYPICAL SECTIONS CODES (DTS) & RIGHT OF WAY WIDTHS (R.O.W.)
DESCRIPTION¹

1A	—	Existing	—	SAME LANE, SHOULDER, AND PARKING CONDITIONS AS EXIST (See Note ²)
2A	—	78'	—	2 LANES, WITH SHOULDERS
2B	—	92'	—	2 LANES, WITH SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
2C	—	68'	—	2 LANES, WITHOUT SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
2D	—	54'	—	2 LANES, WITHOUT SHOULDERS
4A	—	114'	—	4 LANES, DIVIDED, WITH SHOULDERS
4B	—	90'	—	4 LANES, DIVIDED, WITHOUT SHOULDERS
4C	—	102'	—	4 LANES, UNDIVIDED, WITH SHOULDERS
4D	—	78'	—	4 LANES, UNDIVIDED, WITHOUT SHOULDERS
4E	—	102'	—	4 LANES, UNDIVIDED, WITH SHOULDERS, PARKING (URBAN SITUATION)
4F	—	116'	—	4 LANES, UNDIVIDED, WITH SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
4G	—	92'	—	4 LANES, UNDIVIDED, WITHOUT SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
5A	—	131'	—	5 LANES, (2 LANES, 1 DIRECTION + 3 LANES, OPPOSITE DIRECTION), DIVIDED, WITH SHOULDERS
6A	—	148'	—	6 LANES, DIVIDED, WITH SHOULDERS
6B	—	124'	—	6 LANES, DIVIDED, WITHOUT SHOULDERS
6C	—	210'	—	6 LANES, DIVIDED, WITH CD ROADS
8A	—	172'	—	8 LANES, DIVIDED, WITH SHOULDERS
8B	—	148'	—	8 LANES, DIVIDED, WITHOUT SHOULDERS
8C	—	234'	—	8 LANES, DIVIDED, WITH CD ROADS

FOR CELL NUMBER SEE APPENDIX A

¹These show the maximum acceptable expanded width of State highway segment. The widths of lanes, shoulders, parking, sidewalk areas and right-of-way shown are those derived from the standards for desirable geometric design elements. The right-of-way width needed for the construction of the highway improvement may be less than the dimensions shown when less than desirable widths are used.

²This designation means that social, environmental, or economic constraints may limit the desirability of State highway segment expansion. If compelling safety needs dictate, the Department will construct, or require a permittee to construct, highway improvements consistent with the design standards

MILEPOST						ROUTE	BEGIN	END	AL	DTS	CELL
ROUTE	BEGIN	END	AL	DTS	CELL	1&9	62.00	62.13	3	4A	10
						1&9	62.13	62.80	4	4A	10
1	0.60	5.46	1	6A	0	1&9	62.80	62.93	3	4A	4
1	5.46	5.94	3	6A	1	1&9	63.93	63.20	3	6C	1
1	5.94	7.20	3	6C	1	1&9	63.20	64.90	3	5A	1
1	7.20	10.79	3	6A	1	1B	0.00	2.73	3	4A	1
1	10.79	11.29	3	6B	1	1&9 T	0.00	2.29	3	6A	1
1	11.29	22.40	3	6A	1	1&9 T	2.29	4.11	3	6A	4
1	22.40	38.34	3	8A	1	3	0.00	6.00	3	8A	1
1&9	38.34	40.45	3	6A	1	3	6.00	10.40	1	6C	0
1&9	40.45	41.80	3	6A	4	3	10.40	10.73	1	4A	1
1&9	41.80	43.20	3	6A	1	3	10.73	10.84	3	4A	1
1&9	43.20	45.45	3	6A	4	4	0.00	2.20	3	4B	4
1&9	45.45	48.68	1	8C	0	4	2.20	10.89	3	6A	1
1&9	48.68	51.09	1	6C	0	5	0.00	0.39	5	2A	12
1&9	51.09	54.65	1	4B	0	5	0.39	0.97	4	2B	12
1&9	54.65	62.00	3	6A	4	5	0.97	1.80	4	2A	12

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
5	1.80	2.16	4	4E	11	10	0.00	10.63	3	4A	1
5	2.16	3.34	6	2A	18	10	10.63	19.70	3	6A	1
7	0.00	0.53	4	4D	5	10	19.70	23.47	3	4A	1
7	0.53	1.40	3	4A	1	12	0.95	1.01	4	4A	34
7	1.40	1.60	3	4A	4	12	1.01	10.44	2	4A	31
7	1.60	4.16	4	4C	5	12	10.44	11.70	4	4A	34
7	4.16	5.29	4	4D	11	13	0.00	0.43	4	4D	11
7	5.99	9.17	4	4D	11	13	0.43	0.58	4	4B	10
7	9.36	10.10	4	4D	11	15	0.00	2.05	4	4C	5
9	3.02	6.50	4	4C	32	15	2.05	2.29	3	6A	1
9	6.50	9.63	4	4C	35	15	2.29	2.46	3	8B	1
9	9.63	11.00	4	4C	32	15	2.46	3.66	3	6A	1
9	11.00	13.00	6	2A	42	15	3.66	6.35	2	6A	31
9	13.00	15.08	6	2A	39	15	6.35	6.75	3	6A	1
9	15.08	23.50	4	4C	32	15	6.75	14.13	1	6A	0
9	23.50	24.00	4	4C	35	15	14.13	16.70	5	4E	38
9	24.00	28.30	4	4C	32	15	16.70	18.29	5	4E	41
9	28.30	28.73	4	4C	35	15	18.20	19.52	4	4E	32
9	28.73	29.30	4	4C	29	17	0.00	3.35	4	4E	5
9	29.30	29.80	4	4C	26	17	3.35	3.50	4	4E	2
9	29.80	30.35	4	4C	32	17	3.50	26.81	3	6A	1
9	30.35	30.72	4	4C	35	18	5.14	30.85	1	4A	0
9	31.84	32.11	4	4C	29	18	30.85	34.25	3	4A	1
9	32.11	32.63	4	4C	2	18	34.25	36.94	3	6A	1
9	32.63	33.22	4	4C	5	18	36.94	41.75	3	8A	1
9	33.22	36.00	4	4C	2	18	41.75	42.00	3	6A	1
9	36.00	41.40	4	4C	5	18	42.00	43.71	1	6A	1
9	41.40	42.80	4	4C	2	19	0.00	0.70	1	4A	0
9	42.80	44.53	4	4C	5	19	0.70	2.91	1	6A	0
9	44.53	45.30	4	4C	2	20	0.00	0.70	3	6A	4
9	45.30	45.56	4	4C	35	20	0.70	3.98	3	6A	4
9	45.56	46.18	4	4C	32	21	0.00	0.91	2	6B	1
9	46.18	47.21	4	4C	35	21	0.91	4.00	4	6B	4
9	47.21	48.08	4	4C	32	21	4.00	4.10	3	6A	1
9	48.08	49.04	4	4C	35	21	4.10	12.45	1	6A	0
9	49.04	52.58	4	4C	32	22	0.30	0.62	1	6B	0
9	54.85	55.23	4	4C	32	22	0.62	1.47	3	6N	4
9	55.23	57.30	4	4C	35	22	1.47	2.00	3	6B	1
9	57.30	61.60	4	4C	32	22	2.00	4.45	3	4A	1
9	61.60	62.50	4	4C	35	22	4.45	5.12	1	6A	0
9	62.50	63.30	4	4A	34	22	19.22	19.39	3	4A	7
9	63.30	64.60	2	4A	31	22	19.39	20.04	3	4A	7
9	64.60	68.28	3	4A	34	22	20.04	28.60	3	4A	7
9	68.28	69.34	4	4F	34	22	28.60	30.63	3	4A	1
9	69.34	70.20	4	4F	7	22	30.63	30.92	3	4A	1
9	70.20	70.50	3	4B	7	22	30.92	31.50	3	4A	1
9	70.50	71.08	3	4A	10	22	31.50	37.10	3	6A	1
9	71.08	74.48	3	4A	7	22	37.10	41.59	3	4A	1
9	74.48	75.47	3	4A	10	22	41.59	60.53	3	6A	1
9	75.47	79.15	3	4A	7	22A	2.38	3.47	4	4D	5
9	79.15	80.70	3	4A	34	22A	3.47	3.56	4	4D	2
9	80.70	81.90	4	4D	35	22A	3.56	4.05	4	4D	2
9	81.90	84.22	3	4A	34	23	0.00	2.06	4	4D	5
9	84.22	86.56	3	4A	7	23	2.06	3.99	4	4D	2
9	86.56	88.75	3	4A	1	23	3.99	5.05	4	4D	5
9	88.75	89.95	3	4A	4	23	5.05	6.30	1	6A	0
9	89.95	90.97	3	4A	1	23	6.30	17.00	3	6A	1
9	94.47	100.20	3	4A	1	23	17.00	27.20	2	6A	25
9	100.20	102.96	3	4A	4	23	27.20	28.78	4	4C	26
9	102.96	123.09	3	6A	1	23	28.78	41.15	4	4C	29
9	123.09	136.25	3	8A	1	23	41.15	45.20	4	4C	26
9W	0.00	0.35	3	4B	4	23	45.20	45.21	4	4C	29
9W	0.35	0.76	3	4A	4	23	45.21	45.80	4	4C	29
9W	0.76	1.45	4	4E	5	23	45.80	46.65	4	4C	26
9W	1.45	11.00	3	4A	1	23	46.65	52.53	4	4C	29
9W	11.00	11.17	4	2A	3	24	0.00	7.20	1	4A	0

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
24	7.20	10.59	1	6A	0	31	4.30	4.70	4	4F	2
26	0.00	0.70	4	4E	8	31	4.70	6.34	3	4A	1
26	0.70	2.10	4	4E	11	31	6.34	7.19	3	4A	28
27	0.00	1.49	5	1A	6	31	7.19	8.08	4	4C	29
27	1.49	4.00	5	1A	3	31	8.08	12.37	4	4C	26
27	4.00	6.80	4	2B	3	31	12.37	16.26	3	4A	25
27	6.80	9.50	4	4F	2	31	21.95	22.10	2	4A	25
27	9.50	10.20	4	4F	5	31	22.10	24.40	3	4A	28
27	10.20	11.54	4	4F	2	31	24.40	30.26	2	4A	25
27	11.54	13.85	4	4F	5	31	30.26	34.24	3	4A	1
27	13.85	15.37	4	4E	5	31	34.24	42.12	2	4A	25
27	16.55	18.23	4	4D	5	31	42.12	43.56	3	4A	28
27	18.23	23.85	4	4F	5	31	43.56	46.12	2	4A	25
27	23.85	27.18	4	4F	2	31	46.12	49.00	3	4A	28
27	27.18	35.79	4	4E	2	32	0.00	1.18	3	4A	7
28	0.00	2.22	4	2A	3	33	0.00	0.20	4	4D	5
28	2.22	3.00	5	2A	6	33	1.46	2.30	4	4D	5
28	3.00	3.70	4	2B	5	33	2.30	5.50	4	4C	5
28	3.70	5.08	5	2A	6	33	5.50	7.86	4	4C	2
28	5.08	6.25	4	2A	3	33	12.39	12.70	3	6A	1
28	6.25	6.80	4	4D	2	33	12.70	13.38	4	2B	1
28	6.80	6.90	4	4D	5	33	13.38	13.68	4	4C	2
28	6.90	8.22	5	2A	6	33	13.68	14.70	4	2C	6
28	8.22	12.47	4	4D	5	33	14.70	14.77	4	4D	2
28	17.50	23.00	5	1A	6	33	14.77	15.01	3	6B	1
28	23.00	26.63	4	4A	4	33	15.01	18.90	3	6A	1
29	3.20	6.20	1	4A	0	33	18.90	24.32	2	6A	25
29	6.20	6.70	3	4A	4	33	24.32	29.30	1	4A	0
29	6.70	9.55	1	4A	0	33	29.35	29.74	4	4E	2
29	9.55	13.80	5	2A	9	33	29.74	29.91	4	4E	26
29	13.80	16.72	5	2A	36	33	29.91	33.04	4	4C	32
29	16.72	18.10	6	2A	42	33	33.04	33.25	2	4A	25
29	18.10	18.60	6	4C	41	33	33.25	36.49	3	4A	1
29	18.60	19.60	5	2A	42	33	36.49	36.65	3	4A	1
29	19.60	20.30	6	4C	41	33	36.65	38.30	3	4A	1
29	20.30	23.36	6	2A	42	33	38.30	40.28	4	4C	2
29	23.36	34.26	6	1A	39	33	40.28	40.63	1	6A	0
30	0.96	1.20	3	6A	4	33	40.63	41.82	4	4C	5
30	1.20	3.15	3	8B	1	33	41.82	42.46	4	4C	11
30	3.15	3.32	3	8B	4	33 B	0.00	0.60	1	2D	7
30	3.32	4.26	3	8A	1	33 B	0.60	2.24	4	4C	8
30	4.26	6.40	4	4E	2	33 B	2.24	2.57	3	6A	4
30	6.40	7.95	3	6A	4	33 B	2.57	3.36	5	4D	17
30	7.95	12.70	3	4A	1	33 B	3.36	3.86	4	4E	11
30	12.70	16.30	3	4A	7	33 B	3.86	4.35	5	4C	14
30	16.30	17.05	3	4B	10	33 B	4.35	5.03	5	4C	17
30	17.05	18.00	3	4B	7	34	0.00	0.33	3	4A	1
30	18.00	21.60	3	4A	7	34	0.33	7.70	3	4A	7
30	21.60	27.97	2	4A	31	34	8.75	12.60	2	4A	31
30	27.97	32.60	4	4G	2	34	12.60	20.44	4	4C	32
30	32.60	35.10	4	4G	32	34	20.44	21.20	4	4C	2
30	35.10	40.35	3	4A	32	34	21.20	22.56	4	4C	5
30	40.35	42.10	4	4A	34	34	22.56	26.79	4	4C	2
30	42.10	46.00	4	4G	32	35	0.00	0.26	4	4B	34
30	46.00	52.09	4	4G	2	35	0.26	0.58	5	2A	36
30	52.09	52.20	4	4G	2	35	0.58	1.44	4	4A	34
30	52.39	52.42	4	4G	2	35	1.44	2.07	4	6A	34
30	52.42	53.45	3	4A	1	35	2.07	2.32	4	6B	34
30	53.45	54.39	2	4A	25	35	2.32	2.48	4	8B	34
30	54.39	55.42	2	6B	25	35	2.48	3.51	1	6A	0
30	55.42	56.75	2	8B	25	35	3.51	3.65	3	6B	28
30	56.75	56.79	3	8B	28	35	3.65	3.77	3	4B	28
30	56.79	57.47	3	8B	4	35	3.77	7.29	3	4A	28
30	57.47	58.23	3	6C	4	35	7.29	9.12	4	4A	28
31	1.15	3.82	4	4C	5	35	9.12	12.76	4	4E	29
31	3.82	4.30	4	4C	2	35	12.76	13.00	4	4E	5

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
35	13.00	14.55	4	4A	4	40	29.27	32.55	4	4C	32
35	14.55	16.04	3	4A	4	40	32.55	33.79	3	4A	1
35	16.04	20.10	4	4F	2	40	33.79	34.40	3	4A	4
35	20.10	20.56	3	4A	1	40	34.40	35.21	3	4A	1
35	20.56	21.05	3	4A	4	40	35.21	44.95	2	4A	31
35	21.05	21.39	4	4D	5	40	44.95	45.63	3	4A	34
35	21.39	22.30	3	6A	4	40	45.63	46.25	2	4A	31
35	22.30	24.61	4	4C	5	40	46.25	47.48	4	4C	35
35	24.61	24.94	3	4A	1	40	47.48	53.15	2	4A	31
35	24.94	29.50	3	6A	1	40	53.15	53.85	2	6A	31
35	29.50	31.20	4	4F	5	40	53.85	56.79	3	6A	1
35	31.20	33.15	4	4C	5	40	56.79	59.00	3	4A	1
35	33.15	34.37	4	4E	5	40	59.00	59.72	3	4A	4
35	34.37	35.80	3	4A	1	40	59.72	59.98	4	4F	5
35	35.80	43.91	3	6A	1	40	59.98	60.23	3	4A	4
35	43.91	44.62	3	6B	1	40	60.23	60.37	3	4A	28
35	44.62	49.52	3	6A	1	40	60.37	61.63	4	4F	29
35	50.79	51.00	1	6A	0	40	61.63	61.65	4	4F	26
35	51.00	52.32	4	4E	5	40	61.65	63.38	2	4A	25
35	52.32	53.35	4	4F	5	40	63.38	63.57	3	4A	1
35	53.35	54.87	4	4C	2	40	63.57	63.97	4	4F	5
35	54.87	58.06	4	4C	5	40	63.97	64.07	4	4C	5
36	0.00	4.00	3	6A	1	41	0.00	2.32	4	4D	8
36	4.00	5.72	4	4D	5	41	2.32	3.00	4	4G	8
36	5.72	6.55	3	4A	4	41	3.00	3.86	4	4F	8
36	6.55	6.71	4	4C	2	41	3.86	3.91	4	4F	11
36	6.71	9.74	4	4C	29	41	3.91	4.94	4	4C	5
36	9.74	11.60	4	4C	2	41	10.68	11.95	4	4F	5
36	11.60	11.80	4	4D	2	41	11.95	13.02	4	4F	2
36	11.80	13.00	3	5A	1	41	13.02	13.98	3	5A	1
36	13.00	19.52	3	4A	1	42	0.00	6.40	3	6A	1
36	19.52	24.18	3	6A	1	42	6.40	14.28	1	8A	0
36	24.18	24.40	3	4A	1	44	0.00	1.28	6	2A	51
37	0.00	1.53	3	4A	7	44	1.28	2.60	6	2A	39
37	1.53	2.90	3	4A	1	44	2.60	6.28	5	2A	12
37	2.90	6.02	3	6A	1	44	6.28	8.40	5	2A	9
37	6.02	6.50	3	4A	1	44	8.40	9.10	5	2A	12
37	6.50	6.75	3	8A	1	44	9.10	9.60	5	2A	9
37	6.75	11.45	3	6A	01	45	0.00	0.42	4	4E	29
37	11.45	12.39	1	6A	0	45	0.42	2.32	4	4E	35
37	12.39	13.42	2	6A	25	45	2.32	8.79	4	4E	32
38	0.00	12.00	3	6A	1	45	8.79	9.23	4	4E	34
38	12.00	15.40	3	4A	1	45	9.23	10.14	4	4D	11
38	15.40	16.80	3	4A	4	45	10.14	10.45	4	4E	8
38	16.80	17.38	4	4A	1	45	10.45	16.98	4	4E	32
38	17.38	18.31	2	4C	25	45	16.98	17.32	4	4E	35
38	18.31	19.23	4	4C	32	45	17.32	17.77	4	4D	35
40	1.85	5.47	2	4A	31	45	18.16	18.35	4	4E	35
40	5.47	8.03	4	4C	32	45	18.35	20.24	4	4E	32
40	8.03	8.55	4	4C	35	45	20.24	20.88	4	4E	26
40	8.55	10.22	4	4C	32	45	20.88	20.96	4	4E	29
40	10.02	10.21	4	4D	35	45	29.96	22.13	4	4E	2
40	10.21	10.40	4	4D	8	45	22.13	22.53	4	4E	5
40	10.40	11.20	4	4D	11	45	22.53	22.59	3	4A	4
40	11.20	11.25	4	4D	35	45	22.59	24.82	3	4A	1
40	11.25	11.66	4	4C	35	45	24.82	24.90	3	4A	4
40	11.66	19.54	4	4C	32	45	24.90	26.90	5	4D	5
40	19.54	20.27	4	4C	35	45	26.90	28.51	4	4D	2
40	20.27	25.25	4	4C	32	46	0.00	0.85	1	4A	0
40	25.50	25.73	4	4C	8	46	0.85	6.86	4	2A	27
40	25.73	26.30	4	4C	2	46	6.86	7.45	4	4A	25
40	26.30	26.42	4	4C	2	46	7.45	9.63	4	4C	26
40	26.42	26.60	4	4C	5	46	9.63	10.05	4	4C	29
40	26.60	27.37	4	4C	5	46	10.05	10.12	4	4C	35
40	27.37	29.10	4	4C	2	46	10.12	15.82	4	4C	32
40	29.10	29.27	4	4C	26	46	15.82	20.63	4	4C	35

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
46	20.63	21.82	4	4D	29	48	0.00	0.61	4	4C	11
46	21.82	22.40	4	4B	34	48	0.61	0.66	4	4C	8
46	22.40	22.48	4	4A	34	48	0.66	2.10	4	4C	32
46	22.48	24.58	4	4A	31	48	2.10	4.26	6	2A	39
46	24.58	25.50	3	4A	1	49	0.00	0.70	4	4C	2
46	25.50	27.12	3	4A	1	49	0.70	3.00	4	4C	5
46	27.12	28.42	3	4A	28	49	3.00	6.29	4	4C	2
46	28.42	29.60	2	4A	25	49	6.29	8.30	4	4C	32
46	29.60	30.43	3	4A	28	49	8.30	10.10	4	4C	29
46	30.43	31.52	2	4A	25	49	10.10	11.00	4	4C	35
46	31.52	33.30	2	4A	1	49	11.00	12.30	4	4C	32
46	33.30	33.45	3	4A	1	49	12.30	12.88	4	4C	35
46	33.45	34.25	4	4C	2	49	12.88	21.10	4	4C	32
46	34.25	35.10	4	4C	5	49	21.10	21.62	4	4D	35
46	35.10	35.38	4	4C	2	49	21.62	22.10	4	4D	32
46	35.38	36.05	3	4A	1	49	21.10	23.13	4	4C	32
46	36.05	36.58	3	4A	4	49	23.13	24.50	4	4C	2
46	36.58	37.22	3	4A	1	49	24.50	26.25	4	4C	5
46	37.22	42.38	3	4A	4	49	26.25	26.50	3	4B	4
46	42.38	42.50	3	6B	4	49	26.50	26.60	4	4C	5
46	42.50	43.18	3	6A	4	49	26.60	27.20	4	4C	2
46	43.18	61.60	3	6A	1	49	27.20	29.84	4	4C	8
46	61.60	62.26	3	6A	4	49	29.84	30.80	4	4C	32
46	62.26	68.28	3	6A	1	49	30.80	31.45	4	4C	26
46	68.28	69.00	3	8A	1	49	31.45	35.03	4	4C	2
46	69.00	69.18	3	6A	1	49	35.03	36.10	4	4C	5
46	69.18	69.38	4	4F	2	49	36.10	37.37	4	4D	5
46	69.38	70.08	4	4F	5	49	37.37	38.10	4	4D	2
46	70.08	70.40	1	4D	0	49	38.10	38.37	4	4C	2
46	70.40	70.73	3	6A	4	49	38.37	40.80	4	4C	26
46	70.73	71.55	3	8B	1	49	40.80	53.78	4	4C	32
46	71.55	72.15	3	6B	1	50	0.00	0.24	3	4B	34
47	0.66	1.16	4	4A	40	50	0.24	6.18	4	4C	32
47	1.16	3.18	4	4A	37	50	6.18	7.03	4	4C	35
47	3.18	3.73	4	4D	41	50	7.03	7.15	4	4C	32
47	3.73	3.90	4	4D	35	50	7.15	18.56	4	4C	32
47	3.90	4.32	4	4C	35	50	19.18	19.67	4	4C	35
47	4.32	6.10	4	4C	32	50	19.67	20.91	4	4C	32
47	6.10	7.00	4	4C	35	50	20.91	21.20	1	4A	0
47	7.00	17.43	4	4C	32	50	21.20	23.50	4	4C	32
47	17.43	17.63	2	4B	31	50	23.50	24.20	2	4A	31
47	17.63	25.60	4	4C	32	50	24.20	25.53	4	4C	32
47	25.60	26.62	4	4C	35	50	25.53	26.08	4	4C	35
47	26.62	33.12	4	4C	32	52	0.00	1.96	4	4E	29
47	33.12	34.12	4	4C	35	52	1.96	2.74	4	4E	5
47	34.12	34.80	4	4C	32	53	0.00	1.55	4	2B	8
47	34.80	36.08	6	2A	39	53	1.55	2.35	4	4C	8
47	36.08	36.73	5	2A	33	53	2.35	3.32	4	4C	11
47	36.73	38.50	4	2A	9	53	3.32	4.66	4	4E	11
47	38.50	40.80	4	2C	12	54	0.00	1.11	4	4C	2
47	40.80	42.20	4	2C	9	54	1.11	8.20	4	4C	32
47	42.20	45.88	4	4D	8	54	8.20	8.46	4	4C	2
47	45.88	46.75	4	4D	11	54	8.46	9.12	3	4A	1
47	46.75	52.03	4	4D	8	54	9.12	9.98	4	4C	2
47	52.03	52.36	4	4C	11	54	9.98	11.88	4	4C	5
47	52.82	56.00	4	4C	8	55F	20.00	60.53	1	4A	0
47	56.00	56.78	4	4C	11	56	0.00	0.17	4	4D	8
47	56.78	58.17	4	4C	8	56	0.17	1.60	5	4D	14
47	58.17	58.29	4	4C	2	56	1.60	2.00	5	4D	38
47	58.29	59.80	4	4C	5	56	2.00	7.50	6	2A	39
47	59.80	61.96	4	4C	2	56	7.50	7.84	3	4B	7
47	61.96	62.29	4	4C	5	56	7.84	9.23	4	4D	11
47	62.66	63.15	4	4D	5	57	0.00	0.55	4	4C	26
47	63.15	64.12	4	4C	2	57	0.55	2.20	4	4C	32
47	64.12	74.00	4	4C	8	57	2.20	2.80	4	4C	35
47	74.00	74.98	4	4C	11	57	2.80	4.38	4	4C	32

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
57	4.38	5.28	4	4C	35	77	7.18	8.05	5	2A	36
57	5.28	6.40	4	4C	32	77	9.81	22.18	5	2A	33
57	6.40	9.10	4	4C	35	78	4.16	17.85	1	6A	0
57	9.10	9.78	4	2B	33	78	17.85	19.22	1	8A	0
57	9.78	9.81	4	2B	27	78	19.22	29.85	1	6A	0
57	9.81	11.60	4	2B	30	78	29.85	33.13	1	8A	0
57	11.60	11.80	4	2B	36	78	33.13	48.54	1	6A	0
57	11.80	11.90	4	2B	33	78	48.54	58.50	1	1A	0
57	11.90	14.44	4	2C	32	79	0.00	0.35	4	4F	11
57	14.44	15.23	4	2B	33	79	0.35	0.57	4	2B	12
57	15.23	18.60	4	4C	32	79	0.57	1.75	4	2C	18
57	18.60	19.55	4	4C	35	79	1.75	2.50	5	4D	17
57	19.55	20.53	4	4C	32	79	2.50	3.90	5	4D	14
57	20.53	21.10	4	4D	29	79	3.90	4.81	5	4C	14
59	0.00	0.15	4	4B	22	79	4.81	5.08	4	4A	13
63	0.00	0.06	3	4A	4	79	5.08	5.33	4	4A	7
63	0.06	3.00	4	2B	6	79	5.33	5.38	4	4A	10
63	3.00	3.09	3	4A	4	79	5.38	5.79	4	4C	11
64	0.00	0.33	3	4B	4	79	5.79	9.38	4	4C	8
66	0.00	0.40	3	4A	10	79	9.38	10.18	4	4C	11
66	0.40	3.62	3	4A	7	79	10.18	10.95	4	4C	8
67	0.00	1.86	4	4E	11	79	10.95	11.38	4	4C	11
68	0.00	0.60	2	4A	1	79	11.38	12.13	4	4D	11
68	0.60	1.07	3	4A	1	80	0.50	42.10	1	8A	0
68	1.07	7.66	2	4A	31	80	42.10	42.90	1	8C	0
68	7.66	8.02	3	4A	7	80	42.90	43.90	1	8A	0
70	0.00	8.50	3	6A	1	80	43.90	46.13	1	1A	0
70	8.50	14.83	3	4A	1	80	46.13	62.50	1	8A	0
70	14.83	20.10	2	4A	31	80	62.50	63.35	1	1A	0
70	20.10	26.10	4	4C	32	81	0.51	1.18	3	5A	1
70	26.10	26.50	2	4C	31	82	0.00	2.65	4	4E	5
70	26.50	43.25	4	4C	32	82	2.65	3.35	4	4E	2
70	43.25	43.45	4	4C	35	82	3.35	4.25	4	4E	5
70	43.45	44.80	3	4A	34	82	4.25	4.93	4	4E	2
70	44.80	48.58	3	4A	7	83	0.00	0.24	2	4B	31
70	48.58	59.84	3	4A	1	83	0.24	3.84	2	4A	31
71	0.00	0.61	6	2A	18	87	0.00	0.57	3	8A	7
71	0.61	7.40	5	4D	17	87	0.57	0.80	3	6A	7
71	7.40	9.40	5	4E	17	87	0.80	1.72	3	4A	7
71	9.40	10.48	5	4D	17	88	0.00	0.30	4	2B	12
71	10.48	11.64	4	4A	16	88	0.30	5.21	4	2C	12
71	11.64	12.53	4	2B	17	88	5.21	8.60	4	2C	6
71	12.53	13.77	4	2C	17	88	8.60	8.96	5	4D	5
71	13.77	15.71	4	4D	11	88	8.96	9.64	4	2C	6
71	15.71	16.76	4	4C	11	88	9.64	10.02	3	4B	4
72	0.00	5.96	4	4E	32	90	2.35	3.20	3	8A	1
72	5.96	11.47	4	4C	32	91	0.00	1.30	4	4C	8
72	11.47	13.70	4	4E	32	91	1.30	2.31	4	4C	11
72	13.70	18.06	2	4A	31	93	0.00	3.52	5	2A	12
72	18.06	26.32	3	4A	7	94	0.20	0.72	4	4D	35
72	26.32	27.18	2	4A	31	94	0.72	2.55	4	4C	32
72	27.18	27.40	2	5A	31	94	2.55	3.36	4	4C	35
72	27.40	27.55	2	6A	31	94	3.36	3.91	4	4C	32
72	27.55	28.18	2	4A	31	94	3.91	9.33	4	4C	35
72	28.18	28.72	3	5A	34	94	9.33	11.82	4	4C	32
73	6.00	10.89	2	6A	31	94	11.82	12.60	4	4D	35
73	10.89	12.70	3	6A	1	94	12.60	14.80	4	4C	35
73	12.70	14.46	2	6A	31	94	14.80	21.25	4	4C	32
73	14.46	32.00	3	6A	1	94	21.35	21.55	4	4D	2
73	32.00	32.35	3	8A	1	94	21.55	22.51	4	4D	5
73	32.35	34.10	3	6A	1	94	24.89	27.68	4	4C	35
76	0.00	1.85	1	1A	0	94	27.95	32.90	4	4C	35
77	0.00	2.19	4	4D	5	94	32.90	35.15	4	4C	32
77	2.70	3.90	4	2A	3	94	35.15	45.76	4	4C	35
77	3.90	5.06	5	1A	9	95	0.00	8.77	1	6A	0
77	5.06	7.18	5	2A	33	109	1.37	1.95	4	4C	35

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
109	1.95	2.50	4	4A	34	166	1.86	1.98	4	4D	5
109	2.50	3.06	4	4C	35	166	1.98	2.23	4	2C	6
120	0.00	0.95	2	6A	1	166	2.23	3.75	4	2C	3
120	0.95	2.65	3	6A	4	167	0.00	0.62	6	2A	54
124	0.00	0.40	5	4E	5	167	0.95	1.49	6	2A	51
124	0.40	1.50	5	4D	5	167	1.52	1.66	6	2A	51
124	1.50	2.80	4	4D	11	167	1.67	2.78	6	2A	51
124	2.80	4.50	5	2A	12	168	0.00	0.78	3	4A	1
124	4.50	5.90	5	2A	6	168	0.78	1.20	4	4C	2
124	5.90	7.45	4	4D	5	168	1.20	2.65	4	2C	6
124	7.45	9.00	4	4A	19	168	2.65	4.73	4	2C	3
124	9.00	10.03	4	4A	22	168	4.73	7.38	4	2C	6
124	10.03	11.70	4	4E	5	168	7.38	8.72	4	4C	5
124	11.70	12.58	3	4A	4	168	8.72	9.79	3	4A	1
124	12.58	14.84	4	4E	5	168	9.79	9.92	3	4B	4
129	0.00	0.29	4	2A	3	168	9.92	10.81	4	4C	5
129	0.29	2.41	1	4A	0	169	0.85	2.25	3	4A	1
130	0.00	0.65	4	4D	11	169	2.25	4.65	3	4A	4
130	0.65	2.25	4	4D	8	169	4.65	5.73	3	4A	1
130	2.25	4.15	4	4D	11	171	0.00	0.08	2	4A	10
130	4.15	5.28	4	4D	8	171	0.08	1.00	4	4F	23
130	5.28	5.88	6	2A	15	172	0.00	0.35	6	4E	23
130	5.88	8.90	6	2A	39	172	0.35	0.81	3	4A	10
130	8.90	11.70	4	4A	13	173	0.00	0.25	5	2A	33
130	11.70	14.30	1	4A	0	173	0.25	0.35	4	2B	33
130	23.53	25.43	3	4A	1	173	0.35	3.19	4	2B	39
130	25.43	29.40	3	6B	1	173	3.19	4.20	4	2B	45
130	30.34	37.10	3	6B	1	173	4.20	4.50	4	2B	48
130	37.10	45.90	3	6A	1	173	4.50	12.07	4	2B	45
130	45.90	46.65	4	8B	4	173	12.43	12.80	4	2B	45
130	46.65	55.43	3	6A	1	173	12.80	13.50	4	2B	48
130	55.43	55.77	3	6A	4	173	13.50	14.62	4	2B	54
130	55.77	56.43	3	8B	4	175	0.27	1.58	6	2A	21
130	56.43	70.85	3	4A	1	175	1.58	2.15	6	2A	24
130	70.85	80.38	3	4A	7	175	2.15	2.73	6	2A	21
130	80.38	83.37	3	4A	1	175	2.73	2.90	4	4A	19
138	0.00	3.52	3	4A	1	179	0.12	0.37	6	2A	42
139	0.00	1.45	3	8B	1	179	0.37	1.13	5	4D	41
140	0.00	0.48	6	2A	18	179	1.13	1.45	5	4D	38
140	0.48	0.95	5	2A	12	179	1.45	6.13	6	2A	39
143	0.00	1.00	6	2A	48	179	6.13	7.46	6	2A	42
143	1.00	1.93	6	2A	45	181	0.00	1.65	4	4C	35
143	1.93	2.27	6	2A	48	181	1.65	4.40	5	4C	41
143	2.27	2.35	6	2A	45	181	4.40	5.98	4	4C	11
147	0.00	0.80	4	4D	35	181	5.98	7.43	5	4C	38
147	0.80	1.63	3	4D	32	182	0.00	0.98	4	4D	29
147	1.63	3.30	4	4D	35	183	0.00	0.20	2	4B	31
147	3.30	4.20	4	4D	41	183	0.20	0.43	2	4A	25
152	0.00	0.17	4	4D	5	183	0.43	0.58	3	4A	28
152	0.17	1.58	4	4D	2	183	0.58	2.12	5	2B	30
152	1.58	1.72	4	4D	5	184	0.00	0.32	3	6A	10
152	1.72	3.16	4	4D	2	184	0.32	1.37	3	4A	10
154	0.00	0.30	4	4C	11	185	0.00	1.42	3	4A	4
154	0.30	1.70	4	4C	8	187	0.00	0.47	4	4E	8
156	0.00	1.21	5	2A	12	195	0.00	34.17	1	4A	0
157	0.00	0.43	5	2A	6	202	0.37	19.04	2	4A	25
157	0.43	0.91	4	2A	3	202	19.04	26.25	3	4A	1
159	0.00	0.45	3	4A	1	202	26.25	28.70	4	4G	2
159	0.45	0.56	3	4A	4	202	28.70	29.00	4	4A	2
159	0.56	1.36	4	4E	11	202	29.00	29.55	3	4A	1
161	0.00	1.10	4	2B	12	202	29.55	29.69	3	4A	4
162	0.00	0.73	6	2A	39	202	29.69	30.02	5	2A	6
163	0.00	0.33	6	2A	51	202	30.02	31.12	3	4A	1
165	0.00	0.10	4	4A	40	202	31.12	31.50	2	4A	25
165	0.10	0.26	5	4D	41	202	31.50	31.80	3	4A	28
166	0.00	1.86	4	2C	6	202	31.80	32.17	5	2A	36

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
202	32.17	32.56	5	2A	36	206	97.80	98.40	2	4A	25
202	32.56	32.77	5	2A	36	206	98.40	99.23	3	4A	28
202	32.77	32.95	6	2A	42	206	99.23	102.72	2	4A	31
202	32.95	34.10	6	2A	39	206	102.72	103.35	4	4A	34
202	34.10	35.80	5	2A	33	206	103.35	104.50	4	2C	35
202	35.80	36.20	5	2A	9	206	104.50	107.18	2	4A	31
202	36.20	36.40	5	2A	12	206	107.18	107.48	3	4A	34
202	36.40	37.85	5	2A	12	206	107.48	108.18	3	4A	1
202	37.85	39.06	4	4C	8	206	108.18	109.93	4	2B	6
202	39.06	39.30	5	2A	9	206	109.93	111.10	4	4C	35
202	39.30	41.03	6	2A	42	206	111.10	114.10	2	4A	31
202	41.03	42.31	6	2A	39	206	114.10	116.28	3	4A	34
202	42.31	42.67	5	2A	9	206	116.28	128.20	2	4A	31
202	42.67	43.90	5	2A	12	206	128.20	129.22	3	4A	34
202	43.90	45.30	5	4E	11	208	0.00	11.02	3	6A	1
202	45.30	45.70	5	4C	11	278	0.00	0.90	1	6A	0
202	45.70	46.31	4	4E	11	280	0.00	7.66	1	6A	0
202	46.31	47.00	4	4D	11	280	7.66	12.50	1	8A	0
202	50.03	50.70	3	4B	1	280	12.50	13.28	1	1A	0
202	51.43	51.87	4	2C	5	280	13.28	16.80	1	6A	0
202	62.99	64.32	3	6A	1	284	0.00	0.63	5	2A	36
202	65.32	65.68	5	2A	6	284	0.63	7.03	5	2A	33
202	72.44	72.66	4	4D	5	287	0.00	0.73	1	1A	0
206	0.00	0.10	3	4A	1	287	0.73	17.82	1	8A	0
206	0.10	2.33	4	4F	2	287	17.82	21.20	1	1A	0
206	2.33	6.27	4	4C	2	287	21.20	42.10	1	8A	0
206	6.27	9.00	4	4C	26	287	42.10	60.00	1	6A	0
206	9.00	23.30	4	4C	32	287	60.00	67.54	1	4A	0
206	23.30	23.70	4	4F	32	295	0.95	26.40	1	6A	0
206	23.70	30.36	4	4C	32	295	26.40	27.00	1	8A	0
206	30.36	31.28	2	4A	31	295	27.00	42.90	1	6A	0
206	31.28	33.26	4	4C	32	295	42.90	44.78	1	8A	0
206	33.26	33.40	4	4C	8	295	44.78	68.06	1	6A	0
206	33.40	34.00	3	4A	7	322	2.24	6.30	2	4A	31
206	34.00	35.50	3	4A	1	322	6.30	10.85	4	4D	39
206	35.50	35.61	3	4A	4	322	10.85	11.53	4	4D	35
206	36.27	38.49	3	4A	1	322	11.53	14.41	4	4C	32
206	38.49	38.90	3	6A	1	322	14.41	16.10	4	4C	35
206	38.90	39.00	3	6A	4	322	16.10	16.75	4	4D	2
206	39.00	40.73	3	4A	4	322	16.75	18.55	4	4D	5
206	44.50	45.01	6	4A	23	322	18.55	19.50	4	4D	2
206	45.01	46.62	4	4C	5	322	19.50	23.05	4	4C	11
206	46.62	47.90	4	4C	29	322	23.05	24.10	4	4C	2
206	47.90	48.50	1	2A	0	322	24.10	24.50	4	4C	5
206	48.50	49.80	5	1A	30	322	24.50	26.85	4	4C	2
206	59.80	52.38	4	2C	29	322	26.85	32.90	4	4C	32
206	52.38	52.90	4	2C	2	322	32.90	48.70	2	4A	31
206	52.90	54.25	4	1A	3	322	48.70	50.10	2	6A	31
206	54.25	54.50	4	1A	5	324	0.90	1.51	6	2A	51
206	54.50	55.77	4	2C	5	439	0.00	3.94	4	4E	5
206	55.77	55.80	4	2C	2	440	0.00	3.10	1	6A	0
206	55.80	57.20	4	2C	35	440	3.10	3.98	1	6C	0
206	57.20	57.38	4	2B	11	440	17.60	23.28	3	6A	1
206	57.38	57.90	4	2B	8	495	0.80	1.97	1	6A	0
206	57.90	58.24	3	4A	1	524	0.45	0.90	4	4B	13
206	58.24	62.69	2	4A	25	676	0.00	3.79	1	6A	0
206	62.29	68.90	3	4A	1						
206	68.90	71.25	3	6A	1						
206	78.32	78.65	2	4A	25						
206	78.65	79.10	4	4C	26						
206	79.10	86.70	2	4A	31						
206	86.70	87.20	4	4C	32						
206	87.20	89.49	2	4A	31						
206	89.49	95.61	2	4A	25						
206	97.01	97.51	2	4A	25						
206	97.51	97.80	2	4A	31						

Amended by R.1993 d.210, effective May 17, 1993.

See: 25 N.J.R. 903(a), 25 N.J.R. 1990(a).

Revised milepost 322.

Amended by R.1993 d.524, effective November 1, 1993.

See: 25 N.J.R. 3129(a), 25 N.J.R. 4915(b).

Amended by R.1995 d.107, effective February 21, 1995.

See: 26 N.J.R. 2549(a), 27 N.J.R. 736(c).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

For Route 41, milepost 2.32 to 3.00, DTS changed from "4C" to "4G"; for Route 46, milepost 24.58 to 25.50, AL changed from "2" to "3" and CELL changed from "31" to "1"; and for Route 46, milepost 25.50 to 27.12, AL changed from "2" to "3" and CELL changed from "25" to "1".

Amended by R.1998 d.27, effective January 5, 1998.

See: 29 N.J.R. 4253(a), 30 N.J.R. 103(b).

Amended by R.1998 d.183, effective April 6, 1998.

See: 30 N.J.R. 533(a), 30 N.J.R. 1301(b).

For Route 206, substituted references to mileposts 78.32 to 78.65, 78.65 to 79.10, and 79.10 to 89.49 for references to mileposts 78.32 to 79.25 and 79.25 to 89.49.

Amended by R.1999 d.89, effective March 15, 1999.

See: 30 N.J.R. 4334(a), 31 N.J.R. 776(b).

For Route 206, substituted references to mileposts 79.10 to 86.70, 86.70 to 87.20 and 87.20 to 89.49 for a reference to milepost 79.10 to 89.49.