

APPENDIX A

ACCESS CLASSIFICATION MATRIX  
BASED ON DESIRABLE TYPICAL SECTIONS

URBAN CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED ≥45 MPH			LOW SPEED <45 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	3 (1)	4 (2)	4 (3)	3 (4)	4 (5)	5 (6)
MINOR ARTERIALS	3/4 (7)	4 (8)	5 (9)	3/4 (10)	4 (11)	5 (12)
COLLECTOR ROADS	4 (13)	5 (14)	6 (15)	4 (16)	5 (17)	6 (18)
LOCAL ROADS	4 (19)	6 (20)	6 (21)	4 (22)	6 (23)	6 (24)

RURAL CHARACTERISTICS						
ACCESS CLASS	HIGH SPEED ≥50 MPH			LOW SPEED <50 MPH		
	DIVIDED	UNDIV MULTI-LANE	2-LANE	DIVIDED	UNDIV MULTI-LANE	2-LANE
	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL	ACCESS LEVEL CELL
ACCESSIBLE PRINCIPAL ARTERIALS	2 (25)	4 (26)	4 (27)	3 (28)	4 (29)	5 (30)
MINOR ARTERIALS	2 (31)	4 (32)	5 (33)	3/4 (34)	4 (35)	5 (36)
MAJOR COLLECTORS	3/4 (37)	5 (38)	6 (39)	4 (40)	5 (41)	6 (42)
MINOR COLLECTORS	4 (43)	5 (44)	6 (45)	4 (46)	5 (47)	6 (48)
LOCAL ROADS	4 (49)	6 (50)	6 (51)	4 (52)	6 (53)	6 (54)

- ACCESS LEVEL DESCRIPTION
- 1 FULLY CONTROLLED ACCESS (ACCESS CELL 0)
  - 2 ACCESS AT STREET INTERSECTIONS OR GRADE-SEPARATED INTERCHANGES
  - 3 RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT WITH LEFT-TURN ACCESS VIA JUGHANDLE WHERE SIGNALIZED SPACING STANDARDS MET
  - 4 RIGHT-TURN ACCESS TO AND FROM AN ACCESS POINT, LEFT-TURN INGRESS VIA A LEFT-TURN LANE, AND LEFT-TURN EGRESS FROM AN ACCESS POINT
  - 5 ACCESS TO AND FROM AN ACCESS POINT LIMITED BY SPACING REQUIREMENTS AND SAFETY CONSIDERATIONS
  - 6 ACCESS TO AND FROM AN ACCESS POINT, LIMITED BY EDGE CLEARANCE AND SAFETY CONSIDERATIONS

NOTE FOR CELLS WITH ACCESS LEVEL 3/4; ACCESS LEVEL WILL DEPEND ON DEPARTMENT PLANS FOR THE ROUTE.

APPENDIX B

STATE HIGHWAY ACCESS LEVELS BY ROUTE AND MILEPOST

ACCESS LEVEL (AL)

- 1 Fully Controlled Access
- 2 Access along Street or Interchange Only
- 3 Right-turn Access with Provision for Left-turn Access via Jughandle
- 4 Driveway with Provision for Left-turn Access via Left-turn lane
- 5 Driveway with Provision for Left-turn Access (Limited by Spacing Requirements & Safety Considerations)
- 6 Driveway Access Limited by Edge Clearance and Safety Consideration

DESIRABLE TYPICAL SECTIONS CODES (DTS) & RIGHT OF WAY WIDTHS (R.O.W.) DESCRIPTION<sup>1</sup>

1A	—	Existing	—	SAME LANE, SHOULDER, AND PARKING CONDITIONS AS EXIST (See Note <sup>2</sup> )
2A	—	78'	—	2 LANES, WITH SHOULDERS
2B	—	92'	—	2 LANES, WITH SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
2C	—	68'	—	2 LANES, WITHOUT SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
2D	—	54'	—	2 LANES, WITHOUT SHOULDERS
4A	—	114'	—	4 LANES, DIVIDED, WITH SHOULDERS
4B	—	90'	—	4 LANES, DIVIDED, WITHOUT SHOULDERS
4C	—	102'	—	4 LANES, UNDIVIDED, WITH SHOULDERS
4D	—	78'	—	4 LANES, UNDIVIDED, WITHOUT SHOULDERS
4E	—	102'	—	4 LANES, UNDIVIDED, WITH SHOULDERS, PARKING (URBAN SITUATION)
4F	—	116'	—	4 LANES, UNDIVIDED, WITH SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
4G	—	92'	—	4 LANES, UNDIVIDED, WITHOUT SHOULDERS, WITH 14' TWO WAY LEFT TURN LANE
5A	—	131'	—	5 LANES, (2 LANES, 1 DIRECTION + 3 LANES, OPPOSITE DIRECTION), DIVIDED, WITH SHOULDERS
6A	—	148'	—	6 LANES, DIVIDED, WITH SHOULDERS
6B	—	124'	—	6 LANES, DIVIDED, WITHOUT SHOULDERS
6C	—	210'	—	6 LANES, DIVIDED, WITH CD ROADS
8A	—	172'	—	8 LANES, DIVIDED, WITH SHOULDERS
8B	—	148'	—	8 LANES, DIVIDED, WITHOUT SHOULDERS
8C	—	234'	—	8 LANES, DIVIDED, WITH CD ROADS

FOR CELL NUMBER SEE APPENDIX A

<sup>1</sup>These show the maximum acceptable expanded width of State highway segment. The widths of lanes, shoulders, parking, sidewalk areas and right-of-way shown are those derived from the standards for desirable geometric design elements. The right-of-way width needed for the construction of the highway improvement may be less than the dimensions shown when less than desirable widths are used.

<sup>2</sup>This designation means that social, environmental, or economic constraints may limit the desirability of State highway segment expansion. If compelling safety needs dictate, the Department will construct, or require a permittee to construct, highway improvements consistent with the design standards

MILEPOST						ROUTE	BEGIN	END	AL	DTS	CELL
						1&9	62.00	62.13	3	4A	10
ROUTE	BEGIN	END	AL	DTS	CELL	1&9	62.13	62.80	4	4A	10
1	0.60	5.46	1	6A	0	1&9	62.80	62.93	3	4A	4
1	5.46	5.94	3	6A	1	1&9	63.93	63.20	3	6C	1
1	5.94	7.20	3	6C	1	1&9	63.20	64.90	3	5A	1
1	7.20	10.79	3	6A	1	1B	0.00	2.73	3	4A	1
1	10.79	11.29	3	6B	1	1&9 T	0.00	2.29	3	6A	1
1	11.29	22.40	3	6A	1	1&9 T	2.29	4.11	3	6A	4
1	22.40	38.34	3	8A	1	3	0.00	6.00	3	8A	1
1&9	38.34	40.45	3	6A	1	3	6.00	10.40	1	6C	0
1&9	40.45	41.80	3	6A	4	3	10.40	10.73	1	4A	1
1&9	41.80	43.20	3	6A	1	3	10.73	10.84	3	4A	1
1&9	43.20	45.45	3	6A	4	4	0.00	2.20	3	4B	4
1&9	45.45	48.68	1	8C	0	4	2.20	10.89	3	6A	1
1&9	48.68	51.09	1	6C	0	5	0.00	0.39	5	2A	12
1&9	51.09	54.65	1	4B	0	5	0.39	0.97	4	2B	12
1&9	54.65	62.00	3	6A	4	5	0.97	1.80	4	2A	12

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
5	1.80	2.16	4	4E	11	10	0.00	10.63	3	4A	1
5	2.16	3.34	6	2A	18	10	10.63	19.70	3	6A	1
7	0.00	0.53	4	4D	5	10	19.70	23.47	3	4A	1
7	0.53	1.40	3	4A	1	12	0.95	1.01	4	4A	34
7	1.40	1.60	3	4A	4	12	1.01	10.44	2	4A	31
7	1.60	4.16	4	4C	5	12	10.44	11.70	4	4A	34
7	4.16	5.29	4	4D	11	13	0.00	0.43	4	4D	11
7	5.99	9.17	4	4D	11	13	0.43	0.58	4	4B	10
7	9.36	10.10	4	4D	11	15	0.00	2.05	4	4C	5
9	3.02	6.50	4	4C	32	15	2.05	2.29	3	6A	1
9	6.50	9.63	4	4C	35	15	2.29	2.46	3	8B	1
9	9.63	11.00	4	4C	32	15	2.46	3.66	3	6A	1
9	11.00	13.00	6	2A	42	15	3.66	6.35	2	6A	31
9	13.00	15.08	6	2A	39	15	6.35	6.75	3	6A	1
9	15.08	23.50	4	4C	32	15	6.75	14.13	1	6A	0
9	23.50	24.00	4	4C	35	15	14.13	16.70	5	4E	38
9	24.00	28.30	4	4C	32	15	16.70	18.29	5	4E	41
9	28.30	28.73	4	4C	35	15	18.20	19.52	4	4E	32
9	28.73	29.30	4	4C	29	17	0.00	3.35	4	4E	5
9	29.30	29.80	4	4C	26	17	3.35	3.50	4	4E	2
9	29.80	30.35	4	4C	32	17	3.50	26.81	3	6A	1
9	30.35	30.72	4	4C	35	18	5.14	30.85	1	4A	0
9	31.84	32.11	4	4C	29	18	30.85	34.25	3	4A	1
9	32.11	32.63	4	4C	2	18	34.25	36.94	3	6A	1
9	32.63	33.22	4	4C	5	18	36.94	41.75	3	8A	1
9	33.22	36.00	4	4C	2	18	41.75	42.00	3	6A	1
9	36.00	41.40	4	4C	5	18	42.00	43.71	1	6A	1
9	41.40	42.80	4	4C	2	19	0.00	0.70	1	4A	0
9	42.80	44.53	4	4C	5	19	0.70	2.91	1	6A	0
9	44.53	45.30	4	4C	2	20	0.00	0.70	3	6A	4
9	45.30	45.56	4	4C	35	20	0.70	3.98	3	6A	4
9	45.56	46.18	4	4C	32	21	0.00	0.91	2	6B	1
9	46.18	47.21	4	4C	35	21	0.91	4.00	4	6B	4
9	47.21	48.08	4	4C	32	21	4.00	4.10	3	6A	1
9	48.08	49.04	4	4C	35	21	4.10	12.45	1	6A	0
9	49.04	52.58	4	4C	32	22	0.30	0.62	1	6B	0
9	54.85	55.23	4	4C	32	22	0.62	1.47	3	6N	4
9	55.23	57.30	4	4C	35	22	1.47	2.00	3	6B	1
9	57.30	61.60	4	4C	32	22	2.00	4.45	3	4A	1
9	61.60	62.50	4	4C	35	22	4.45	5.12	1	6A	0
9	62.50	63.30	4	4A	34	22	19.22	19.39	3	4A	7
9	63.30	64.60	2	4A	31	22	19.39	20.04	3	4A	7
9	64.60	68.28	3	4A	34	22	20.04	28.60	3	4A	7
9	68.28	69.34	4	4F	34	22	28.60	30.63	3	4A	1
9	69.34	70.20	4	4F	7	22	30.63	30.92	3	4A	1
9	70.20	70.50	3	4B	7	22	30.92	31.50	3	4A	1
9	70.50	71.08	3	4A	10	22	31.50	37.10	3	6A	1
9	71.08	74.48	3	4A	7	22	37.10	41.59	3	4A	1
9	74.48	75.47	3	4A	10	22	41.59	60.53	3	6A	1
9	75.47	79.15	3	4A	7	22A	2.38	3.47	4	4D	5
9	79.15	80.70	3	4A	34	22A	3.47	3.56	4	4D	2
9	80.70	81.90	4	4D	35	22A	3.56	4.05	4	4D	2
9	81.90	84.22	3	4A	34	23	0.00	2.06	4	4D	5
9	84.22	86.56	3	4A	7	23	2.06	3.99	4	4D	2
9	86.56	88.75	3	4A	1	23	3.99	5.05	4	4D	5
9	88.75	89.95	3	4A	4	23	5.05	6.30	1	6A	0
9	89.95	90.97	3	4A	1	23	6.30	17.00	3	6A	1
9	94.47	100.20	3	4A	1	23	17.00	27.20	2	6A	25
9	100.20	102.96	3	4A	4	23	27.20	28.78	4	4C	26
9	102.96	123.09	3	6A	1	23	28.78	41.15	4	4C	29
9	123.09	136.25	3	8A	1	23	41.15	45.20	4	4C	26
9W	0.00	0.35	3	4B	4	23	45.20	45.21	4	4C	29
9W	0.35	0.76	3	4A	4	23	45.21	45.80	4	4C	29
9W	0.76	1.45	4	4E	5	23	45.80	46.65	4	4C	26
9W	1.45	11.00	3	4A	1	23	46.65	52.53	4	4C	29
9W	11.00	11.17	4	2A	3	24	0.00	7.20	1	4A	0

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
24	7.20	10.59	1	6A	0	31	4.30	4.70	4	4F	2
26	0.00	0.70	4	4E	8	31	4.70	6.34	3	4A	1
26	0.70	2.10	4	4E	11	31	6.34	7.19	3	4A	28
27	0.00	1.49	5	1A	6	31	7.19	8.08	4	4C	29
27	1.49	4.00	5	1A	3	31	8.08	12.37	4	4C	26
27	4.00	6.80	4	2B	3	31	12.37	16.26	3	4A	25
27	6.80	9.50	4	4F	2	31	21.95	22.10	2	4A	25
27	9.50	10.20	4	4F	5	31	22.10	24.40	3	4A	28
27	10.20	11.54	4	4F	2	31	24.40	30.26	2	4A	25
27	11.54	13.85	4	4F	5	31	30.26	34.24	3	4A	1
27	13.85	15.37	4	4E	5	31	34.24	42.12	2	4A	25
27	16.55	18.23	4	4D	5	31	42.12	43.56	3	4A	28
27	18.23	23.85	4	4F	5	31	43.56	46.12	2	4A	25
27	23.85	27.18	4	4F	2	31	46.12	49.00	3	4A	28
27	27.18	35.79	4	4E	2	32	0.00	1.18	3	4A	7
28	0.00	2.22	4	2A	3	33	0.00	0.20	4	4D	5
28	2.22	3.00	5	2A	6	33	1.46	2.30	4	4D	5
28	3.00	3.70	4	2B	5	33	2.30	5.50	4	4C	5
28	3.70	5.08	5	2A	6	33	5.50	7.86	4	4C	2
28	5.08	6.25	4	2A	3	33	12.39	12.70	3	6A	1
28	6.25	6.80	4	4D	2	33	12.70	13.38	4	2B	1
28	6.80	6.90	4	4D	5	33	13.38	13.68	4	4C	2
28	6.90	8.22	5	2A	6	33	13.68	14.70	4	2C	6
28	8.22	12.47	4	4D	5	33	14.70	14.77	4	4D	2
28	17.50	23.00	5	1A	6	33	14.77	15.01	3	6B	1
28	23.00	26.63	4	4A	4	33	15.01	18.90	3	6A	1
29	3.20	6.20	1	4A	0	33	18.90	24.32	2	6A	25
29	6.20	6.70	3	4A	4	33	24.32	29.30	1	4A	0
29	6.70	9.55	1	4A	0	33	29.35	29.74	4	4E	2
29	9.55	13.80	5	2A	9	33	29.74	29.91	4	4E	26
29	13.80	16.72	5	2A	36	33	29.91	33.04	4	4C	32
29	16.72	18.10	6	2A	42	33	33.04	33.25	2	4A	25
29	18.10	18.60	6	4C	41	33	33.25	36.49	3	4A	1
29	18.60	19.60	5	2A	42	33	36.49	36.65	3	4A	1
29	19.60	20.30	6	4C	41	33	36.65	38.30	3	4A	1
29	20.30	23.36	6	2A	42	33	38.30	40.28	4	4C	2
29	23.36	34.26	6	1A	39	33	40.28	40.63	1	6A	0
30	0.96	1.20	3	6A	4	33	40.63	41.82	4	4C	5
30	1.20	3.15	3	8B	1	33	41.82	42.46	4	4C	11
30	3.15	3.32	3	8B	4	33 B	0.00	0.60	1	2D	7
30	3.32	4.26	3	8A	1	33 B	0.60	2.24	4	4C	8
30	4.26	6.40	4	4E	2	33 B	2.24	2.57	3	6A	4
30	6.40	7.95	3	6A	4	33 B	2.57	3.36	5	4D	17
30	7.95	12.70	3	4A	1	33 B	3.36	3.86	4	4E	11
30	12.70	16.30	3	4A	7	33 B	3.86	4.35	5	4C	14
30	16.30	17.05	3	4B	10	33 B	4.35	5.03	5	4C	17
30	17.05	18.00	3	4B	7	34	0.00	0.33	3	4A	1
30	18.00	21.60	3	4A	7	34	0.33	7.70	3	4A	7
30	21.60	27.97	2	4A	31	34	8.75	12.60	2	4A	31
30	27.97	32.60	4	4G	2	34	12.60	20.44	4	4C	32
30	32.60	35.10	4	4G	32	34	20.44	21.20	4	4C	2
30	35.10	40.35	3	4A	32	34	21.20	22.56	4	4C	5
30	40.35	42.10	4	4A	34	34	22.56	26.79	4	4C	2
30	42.10	46.00	4	4G	32	35	0.00	0.26	4	4B	34
30	46.00	52.09	4	4G	2	35	0.26	0.58	5	2A	36
30	52.09	52.20	4	4G	2	35	0.58	1.44	4	4A	34
30	52.39	52.42	4	4G	2	35	1.44	2.07	4	6A	34
30	52.42	53.45	3	4A	1	35	2.07	2.32	4	6B	34
30	53.45	54.39	2	4A	25	35	2.32	2.48	4	8B	34
30	54.39	55.42	2	6B	25	35	2.48	3.51	1	6A	0
30	55.42	56.75	2	8B	25	35	3.51	3.65	3	6B	28
30	56.75	56.79	3	8B	28	35	3.65	3.77	3	4B	28
30	56.79	57.47	3	8B	4	35	3.77	7.29	3	4A	28
30	57.47	58.23	3	6C	4	35	7.29	9.12	4	4A	28
31	1.15	3.82	4	4C	5	35	9.12	12.76	4	4E	29
31	3.82	4.30	4	4C	2	35	12.76	13.00	4	4E	5

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
35	13.00	14.55	4	4A	4	40	29.27	32.55	4	4C	32
35	14.55	16.04	3	4A	4	40	32.55	33.79	3	4A	1
35	16.04	20.10	4	4F	2	40	33.79	34.40	3	4A	4
35	20.10	20.56	3	4A	1	40	34.40	35.21	3	4A	1
35	20.56	21.05	3	4A	4	40	35.21	44.95	2	4A	31
35	21.05	21.39	4	4D	5	40	44.95	45.63	3	4A	34
35	21.39	22.30	3	6A	4	40	45.63	46.25	2	4A	31
35	22.30	24.61	4	4C	5	40	46.25	47.48	4	4C	35
35	24.61	24.94	3	4A	1	40	47.48	53.15	2	4A	31
35	24.94	29.50	3	6A	1	40	53.15	53.85	2	6A	31
35	29.50	31.20	4	4F	5	40	53.85	56.79	3	6A	1
35	31.20	33.15	4	4C	5	40	56.79	59.00	3	4A	1
35	33.15	34.37	4	4E	5	40	59.00	59.72	3	4A	4
35	34.37	35.80	3	4A	1	40	59.72	59.98	4	4F	5
35	35.80	43.91	3	6A	1	40	59.98	60.23	3	4A	4
35	43.91	44.62	3	6B	1	40	60.23	60.37	3	4A	28
35	44.62	49.52	3	6A	1	40	60.37	61.63	4	4F	29
35	50.79	51.00	1	6A	0	40	61.63	61.65	4	4F	26
35	51.00	52.32	4	4E	5	40	61.65	63.38	2	4A	25
35	52.32	53.35	4	4F	5	40	63.38	63.57	3	4A	1
35	53.35	54.87	4	4C	2	40	63.57	63.97	4	4F	5
35	54.87	58.06	4	4C	5	40	63.97	64.07	4	4C	5
36	0.00	4.00	3	6A	1	41	0.00	2.32	4	4D	8
36	4.00	5.72	4	4D	5	41	2.32	3.00	4	4G	8
36	5.72	6.55	3	4A	4	41	3.00	3.86	4	4F	8
36	6.55	6.71	4	4C	2	41	3.86	3.91	4	4F	11
36	6.71	9.74	4	4C	29	41	3.91	4.94	4	4C	5
36	9.74	11.60	4	4C	2	41	10.68	11.95	4	4F	5
36	11.60	11.80	4	4D	2	41	11.95	13.02	4	4F	2
36	11.80	13.00	3	5A	1	41	13.02	13.98	3	5A	1
36	13.00	19.52	3	4A	1	42	0.00	6.40	3	6A	1
36	19.52	24.18	3	6A	1	42	6.40	14.28	1	8A	0
36	24.18	24.40	3	4A	1	44	0.00	1.28	6	2A	51
37	0.00	1.53	3	4A	7	44	1.28	2.60	6	2A	39
37	1.53	2.90	3	4A	1	44	2.60	6.28	5	2A	12
37	2.90	6.02	3	6A	1	44	6.28	8.40	5	2A	9
37	6.02	6.50	3	4A	1	44	8.40	9.10	5	2A	12
37	6.50	6.75	3	8A	1	44	9.10	9.60	5	2A	9
37	6.75	11.45	3	6A	01	45	0.00	0.42	4	4E	29
37	11.45	12.39	1	6A	0	45	0.42	2.32	4	4E	35
37	12.39	13.42	2	6A	25	45	2.32	8.79	4	4E	32
38	0.00	12.00	3	6A	1	45	8.79	9.23	4	4E	34
38	12.00	15.40	3	4A	1	45	9.23	10.14	4	4D	11
38	15.40	16.80	3	4A	4	45	10.14	10.45	4	4E	8
38	16.80	17.38	4	4A	1	45	10.45	16.98	4	4E	32
38	17.38	18.31	2	4C	25	45	16.98	17.32	4	4E	35
38	18.31	19.23	4	4C	32	45	17.32	17.77	4	4D	35
40	1.85	5.47	2	4A	31	45	18.16	18.35	4	4E	35
40	5.47	8.03	4	4C	32	45	18.35	20.24	4	4E	32
40	8.03	8.55	4	4C	35	45	20.24	20.88	4	4E	26
40	8.55	10.22	4	4C	32	45	20.88	20.96	4	4E	29
40	10.02	10.21	4	4D	35	45	29.96	22.13	4	4E	2
40	10.21	10.40	4	4D	8	45	22.13	22.53	4	4E	5
40	10.40	11.20	4	4D	11	45	22.53	22.59	3	4A	4
40	11.20	11.25	4	4D	35	45	22.59	24.82	3	4A	1
40	11.25	11.66	4	4C	35	45	24.82	24.90	3	4A	4
40	11.66	19.54	4	4C	32	45	24.90	26.90	5	4D	5
40	19.54	20.27	4	4C	35	45	26.90	28.51	4	4D	2
40	20.27	25.25	4	4C	32	46	0.00	0.85	1	4A	0
40	25.50	25.73	4	4C	8	46	0.85	6.86	4	2A	27
40	25.73	26.30	4	4C	2	46	6.86	7.45	4	4A	25
40	26.30	26.42	4	4C	2	46	7.45	9.63	4	4C	26
40	26.42	26.60	4	4C	5	46	9.63	10.05	4	4C	29
40	26.60	27.37	4	4C	5	46	10.05	10.12	4	4C	35
40	27.37	29.10	4	4C	2	46	10.12	15.82	4	4C	32
40	29.10	29.27	4	4C	26	46	15.82	20.63	4	4C	35

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
46	20.63	21.82	4	4D	29	48	0.00	0.61	4	4C	11
46	21.82	22.40	4	4B	34	48	0.61	0.66	4	4C	8
46	22.40	22.48	4	4A	34	48	0.66	2.10	4	4C	32
46	22.48	24.58	4	4A	31	48	2.10	4.26	6	2A	39
46	24.58	25.50	3	4A	1	49	0.00	0.70	4	4C	2
46	25.50	27.12	3	4A	1	49	0.70	3.00	4	4C	5
46	27.12	28.42	3	4A	28	49	3.00	6.29	4	4C	2
46	28.42	29.60	2	4A	25	49	6.29	8.30	4	4C	32
46	29.60	30.43	3	4A	28	49	8.30	10.10	4	4C	29
46	30.43	31.52	2	4A	25	49	10.10	11.00	4	4C	35
46	31.52	33.30	2	4A	1	49	11.00	12.30	4	4C	32
46	33.30	33.45	3	4A	1	49	12.30	12.88	4	4C	35
46	33.45	34.25	4	4C	2	49	12.88	21.10	4	4C	32
46	34.25	35.10	4	4C	5	49	21.10	21.62	4	4D	35
46	35.10	35.38	4	4C	2	49	21.62	22.10	4	4D	32
46	35.38	36.05	3	4A	1	49	21.10	23.13	4	4C	32
46	36.05	36.58	3	4A	4	49	23.13	24.50	4	4C	2
46	36.58	37.22	3	4A	1	49	24.50	26.25	4	4C	5
46	37.22	42.38	3	4A	4	49	26.25	26.50	3	4B	4
46	42.38	42.50	3	6B	4	49	26.50	26.60	4	4C	5
46	42.50	43.18	3	6A	4	49	26.60	27.20	4	4C	2
46	43.18	61.60	3	6A	1	49	27.20	29.84	4	4C	8
46	61.60	62.26	3	6A	4	49	29.84	30.80	4	4C	32
46	62.26	68.28	3	6A	1	49	30.80	31.45	4	4C	26
46	68.28	69.00	3	8A	1	49	31.45	35.03	4	4C	2
46	69.00	69.18	3	6A	1	49	35.03	36.10	4	4C	5
46	69.18	69.38	4	4F	2	49	36.10	37.37	4	4D	5
46	69.38	70.08	4	4F	5	49	37.37	38.10	4	4D	2
46	70.08	70.40	1	4D	0	49	38.10	38.37	4	4C	2
46	70.40	70.73	3	6A	4	49	38.87	40.80	4	4C	26
46	70.73	71.55	3	8B	1	49	40.80	53.78	4	4C	32
46	71.55	72.15	3	6B	1	50	0.00	0.24	3	4B	34
47	0.66	1.16	4	4A	40	50	0.24	6.18	4	4C	32
47	1.16	3.18	4	4A	37	50	6.18	7.03	4	4C	35
47	3.18	3.73	4	4D	41	50	7.03	7.15	4	4C	32
47	3.73	3.90	4	4D	35	50	7.15	18.56	4	4C	32
47	3.90	4.32	4	4C	35	50	19.18	19.67	4	4C	35
47	4.32	6.10	4	4C	32	50	19.67	20.91	4	4C	32
47	6.10	7.00	4	4C	35	50	20.91	21.20	1	4A	0
47	7.00	17.43	4	4C	32	50	21.20	23.50	4	4C	32
47	17.43	17.63	2	4B	31	50	23.50	24.20	2	4A	31
47	17.63	25.60	4	4C	32	50	24.20	25.53	4	4C	32
47	25.60	26.62	4	4C	35	50	25.53	26.08	4	4C	35
47	26.62	33.12	4	4C	32	52	0.00	1.96	4	4E	29
47	33.12	34.12	4	4C	35	52	1.96	2.74	4	4E	5
47	34.12	34.80	4	4C	32	53	0.00	1.55	4	2B	8
47	34.80	36.08	6	2A	39	53	1.55	2.35	4	4C	8
47	36.08	36.73	5	2A	33	53	2.35	3.32	4	4C	11
47	36.73	38.50	4	2A	9	53	3.32	4.66	4	4E	11
47	38.50	40.80	4	2C	12	54	0.00	1.11	4	4C	2
47	40.80	42.20	4	2C	9	54	1.11	8.20	4	4C	32
47	42.20	45.88	4	4D	8	54	8.20	8.46	4	4C	2
47	45.88	46.75	4	4D	11	54	8.46	9.12	3	4A	1
47	46.75	52.03	4	4D	8	54	9.12	9.98	4	4C	2
47	52.03	52.36	4	4C	11	54	9.98	11.88	4	4C	5
47	52.82	56.00	4	4C	8	55F	20.00	60.53	1	4A	0
47	56.00	56.78	4	4C	11	56	0.00	0.17	4	4D	8
47	56.78	58.17	4	4C	8	56	0.17	1.60	5	4D	14
47	58.17	58.29	4	4C	2	56	1.60	2.00	5	4D	38
47	58.29	59.80	4	4C	5	56	2.00	7.50	6	2A	39
47	59.80	61.96	4	4C	2	56	7.50	7.84	3	4B	7
47	61.96	62.29	4	4C	5	56	7.84	9.23	4	4D	11
47	62.66	63.15	4	4D	5	57	0.00	0.55	4	4C	26
47	63.15	64.12	4	4C	2	57	0.55	2.20	4	4C	32
47	64.12	74.00	4	4C	8	57	2.20	2.80	4	4C	35
47	74.00	74.98	4	4C	11	57	2.80	4.38	4	4C	32

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
57	4.38	5.28	4	4C	35	77	7.18	8.05	5	2A	36
57	5.28	6.40	4	4C	32	77	9.81	22.18	5	2A	33
57	6.40	9.10	4	4C	35	78	4.16	17.85	1	6A	0
57	9.10	9.78	4	2B	33	78	17.85	19.22	1	8A	0
57	9.78	9.81	4	2B	27	78	19.22	29.85	1	6A	0
57	9.81	11.60	4	2B	30	78	29.85	33.13	1	8A	0
57	11.60	11.80	4	2B	36	78	33.13	48.54	1	6A	0
57	11.80	11.90	4	2B	33	78	48.54	58.50	1	1A	0
57	11.90	14.44	4	2C	32	79	0.00	0.35	4	4F	11
57	14.44	15.23	4	2B	33	79	0.35	0.57	4	2B	12
57	15.23	18.60	4	4C	32	79	0.57	1.75	4	2C	18
57	18.60	19.55	4	4C	35	79	1.75	2.50	5	4D	17
57	19.55	20.53	4	4C	32	79	2.50	3.90	5	4D	14
57	20.53	21.10	4	4D	29	79	3.90	4.81	5	4C	14
59	0.00	0.15	4	4B	22	79	4.81	5.08	4	4A	13
63	0.00	0.06	3	4A	4	79	5.08	5.33	4	4A	7
63	0.06	3.00	4	2B	6	79	5.33	5.38	4	4A	10
63	3.00	3.09	3	4A	4	79	5.38	5.79	4	4C	11
64	0.00	0.33	3	4B	4	79	5.79	9.38	4	4C	8
66	0.00	0.40	3	4A	10	79	9.38	10.18	4	4C	11
66	0.40	3.62	3	4A	7	79	10.18	10.95	4	4C	8
67	0.00	1.86	4	4E	11	79	10.95	11.38	4	4C	11
68	0.00	0.60	2	4A	1	79	11.38	12.13	4	4D	11
68	0.60	1.07	3	4A	1	80	0.50	42.10	1	8A	0
68	1.07	7.66	2	4A	31	80	42.10	42.90	1	8C	0
68	7.66	8.02	3	4A	7	80	42.90	43.90	1	8A	0
70	0.00	8.50	3	6A	1	80	43.90	46.13	1	1A	0
70	8.50	14.83	3	4A	1	80	46.13	62.50	1	8A	0
70	14.83	20.10	2	4A	31	80	62.50	63.35	1	1A	0
70	20.10	26.10	4	4C	32	81	0.51	1.18	3	5A	1
70	26.10	26.50	2	4C	31	82	0.00	2.65	4	4E	5
70	26.50	43.25	4	4C	32	82	2.65	3.35	4	4E	2
70	43.25	43.45	4	4C	35	82	3.35	4.25	4	4E	5
70	43.45	44.80	3	4A	34	82	4.25	4.93	4	4E	2
70	44.80	48.58	3	4A	7	83	0.00	0.24	2	4B	31
70	48.58	59.84	3	4A	1	83	0.24	3.84	2	4A	31
71	0.00	0.61	6	2A	18	87	0.00	0.57	3	8A	7
71	0.61	7.40	5	4D	17	87	0.57	0.80	3	6A	7
71	7.40	9.40	5	4E	17	87	0.80	1.72	3	4A	7
71	9.40	10.48	5	4D	17	88	0.00	0.30	4	2B	12
71	10.48	11.64	4	4A	16	88	0.30	5.21	4	2C	12
71	11.64	12.53	4	2B	17	88	5.21	8.60	4	2C	6
71	12.53	13.77	4	2C	17	88	8.60	8.96	5	4D	5
71	13.77	15.71	4	4D	11	88	8.96	9.64	4	2C	6
71	15.71	16.76	4	4C	11	88	9.64	10.02	3	4B	4
72	0.00	5.96	4	4E	32	90	2.35	3.20	3	8A	1
72	5.96	11.47	4	4C	32	91	0.00	1.30	4	4C	8
72	11.47	13.70	4	4E	32	91	1.30	2.31	4	4C	11
72	13.70	18.06	2	4A	31	93	0.00	3.52	5	2A	12
72	18.06	26.32	3	4A	7	94	0.20	0.72	4	4D	35
72	26.32	27.18	2	4A	31	94	0.72	2.55	4	4C	32
72	27.18	27.40	2	5A	31	94	2.55	3.36	4	4C	35
72	27.40	27.55	2	6A	31	94	3.36	3.91	4	4C	32
72	27.55	28.18	2	4A	31	94	3.91	9.33	4	4C	35
72	28.18	28.72	3	5A	34	94	9.33	11.82	4	4C	32
73	6.00	10.89	2	6A	31	94	11.82	12.60	4	4D	35
73	10.89	12.70	3	6A	1	94	12.60	14.80	4	4C	35
73	12.70	14.46	2	6A	31	94	14.80	21.25	4	4C	32
73	14.46	32.00	3	6A	1	94	21.25	21.55	4	4D	2
73	32.00	32.35	3	8A	1	94	21.55	22.51	4	4D	5
73	32.35	34.10	3	6A	1	94	24.89	27.68	4	4C	35
76	0.00	1.85	1	1A	0	94	27.95	32.90	4	4C	35
77	0.00	2.19	4	4D	5	94	32.90	35.15	4	4C	32
77	2.70	3.90	4	2A	3	94	35.15	45.76	4	4C	35
77	3.90	5.06	5	1A	9	95	0.00	8.77	1	6A	0
77	5.06	7.18	5	2A	33	109	1.37	1.95	4	4C	35

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
109	1.95	2.50	4	4A	34	166	1.86	1.98	4	4D	5
109	2.50	3.06	4	4C	35	166	1.98	2.23	4	2C	6
120	0.00	0.95	2	6A	1	166	2.23	3.75	4	2C	3
120	0.95	2.65	3	6A	4	167	0.00	0.62	6	2A	54
124	0.00	0.40	5	4E	5	167	0.95	1.49	6	2A	51
124	0.40	1.50	5	4D	5	167	1.52	1.66	6	2A	51
124	1.50	2.80	4	4D	11	167	1.67	2.78	6	2A	51
124	2.80	4.50	5	2A	12	168	0.00	0.78	3	4A	1
124	4.50	5.90	5	2A	6	168	0.78	1.20	4	4C	2
124	5.90	7.45	4	4D	5	168	1.20	2.65	4	2C	6
124	7.45	9.00	4	4A	19	168	2.65	4.73	4	2C	3
124	9.00	10.03	4	4A	22	168	4.73	7.38	4	2C	6
124	10.03	11.70	4	4E	5	168	7.38	8.72	4	4C	5
124	11.70	12.58	3	4A	4	168	8.72	9.79	3	4A	1
124	12.58	14.84	4	4E	5	168	9.79	9.92	3	4B	4
129	0.00	0.29	4	2A	3	168	9.92	10.81	4	4C	5
129	0.29	2.41	1	4A	0	169	0.85	2.25	3	4A	1
130	0.00	0.65	4	4D	11	169	2.25	4.65	3	4A	4
130	0.65	2.25	4	4D	8	169	4.65	5.73	3	4A	1
130	2.25	4.15	4	4D	11	171	0.00	0.08	2	4A	10
130	4.15	5.28	4	4D	8	171	0.08	1.00	4	4F	23
130	5.28	5.88	6	2A	15	172	0.00	0.35	6	4E	23
130	5.88	8.90	6	2A	39	172	0.35	0.81	3	4A	10
130	8.90	11.70	4	4A	13	173	0.00	0.25	5	2A	33
130	11.70	14.30	1	4A	0	173	0.25	0.35	4	2B	33
130	23.53	25.43	3	4A	1	173	0.35	3.19	4	2B	39
130	25.43	29.40	3	6B	1	173	3.19	4.20	4	2B	45
130	30.34	37.10	3	6B	1	173	4.20	4.50	4	2B	48
130	37.10	45.90	3	6A	1	173	4.50	12.07	4	2B	45
130	45.90	46.65	4	8B	4	173	12.43	12.80	4	2B	45
130	46.65	55.43	3	6A	1	173	12.80	13.50	4	2B	48
130	55.43	55.77	3	6A	4	173	13.50	14.62	4	2B	54
130	55.77	56.43	3	8B	4	175	0.27	1.58	6	2A	21
130	56.43	70.85	3	4A	1	175	1.58	2.15	6	2A	24
130	70.85	80.38	3	4A	7	175	2.15	2.73	6	2A	21
130	80.38	83.37	3	4A	1	175	2.73	2.90	4	4A	19
138	0.00	3.52	3	4A	1	179	0.12	0.37	6	2A	42
139	0.00	1.45	3	8B	1	179	0.37	1.13	5	4D	41
140	0.00	0.48	6	2A	18	179	1.13	1.45	5	4D	38
140	0.48	0.95	5	2A	12	179	1.45	6.13	6	2A	39
143	0.00	1.00	6	2A	48	179	6.13	7.46	6	2A	42
143	1.00	1.93	6	2A	45	181	0.00	1.65	4	4C	35
143	1.93	2.27	6	2A	48	181	1.65	4.40	5	4C	41
143	2.27	2.35	6	2A	45	181	4.40	5.98	4	4C	11
147	0.00	0.80	4	4D	35	181	5.98	7.43	5	4C	38
147	0.80	1.63	3	4D	32	182	0.00	0.98	4	4D	29
147	1.63	3.30	4	4D	35	183	0.00	0.20	2	4B	31
147	3.30	4.20	4	4D	41	183	0.20	0.43	2	4A	25
152	0.00	0.17	4	4D	5	183	0.43	0.58	3	4A	28
152	0.17	1.58	4	4D	2	183	0.58	2.12	5	2B	30
152	1.58	1.72	4	4D	5	184	0.00	0.32	3	6A	10
152	1.72	3.16	4	4D	2	184	0.32	1.37	3	4A	10
154	0.00	0.30	4	4C	11	185	0.00	1.42	3	4A	4
154	0.30	1.70	4	4C	8	187	0.00	0.47	4	4E	8
156	0.00	1.21	5	2A	12	195	0.00	34.17	1	4A	0
157	0.00	0.43	5	2A	6	202	0.37	19.04	2	4A	25
157	0.43	0.91	4	2A	3	202	19.04	26.25	3	4A	1
159	0.00	0.45	3	4A	1	202	26.25	28.70	4	4G	2
159	0.45	0.56	3	4A	4	202	28.70	29.00	4	4A	2
159	0.56	1.36	4	4E	11	202	29.00	29.55	3	4A	1
161	0.00	1.10	4	2B	12	202	29.55	29.69	3	4A	4
162	0.00	0.73	6	2A	39	202	29.69	30.02	5	2A	6
163	0.00	0.33	6	2A	51	202	30.02	31.12	3	4A	1
165	0.00	0.10	4	4A	40	202	31.12	31.50	2	4A	25
165	0.10	0.26	5	4D	41	202	31.50	31.80	3	4A	28
166	0.00	1.86	4	2C	6	202	31.80	32.17	5	2A	36

ROUTE	BEGIN	END	AL	DTS	CELL	ROUTE	BEGIN	END	AL	DTS	CELL
202	32.17	32.56	5	2A	36	206	99.23	102.72	2	4A	31
202	32.56	32.77	5	2A	36	206	102.72	103.35	4	4A	34
202	32.77	32.95	6	2A	42	206	103.35	104.50	4	2C	35
202	32.95	34.10	6	2A	39	206	104.50	107.18	2	4A	31
202	34.10	35.80	5	2A	33	206	107.18	107.48	3	4A	34
202	35.80	36.20	5	2A	9	206	107.48	108.18	3	4A	1
202	36.20	36.40	5	2A	12	206	108.18	109.93	4	2B	6
202	36.40	37.85	5	2A	12	206	109.93	111.10	4	4C	35
202	37.85	39.06	4	4C	8	206	111.10	114.10	2	4A	31
202	39.06	39.30	5	2A	9	206	114.10	116.28	3	4A	34
202	39.30	41.03	6	2A	42	206	116.28	128.20	2	4A	31
202	41.03	42.31	6	2A	39	206	128.20	129.22	3	4A	34
202	42.31	42.67	5	2A	9	208	0.00	11.02	3	6A	1
202	42.67	43.90	5	2A	12	278	0.00	0.90	1	6A	0
202	43.90	45.30	5	4E	11	280	0.00	7.66	1	6A	0
202	45.30	45.70	5	4C	11	280	7.66	12.50	1	8A	0
202	45.70	46.31	4	4E	11	280	12.50	13.28	1	1A	0
202	46.31	47.00	4	4D	11	280	13.28	16.80	1	6A	0
202	50.03	50.70	3	4B	1	284	0.00	0.63	5	2A	36
202	51.43	51.87	4	2C	5	284	0.63	7.03	5	2A	33
202	62.99	64.32	3	6A	1	287	0.00	0.73	1	1A	0
202	65.32	65.68	5	2A	6	287	0.73	17.82	1	8A	0
202	72.44	72.66	4	4D	5	287	17.82	21.20	1	1A	0
206	0.00	0.10	3	4A	1	287	21.20	42.10	1	8A	0
206	0.10	2.33	4	4F	2	287	42.10	60.00	1	6A	0
206	2.33	6.27	4	4C	2	287	60.00	67.54	1	4A	0
206	6.27	9.00	4	4C	26	295	0.95	26.40	1	6A	0
206	9.00	23.30	4	4C	32	295	26.40	27.00	1	8A	0
206	23.30	23.70	4	4F	32	295	27.00	42.90	1	6A	0
206	23.70	30.36	4	4C	32	295	42.90	44.78	1	8A	0
206	30.36	31.28	2	4A	31	295	44.78	68.06	1	6A	0
206	31.28	33.26	4	4C	32	322	2.24	6.30	2	4A	31
206	33.26	33.40	4	4C	8	322	6.30	10.85	4	4D	39
206	33.40	34.00	3	4A	7	322	10.85	11.53	4	4D	35
206	34.00	35.50	3	4A	1	322	11.53	14.41	4	4C	32
206	35.50	35.61	3	4A	4	322	14.41	16.10	4	4C	35
206	36.27	38.49	3	4A	1	322	16.10	16.75	4	4D	2
206	38.49	38.90	3	6A	1	322	16.75	18.55	4	4D	5
206	38.90	39.00	3	6A	4	322	18.55	19.50	4	4D	2
206	39.00	40.73	3	4A	4	322	19.50	23.05	4	4C	11
206	44.50	45.01	6	4A	23	322	23.05	24.10	4	4C	2
206	45.01	46.62	4	4C	5	322	24.10	24.50	4	4C	5
206	46.62	47.90	4	4C	29	322	24.50	26.85	4	4C	2
206	47.90	48.50	1	2A	0	322	26.85	32.90	4	4C	32
206	48.50	49.80	5	1A	30	322	32.90	48.70	2	4A	31
206	59.80	52.38	4	2C	29	322	48.70	50.10	2	6A	31
206	52.38	52.90	4	2C	2	324	0.90	1.51	6	2A	51
206	52.90	54.25	4	1A	3	439	0.00	3.94	4	4E	5
206	54.25	54.50	4	1A	5	440	0.00	3.10	1	6A	0
206	54.50	55.77	4	2C	5	440	3.10	3.98	1	6C	0
206	55.77	55.80	4	2C	2	440	17.60	23.28	3	6A	1
206	55.80	57.20	4	2C	35	495	0.80	1.97	1	6A	0
206	57.20	57.38	4	2B	11	524	0.45	0.90	4	4B	13
206	57.38	57.90	4	2B	8	676	0.00	3.79	1	6A	0
206	57.90	58.24	3	4A	1						
206	58.24	62.69	2	4A	25						
206	62.29	68.90	3	4A	1						
206	68.90	71.25	3	6A	1						
206	78.32	78.65	2	4A	25						
206	78.65	79.10	4	4C	26						
206	79.10	89.49	2	4A	31						
206	89.49	95.61	2	4A	25						
206	97.01	97.51	2	4A	25						
206	97.51	97.80	2	4A	31						
206	97.80	98.40	2	4A	25						
206	98.40	99.23	3	4A	28						

Amended by R.1993 d.210, effective May 17, 1993.

See: 25 N.J.R. 903(a), 25 N.J.R. 1990(a).

Revised milepost 322.

Amended by R.1993 d.524, effective November 1, 1993.

See: 25 N.J.R. 3129(a), 25 N.J.R. 4915(b).

Amended by R.1995 d.107, effective February 21, 1995.

See: 26 N.J.R. 2549(a), 27 N.J.R. 736(c).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

For Route 41, milepost 2.32 to 3.00, DTS changed from "4C" to "4G"; for Route 46, milepost 24.58 to 25.50, AL changed from "2" to "3" and CELL changed from "31" to "1"; and for Route 46, milepost

25.50 to 27.12, AL changed from "2" to "3" and CELL changed from "25" to "1".

Amended by R.1998 d.27, effective January 5, 1998.

See: 29 N.J.R. 4253(a), 30 N.J.R. 103(b).

Amended by R.1998 d.183, effective April 6, 1998.

See: 30 N.J.R. 533(a), 30 N.J.R. 1301(b).

For Route 206, substituted references to mileposts 78.32 to 78.65, 78.65 to 79.10, and 79.10 to 89.49 for references to mileposts 78.32 to 79.25 and 79.25 to 89.49.