

(k) The committee shall submit the proposed access management plan, in the form of the report and map set forth in N.J.A.C. 16:47-6.4, to the Commissioner within 360 days of the start date or such later time as may be agreed to by the Commissioner upon a showing by the working committee that completion within the required time is impractical. The extension shall be no greater than 180 days. At the time the proposed access management plan is submitted, each contact person, other than the Department representative, shall submit a resolution from the governing body of his or her municipality or county approving the draft access management plan. At such time, the working committee shall also submit such background reports as are necessary. Such reports shall include at least the names of the working committee members, a chronicle of the start and the completion dates of the different tasks, copies of all municipal and county resolutions, and a complete set of all progress reports and such engineering plans as have been prepared in support of the access management plan.

Administrative changes to (b) and (d).

See: 25 N.J.R. 1005(b).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

In (b) and (d), substituted "Bureau of Statewide Planning" for "Bureau of Authority Coordination and Local Transportation Planning".

Amended by R.2002 d.22, effective January 22, 2002.

See: 33 N.J.R. 2043(a), 34 N.J.R. 507(a).

In (b), updated the address.

#### 16:47-6.6 Public notice and hearing

(a) Upon completion and submission of the access management plan, the Department, municipalities, and counties participating in the joint planning process shall hold a public hearing thereon at a location designated by the Commissioner. A minimum of 15 days notice thereof shall be provided in a local newspaper of general circulation and by mail to owners of lots for which access is designed and upon which any improvements set forth in the plan are located, and to all municipalities and counties located within 200 feet (60 meters) of such lots. The notice shall give the time and place of the hearing and provide that public comments on the proposed plan may be made to the Commissioner.

(b) The working committee shall meet and review the comments made during the public comment period within 60 days after the public comment period. It shall make whatever amendments to the access management plan are appropriate in light of the comments and within 60 days of such meeting, submit any revisions to the plan to the Commissioner. Such revisions shall be signed by all members of the working committee. Revisions that propose changes in the location, but not the number, of driveways and streets shall be classified as minor revisions and shall not require a new public hearing. All other revisions shall be classified as major, unless otherwise designated by the Commissioner, and shall require a new public hearing.

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

Delayed public hearing until after completion and submission of the access management plan, and inserted metric equivalents.

#### 16:47-6.7 Incorporation

Upon completion of the review of public comments by the working committee and such revisions to the access management plan conditions as may be made, the governing body of the municipality which participated in the joint planning process shall incorporate the access management plan into its land development ordinances and the planning board of such municipality shall amend its master plan to incorporate the access management plan. Certified copies of the ordinances and master plan amendments shall be forwarded to the Commissioner.

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

Deleted references to counties and made conforming changes.

#### 16:47-6.8 Termination or withdrawal

(a) The Commissioner may terminate the work activity if the working committee fails to complete the draft access management plan or to review the public comments and revise the access plan in a timely manner, or the municipalities or counties fail to adopt the ordinance and master plan amendments. In the case of withdrawal by the Department, the work activity shall terminate.

(b) Any participant in the joint planning process may withdraw at any time by so notifying all other participants thereof. The notice shall state the reasons for such withdrawal. In the case of withdrawal by a municipality, the work activity shall terminate in that municipality.

(c) Upon withdrawal or termination, each party shall pay its share of the cost expended to date for developing the access management plan.

#### 16:47-6.9 Adoption

Within 60 days of receipt of all of the municipal ordinances and master plan amendments, the Commissioner shall incorporate the access management plan into the Access Code in the manner established for adoption of rules pursuant to the Administrative Procedure Act, N.J.S.A. 52:14B-1 et seq.

#### 16:47-6.10 Access permit coordination

Upon the adoption of the access management plan, access permits along the highway segment will be processed according to N.J.A.C. 16:47-4.17.

#### 16:47-6.11 Revisions

(a) The Commissioner and any municipality, county, or other noticed public agency listed in N.J.A.C. 16:47-6.5(a) which participates in an access management plan may request a revision therein by mailing a letter to all participants setting forth the proposed changes. Within 60 days of such notification, the Commissioner shall schedule a meeting of

all members of the original working committee, or such successors as are designated to discuss the revisions. This subsequent working committee shall at least contain representatives from the Department and the municipality. The Commissioner shall determine within 30 days of such meeting whether the proposed revisions are major or minor. The Commissioner shall classify proposed revisions as minor whenever such revisions propose changes in the location of, but not in the number of, driveways or streets which are the subject of the access management plan or whenever it is determined that the proposed revisions should otherwise be treated as minor. All other proposed revisions shall be treated as major. Major revisions may require additional study and shall require public notice and hearing as set forth by N.J.A.C. 16:47-6.6. Major revisions shall also require acceptance by the working committee, adoption of conforming municipal and county ordinances and master plan amendments, and incorporation into the Access Code by the Commissioner. Revisions shall be completed and submitted within the time frame and in the manner set forth in (b) and (c) below.

(b) Minor revisions shall require acceptance by the working committee, adoption of conforming municipal and county ordinance and master plan amendments, and incorporation into the Access Code by the Commissioner. They shall be accepted by the working committee within 90 days of the first meeting of the committee. The party initiating the proposed revisions shall be responsible for all costs associated with reevaluating and changing the access management plan.

(c) Major revisions may require additional study and shall meet all requirements set forth in N.J.A.C. 16:47-6.5 through 6.9.

#### 16:47-6.12 Adopted access management plans

(a) Adopted access management plans, incorporated by reference into this chapter in accordance with N.J.A.C. 16:47-6.9, are listed in this section. Copies of said plans shall be available from the municipal clerk of the affected municipalities and through the Commissioner, Attention: Director of Transportation Systems Planning, PO Box 600, 1035 Parkway Avenue, Trenton, NJ 08625-0600. Either agency is permitted to charge a fee to cover costs of reproducing and shipping the document to any interested party. The procedure by which an adopted Access Management Plan may be revised is contained in N.J.A.C. 16:47-6.11.

(b) The following municipalities have approved access management plans:

1. The "Final Report: Route 34, Colts Neck, Highway Access Management Plan," covering the State highway segment from milepost 12.28 to milepost 13.71, dated April 4, 1997, the plan sheets for the "Access Management Plan for New Jersey Route 34" dated January 15, 1996 (Plan Sheets 2A, 2B and 3) and September 16, 1996 (Plan Sheet 1), and the revised plan sheets for the "Route 34 Access Management Plan, Minor Revision No. 1" covering mileposts 12.74 to 12.99, dated March 12, 2004 are incorporated into this chapter by reference. The plans may be obtained from the following source:

Township Clerk  
Township of Colts Neck  
124 Cedar Drive  
Colts Neck, NJ 07722

2. The report for the "NJ Route 72 Access Management Plan Study and Transportation Needs Analysis" covering the State highway segment from mileposts 18.06 to 28.13, in Stafford Township, dated August 1997, and the plan sheets for "Access Management Plan for New Jersey Route 72," dated May 19, 1997, and supplemented by the design plans for Minor Revision No. 1, dated April 24, 2001 from mileposts 21.69 to 22.99, Minor Revision No. 2, from milepost 18.3, Block 77, Lots 2, 4, 5 and 1.02, dated March 19, 2004, and Minor Revision No. 3, milepost 22, Block 27, Lot 1; Block 42, Lot 14.01, dated March 19, 2004, may be obtained from the following source:

Township Clerk  
Stafford Township  
775 East Bay Avenue  
Manahawkin, NJ 08050-3498

New Rule, R.2000 d.14, effective January 3, 2000.

See: 31 N.J.R. 3053(a), 32 N.J.R. 101(a).

Amended by R.2000 d.133, effective March 20, 2000

See 32 N.J.R. 24(a), 32 N.J.R. 1038(a)

In (a), inserted "PO Box 600, 1035 Parkway Avenue, Trenton, NJ 08625-0600" following "Planning"; inserted a new (b); recodified former (b) as (b)1., deleted the Commissioner, New Jersey Department of Transportation address and added (b)2.

Amended by R.2002 d.324, effective October 7, 2002.

See: 34 N.J.R. 874(a), 34 N.J.R. 3530(b).

Rewrote (b)2.

Amended by R.2005 d.162, effective May 16, 2005.

See: 37 N.J.R. 30(a), 37 N.J.R. 1783(b).

In (b), rewrote 1, 2.

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
28	8.22	12.47	4	4D	5	33	12.39	12.70	3	4A	1
28	17.50	23.00	5	1A	6	33	12.70	13.38	4	2B	1
28	23.00	26.30	4	4A	4	33	13.38	13.68	4	2B	3
28	26.30	26.63	4	2A	6	33	13.68	14.70	5	1A	6
29	3.20	6.20	1	4A	0	33	14.70	14.77	4	4D	2
29	6.20	6.70	3	4A	4	33	14.77	15.01	3	6B	1
29	6.70	9.55	1	4A	0	33	15.01	18.90	3	6A	1
29	9.55	13.80	5	2A	9	33	18.90	24.32	2	6A	25
29	13.80	16.72	5	2A	36	33	24.32	29.30	1	4A	0
29	16.72	18.10	6	2A	42	33	29.35	29.74	4	4E	2
29	18.10	18.60	6	4C	41	33	29.74	29.91	4	4E	26
29	18.60	19.60	5	2A	42	33	29.91	33.04	4	4C	32
29	19.60	20.30	6	4C	41	33	33.04	33.25	2	4A	25
29	20.30	23.36	6	2A	42	33	33.25	38.30	3	4A	1
29	23.36	34.26	6	1A	39	33	38.30	40.28	4	4C	2
30	0.96	1.20	3	6A	4	33	40.28	40.63	1	6A	0
30	1.20	3.15	3	8B	1	33	40.63	41.82	4	4C	5
30	3.15	3.32	3	8B	4	33	41.82	42.46	4	4C	11
30	3.32	4.26	3	8A	1	33 B	0.00	0.60	1	2D	7
30	4.26	6.40	4	4E	2	33B	0.60	2.24	4	2A	9
30	6.40	7.95	3	6A	4	33 B	2.24	2.57	3	6A	4
30	7.95	12.70	3	4A	1	33B	2.57	3.36	5	2A	18
30	12.70	16.30	3	4A	7	33B	3.36	3.56	5	2A	12
30	16.30	17.05	3	4B	10	33B	3.56	3.86	4	4G	11
30	17.05	18.00	3	4B	7	33B	3.86	4.35	5	4G	14
30	18.00	21.60	3	4A	7	34	0.00	0.33	3	4A	1
30	21.60	27.97	2	4A	31	34	0.33	7.70	3	4A	7
30	27.97	32.60	4	4G	2	34	8.75	12.28	2	4A	31
30	32.60	35.10	4	4G	32	34	12.28	13.71	3	4A	32
30	35.10	40.35	3	4A	32	34	13.71	20.44	4	4C	32
30	40.35	40.68	4	4A	34	34	20.44	21.20	4	4C	2
30	40.68	42.10	4	4D	35	34	21.20	22.56	4	4G	5
30	42.10	46.00	4	4G	32	34	22.56	23.30	4	4G	2
30	46.00	52.42	4	4G	2	34	23.30	26.79	4	4C	2
30	52.42	53.45	3	4A	1	35	0.00	0.26	4	4B	34
30	53.45	54.39	2	4A	25	35	0.26	0.58	5	2A	36
30	54.39	55.42	2	6B	25	35	0.58	1.44	4	4A	34
30	55.42	56.75	2	8B	25	35	1.44	2.07	4	6A	34
30	56.75	56.79	3	8B	28	35	2.07	2.32	4	6B	34
30	56.79	57.47	3	8B	4	35	2.32	2.48	4	8B	34
30	57.47	58.23	3	6C	4	35	2.48	3.51	1	6A	0
31	1.15	3.82	4	4C	5	35	3.51	3.65	3	6B	28
31	3.82	4.30	4	4C	2	35	3.65	3.77	3	4B	28
31	4.30	4.70	4	4F	2	35	3.77	7.29	3	4A	28
31	4.70	6.34	3	4A	1	35	7.29	9.12	4	4A	28
31	6.34	7.19	3	4A	28	35	9.12	12.76	4	4E	29
31	7.19	8.08	4	4C	29	35	12.76	13.00	4	4E	5
31	8.08	12.37	4	4C	26	35	13.00	14.55	4	4A	4
31	12.37	16.26	3	4A	25	35	14.55	16.04	3	4A	4
31	21.95	22.02	2	4A	25	35	16.04	20.10	4	4F	2
31	22.02	22.10	3	4A	1	35	20.10	20.56	3	4A	1
31	22.10	22.30	3	4A	4	35	20.56	21.05	3	4A	4
31	22.30	22.94	3	4A	28	35	21.05	21.39	4	4D	5
31	22.94	23.13	3	4A	4	35	21.39	22.30	3	6A	4
31	23.13	24.40	3	4A	28	35	22.30	22.47	5	4D	5
31	24.40	30.26	2	4A	25	35	22.47	22.60	4	4B	5
31	30.26	34.24	3	4A	1	35	22.60	23.02	5	4D	5
31	34.24	42.12	2	4A	25	35	23.02	24.61	4	4C	5
31	42.12	43.56	3	4A	28	35	24.61	24.94	3	4A	1
31	43.56	46.12	2	4A	25	35	24.94	29.50	3	6A	1
31	46.12	49.00	3	4A	28	35	29.50	31.20	4	4F	5
32	0.00	1.18	3	4A	7	35	31.20	32.86	4	4C	5
33	0.00	0.20	4	4D	5	35	32.86	33.15	4	4D	5
33	1.46	2.30	4	4D	5	35	33.15	33.80	4	2A	6
33	2.30	5.50	4	4C	5	35	33.80	34.37	4	4E	5
33	5.50	7.86	4	4C	2	35	34.37	35.80	3	4A	1

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
35	35.80	43.91	3	6A	1	40	60.37	61.63	4	4F	29
35	43.91	44.62	3	6B	1	40	61.63	61.65	4	4F	26
35	44.62	49.52	3	6A	1	40	61.65	63.38	2	4A	25
35	50.79	51.00	1	6A	0	40	63.38	63.57	3	4A	1
35	51.00	52.32	4	4E	5	40	63.57	63.97	4	4F	5
35	52.32	53.35	4	4F	5	40	63.97	64.07	4	4C	5
35	53.35	54.87	4	4C	2	41	0.00	2.32	4	4D	8
35	54.87	58.06	4	4C	5	41	2.32	3.00	4	4G	8
36	0.00	4.00	3	6A	1	41	3.00	3.86	4	4F	8
36	4.00	5.72	4	4D	5	41	3.86	3.91	4	4F	11
36	5.72	6.55	3	4A	4	41	3.91	4.94	4	4C	5
36	6.55	6.71	4	4C	2	41	10.68	11.95	4	4F	5
36	6.71	9.74	4	4C	29	41	11.95	13.02	4	4F	2
36	9.74	11.60	4	4C	2	41	13.02	13.98	3	5A	1
36	11.60	11.80	4	4D	2	42	0.00	6.40	3	6A	1
36	11.80	13.00	3	5A	1	42	6.40	14.28	1	8A	0
36	13.00	19.52	3	4A	1	44	0.00	1.28	6	2A	51
36	19.52	23.85	3	6A	1	44	1.28	2.60	6	2A	39
36	23.85	24.18	3	6B	1	44	2.60	6.28	5	2A	12
36	24.18	24.40	3	4A	1	44	6.28	8.40	5	2A	9
37	0.00	1.53	3	4A	7	44	8.40	9.10	5	2A	12
37	1.53	2.90	3	4A	1	44	9.10	9.60	5	2A	9
37	2.90	6.02	3	6A	1	45	0.00	0.42	4	4E	29
37	6.02	6.50	3	4A	1	45	0.42	2.32	4	4E	35
37	6.50	6.75	3	8A	1	45	2.32	8.79	4	4E	32
37	6.75	11.45	3	6A	1	45	8.79	9.23	4	4E	34
37	11.45	12.39	1	6A	0	45	9.23	9.44	4	4D	11
37	12.39	13.42	2	6A	25	45	9.44	10.14	5	1A	12
38	0.00	12.00	3	6A	1	45	10.14	10.45	5	1A	9
38	12.00	15.40	3	4A	1	45	10.45	16.98	4	4E	32
38	15.40	16.80	3	4A	4	45	16.98	17.32	4	4E	35
38	16.80	17.38	4	4A	1	45	17.32	17.77	4	4D	35
38	17.38	19.23	3	4A	7	45	18.16	18.35	4	4E	35
40	1.85	5.47	2	4A	31	45	18.35	20.24	4	4E	32
40	5.47	8.03	4	4C	32	45	20.24	20.88	4	4E	26
40	8.03	8.55	4	4C	35	45	20.88	20.96	4	4E	29
40	8.55	10.22	4	4C	32	45	20.96	22.13	4	4E	2
40	10.02	10.21	4	4D	35	45	22.13	22.53	4	4E	5
40	10.21	10.40	5	1A	9	45	22.53	22.59	3	4A	4
40	10.40	11.20	5	1A	12	45	22.59	24.82	3	4A	1
40	11.20	11.25	5	1A	36	45	24.82	24.90	3	4A	4
40	11.25	11.66	4	4C	35	45	24.90	26.90	5	4D	5
40	11.66	19.54	4	4C	32	45	26.90	28.51	4	4D	2
40	19.54	20.27	4	4C	35	46	0.00	0.85	1	4A	0
40	20.27	25.25	4	4C	32	46	0.85	6.86	4	4C	26
40	25.25	25.73	4	4C	8	46	6.86	7.45	4	4A	25
40	25.73	26.42	4	4C	2	46	7.45	9.63	4	4C	26
40	26.42	27.37	4	4C	5	46	9.63	10.05	4	4C	29
40	27.37	29.10	4	4C	2	46	10.05	10.12	4	4C	35
40	29.10	29.27	4	4C	26	46	10.12	15.82	4	4C	32
40	29.27	32.55	4	4C	32	46	15.82	20.63	4	4C	35
40	32.55	33.79	3	4A	1	46	20.63	21.82	4	4D	29
40	33.79	34.40	3	4A	4	46	21.82	22.40	4	4B	34
40	34.40	35.21	3	4A	1	46	22.40	22.48	4	4A	34
40	35.21	44.95	2	4A	31	46	22.48	24.58	4	4A	31
40	44.95	45.63	3	4A	34	46	24.58	25.50	3	4A	1
40	45.63	46.25	2	4A	31	46	25.50	27.12	3	4A	1
40	46.25	47.48	4	4C	35	46	27.12	28.42	3	4A	28
40	47.48	51.71	2	4A	31	46	28.42	29.60	2	4A	25
40	51.71	53.15	3	4A	1	46	29.60	30.43	3	4A	28
40	53.15	56.79	3	6A	1	46	30.43	31.52	2	4A	25
40	56.79	59.00	3	4A	1	46	31.52	33.30	2	4A	1
40	59.00	59.72	3	4A	4	46	33.30	33.45	3	4A	1
40	59.72	59.98	4	4F	5	46	33.45	34.25	4	4C	2
40	59.98	60.23	3	4A	4	46	34.25	35.10	4	4C	5
40	60.23	60.37	3	4A	28	46	35.10	35.38	4	4C	2

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
46	35.38	36.05	3	4A	1	49	12.30	12.88	4	4C	35
46	36.05	36.58	3	4A	4	49	12.88	21.10	4	4C	32
46	36.58	37.22	3	4A	1	49	21.10	21.62	4	4D	35
46	37.22	42.38	3	4A	4	49	21.62	22.10	4	4D	32
46	42.38	42.50	3	6B	4	49	21.10	23.13	4	4C	32
46	42.50	43.18	3	6A	4	49	23.13	24.50	4	4C	2
46	43.18	61.60	3	6A	1	49	24.50	26.25	4	4C	5
46	61.60	62.26	3	6A	4	49	26.25	26.50	3	4B	4
46	62.26	68.28	3	6A	1	49	26.50	26.60	4	4C	5
46	68.28	69.00	3	8A	1	49	26.60	27.20	4	4C	2
46	69.00	69.18	3	6A	1	49	27.20	29.84	4	4C	8
46	69.18	69.38	4	4F	2	49	29.84	30.80	4	4C	32
46	69.38	70.08	4	4F	5	49	30.80	31.45	4	4C	26
46	70.08	70.40	1	4D	0	49	31.45	35.03	4	4C	2
46	70.40	70.73	3	6A	4	49	35.03	36.10	4	2A	6
46	70.73	71.55	3	8B	1	49	36.10	37.37	4	4D	5
46	71.55	72.15	3	6B	1	49	37.37	38.10	4	4D	2
47	0.66	1.16	4	4A	40	49	38.10	38.37	4	4C	2
47	1.16	3.18	4	4A	37	49	38.87	40.80	4	4C	26
47	3.18	3.73	4	4D	41	49	40.80	53.78	4	4C	32
47	3.73	3.90	4	4D	35	50	0.00	0.24	3	4B	34
47	3.90	4.32	4	4C	35	50	0.24	6.18	4	4C	32
47	4.32	6.10	4	4C	32	50	6.18	7.03	4	4C	35
47	6.10	7.00	4	4C	35	50	7.03	18.56	4	4C	32
47	7.00	17.43	4	4C	32	50	19.18	19.67	4	4C	35
47	17.43	17.63	2	4B	31	50	19.67	20.91	4	4C	32
47	17.63	25.60	4	4C	32	50	20.91	21.20	1	4A	0
47	25.60	26.62	4	4C	35	50	21.20	23.50	4	4C	32
47	26.62	33.12	4	4C	32	50	23.50	24.20	2	4A	31
47	33.12	34.12	4	4C	35	50	24.20	25.53	4	4C	32
47	34.12	34.80	4	4C	32	50	25.53	26.08	4	4C	35
47	34.80	36.08	6	2A	39	52	0.00	2.05	3	4A	28
47	36.08	36.73	5	2A	33	52	2.05	2.74	4	4E	5
47	36.73	38.50	4	2A	9	53	0.00	1.55	4	4C	2
47	38.50	40.80	4	2C	12	53	1.55	2.35	4	4C	8
47	40.80	41.70	4	2C	9	53	2.35	3.32	4	4C	11
47	41.70	42.20	4	4G	8	53	3.32	4.66	4	4E	11
47	42.20	45.88	4	4D	8	54	0.00	1.11	4	4C	2
47	45.88	46.75	4	4D	11	54	1.11	8.20	4	4C	32
47	46.75	47.51	4	4D	8	54	8.20	8.46	4	4C	2
47	47.51	51.79	4	4C	8	54	8.46	9.12	3	4A	1
47	51.79	52.03	4	4D	8	54	9.12	9.98	4	4C	2
47	52.03	52.36	4	4C	11	54	9.98	11.88	4	4C	5
47	52.82	56.00	4	4C	8	55F	20.00	60.53	1	4A	0
47	56.00	56.78	4	4C	11	56	0.00	0.17	4	4D	8
47	56.78	58.17	4	4C	8	56	0.17	1.60	5	4D	14
47	58.17	60.65	4	4D	2	56	1.60	2.00	5	4D	38
47	60.65	61.96	4	4C	2	56	2.00	7.50	6	2A	39
47	61.96	62.29	4	4C	5	56	7.50	7.84	3	4B	7
47	62.66	63.15	4	4D	5	56	7.84	9.23	4	4F	11
47	63.15	64.12	4	4C	2	57	0.00	0.55	4	2A	27
47	64.12	70.00	4	4C	8	57	0.55	2.20	4	2A	33
47	70.00	74.00	4	4E	8	57	2.20	2.80	4	2A	36
47	74.00	74.70	4	4E	11	57	2.80	3.57	4	2A	33
47	74.70	74.98	4	4C	11	57	3.57	4.38	4	4C	32
48	0.00	0.61	4	4C	11	57	4.38	5.28	4	4C	35
48	0.61	0.66	4	4C	8	57	5.28	6.40	4	4C	32
48	0.66	2.10	4	4C	32	57	6.40	9.10	4	4C	35
48	2.10	4.26	6	2A	39	57	9.10	9.78	4	2B	33
49	0.00	0.70	4	1A	3	57	9.78	9.81	4	2B	27
49	0.70	3.00	4	1A	6	57	9.81	11.60	4	2B	30
49	3.00	6.29	4	1A	3	57	11.60	11.80	4	2B	36
49	6.29	8.30	4	4C	32	57	11.80	11.90	4	2B	33
49	8.30	10.10	4	4C	29	57	11.90	12.67	4	4C	32
49	10.10	11.00	4	4C	35	57	12.67	18.60	4	2A	33
49	11.00	12.30	4	4C	32	57	18.60	19.55	4	2A	36

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
57	19.55	20.53	4	2A	33	78	29.85	33.13	1	8A	0
57	20.53	21.10	4	4D	29	78	33.13	48.54	1	6A	0
59	0.00	0.15	4	4B	22	78	48.54	58.50	1	1A	0
63	0.00	0.06	3	4A	4	79	0.00	0.35	4	4F	11
63	0.06	3.00	4	2B	6	79	0.35	0.57	4	2B	12
63	3.00	3.09	3	4A	4	79	0.57	1.75	4	2C	18
64	0.00	0.33	3	4B	4	79	1.75	2.40	5	1A	18
66	0.00	0.40	3	4A	10	79	2.40	2.50	5	4D	17
66	0.40	3.62	3	4A	7	79	2.50	3.90	5	4D	14
67	0.00	1.86	4	4E	11	79	3.90	4.81	5	4C	14
68	0.00	0.60	2	4A	1	79	4.81	5.08	4	4A	13
68	0.60	1.07	3	4A	1	79	5.08	5.33	4	4A	7
68	1.07	7.66	2	4A	31	79	5.33	5.38	4	4A	10
68	7.66	8.02	3	4A	7	79	5.38	5.79	4	4C	11
70	0.00	8.50	3	6A	1	79	5.79	9.38	4	4C	8
70	8.50	14.83	3	4A	1	79	9.38	10.18	4	4C	11
70	14.83	15.92	3	4A	1	79	10.18	10.50	4	4C	8
70	15.92	20.10	2	4A	31	79	10.50	10.95	4	2A	9
70	20.10	26.10	4	4C	32	79	10.95	12.13	4	2A	12
70	26.10	26.50	2	4C	31	80	0.50	42.10	1	8A	0
70	26.50	43.25	4	4C	32	80	42.10	42.90	1	8C	0
70	43.25	43.45	4	4C	35	80	42.90	43.90	1	8A	0
70	43.45	44.80	3	4A	34	80	43.90	46.13	1	1A	0
70	44.80	48.58	3	4A	7	80	46.13	62.50	1	8A	0
70	48.58	59.84	3	4A	1	80	62.50	63.35	1	1A	0
71	0.00	0.61	6	2A	18	81	0.51	1.18	3	6A	1
71	0.61	5.90	5	4D	17	82	0.00	1.90	4	4E	5
71	5.90	6.63	6	2A	18	82	1.90	2.25	4	4D	5
71	6.63	7.40	5	4D	17	82	2.25	2.65	4	4A	4
71	7.40	9.40	5	4E	17	82	2.65	2.75	4	4A	1
71	9.40	10.48	5	4D	17	82	2.75	3.35	4	4E	2
71	10.48	11.64	4	4A	16	82	3.35	4.25	4	4E	5
71	11.64	12.53	4	2B	17	82	4.25	4.93	4	4E	2
71	12.53	13.77	4	2C	17	83	0.00	0.24	2	4B	31
71	13.77	15.71	4	4D	11	83	0.24	3.84	2	4A	31
71	15.71	16.76	4	4C	11	87	0.00	0.57	3	8A	7
72	0.00	5.96	4	4C	32	87	0.57	0.80	3	6A	7
72	5.96	11.47	4	4C	32	87	0.80	1.72	3	4A	7
72	11.47	13.70	4	4E	32	88	0.00	0.30	4	2B	12
72	13.70	18.06	2	4A	31	88	0.30	5.21	4	2C	12
72	18.06	21.00	3	4A	7	88	5.21	8.60	4	2C	6
72	21.00	24.10	3	6A	7	88	8.60	8.96	5	4D	5
72	24.10	26.32	3	4A	7	88	8.96	9.64	4	2C	6
72	26.32	27.18	2	4A	31	88	9.64	10.02	3	4B	4
72	27.18	27.40	2	5A	31	90	2.35	3.20	3	8A	1
72	27.40	27.55	2	6A	31	91	0.00	1.30	4	4C	8
72	27.55	28.18	2	4A	31	91	1.30	2.31	4	4C	11
72	28.18	28.72	3	5A	34	93	0.00	3.52	5	2A	12
73	6.00	10.89	2	6A	31	94	0.20	0.72	4	4D	35
73	10.89	12.70	3	6A	1	94	0.72	2.55	4	4C	32
73	12.70	14.46	2	6A	31	94	2.55	3.36	4	4C	35
73	14.46	32.00	3	6A	1	94	3.36	3.91	4	4C	32
73	32.00	32.35	3	8A	1	94	3.91	9.33	4	4C	35
73	32.35	34.10	3	6A	1	94	9.33	11.82	4	4C	32
76	0.00	1.85	1	1A	0	94	11.82	12.60	4	4D	35
77	0.00	2.19	4	4D	5	94	12.60	14.80	4	4C	35
77	2.19	2.70	4	4D	2	94	14.80	21.25	4	4C	32
77	2.70	3.90	4	2A	3	94	21.35	21.55	4	4D	2
77	3.90	5.06	5	1A	9	94	21.55	22.51	4	4D	5
77	5.06	7.18	5	2A	33	94	24.89	27.68	4	4C	35
77	7.18	8.05	5	2A	36	94	27.95	32.90	4	4C	35
77	8.05	22.18	5	2A	33	94	32.90	35.15	4	4C	32
77	22.18	22.55	5	2A	36	94	35.15	45.76	4	4C	35
78	4.16	17.85	1	6A	0	95	0.00	8.77	1	6A	0
78	17.85	19.22	1	8A	0	109	1.37	1.95	4	4C	35
78	19.22	29.85	1	6A	0	109	1.95	2.50	4	4A	34

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
109	2.50	3.06	4	4C	35	163	0.00	0.33	6	2A	51
120	0.00	0.95	3	6A	4	165	0.00	0.10	4	4A	40
120	0.95	2.65	3	6A	4	165	0.10	0.26	5	4D	41
122	0.00	1.88	4	4D	5	166	0.00	1.86	5	2C	6
122	1.88	2.42	4	4D	2	166	1.86	2.23	4	4B	4
124	0.00	1.50	6	4E	5	166	2.23	3.75	4	4D	2
124	1.50	2.80	4	4D	11	167	0.00	0.62	6	2A	54
124	2.80	4.50	5	2A	12	167	0.95	1.49	6	2A	51
124	4.50	5.90	5	2A	6	167	1.52	1.66	6	2A	51
124	5.90	7.45	4	4D	5	167	1.67	2.78	6	2A	51
124	7.45	9.00	4	4A	19	168	0.00	0.78	3	4A	1
124	9.00	10.03	4	4A	22	168	0.78	1.20	4	4C	2
124	10.03	11.70	4	4E	5	168	1.20	2.65	4	2C	6
124	11.70	12.58	3	4A	4	168	2.65	4.73	4	2C	3
124	12.58	13.00	4	4E	5	168	4.73	7.38	4	2C	6
124	13.00	13.35	4	1A	6	168	7.38	8.72	4	4C	5
124	13.35	14.84	4	4E	5	168	8.72	9.79	3	4A	1
129	0.00	0.29	4	2A	3	168	9.79	9.92	3	4B	4
129	0.29	2.41	1	4A	0	168	9.92	10.81	4	4C	5
130	0.00	0.65	4	4D	11	169	0.85	2.25	3	4A	1
130	0.65	2.25	4	4D	8	169	2.25	4.65	3	4A	4
130	2.25	4.15	4	4D	11	169	4.65	5.73	3	4A	1
130	4.15	5.28	4	4D	8	171	0.00	0.08	2	4A	10
130	5.28	5.88	6	2A	15	171	0.08	1.00	4	4F	23
130	5.88	8.90	6	2A	39	172	0.00	0.35	6	4E	23
130	8.90	11.70	4	4A	13	172	0.35	0.81	3	4A	10
130	11.70	14.30	1	4A	0	173	0.00	0.25	5	2A	33
130	23.53	25.43	3	4A	1	173	0.25	0.35	4	2B	33
130	25.43	29.40	3	6B	1	173	0.35	3.19	4	2B	39
130	30.34	37.10	3	6B	1	173	3.19	4.20	4	2B	45
130	37.10	45.90	3	6A	1	173	4.20	4.50	4	2B	48
130	45.90	46.65	4	8B	4	173	4.50	12.07	4	2B	45
130	46.65	55.43	3	6A	1	173	12.43	12.80	4	2B	45
130	55.43	55.77	3	6A	4	173	12.80	13.50	4	2B	48
130	55.77	56.43	3	8B	4	173	13.50	14.62	4	2B	54
130	56.43	70.85	3	4A	1	175	0.27	1.58	6	2A	21
130	70.85	80.38	3	4A	7	175	1.58	2.15	6	2A	24
130	80.38	83.37	3	4A	1	175	2.15	2.73	6	2A	21
133	0.00	3.59	1	4A	0	175	2.73	2.90	4	4A	19
138	0.00	3.52	3	4A	1	179	0.12	0.37	6	2A	42
139	0.00	1.45	3	8B	1	179	0.37	1.13	5	4D	41
140	0.00	0.48	6	2A	18	179	1.13	1.45	5	4D	38
140	0.48	0.95	5	2A	12	179	1.45	6.13	6	2A	39
143	0.00	1.00	6	2A	48	179	6.13	7.46	6	2A	42
143	1.00	1.93	6	2A	45	181	0.00	1.65	4	4C	35
143	1.93	2.27	6	2A	48	181	1.65	4.40	5	4C	41
143	2.27	2.35	6	2A	45	181	4.40	5.98	4	4C	11
147	0.00	0.42	4	4D	35	181	5.98	7.43	5	4C	38
147	0.42	0.64	3	4A	34	182	0.00	0.98	4	4D	29
147	0.64	3.24	1	4A	31	183	0.00	0.20	2	4B	31
147	3.24	3.54	3	4A	1	183	0.20	0.43	2	4A	25
147	3.54	4.20	4	4D	5	183	0.43	0.58	3	4A	28
152	0.00	0.17	4	4D	5	183	0.58	2.12	5	2B	30
152	0.17	1.58	4	4D	2	184	0.00	0.32	3	6A	10
152	1.58	1.72	4	4D	5	184	0.32	1.37	3	4A	10
152	1.72	3.16	4	4D	2	185	0.00	1.42	3	4A	4
154	0.00	0.30	4	4C	11	187	0.00	0.47	4	4E	8
154	0.30	1.70	4	4C	8	195	0.00	34.17	1	4A	0
156	0.00	1.21	5	2A	12	202	0.37	11.14	2	4A	25
157	0.00	0.43	5	2A	6	202	11.14	11.54	3	4A	1
157	0.43	0.91	4	2A	3	202	11.54	19.04	2	4A	25
159	0.00	0.45	3	4A	1	202	19.04	26.25	3	4A	1
159	0.45	0.56	3	4A	4	202	26.25	28.70	4	4G	2
159	0.56	1.36	4	4E	11	202	28.70	29.00	4	4A	2
161	0.00	1.10	4	2B	12	202	29.00	29.55	3	4A	1
162	0.00	0.73	6	2A	39	202	29.55	29.69	3	4A	4

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
202	29.69	30.02	5	2A	6	206	97.01	97.51	2	4A	25
202	30.02	31.12	3	4A	1	206	97.51	97.80	2	4A	31
202	31.12	31.50	2	4A	25	206	97.80	98.40	2	4A	25
202	31.50	31.80	3	4A	28	206	98.40	99.23	3	4A	28
202	31.80	32.77	5	2A	36	206	99.23	102.72	2	4A	31
202	32.77	32.95	6	2A	42	206	102.72	103.35	4	4A	34
202	32.95	34.10	6	2A	39	206	103.35	104.50	4	2C	35
202	34.10	35.80	5	2A	33	206	104.50	107.18	2	4A	31
202	35.80	36.20	5	2A	9	206	107.18	107.48	3	4A	34
202	36.20	36.40	5	2A	12	206	107.48	108.18	3	4A	1
202	36.40	37.85	5	2A	12	206	108.18	109.93	4	2B	6
202	37.85	39.06	4	4C	8	206	109.93	111.10	4	4C	35
202	39.06	39.30	5	2A	9	206	111.10	114.10	2	4A	31
202	39.30	41.03	6	2A	42	206	114.10	116.28	3	4A	34
202	41.03	42.31	6	2A	39	206	116.28	128.20	2	4A	31
202	42.31	42.67	5	2A	9	206	128.20	129.22	3	4A	34
202	42.67	43.90	5	2A	12	208	0.00	11.02	3	6A	1
202	43.90	45.30	5	4E	11	278	0.00	0.90	1	6A	0
202	45.30	45.70	5	4C	11	280	0.00	7.66	1	6A	0
202	45.70	46.31	4	4E	11	280	7.66	12.50	1	8A	0
202	46.31	47.00	4	4D	11	280	12.50	13.28	1	1A	0
202	50.03	50.70	3	4B	1	280	13.28	16.80	1	6A	0
202	51.43	51.87	4	2C	5	284	0.00	0.63	5	2A	36
202	62.99	65.32	3	6A	1	284	0.63	7.03	5	2A	33
202	65.32	65.68	5	2A	6	287	0.00	0.73	1	1A	0
202	72.44	72.66	4	4D	5	287	0.73	17.82	1	8A	0
206	0.00	0.10	3	4A	1	287	17.82	21.20	1	1A	0
206	0.10	2.33	4	4F	2	287	21.20	42.10	1	8A	0
206	2.33	6.27	4	4C	2	287	42.10	60.00	1	6A	0
206	6.27	9.00	4	4C	26	287	60.00	67.54	1	4A	0
206	9.00	23.30	4	4C	32	295	0.95	26.40	1	6A	0
206	23.30	23.70	4	4F	32	295	26.40	27.00	1	8A	0
206	23.70	30.36	4	4C	32	295	27.00	42.90	1	6A	0
206	30.36	31.28	2	4A	31	295	42.90	44.78	1	8A	0
206	31.28	33.26	4	4C	32	295	44.78	68.06	1	6A	0
206	33.26	33.40	4	4C	8	322	2.24	6.30	2	4A	31
206	33.40	34.00	3	4A	7	322	6.30	10.85	4	4D	39
206	34.00	35.50	3	4A	1	322	10.85	11.53	4	4D	35
206	35.50	35.61	3	4A	4	322	11.53	14.41	4	4C	32
206	36.27	38.49	3	4A	1	322	14.41	16.10	4	4C	35
206	38.49	38.90	3	6A	1	322	16.10	16.75	4	4D	2
206	44.50	45.01	6	4A	23	322	16.75	18.55	4	4D	5
206	45.01	46.62	4	2A	6	322	18.55	19.50	4	4D	2
206	46.62	47.90	4	2A	30	322	19.50	23.05	4	4C	11
206	47.90	48.50	1	2A	0	322	23.05	24.10	4	4C	2
206	48.50	49.80	5	1A	30	322	24.10	24.50	4	4C	5
206	49.80	51.59	4	2A	30	322	24.50	26.85	4	4C	2
206	51.59	52.38	4	2C	29	322	26.85	32.90	4	4C	32
206	52.38	52.90	4	2C	2	322	32.90	48.70	2	4A	31
206	52.90	54.25	4	1A	3	322	48.70	48.96	2	6A	31
206	54.25	54.50	4	1A	5	322	48.96	50.10	3	6A	1
206	54.50	55.77	4	2C	5	324	0.90	1.51	6	2A	51
206	55.77	55.80	4	2C	2	439	0.00	3.94	4	4E	5
206	55.80	57.20	4	2C	35	440	0.00	3.10	1	6A	0
206	57.20	57.38	4	2B	11	440	3.10	3.98	1	6C	0
206	57.38	57.90	4	2B	8	440	17.60	23.28	3	6A	1
206	57.90	58.24	3	4A	1	495	0.80	1.97	1	6A	0
206	58.24	62.69	2	4A	25	524	0.45	0.90	4	4B	13
206	62.29	68.90	3	4A	1	676	0.00	3.79	1	6A	0
206	68.90	71.25	3	6A	1						
206	78.32	78.65	2	4A	25						
206	78.65	79.10	4	4C	26						
206	79.10	86.70	2	4A	31						
206	86.70	87.20	4	4C	32						
206	87.20	89.49	2	4A	31						
206	89.49	95.61	2	4A	25						

Amended by R.1993 d.210, effective May 17, 1993.  
 See: 25 N.J.R. 903(a), 25 N.J.R. 1990(a).  
 Revised milepost 322.  
 Amended by R.1993 d.524, effective November 1, 1993.  
 See: 25 N.J.R. 3129(a), 25 N.J.R. 4915(b).  
 Amended by R.1995 d.107, effective February 21, 1995.

See: 26 N.J.R. 2549(a), 27 N.J.R. 736(c).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

For Route 41, milepost 2.32 to 3.00, DTS changed from "4C" to "4G"; for Route 46, milepost 24.58 to 25.50, AL changed from "2" to "3" and CELL changed from "31" to "1"; and for Route 46, milepost 25.50 to 27.12, AL changed from "2" to "3" and CELL changed from "25" to "1".

Amended by R.1998 d.27, effective January 5, 1998.

See: 29 N.J.R. 4253(a), 30 N.J.R. 103(b).

Amended by R.1998 d.183, effective April 6, 1998.

See: 30 N.J.R. 533(a), 30 N.J.R. 1301(b).

For Route 206, substituted references to mileposts 78.32 to 78.65, 78.65 to 79.10, and 79.10 to 89.49 for references to mileposts 78.32 to 79.25 and 79.25 to 89.49.

Amended by R.1999 d.89, effective March 15, 1999.

See: 30 N.J.R. 4334(a), 31 N.J.R. 776(b).

For Route 206, substituted references to mileposts 79.10 to 86.70, 86.70 to 87.20 and 87.20 to 89.49 for a reference to milepost 79.10 to 89.49.

Administrative change.

See: 31 N.J.R. 2910(a).

Restored text in explanatory material under heading "DESIRABLE TYPICAL SECTIONS..." which was originally adopted April 20, 1992.

Amended by R.2000 d.13, effective January 3, 2000.

See: 31 N.J.R. 2860(a), 32 N.J.R. 99(a).

In the Milepost table, changed references to Routes 40 and 322.

Amended by R.2000 d.14, effective January 3, 2000.

See: 31 N.J.R. 3053(a), 32 N.J.R. 101(a).

In the Milepost table, changed references to Route 34.

Amended by R.2000 d.133, effective March 20, 2000.

See: 32 N.J.R. 24(a), 32 N.J.R. 1038(a).

Inserted new Route 72 milepost information.

Amended by R.2000 d.210, effective May 15, 2000.

See: 32 N.J.R. 783(a), 32 N.J.R. 1781(a).

In the Milepost table, changed references to Route 71.

Amended by R.2002 d.22, effective January 22, 2002.

See: 33 N.J.R. 2043(a), 34 N.J.R. 507(a).

Amended route milepost information throughout.

Amended by R.2002 d.324, effective October 7, 2002.

See: 34 N.J.R. 874(a), 34 N.J.R. 3530(b).

In the Milepost table, changed the existing DTS and AL along Route 12 between mileposts 1.01 and 6.10.

Amended by R.2004 d.243, effective July 6, 2004.

See: 36 N.J.R. 1180(a), 36 N.J.R. 3267(b).

In the Milepost table substituted "120 000 095 3 6A 4" for "120 0.00 095 2 6A 1".

Amended by R.2005 d.162, effective May 16, 2005.

See: 37 N.J.R. 30(a), 37 N.J.R. 1783(b).

In the Milepost table, amended the DTS and CELL in the first entry for Route 53.

Amended by R.2005 d.218, effective July 5, 2005.

See: 37 N.J.R. 730(a), 37 N.J.R. 2554(b).

Amended and inserted information in milepost routes 12, 31 and 202.