

APPENDIX B

STATE HIGHWAY ACCESS LEVELS BY ROUTE AND
MILEPOST
ACCESS LEVEL (AL)

AL	DESCRIPTION
1	Fully controlled Access
2	Access along Street or Interchange Only
3	Right-turn Access with Provision for Left-turn Access via Jughandle
4	Driveway with Provision for Left-turn Access via Left-turn lane
5	Driveway with Provision for Left-turn Access (Limited by Spacing Requirements and Safety Considerations)
6	Driveway Access Limited by Edge Clearance and Safety Considerations

DESIRABLE TYPICAL SECTIONS CODES (DTS) AND
RIGHT-OF-WAY WIDTHS (R.O.W.) DESCRIPTION¹

DTS	R.O.W.	DESCRIPTION
1A	Existing	SAME LANE, SHOULDER, AND PARKING CONDITIONS AS EXIST ²
2A	78'	2 LANES, WITH SHOULDERS OR PARKING
2B	92'	2 LANES, WITH SHOULDERS OR PARKING, WITH 14' TWO-WAY LEFT-TURN LANE
2C	68'	2 LANES, WITHOUT SHOULDERS, WITH 14' TWO-WAY LEFT-TURN LANE
2D	54'	2 LANES, WITHOUT SHOULDERS (NON-STATE HIGHWAYS ONLY)
4A	114'	4 LANES, DIVIDED, WITH SHOULDERS OR PARKING
4B	90'	4 LANES, DIVIDED, WITHOUT SHOULDERS
4C	102'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING
4D	78'	4 LANES, UNDIVIDED, WITHOUT SHOULDERS
4E	102'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING (URBAN SITUATION)
4F	116'	4 LANES, UNDIVIDED, WITH SHOULDERS OR PARKING, WITH 14' TWO-WAY LEFT-TURN LANE
4G	92'	4 LANES, UNDIVIDED, WITHOUT SHOULDERS, WITH 14' TWO-WAY LEFT TURN LANE
5A	131'	5 LANES, (2 LANES, 1 DIRECTION + 3 LANES, OPPOSITE DIRECTION), DIVIDED, WITH SHOULDERS
6A	148'	6 LANES, DIVIDED, WITH SHOULDERS OR PARKING
6B	124'	6 LANES, DIVIDED, WITHOUT SHOULDERS
6C	210'	6 LANES, DIVIDED, WITH CD ROADS
8A	172'	8 LANES, DIVIDED, WITH SHOULDERS OR PARKING
8B	148'	8 LANES, DIVIDED, WITHOUT SHOULDERS
8C	234'	8 LANES, DIVIDED, WITH CD ROADS

FOR CELL NUMBER SEE APPENDIX A

right-of-way width needed for the construction of the highway improvement may be less than the dimensions shown when less-than-desirable widths are used.
²This designation means that social, environmental, or economic constraints may limit the desirability of State highway segment expansion. If compelling safety needs dictate, the Department will construct or require a permittee to construct highway improvements consistent with the design standards.

MILEPOST						
ROUTE	BEGIN	END	AL	DTS	CELL	
1	0.60	5.46	1	6A	0	
1	5.46	5.94	3	6A	1	
1	5.94	7.20	3	6C	1	
1	7.20	10.79	3	6A	1	
1	10.79	11.29	3	6B	1	
1	11.29	22.40	3	6A	1	
1	22.40	38.34	3	8A	1	
1&9	38.34	40.45	3	6A	1	
1&9	40.45	41.80	3	6A	4	
1&9	41.80	43.20	3	6A	1	
1&9	43.20	45.45	3	6A	4	
1&9	45.45	48.68	1	8C	0	
1&9	48.68	51.09	1	6C	0	
1&9	51.09	54.65	1	4B	0	
1&9	54.65	62.00	3	6A	4	
1&9	62.00	62.13	3	4A	10	
1&9	62.13	62.80	4	4A	10	
1&9	62.80	62.93	3	4A	4	
1&9	63.93	63.20	3	6C	1	
1&9	63.20	64.90	3	5A	1	
1B	0.00	2.73	3	4A	1	
1&9 T	0.00	2.29	3	6A	1	
1&9 T	2.29	4.11	3	6A	4	
3	0.00	6.00	3	8A	1	
3	6.00	10.40	1	6C	0	
3	10.40	10.73	1	4A	1	
3	10.73	10.84	3	4A	1	
4	0.00	0.13	3	4B	4	
4	0.13	2.10	3	4A	4	
4	2.10	2.20	3	6A	4	
4	2.20	2.31	3	6A	1	
4	2.31	3.93	3	6C	1	
4	3.93	10.89	3	6A	1	
5	0.00	0.39	5	2A	12	
5	0.39	0.97	4	2B	12	
5	0.97	1.80	4	2A	12	
5	1.80	2.16	4	4E	11	
5	2.16	3.34	6	2A	18	
7	0.00	0.53	4	4D	5	
7	0.53	1.40	3	4A	1	
7	1.40	1.60	3	4A	4	
7	1.60	4.16	4	4C	5	
7	4.16	5.29	4	4D	11	
7	5.99	9.17	4	4D	11	
7	9.36	10.10	4	4D	11	
9	3.02	6.50	4	4C	32	
9	6.50	9.63	4	4C	35	
9	9.63	11.00	4	4C	32	
9	11.00	13.00	6	2A	42	
9	13.00	15.08	6	2A	39	
9	15.08	23.50	4	4C	32	
9	23.50	24.00	4	4C	35	
9	24.00	28.30	4	4C	32	
9	28.30	28.73	4	4C	35	
9	28.73	29.30	4	4C	29	
9	29.30	29.80	4	4C	26	
9	29.80	30.35	4	4C	32	
9	30.35	30.72	4	4C	35	

¹These show the maximum acceptable expanded width of State highway segment. The widths of lanes, shoulders, parking, sidewalk areas, and rights-of-way shown are those derived from the standards for desirable geometric design elements. The

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
9	31.84	32.11	4	4C	29	15	14.13	16.70	5	4E	38
9	32.11	32.63	4	4C	2	15	16.70	18.29	5	4E	41
9	32.63	33.22	4	4C	5	15	18.20	19.52	4	4E	32
9	33.22	36.00	4	4C	2	17	0.00	3.35	4	4E	5
9	36.00	41.40	4	4C	5	17	3.35	3.50	4	4E	2
9	41.40	42.80	4	4C	2	17	3.50	26.81	3	6A	1
9	42.80	44.53	4	4C	5	18	5.14	30.85	1	4A	0
9	44.53	45.30	4	4C	2	18	30.85	34.25	3	4A	1
9	45.30	45.56	4	4C	35	18	34.25	36.94	3	6A	1
9	45.56	46.18	4	4C	32	18	36.94	41.75	3	8A	1
9	46.18	47.21	4	4C	35	18	41.75	42.00	3	6A	1
9	47.21	48.08	4	4C	32	18	42.00	43.71	1	6A	1
9	48.08	49.04	4	4C	35	19	0.00	0.70	1	4A	0
9	49.04	52.58	4	4C	32	19	0.70	2.91	1	6A	0
9	54.85	55.23	4	4C	32	20	0.00	3.98	3	6A	4
9	55.23	57.30	4	4C	35	21	0.00	0.91	2	6B	1
9	57.30	61.60	4	4C	32	21	0.91	4.00	4	6B	4
9	61.60	62.50	4	4C	35	21	4.00	4.10	3	6A	1
9	62.50	63.30	4	4A	34	21	4.10	12.45	1	6A	0
9	63.30	64.60	2	4A	31	22	0.30	0.62	1	6B	0
9	64.60	68.28	3	4A	34	22	0.62	1.47	3	6N	4
9	68.28	69.34	4	4F	34	22	1.47	2.00	3	6B	1
9	69.34	70.20	4	4F	7	22	2.00	4.45	3	4A	1
9	70.20	70.50	3	4B	7	22	4.45	5.12	1	6A	0
9	70.50	71.08	4	4A	10	22	19.22	28.60	3	4A	7
9	71.08	73.21	4	4A	7	22	28.60	31.50	3	4A	1
9	73.21	73.92	3	4A	7	22	31.50	37.10	3	6A	1
9	73.92	74.48	4	4D	8	22	37.10	41.59	3	4A	1
9	74.48	75.47	4	4D	11	22	41.59	60.53	3	6A	1
9	75.47	76.19	4	4D	7	23	0.00	2.06	4	4D	5
9	76.19	79.15	3	4A	7	23	2.06	3.99	4	4D	2
9	79.15	80.70	3	4A	34	23	3.99	5.05	4	4D	5
9	80.70	81.90	4	4D	35	23	5.05	6.30	1	6A	0
9	81.90	84.22	3	4A	34	23	6.30	17.00	3	6A	1
9	84.22	86.56	3	4A	7	23	17.00	27.20	2	6A	25
9	86.56	88.75	3	4A	1	23	27.20	28.78	4	4C	26
9	88.75	89.45	3	4A	4	23	28.78	41.15	4	4C	29
9	89.45	89.95	4	4B	4	23	41.15	45.20	4	4C	26
9	89.95	90.27	4	4B	1	23	45.20	45.80	4	4C	29
9	90.27	90.97	3	4A	1	23	45.80	46.65	4	4C	26
9	94.47	100.20	3	4A	1	23	46.65	52.53	4	4C	29
9	100.20	102.96	3	4A	4	24	0.00	7.20	1	4A	0
9	102.96	123.09	3	6A	1	24	7.20	10.59	1	6A	0
9	123.09	136.25	3	8A	1	26	0.00	0.70	4	4E	8
9W	0.00	0.35	3	4B	4	26	0.70	2.10	4	4E	11
9W	0.35	0.76	3	4A	4	27	0.00	1.49	5	1A	6
9W	0.76	1.45	4	4E	5	27	1.49	4.00	5	1A	3
9W	1.45	11.00	3	4A	1	27	4.00	6.80	4	2B	3
9W	11.00	11.17	4	2A	3	27	6.80	9.50	4	4F	2
10	0.00	10.63	3	4A	1	27	9.50	10.20	4	4F	5
10	10.63	19.70	3	6A	1	27	10.20	11.54	4	4F	2
10	19.70	23.47	3	4A	1	27	11.54	13.85	4	4F	5
12	0.95	1.01	4	4A	34	27	13.85	15.37	4	4E	5
12	1.01	6.10	4	4C	32	27	16.55	18.23	4	4D	5
12	6.10	10.44	2	4A	31	27	18.23	23.85	4	4F	5
12	10.44	10.94	4	4A	34	27	23.85	27.18	4	4F	2
12	10.94	11.70	4	4A	10	27	27.18	35.79	4	4E	2
13	0.00	0.43	4	4D	11	27	35.79	38.48	4	4E	5
13	0.43	0.58	4	4B	10	28	0.00	2.22	4	2A	3
15	0.00	2.05	4	4C	5	28	2.22	3.00	5	2A	6
15	2.05	2.29	3	6A	1	28	3.00	3.70	4	2B	5
15	2.29	2.46	3	8B	1	28	3.70	5.08	5	2A	6
15	2.46	3.66	3	6A	1	28	5.08	6.25	4	2A	3
15	3.66	6.35	2	6A	31	28	6.25	6.80	4	4D	2
15	6.35	6.75	3	6A	1	28	6.80	6.90	4	4D	5
15	6.75	14.13	1	6A	0	28	6.90	8.22	5	2A	6

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
28	8.22	12.47	4	4D	5	33	1.46	2.30	4	4D	5
28	17.50	23.00	5	1A	6	33	2.30	5.50	4	4C	5
28	23.00	26.30	4	4A	4	33	5.50	7.86	4	4C	2
28	26.30	26.63	4	2A	6	33	12.39	12.70	3	4A	1
29	3.20	6.20	1	4A	0	33	12.70	13.38	4	2B	1
29	6.20	6.70	3	4A	4	33	13.38	13.68	4	2B	3
29	6.70	9.55	1	4A	0	33	13.68	14.70	5	1A	6
29	9.55	13.80	5	2A	9	33	14.70	14.77	4	4D	2
29	13.80	16.72	5	2A	36	33	14.77	15.01	3	6B	1
29	16.72	18.10	6	2A	42	33	15.01	18.90	3	6A	1
29	18.10	18.60	6	4C	41	33	18.90	24.32	2	6A	25
29	18.60	19.60	5	2A	42	33	24.32	29.30	1	4A	0
29	19.60	20.30	6	4C	41	33	29.35	29.74	4	4E	2
29	20.30	23.36	6	2A	42	33	29.74	29.91	4	4E	26
29	23.36	34.26	6	1A	39	33	29.91	33.04	4	4C	32
30	0.96	1.20	3	6A	4	33	33.04	33.25	2	4A	25
30	1.20	3.15	3	8B	1	33	33.25	38.30	3	4A	1
30	3.15	3.32	3	8B	4	33	38.30	40.28	4	4C	2
30	3.32	4.26	3	8A	1	33	40.28	40.63	1	6A	0
30	4.26	6.40	4	4E	2	33	40.63	41.82	4	4C	5
30	6.40	7.95	3	6A	4	33	41.82	42.46	4	4C	11
30	7.95	12.70	3	4A	1	33B	0.00	0.60	4	2A	3
30	12.70	16.30	3	4A	7	33B	0.60	2.24	4	2A	9
30	16.30	17.05	3	4B	10	33B	2.24	2.57	3	6A	4
30	17.05	18.00	3	4B	7	33B	2.57	3.36	5	2A	18
30	18.00	21.60	3	4A	7	33B	3.36	3.56	5	2A	12
30	21.60	22.78	2	4A	31	33B	3.56	3.86	4	4G	11
30	22.78	23.67	4	4C	2	33B	3.86	4.35	5	4G	14
30	23.67	27.97	2	4A	31	34	0.00	0.33	3	4A	1
30	27.97	32.60	4	4G	2	34	0.33	7.70	3	4A	7
30	32.60	35.10	4	4G	32	34	8.75	12.28	2	4A	31
30	35.10	40.35	3	4A	32	34	12.28	13.71	3	4A	32
30	40.35	40.68	4	4A	34	34	13.71	20.44	4	4C	32
30	40.68	42.10	4	4D	35	34	20.44	21.20	4	4C	2
30	42.10	46.00	4	4G	32	34	21.20	22.56	4	4G	5
30	46.00	52.42	4	4G	2	34	22.56	23.30	4	4G	2
30	52.42	53.45	3	4A	1	34	23.30	26.79	4	4C	2
30	53.45	54.39	2	4A	25	35	0.00	0.26	4	4B	34
30	54.39	55.42	2	6B	25	35	0.26	0.58	5	2A	36
30	55.42	56.75	2	8B	25	35	0.58	1.44	4	4A	34
30	56.75	56.79	3	8B	28	35	1.44	2.07	4	6A	34
30	56.79	57.47	3	8B	4	35	2.07	2.32	4	6B	34
30	57.47	58.23	3	6C	4	35	2.32	2.48	4	8B	34
31	1.15	3.82	4	4C	5	35	2.48	3.51	1	6A	0
31	3.82	4.30	4	4C	2	35	3.51	3.65	3	6B	28
31	4.30	4.70	4	4F	2	35	3.65	3.77	3	4B	28
31	4.70	6.34	3	4A	1	35	3.77	7.29	3	4A	28
31	6.34	7.19	3	4A	28	35	7.29	9.12	4	4A	28
31	7.19	8.08	4	4C	29	35	9.12	12.76	4	4E	29
31	8.08	12.37	4	4C	26	35	12.76	13.00	4	4E	5
31	12.37	16.26	3	4A	25	35	13.00	14.55	4	4A	4
31	21.95	22.02	2	4A	25	35	14.55	16.04	3	4A	4
31	22.02	22.10	3	4A	1	35	16.04	20.10	4	4F	2
31	22.10	22.30	3	4A	4	35	20.10	20.56	3	4A	1
31	22.30	22.94	3	4A	28	35	20.56	21.05	3	4A	4
31	22.94	23.13	3	4A	4	35	21.05	21.39	4	4D	5
31	23.13	24.40	3	4A	28	35	21.39	22.30	3	6A	4
31	24.40	30.26	2	4A	25	35	22.30	22.47	5	4D	5
31	30.26	34.24	3	4A	1	35	22.47	22.60	4	4B	5
31	34.24	42.12	2	4A	25	35	22.60	23.02	5	4D	5
31	42.12	43.56	3	4A	28	35	23.02	24.61	4	4C	5
31	43.56	46.12	2	4A	25	35	24.61	24.94	3	4A	1
31	46.12	49.00	3	4A	28	35	24.94	29.50	3	6A	1
32	0.00	1.18	3	4A	7	35	29.50	31.20	4	4F	5
33	0.00	0.20	4	4D	5	35	31.20	32.86	4	4C	5

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
35	32.86	33.15	4	4D	5	40	56.79	58.32	3	6A	1
35	33.15	33.80	4	2A	6	40	58.32	59.00	3	4A	1
35	33.80	34.37	4	4E	5	40	59.00	59.72	3	4A	4
35	34.37	35.80	3	4A	1	40	59.72	59.98	4	4F	5
35	35.80	43.91	3	6A	1	40	59.98	60.23	3	4A	4
35	43.91	44.62	3	6B	1	40	60.23	60.37	3	4A	28
35	44.62	49.52	3	6A	1	40	60.37	61.63	4	4F	29
35	50.79	51.00	1	6A	0	40	61.63	61.65	4	4F	26
35	51.00	52.32	4	4E	5	40	61.65	63.38	2	4A	25
35	52.32	53.35	4	4F	5	40	63.38	63.57	3	4A	1
35	53.35	54.87	4	4C	2	40	63.57	63.97	4	4F	5
35	54.87	58.06	4	4C	5	40	63.97	64.07	4	4C	5
36	0.00	4.00	3	6A	1	41	0.00	2.32	4	4D	8
36	4.00	5.72	4	4D	5	41	2.32	3.00	4	4G	8
36	5.72	6.55	3	4A	4	41	3.00	3.86	4	4F	8
36	6.55	6.71	4	4C	2	41	3.86	3.91	4	4F	11
36	6.71	9.74	4	4C	29	41	3.91	4.94	4	4C	5
36	9.74	11.60	4	4C	2	41	10.68	11.95	4	4F	5
36	11.60	11.80	4	4D	2	41	11.95	13.02	4	4F	2
36	11.80	13.00	3	5A	1	41	13.02	13.98	3	5A	1
36	13.00	19.52	3	4A	1	42	0.00	6.40	3	6A	1
36	19.52	23.85	3	6A	1	42	6.40	14.28	1	8A	0
36	23.85	24.18	3	6B	1	44	0.00	1.28	6	2A	51
36	24.18	24.40	3	4A	1	44	1.28	2.60	6	2A	39
37	0.00	1.53	3	4A	7	44	2.60	6.28	5	2A	12
37	1.53	2.90	3	4A	1	44	6.28	8.40	5	2A	9
37	2.90	6.02	3	6A	1	44	8.40	9.10	5	2A	12
37	6.02	6.50	3	4A	1	44	9.10	9.60	5	2A	9
37	6.50	6.75	3	8A	1	45	0.00	0.42	4	4E	29
37	6.75	11.45	3	6A	1	45	0.42	2.32	4	4E	35
37	11.45	12.39	1	6A	0	45	2.32	8.79	4	4E	32
37	12.39	13.42	2	6A	25	45	8.79	9.23	4	4E	34
38	0.00	12.00	3	6A	1	45	9.23	9.44	4	4D	11
38	12.00	15.40	3	4A	1	45	9.44	10.14	5	1A	12
38	15.40	16.80	3	4A	4	45	10.14	10.45	5	1A	9
38	16.80	17.38	4	4A	1	45	10.45	16.98	4	4E	32
38	17.38	19.23	3	4A	7	45	16.98	17.32	4	4E	35
40	1.85	5.47	2	4A	31	45	17.32	17.77	4	4D	35
40	5.47	8.03	4	4C	32	45	18.16	18.35	4	4E	35
40	8.03	8.55	4	4C	35	45	18.35	20.24	4	4E	32
40	8.55	10.22	4	4C	32	45	20.24	20.88	4	4E	26
40	10.02	10.21	4	4D	35	45	20.88	20.96	4	4E	29
40	10.21	10.40	5	1A	9	45	20.96	22.13	4	4E	2
40	10.40	11.20	5	1A	12	45	22.13	22.53	4	4E	5
40	11.20	11.25	5	1A	36	45	22.53	22.59	3	4A	4
40	11.25	11.66	4	4C	35	45	22.59	24.82	3	4A	1
40	11.66	19.54	4	4C	32	45	24.82	24.90	3	4A	4
40	19.54	20.27	4	4C	35	45	24.90	26.90	5	4D	5
40	20.27	25.25	4	4C	32	45	26.90	28.51	4	4D	2
40	25.25	25.73	4	4C	8	46	0.00	0.85	1	4A	0
40	25.73	26.42	4	4C	2	46	0.85	6.86	4	4C	26
40	26.42	27.37	4	4C	5	46	6.86	7.45	4	4A	25
40	27.37	29.10	4	4C	2	46	7.45	9.63	4	4C	26
40	29.10	29.27	4	4C	26	46	9.63	10.05	4	4C	29
40	29.27	32.55	4	4C	32	46	10.05	10.12	4	4C	35
40	32.55	33.79	3	4A	1	46	10.12	15.82	4	4C	32
40	33.79	34.40	3	4A	4	46	15.82	20.63	4	4C	35
40	34.40	35.21	3	4A	1	46	20.63	21.82	4	4D	29
40	35.21	44.95	2	4A	31	46	21.82	22.40	4	4B	34
40	44.95	45.63	3	4A	34	46	22.40	22.48	4	4A	34
40	45.63	46.25	2	4A	31	46	22.48	24.58	4	4A	31
40	46.25	47.48	4	4C	35	46	24.58	25.50	3	4A	1
40	47.48	51.71	4	4C	2	46	25.50	27.12	3	4A	1
40	51.71	53.15	3	4A	1	46	27.12	28.42	3	4A	28
40	53.15	56.79	3	6A	1	46	28.42	29.60	2	4A	25

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
46	29.60	30.43	3	4A	28	48	2.10	4.26	6	2A	39
46	30.43	31.52	2	4A	25	49	0.00	0.70	4	1A	3
46	31.52	33.30	2	4A	1	49	0.70	3.00	4	1A	6
46	33.30	33.45	3	4A	1	49	3.00	6.29	4	1A	3
46	33.45	34.25	4	4C	2	49	6.29	8.30	4	4C	32
46	34.25	35.10	4	4C	5	49	8.30	10.10	4	4C	29
46	35.10	35.38	4	4C	2	49	10.10	11.00	4	4C	35
46	35.38	36.05	3	4A	1	49	11.00	12.30	4	4C	32
46	36.05	36.58	3	4A	4	49	12.30	12.88	4	4C	35
46	36.58	37.22	3	4A	1	49	12.88	21.10	4	4C	32
46	37.22	42.38	3	4A	4	49	21.10	21.62	4	4D	35
46	42.38	42.50	3	6B	4	49	21.62	22.10	4	4D	32
46	42.50	43.18	3	6A	4	49	21.10	23.13	4	4C	32
46	43.18	61.60	3	6A	1	49	23.13	24.50	4	4C	2
46	61.60	62.26	3	6A	4	49	24.50	26.25	4	4C	5
46	62.26	68.28	3	6A	1	49	26.25	26.50	3	4B	4
46	68.28	69.00	3	8A	1	49	26.50	26.60	4	4C	5
46	69.00	69.18	3	6A	1	49	26.60	27.20	4	4C	2
46	69.18	69.38	4	4F	2	49	27.20	29.84	4	4C	8
46	69.38	70.08	4	4F	5	49	29.84	30.80	4	4C	32
46	70.08	70.40	1	4D	0	49	30.80	31.45	4	4C	26
46	70.40	70.73	3	6A	4	49	31.45	35.03	4	4C	2
46	70.73	71.55	3	8B	1	49	35.03	36.10	4	2A	6
46	71.55	72.15	3	6B	1	49	36.10	37.37	4	4D	5
47	0.66	1.16	4	4A	40	49	37.37	38.10	4	4D	2
47	1.16	3.18	4	4A	37	49	38.10	38.37	4	4C	2
47	3.18	3.73	4	4D	41	49	38.87	40.80	4	4C	26
47	3.73	3.90	4	4D	35	49	40.80	53.78	4	4C	32
47	3.90	4.32	4	4C	35	50	0.00	0.24	3	4B	34
47	4.32	6.10	4	4C	32	50	0.24	6.18	4	4C	32
47	6.10	7.00	4	4C	35	50	6.18	7.03	4	4C	35
47	7.00	17.43	4	4C	32	50	7.03	18.56	4	4C	32
47	17.43	17.63	2	4B	31	50	19.18	19.67	4	4C	35
47	17.63	25.60	4	4C	32	50	19.67	20.91	4	4C	32
47	25.60	26.62	4	4C	35	50	20.91	21.20	1	4A	0
47	26.62	33.12	4	4C	32	50	21.20	23.50	4	4C	32
47	33.12	34.12	4	4C	35	50	23.50	24.20	2	4A	31
47	34.12	34.80	4	4C	32	50	24.20	25.53	4	4C	32
47	34.80	36.08	6	2A	39	50	25.53	26.08	4	4C	35
47	36.08	36.73	5	2A	33	52	0.00	2.05	3	4A	28
47	36.73	38.50	4	2A	9	52	2.05	2.74	4	4E	5
47	38.50	40.80	4	2C	12	53	0.00	1.55	4	4C	2
47	40.80	41.70	4	2C	9	53	1.55	2.35	4	4C	8
47	41.70	42.20	4	4G	8	53	2.35	3.32	4	4C	11
47	42.20	45.88	4	4D	8	53	3.32	4.66	4	4E	11
47	45.88	46.75	4	4D	11	54	0.00	1.11	4	4C	2
47	46.75	47.51	4	4D	8	54	1.11	8.20	4	4C	32
47	47.51	51.79	4	4C	8	54	8.20	8.46	4	4C	2
47	51.79	52.03	4	4D	8	54	8.46	9.12	3	4A	1
47	52.03	52.36	4	4C	11	54	9.12	9.98	4	4C	2
47	52.82	56.00	4	4C	8	54	9.98	11.88	4	4C	5
47	56.00	56.78	4	4C	11	55F	20.00	60.53	1	4A	0
47	56.78	58.17	4	4C	8	56	0.00	0.17	4	4D	8
47	58.17	60.65	4	4D	2	56	0.17	1.60	5	4D	14
47	60.65	61.96	4	4C	2	56	1.60	2.00	5	4D	38
47	61.96	62.29	4	4C	5	56	2.00	7.50	6	2A	39
47	62.66	63.15	4	4D	5	56	7.50	7.84	3	4B	7
47	63.15	64.12	4	4C	2	56	7.84	9.23	4	4F	11
47	64.12	70.00	4	4C	8	57	0.00	0.55	4	2A	27
47	70.00	74.00	4	4E	8	57	0.55	2.20	4	2A	33
47	74.00	74.70	4	4E	11	57	2.20	2.80	4	2A	36
47	74.70	74.98	4	4C	11	57	2.80	3.57	4	2A	33
48	0.00	0.61	4	4C	11	57	3.57	4.38	4	4C	32
48	0.61	0.66	4	4C	8	57	4.38	5.28	4	4C	35
48	0.66	2.10	4	4C	32	57	5.28	6.40	4	4C	32

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
57	6.40	9.10	4	4C	35	73	32.00	32.35	3	8A	1
57	9.10	9.78	4	2B	33	73	32.35	34.10	3	6A	1
57	9.78	9.81	4	2B	27	76	0.00	1.85	1	1A	0
57	9.81	11.60	4	2B	30	77	0.00	2.19	4	4D	5
57	11.60	11.80	4	2B	36	77	2.19	2.70	4	4D	2
57	11.80	11.90	4	2B	33	77	2.70	3.90	4	2A	3
57	11.90	12.67	4	4C	32	77	3.90	5.06	5	1A	9
57	12.67	18.60	4	2A	33	77	5.06	7.18	5	2A	33
57	18.60	19.55	4	2A	36	77	7.18	8.05	5	2A	36
57	19.55	20.53	4	2A	33	77	8.05	22.18	5	2A	33
57	20.53	21.10	4	4D	29	77	22.18	22.55	5	2A	36
59	0.00	0.15	4	4B	22	78	4.16	17.85	1	6A	0
63	0.00	0.06	3	4A	4	78	17.85	19.22	1	8A	0
63	0.06	3.00	4	2B	6	78	19.22	29.85	1	6A	0
63	3.00	3.09	3	4A	4	78	29.85	33.13	1	8A	0
64	0.00	0.33	3	4B	4	78	33.13	48.54	1	6A	0
66	0.00	0.40	3	4A	10	78	48.54	58.50	1	1A	0
66	0.40	3.62	3	4A	7	79	0.00	0.35	4	4F	11
67	0.00	1.86	4	4E	11	79	0.35	0.57	4	2B	12
68	0.00	0.60	2	4A	1	79	0.57	1.75	4	2C	18
68	0.60	1.07	3	4A	1	79	1.75	2.40	5	1A	18
68	1.07	7.66	2	4A	31	79	2.40	2.50	5	4D	17
68	7.66	8.02	3	4A	7	79	2.50	3.90	5	4D	14
70	0.00	8.50	3	6A	1	79	3.90	4.81	5	4C	14
70	8.50	14.83	3	4A	1	79	4.81	5.08	4	4A	13
70	14.83	15.92	3	4A	1	79	5.08	5.33	4	4A	7
70	15.92	20.10	2	4A	31	79	5.33	5.38	4	4A	10
70	20.10	26.10	4	4C	32	79	5.38	5.79	4	4C	11
70	26.10	26.50	2	4C	31	79	5.79	9.38	4	4C	8
70	26.50	43.25	4	4C	32	79	9.38	10.18	4	4C	11
70	43.25	43.45	4	4C	35	79	10.18	10.50	4	4C	8
70	43.45	44.80	3	4A	34	79	10.50	10.95	4	2A	9
70	44.80	48.58	3	4A	7	79	10.95	12.13	4	2A	12
70	48.58	53.25	3	4A	1	80	0.50	42.10	1	8A	0
70	53.25	55.13	3	6A	1	80	42.10	42.90	1	8C	0
70	55.13	59.84	3	4A	1	80	42.90	43.90	1	8A	0
71	0.00	0.61	6	2A	18	80	43.90	46.13	1	1A	0
71	0.61	5.90	5	4D	17	80	46.13	62.50	1	8A	0
71	5.90	6.63	6	2A	18	80	62.50	63.35	1	1A	0
71	6.63	7.40	5	4D	17	81	0.51	1.18	3	6A	1
71	7.40	9.40	5	4E	17	82	0.00	1.90	4	4E	5
71	9.40	10.48	5	4D	17	82	1.90	2.25	4	4D	5
71	10.48	11.64	4	4A	16	82	2.25	2.65	4	4A	4
71	11.64	12.53	4	2B	17	82	2.65	2.75	4	4A	1
71	12.53	13.77	4	2C	17	82	2.75	3.35	4	4E	2
71	13.77	15.71	4	4D	11	82	3.35	4.25	4	4E	5
71	15.71	16.76	4	4C	11	82	4.25	4.93	4	4E	2
72	0.00	5.96	4	4C	32	83	0.00	0.24	2	4B	31
72	5.96	11.47	4	4C	32	83	0.24	3.84	2	4A	31
72	11.47	13.70	4	4E	32	87	0.00	0.57	3	8A	7
72	13.70	18.06	2	4A	31	87	0.57	0.80	3	6A	7
72	18.06	21.00	3	4A	7	87	0.80	1.72	3	4A	7
72	21.00	24.10	3	6A	7	88	0.00	0.30	4	2B	12
72	24.10	26.32	3	4A	7	88	0.30	5.21	4	2C	12
72	26.32	27.18	2	4A	31	88	5.21	8.60	4	2C	6
72	27.18	27.40	2	5A	31	88	8.60	8.96	5	4D	5
72	27.40	27.55	2	6A	31	88	8.96	9.64	4	2C	6
72	27.55	28.18	2	4A	31	88	9.64	10.02	3	4B	4
72	28.18	28.72	3	5A	34	90	2.35	3.20	3	8A	1
73	6.00	9.15	2	6A	31	91	0.00	1.30	4	4C	8
73	9.15	10.48	3	6A	1	91	1.30	2.31	4	4C	11
73	10.48	10.89	2	6A	31	93	0.00	3.52	5	2A	12
73	10.89	12.70	3	6A	1	94	0.20	0.72	4	4D	35
73	12.70	14.46	2	6A	31	94	0.72	2.55	4	4C	32
73	14.46	32.00	3	6A	1	94	2.55	3.36	4	4C	35

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
94	3.36	3.91	4	4C	32	147	3.24	3.54	3	4A	1
94	3.91	9.33	4	4C	35	147	3.54	4.20	4	4D	5
94	9.33	11.82	4	4C	32	152	0.00	0.17	4	4D	5
94	11.82	12.60	4	4D	35	152	0.17	1.58	4	4D	2
94	12.60	14.80	4	4C	35	152	1.58	1.72	4	4D	5
94	14.80	21.25	4	4C	32	152	1.72	3.16	4	4D	2
94	21.35	21.55	4	4D	2	154	0.00	0.30	4	4C	11
94	21.55	22.51	4	4D	5	154	0.30	1.70	4	4C	8
94	24.89	27.68	4	4C	35	156	0.00	1.21	5	2A	12
94	27.95	32.90	4	4C	35	157	0.00	0.43	5	2A	6
94	32.90	35.15	4	4C	32	157	0.43	0.91	4	2A	3
94	35.15	45.76	4	4C	35	159	0.00	0.45	3	4A	1
95	0.00	8.77	1	6A	0	159	0.45	0.56	3	4A	4
109	1.37	1.95	4	4C	35	159	0.56	1.36	4	4E	11
109	1.95	2.50	4	4A	34	161	0.00	1.10	4	2B	12
109	2.50	3.06	4	4C	35	162	0.00	0.73	6	2A	39
120	0.00	0.95	3	6A	4	163	0.00	0.33	6	2A	51
120	0.95	2.65	3	6A	4	165	0.00	0.10	4	4A	40
122	0.00	1.88	4	4D	5	165	0.10	0.26	5	4D	41
122	1.88	2.42	4	4D	2	166	0.00	1.86	5	2C	6
124	0.00	1.50	6	4E	5	166	1.86	2.23	4	4B	4
124	1.50	2.80	4	4D	11	166	2.23	3.75	4	4D	2
124	2.80	4.50	5	2A	12	167	0.00	0.62	6	2A	54
124	4.50	5.90	5	2A	6	167	0.95	1.49	6	2A	51
124	5.90	7.45	4	4D	5	167	1.52	1.66	6	2A	51
124	7.45	9.00	4	4A	19	167	1.67	2.78	6	2A	51
124	9.00	10.03	4	4A	22	168	0.00	0.78	3	4A	1
124	10.03	11.70	4	4E	5	168	0.78	1.20	4	4C	2
124	11.70	12.58	3	4A	4	168	1.20	2.65	4	2C	6
124	12.58	13.00	4	4E	5	168	2.65	4.73	4	2C	3
124	13.00	13.35	4	1A	6	168	4.73	7.38	4	2C	6
124	13.35	14.84	4	4E	5	168	7.38	8.72	4	4C	5
129	0.00	0.29	4	2A	3	168	8.72	9.79	3	4A	1
129	0.29	2.41	1	4A	0	168	9.79	9.92	3	4B	4
130	0.00	0.65	4	4D	11	168	9.92	10.81	4	4C	5
130	0.65	2.25	4	4D	8	169	0.85	2.25	3	4A	1
130	2.25	4.15	4	4D	11	169	2.25	4.65	3	4A	4
130	4.15	5.28	4	4D	8	169	4.65	5.73	3	4A	1
130	5.28	5.88	6	2A	15	171	0.00	0.08	2	4A	10
130	5.88	8.90	6	2A	39	171	0.08	1.00	4	4F	23
130	8.90	11.70	4	4A	13	172	0.00	0.35	6	4E	23
130	11.70	14.30	1	4A	0	172	0.35	0.81	3	4A	10
130	23.53	25.43	3	4A	1	173	0.00	0.25	5	2A	33
130	25.43	29.40	3	6B	1	173	0.25	0.35	4	2B	33
130	30.34	37.10	3	6B	1	173	0.35	3.19	4	2B	39
130	37.10	45.90	3	6A	1	173	3.19	4.20	4	2B	45
130	45.90	46.65	4	8B	4	173	4.20	4.50	4	2B	48
130	46.65	55.43	3	6A	1	173	4.50	12.07	4	2B	45
130	55.43	55.77	3	6A	4	173	12.43	12.80	4	2B	45
130	55.77	56.43	3	8B	4	173	12.80	13.50	4	2B	48
130	56.43	70.85	3	4A	1	173	13.50	14.62	4	2B	54
130	70.85	80.38	3	4A	7	175	0.27	1.58	6	2A	21
130	80.38	83.37	3	4A	1	175	1.58	2.15	6	2A	24
133	0.00	3.59	1	4A	0	175	2.15	2.73	6	2A	21
138	0.00	3.52	3	4A	1	175	2.73	2.90	4	4A	19
139	0.00	1.45	3	8B	1	179	0.12	0.37	6	2A	42
140	0.00	0.48	6	2A	18	179	0.37	1.13	5	4D	41
140	0.48	0.95	5	2A	12	179	1.13	1.45	5	4D	38
143	0.00	1.00	6	2A	48	179	1.45	6.13	6	2A	39
143	1.00	1.93	6	2A	45	179	6.13	7.46	6	2A	42
143	1.93	2.27	6	2A	48	181	0.00	1.65	4	4C	35
143	2.27	2.35	6	2A	45	181	1.65	4.40	5	4C	41
147	0.00	0.42	4	4D	35	181	4.40	5.98	4	4C	11
147	0.42	0.64	3	4A	34	181	5.98	7.43	5	4C	38
147	0.64	3.24	1	4A	31	182	0.00	0.98	4	4D	29

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>	<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
183	0.00	0.20	2	4B	31	206	52.38	52.90	4	2C	2
183	0.20	0.43	2	4A	25	206	52.90	54.25	4	1A	3
183	0.43	0.58	3	4A	28	206	54.25	54.50	4	1A	5
183	0.58	2.12	5	2B	30	206	54.50	55.77	4	2C	5
184	0.00	0.32	3	6A	10	206	55.77	55.80	4	2C	2
184	0.32	1.37	3	4A	10	206	55.80	57.20	4	2C	35
185	0.00	1.42	3	4A	4	206	57.20	57.38	4	2B	11
187	0.00	0.47	4	4E	8	206	57.38	57.90	4	2B	8
195	0.00	34.17	1	4A	0	206	57.90	58.24	3	4A	1
202	0.37	11.14	2	4A	25	206	58.24	62.69	2	4A	25
202	11.14	11.54	3	4A	1	206	62.29	68.90	3	4A	1
202	11.54	19.04	2	4A	25	206	68.90	71.25	3	6A	1
202	19.04	26.25	3	4A	1	206	78.32	78.65	2	4A	25
202	26.25	28.70	4	4G	2	206	78.65	79.10	4	4C	26
202	28.70	29.00	4	4A	2	206	79.10	86.70	2	4A	31
202	29.00	29.55	3	4A	1	206	86.70	87.20	4	4C	32
202	29.55	29.69	3	4A	4	206	87.20	89.49	2	4A	31
202	29.69	30.02	5	2A	6	206	89.49	94.57	2	4A	25
202	30.02	31.12	3	4A	1	206	94.57	95.04	4	4C	26
202	31.12	31.50	2	4A	25	206	95.04	95.61	2	4A	25
202	31.50	31.80	3	4A	28	206	97.01	97.51	2	4A	25
202	31.80	32.77	5	2A	36	206	97.51	97.80	2	4A	31
202	32.77	32.95	6	2A	42	206	97.80	98.40	2	4A	25
202	32.95	34.10	6	2A	39	206	98.40	99.23	3	4A	28
202	34.10	35.80	5	2A	33	206	99.23	102.72	2	4A	31
202	35.80	36.20	5	2A	9	206	102.72	103.35	4	4A	34
202	36.20	36.40	5	2A	12	206	103.35	104.50	4	2C	35
202	36.40	37.85	5	2A	12	206	104.50	107.18	2	4A	31
202	37.85	39.06	4	4C	8	206	107.18	107.48	3	4A	34
202	39.06	39.30	5	2A	9	206	107.48	108.18	3	4A	1
202	39.30	41.03	6	2A	42	206	108.18	109.93	4	2B	6
202	41.03	42.31	6	2A	39	206	109.93	111.10	4	4C	35
202	42.31	42.67	5	2A	9	206	111.10	114.10	2	4A	31
202	42.67	43.90	5	2A	12	206	114.10	116.28	3	4A	34
202	43.90	45.30	5	4E	11	206	116.28	128.20	2	4A	31
202	45.30	45.70	5	4C	11	206	128.20	129.22	3	4A	34
202	45.70	46.31	4	4E	11	208	0.00	11.02	3	6A	1
202	46.31	47.00	4	4D	11	278	0.00	0.90	1	6A	0
202	50.03	50.70	3	4B	1	280	0.00	7.66	1	6A	0
202	51.43	51.87	4	2C	5	280	7.66	12.50	1	8A	0
202	62.99	65.32	3	6A	1	280	12.50	13.28	1	1A	0
202	65.32	65.68	5	2A	6	280	13.28	16.80	1	6A	0
202	72.44	72.66	4	4D	5	284	0.00	0.63	5	2A	36
206	0.00	0.10	3	4A	1	284	0.63	7.03	5	2A	33
206	0.10	2.33	4	4F	2	287	0.00	0.73	1	1A	0
206	2.33	6.27	4	4C	2	287	0.73	17.82	1	8A	0
206	6.27	9.00	4	4C	26	287	17.82	21.20	1	1A	0
206	9.00	23.30	4	4C	32	287	21.20	42.10	1	8A	0
206	23.30	23.70	4	4F	32	287	42.10	60.00	1	6A	0
206	23.70	30.36	4	4C	32	287	60.00	67.54	1	4A	0
206	30.36	31.28	2	4A	31	295	0.95	26.40	1	6A	0
206	31.28	33.26	4	4C	32	295	26.40	27.00	1	8A	0
206	33.26	33.40	4	4C	8	295	27.00	42.90	1	6A	0
206	33.40	34.00	3	4A	7	295	42.90	44.78	1	8A	0
206	34.00	35.50	3	4A	1	295	44.78	68.06	1	6A	0
206	35.50	35.61	3	4A	4	322	2.24	3.60	2	4A	31
206	36.27	38.49	3	4A	1	322	3.60	4.80	3	4A	1
206	38.49	38.90	3	6A	1	322	4.80	6.30	2	4A	31
206	44.50	45.01	6	4A	23	322	6.30	10.85	4	4D	39
206	45.01	46.62	4	2A	6	322	10.85	11.53	4	4D	35
206	46.62	47.90	4	2A	30	322	11.53	14.41	4	4C	32
206	47.90	48.50	1	2A	0	322	14.41	16.10	4	4C	35
206	48.50	49.80	5	1A	30	322	16.10	16.75	4	4D	2
206	49.80	51.59	4	2A	30	322	16.75	18.55	4	4D	5
206	51.59	52.38	4	2C	29	322	18.55	19.50	4	4D	2

<u>ROUTE</u>	<u>BEGIN</u>	<u>END</u>	<u>AL</u>	<u>DTS</u>	<u>CELL</u>
322	19.50	23.05	4	4C	11
322	23.05	24.10	4	4C	2
322	24.10	24.50	4	4C	5
322	24.50	26.85	4	4C	2
322	26.85	32.90	4	4C	32
322	32.90	48.70	2	4A	31
322	48.70	48.96	2	6A	31
322	48.96	50.10	3	6A	1
324	0.90	1.51	6	2A	51
439	0.00	3.94	4	4E	5
440	0.00	3.10	1	6A	0
440	3.10	3.98	1	6C	0
440	17.60	23.28	3	6A	1
495	0.80	1.97	1	6A	0
524	0.45	0.90	4	4B	13
676	0.00	3.79	1	6A	0

Amended by R.1993 d.210, effective May 17, 1993.

See: 25 N.J.R. 903(a), 25 N.J.R. 1990(a).

Revised milepost 322.

Amended by R.1993 d.524, effective November 1, 1993.

See: 25 N.J.R. 3129(a), 25 N.J.R. 4915(b).

Repeal and New Rule, R.1995 d.107, effective February 21, 1995.

See: 26 N.J.R. 2549(a), 27 N.J.R. 736(c).

Amended by R.1997 d.165, effective April 7, 1997.

See: 28 N.J.R. 3731(a), 28 N.J.R. 4383(a), 29 N.J.R. 1353(a).

For Route 41, milepost 2.32 to 3.00, DTS changed from "4C" to "4G"; for Route 46, milepost 24.58 to 25.50, AL changed from "2" to "3" and CELL changed from "31" to "1"; and for Route 46, milepost 25.50 to 27.12, AL changed from "2" to "3" and CELL changed from "25" to "1".

Amended by R.1998 d.27, effective January 5, 1998.

See: 29 N.J.R. 4253(a), 30 N.J.R. 103(b).

Amended by R.1998 d.183, effective April 6, 1998.

See: 30 N.J.R. 533(a), 30 N.J.R. 1301(b).

For Route 206, substituted references to mileposts 78.32 to 78.65, 78.65 to 79.10, and 79.10 to 89.49 for references to mileposts 78.32 to 79.25 and 79.25 to 89.49.

Amended by R.1999 d.89, effective March 15, 1999.

See: 30 N.J.R. 4334(a), 31 N.J.R. 776(b).

For Route 206, substituted references to mileposts 79.10 to 86.70, 86.70 to 87.20 and 87.20 to 89.49 for a reference to milepost 79.10 to 89.49.

Administrative change.

See: 31 N.J.R. 2910(a).

Restored text in explanatory material under heading "DESIRABLE TYPICAL SECTIONS..." which was originally adopted April 20, 1992.

Amended by R.2000 d.13, effective January 3, 2000.

See: 31 N.J.R. 2860(a), 32 N.J.R. 99(a).

In the Milepost table, changed references to Routes 40 and 322.

Amended by R.2000 d.14, effective January 3, 2000.

See: 31 N.J.R. 3053(a), 32 N.J.R. 101(a).

In the Milepost table, changed references to Route 34.

Amended by R.2000 d.133, effective March 20, 2000.

See: 32 N.J.R. 24(a), 32 N.J.R. 1038(a).

Inserted new Route 72 milepost information.

Amended by R.2000 d.210, effective May 15, 2000.

See: 32 N.J.R. 783(a), 32 N.J.R. 1781(a).

In the Milepost table, changed references to Route 71.

Amended by R.2002 d.22, effective January 22, 2002.

See: 33 N.J.R. 2043(a), 34 N.J.R. 507(a).

Amended route milepost information throughout.

Amended by R.2002 d.324, effective October 7, 2002.

See: 34 N.J.R. 874(a), 34 N.J.R. 3530(b).

In the Milepost table, changed the existing DTS and AL along Route 12 between mileposts 1.01 and 6.10.

Amended by R.2004 d.243, effective July 6, 2004.

See: 36 N.J.R. 1180(a), 36 N.J.R. 3267(b).

In the Milepost table substituted "120 000 095 3 6A 4" for "120 0.00 095 2 6A 1".

Amended by R.2005 d.162, effective May 16, 2005.

See: 37 N.J.R. 30(a), 37 N.J.R. 1783(b).

In the Milepost table, amended the DTS and CELL in the first entry for Route 53.

Amended by R.2005 d.218, effective July 5, 2005.

See: 37 N.J.R. 730(a), 37 N.J.R. 2554(b).

Amended and inserted information in milepost routes 12, 31 and 202.

Amended by R.2008 d.368, effective December 15, 2008.

See: 40 N.J.R. 4672(a), 40 N.J.R. 6990(a).

In the ROUTE column of the Milepost table, substituted "33B" for "33 B" twice, updated entries for Route 33B beginning at milepost 0.00 and Route 40 beginning at milepost 47.48, and split entries for Route 73 mileposts 6.00 to 10.89 and Route 322 mileposts 2.24 to 6.30 into three segments for each route.

Amended by R.2011 d.147, effective June 6, 2011.

See: 43 N.J.R. 381(b), 43 N.J.R. 1370(a).

Updated the Milepost table.

Administrative correction.

See: 43 N.J.R. 1601(b).