

2026

Fish Smart, Eat Smart

**A guide to Health Advisories for Eating Fish and
Crabs Caught in New Jersey Waters**

**New Jersey Department of Environmental Protection
New Jersey Department of Health**




Table of Contents

| | |
|---|----|
| Introduction | 3 |
| General Consumption Guidelines..... | 4 |
| Health Effects from Consumption of Contaminated Fish and Crabs | 5 |
| Preparation and Cooking Methods for Fish and Crabs under Advisory | 7 |
| Federal Advice on Fish Consumption | 8 |
| Statewide 2026 Fish Consumption Advisory Table | 9 |
| Statewide Water Body Locations | 10 |

The New Jersey Department of Environmental Protection and the New Jersey Department of Health can provide more information on the advisories and the health effects of chemical contaminants in the fish. To stay current with advisory updates and to request additional information, please contact the NJDEP, Division of Science and Research at 1-609-322-9579 or check the website FishSmartEatSmartnj.org or the NJDOH at (609) 826- 4935.

Introduction

This 2026 update uses the results of a study involving the analysis of samples of fish species collected from lakes, rivers, ponds, and reservoirs that flow from the Delaware River, Hudson River, and Raritan River regions. This information was used to support the continuation and revision of the current fish consumption advisories for this region and identified the need for additional fish consumption advisories.

This booklet summarizes the marine, estuarine and freshwater fish consumption advisories for New Jersey. It provides you with information on how to reduce your risk by avoiding or limiting consumption of certain fish. It also offers guidance in how to prepare the fish you eat from local waters in ways that reduce your exposure to PCBs, dioxins, and other contaminants.

Fishing provides enjoyable and relaxing recreation. Many people enjoy cooking and eating their own catch. Fish are an excellent source of protein, minerals and vitamins, are low in fat and cholesterol and play an important role in maintaining a healthy, well-balanced diet. The American Heart Association recommends people eat fish regularly. Fish are also one of the few foods that are rich in the omega-3 fatty acids needed for proper development of the brain and nervous system in the fetus and infants and may reduce the risk of heart attack. Fish are an excellent substitute for other protein foods that are higher in saturated fats and cholesterol. Health professionals recommend that you include fish in your diet.

However, certain fish may contain contaminants, such as polychlorinated biphenyls (PCBs), dioxins, mercury, and other contaminants from the water they live in and the food they eat. Contaminants such as dioxin and PCBs are classified by the U.S. Environmental Protection Agency as probable cancer-causing substances in humans. Elevated levels of mercury can pose health risks to the human nervous system, particularly to developing fetuses. Therefore, it is a good idea to follow a few precautions in consuming recreationally caught fish and crabs, particularly if you eat them often.

Since 1982, when research began to show elevated levels of potentially harmful contaminants in certain fish and crabs in some New Jersey waters, fish consumption advisories were adopted to guide citizens on safe consumption practices. Fish consumption advisories are developed through a scientific process that includes collecting samples of fish from waters throughout the state and analyzing them for various chemical contaminants. The contaminant levels in the fish are then evaluated using state and federal guidelines for protecting human health.

The New Jersey Department of Environmental Protection (NJDEP) and Department of Health (NJDOH) provide advice on consuming those species of fish in which high levels of chemical contaminants have been found. Since levels of contaminants may vary from one location to another and from one fish species to another, the advisories are also separated by site. **So be sure to check which guidelines refer to your fishing location and the fish species you catch.**

2026 Fish Consumption Advisories for PCBs, Dioxin, PFAS, and Mercury

The advisory table in this booklet provides statewide, regional, and water body-specific advisory information for various fish species. The table lists the recommended fish consumption frequencies for the **General Population** and **High-risk Individuals** for waters statewide and for specific water bodies.

High Risk Individuals: Includes infants, children, pregnant women, nursing mothers and women of childbearing age.

General Population: Includes all others not in the high-risk category.

All fish consumption advisories are presented in meal frequencies (for example: one meal per month or four meals per year). For PCB advisories this range is based on an estimated 1 in 10,000 risk of cancer during your lifetime from eating fish at the advisory level. This means that one additional cancer may occur in 10,000 people eating fish at the advisory level for a lifetime.

By using this advisory, you have the necessary information to make an informed choice on the number of meals of fish to consume. You can reduce your risk further by eating less than the advisory meal frequency, however, this need to be balanced with the health benefits of eating fish.

The limits that follow each species assume that no other contaminated fish are being eaten. If you eat more than one species of fish listed in the advisory, the total consumption of fish should not exceed the recommended frequency as a guideline for consumption. The best approach is to use the lowest recommended frequency as a guideline for consumption. **Example: If you fish Union Lake, and you are in the general population category, you can eat four meals of white perch or you can eat one meal of Largemouth Bass over the course of a month, but not both.**

If your specific fishing location is not mentioned within the advisories on the following pages, this does not mean the fish are free of contamination. Not all New Jersey waters or fish species have been tested, and not all fish species were found in all locations, or in some cases available data were insufficient to list a species for a specific water body. **Follow the statewide advisory for the listed species if your fishing area is not mentioned in the guidelines or follow the statewide advisory of one meal per week for (general Population) or one meal per month (high-risk individuals) for freshwaters.**

General Consumption Guidelines

Fish Species: Contaminant levels may vary from species to species. If possible, eat smaller amounts of several different types of fish rather than a large amount of one type that may be high in contaminants. Try to focus your consumption on those species of fish that have lower levels of contaminants, such as fluke or flounder.

Fish Size: Smaller fish of a species will usually have lower chemical levels than larger fish in the same location because contaminants tend to build up in the fish over time. It is advisable to eat smaller fish (of legal size) more often than larger fish.

High-risk Individuals: Infants, children, pregnant women, nursing mothers and women of childbearing age are considered to be at higher risk from contaminants in fish than members of the general public. People within this category should be particularly careful about following the advisories, because of the greater potential for PCBs, dioxin and mercury to affect the development of the fetus, infant, and young child.

Subsistence Fishing: Avoid subsistence level (relying on wild caught fish for daily nutritional needs) fishing activities in large rivers within or immediately downstream of large urban/ industrial areas and wastewater outfalls. Fish in these areas are more likely to contain traces of chemical contaminants.

Health Effects from Consumption of Contaminated Fish and Crabs (General Advice)

Exposure to low levels of some contaminants in the environment may have long lasting health effects on people. Mercury, PCBs, PFAS, and dioxins are among the major contaminants found in some New Jersey fish in portions of the state. These contaminants can be especially harmful to women of childbearing age, pregnant women and nursing mothers. Trace amounts of these contaminants may remain in your body for a period of time after eating. Should you become pregnant during this time, these contaminants can be passed along to your fetus, potentially affecting the development of the nervous system. Children are also at risk of developmental and neurological problems if exposed to these chemicals.

Mercury

Mercury is a toxic metal that has been commonly used in a number of products (e.g., thermometers, electrical switches). There are many sources of mercury in the environment, natural and man-made; primary sources include burning of fossil fuels such as coal, incineration of wastes, and metal processing/manufacturing.

NJ has taken aggressive action to reduce sources of mercury in the state. Levels of mercury from in-state air sources have been reduced by over 90% since the 1990s. Current sources of mercury to NJ are primarily from global as well as other states' air emissions (e.g., coal power plants) and natural emissions.

Mercury discharged to the environment can end up in local water bodies. Mercury accumulates in fish muscle tissue through the aquatic food chain from the food that fish eat. Above certain levels, mercury can damage the nervous system, particularly in unborn and young children, resulting in learning and developmental delays. Regular consumption, of even low amounts of mercury may cause subtle effects on the central nervous system in both children and adults. In addition, long-term consumption of fish with elevated levels of mercury by adults and older children may result in adverse health effects, including neurological damage. For more information go to: www.epa.gov/mercury.

PCBs

PCBs Polychlorinated biphenyls (PCBs) were commercially produced for industrial application in heat transfer systems, hydraulic fluids and electrical equipment. They were later incorporated into other uses such as printing inks, paints and pesticides. The manufacture of PCBs was stopped in 1979 as a result of evidence that PCBs build up in the environment and cause harmful effects. PCBs tend to stay mostly in soil and sediment but are also found in the air and water.

Once they enter the food chain, they have a tendency to absorb into fat tissue. PCBs build up in fish to levels that are hundreds of thousands of times higher than the levels in the surrounding water. When people consume fish that have already accumulated PCBs, the PCBs then accumulate in their bodies.

PCBs have been shown to cause cancer in animals, and there is evidence that PCBs may cause cancer in exposed humans. PCBs have also been shown to cause a number of serious health effects besides cancer in humans and animals, including effects on the nervous system of the developing fetus, the immune system,

and the reproductive system. Studies have shown that unborn and young children are most at risk to PCB exposure. Because PCBs take a long time to leave the body after they accumulate, women who plan to become pregnant should follow the more restrictive consumption advice before becoming pregnant. For more information go to: <https://www.epa.gov/pCBS/learn-about-polychlorinated-biphenyls-pCBS>

Dioxin

Dioxin is the most toxic member of a large chemical family of related dioxins and furans. Dioxin is an unwanted industrial byproduct formed through numerous processes, including production of chlorinated phenol products such as herbicides, the incineration of municipal solid waste, and creation of paper products using bleach. Most of what we know about dioxin has been obtained through animal toxicity testing in the laboratory and representative wildlife species. Dioxin produces a number of effects in animal testing, including suppression of the immune system, impaired reproduction, birth defects in some species tested, a skin condition called chloracne, alterations in liver function, and cancer. The federal Environmental Protection Agency (EPA) has classified dioxin as a probable human carcinogen. For more information go to: <https://www.epa.gov/choose-fish-and-shellfish-wisely/should-i-be-concerned-about-eating-fish-and-shellfish>


PFOS

PFOS (perfluorooctane sulfonate) is a member of a larger group of chemicals known as PFAS (per- and polyfluoroalkyl substances). PFOS has been used in a variety of consumer products and industrial applications including water/stain resistant clothing, and aqueous film-forming foams employed in firefighting primarily at military bases and civilian airports. PFOS that is released into the environment can contaminate surface water as well as groundwater used as drinking water sources. PFOS that enters surface waters can accumulate in freshwater fish. Consumption of fish from contaminated waters can lead to exposure to PFOS at levels that may cause health concerns. Studies in human populations exposed to PFOS have identified a number of health effects that are associated with PFOS. The most sensitive of these effects involve effects on the immune system, including decreased vaccine response and increased incidence of childhood infections that are associated with maternal exposure during pregnancy. Studies have also identified increased serum uric acid/hyperuricemia as well as increased total cholesterol. Animal studies have also shown that the immune system is very sensitive to PFOS which causes decreased response to foreign substances. In addition, animal studies have also identified effects of PFOS on the liver and thyroid hormones. Developmental effects have also been observed in the offspring of pregnant animals exposed to PFOS.

Because PFOS can cross the placenta, consumption of PFOS contaminated fish by pregnant women and women of childbearing age places them in a high-risk population category for fish consumption advisories. The health effects from other PFAS may differ somewhat from those for PFOS, but all have the ability to cross the placenta, and therefore, also place pregnant women and women of childbearing age in the high-risk population category.

Preparation and Cooking Methods for Fish and Crabs under Advisory

The best way to reduce exposure to contaminants in fish is to learn what fish species are affected and either limit or avoid consumption. However, if you must eat those species under advisories, there are steps you can take to reduce your exposure. Contaminants tend to concentrate in the fatty tissue of the fish you catch. Proper cleaning and cooking techniques, which remove some of the fat from the fish, can significantly reduce levels of PCBs, dioxins and other organic chemicals. Please note, however, that these techniques will not reduce or remove unsafe levels of mercury from these fish. Mercury occurs in the flesh. There is no way to remove mercury through cooking. The best way to reduce mercury exposure is to select those species of fish which are known to have lower levels of mercury.




Fish Preparation Methods

Proper fish cleaning and cooking techniques may reduce PCB levels by approximately 50 percent when compared to raw fish fillets. A meal size is considered to be an uncooked 8-ounce fillet. **Eat only the fillet portions.** Do not eat whole fish or steak portions. Many chemical contaminants, like PCBs and pesticides (but not mercury), are stored in the fatty portions of fish. To reduce the levels of these chemicals, skin the fish and trim any of the dark meat (lateral line), back strap and belly flap. The following diagram illustrates

those body portions. Do not eat the heads, guts or liver, because PCBs usually concentrate in those body parts. Also, avoid consumption of any reproductive parts such as eggs (roe).

Fish Cooking Methods

Use a cooking method such as baking, broiling, frying, grilling, or steaming that allows the fats and juices to drain away from the fish. When possible, cook the fish on an elevated rack that allows fats and juices to drain to the pan below. Avoid batter, breading or coatings that can hold in the juices that may contain contaminants. The juices should be thrown away since they contain the PCBs and other chemicals that were in the fat. Do not pour these juices over the fish as a sauce or to moisten the fish. Butter, margarine or other liquids can be added to the fish for this purpose once the juices have been poured off. After cooking, discard all liquids and frying oils. Do not reuse. Do not use heads, skin, trimmed fatty portions in soups, stews, chowders, boils, broth or for fish stock. If you make stews or chowders, only use skinless fillet parts. Raw fish may be infested by parasites. Cook fish thoroughly to destroy the parasites. This also helps to reduce the level of many chemical contaminants.



Crab Preparation Methods

Eating, selling or taking (harvesting) blue crabs from Newark Bay Complex and the tidal Passaic River is prohibited. The Newark Bay Complex is located in northeastern New Jersey. It includes the Newark Bay, tidal Hackensack River, Arthur Kill, Kill Van Kull and tidal tributaries. (See chart on page 6.) If blue crabs are taken from water bodies other than the Passaic River/

Newark Bay Complex, the following preparation techniques can be followed to reduce exposure to some contaminants.

The highest levels of chemical contaminants are found in the hepatopancreas, commonly known as the tomalley or green gland. It is the yellowish green gland under the gills. This material is found next to the lump meat (backfin) portion of the crab. Chill and break the crabs immediately before cooking. Care must be taken to remove all of the hepatopancreas before cooking.

There is no specific cooking method available to reduce the chemical contaminant levels in blue crabs. The following steps for proper preparation are key to reducing your exposure to harmful chemical contaminants.

Do not eat the green gland (hepatopancreas). Remove green gland (hepatopancreas) before cooking. After cooking, discard the cooking water. Do not use cooking water or green gland (hepatopancreas) in any juices, sauces, bisques or soups.

See brochures on the FishSmartEatSmartnj.org website for instructions on ways to properly clean and cook fish and crabs.

Federal Advice on Fish Consumption for Pregnant Women and Children

The following is provided as general information and advice from the federal government. Do not eat Shark, Swordfish, King Mackerel, Marlin, Orange Roughy, Bigeye Tuna or Tilefish (Gulf of Mexico) because they contain high levels of mercury. Note: No advisory for Tilefish harvested from the mid-Atlantic and southern New England area. See <https://www.fda.gov/food/consumers/advice-about-eating-fish> for detailed information.

What Pregnant Women & Parents Should Know

Fish and other protein-rich foods have nutrients that can help your child's growth and development. For women of childbearing age (about 16-49 years old), especially pregnant and breastfeeding women, and for parents and caregivers of young children.

Additional information on contaminants in New Jersey's fish, see fishsmarteatsmart.org.

For more information on EPA freshwater fish consumption advisories, go to <https://www.epa.gov/choose-fish-and-shellfish-wisely>

2026 New Jersey Fish Consumption Advisories

Statewide Estuarine and Marine Waters

(Applies to all coastal waters and includes the water way specific advisories)

| Species | General Population ^(2,3) | High Risk Population ^(1,2,3) |
|--|---|---|
| Striped Bass* | One meal per month | Do not eat |
| American Eel | Four meals per year | Do not eat |
| Bluefish (greater than 6lbs./ 24 inches) | Six meals per year | Do not eat |
| Bluefish (less than 6 lbs./ 24 inches) | One meal per month | Do not eat |
| American Lobster | Do not eat the green gland (tomalley or hepatopancreas) | Do not eat the green gland (tomalley or hepatopancreas) |

2026 New Jersey Fish Consumption Advisories

Statewide Freshwater

(Applies to all waters except Pinelands region and includes the waterbody specific advisories)

| Species | General Population ^(2,3) | High Risk Population ^(1,2,3) |
|---|-------------------------------------|---|
| Trout (Brown, Brook, Rainbow, and Hybrid Species) | One meal per week | One meal per week |
| Largemouth Bass | One meal per week | One meal per month |
| Smallmouth Bass | One meal per week | One meal per month |
| Chain Pickerel | One meal per week | One meal per month |
| Sunfish ⁴ | No restrictions | One meal per week |
| Brown Bullhead | No restrictions | One meal per month |
| Yellow Bullhead | No restrictions | One meal per month |
| Common Carp | One meal per month | Do not eat |

2026 New Jersey Fish Consumption Advisories

Pinelands Region

(Applies to all Pinelands waters including the waterbody specific advisories)

| Species | General Population ^(2,3) | High Risk Population ^(1,2,3) |
|----------------------|-------------------------------------|---|
| Largemouth Bass | One meal per month | Do not eat |
| Smallmouth Bass | One meal per week | One meal per month |
| Chain Pickerel | One meal per month | Do not eat |
| Sunfish ⁴ | No restrictions | One meal per month |
| Brown Bullhead | One meal per week | Do not eat |
| Yellow Bullhead | One meal per week | Do not eat |
| Common Carp | One meal per week | One meal per month |

¹High-Risk Individuals include infants, children, pregnant women, nursing mothers and women of childbearing age.

²One meal is defined as an eight-ounce serving.

³Eat only the fillet portions of the fish. Use proper trimming techniques to remove fat, and cooking methods that allow juices to drain from the fish (e.g., baking, broiling, frying, grilling, and steaming). See text for full description.

⁴Sunfish includes bluegill, pumpkinseed, and redbreast sunfish species.

⁵No harvest means no taking or attempting to take any blue crabs from these waters.

⁶Do not eat the hepatopancreas, discard cooking liquid

*Selling these species for human consumption from designated New Jersey waters is prohibited.

Note: Not all fish species available were collected and/or analyzed from all waterways.

Freshwater Waterbody Specific Advisories By County

| |
|---|
| Atlantic County |
| <u>Atlantic City Reservoir at Pomona</u> |
| <u>Great Egg Harbor</u> |
| <u>Hammonton Lake</u> |
| <u>Lenape Lake</u> |
| <u>Lily Lake</u> |
| <u>Maple Lake at Estell Manor</u> |
| <u>Mullica River-Green Bank to Batsto</u> |
| Bergen County |
| <u>Lake Tappan at Old Tappan</u> |
| <u>Oradell Reservoir</u> |
| <u>Overpeck Creek at Ridgefield Park</u> |
| <u>Passaic River-Elmwood Park to Dundee</u> |
| <u>Passaic River at Fair Lawn</u> |
| <u>Whites Pond in Waldwick</u> |
| Burlington County |
| <u>Atsion Lake</u> |
| <u>Batsto Lake</u> |
| <u>Big Pine Lake</u> |
| <u>Crosswicks Creek at Bordentown</u> |
| <u>Crystal Lake at Fieldsboro</u> |
| <u>Harrisville Pond</u> |
| <u>Lake Absegami</u> |
| <u>Lake Oswego</u> |
| <u>Little Pine Lake at Browns Mills</u> |
| <u>Mirror Lake at Browns Mills</u> |
| <u>Mullica River-Green Bank to Batsto</u> |
| <u>Pemberton Lake</u> |
| <u>Rancocas Creek at Delran</u> |
| <u>Rancocas Creek at Riverside</u> |
| <u>Strawbridge Lake</u> |
| <u>Wading River</u> |
| <u>Whitesbog Pond</u> |
| Camden County |

| |
|--|
| Big Timber Creek West Deptford at Runnemedede |
| Clementon Lake |
| Cooper River Park Lake |
| Cooper River at Hopkins Pond |
| Cooper River at Evans Pond |
| Evans Pond at Haddonfield |
| Kirkwood Lake |
| Linden Lake at Lindenwold |
| Little Timber Creek at Brooklawn |
| New Brooklyn Lake at Sickerville |
| Newton Lake |
| Newton Creek at Collingswood |
| Penbryn Lake |
| Pennsauken Creek |
| Cape May County |
| East Creek Pond |
| Lake Nummy |
| Cumberland County |
| Cedar Lake |
| Cedarville Ponds |
| Cohansey River at Bridgeton |
| Lake Audrey |
| Maurice River- Downstream of Millville |
| Menantico Sand Pools at Millville |
| Stow Creek at Canton |
| Sunset Lake |
| Union Lake |
| Essex County |
| Branch Brook Park Lake |
| Passaic River- Route 280 at confluence of Pompton River at Two Bridges |
| Weequahic Park Lake |
| Gloucester County |
| Alcyon Lake |
| Big Timber Creek West Deptford at Runnemedede |
| Greenwich Lake |
| Little Mantua Creek |
| Malaga Lake |
| Mantua Creek |

| |
|---|
| <u>Marlton Lake</u> |
| <u>Oldmans Creek at Route 130 Bridge</u> |
| <u>Raccoon Creek</u> |
| <u>Stewart Lake</u> |
| <u>Wilson Lake</u> |
| <u>Woodbury Creek</u> |
| Hunterdon County |
| <u>D&R Canal at Lambertville</u> |
| <u>Delaware River at Phillipsburg/Easton</u> |
| <u>Delaware River at Phillipsburg to Trenton</u> |
| <u>Delaware River at Lambertville</u> |
| <u>Lamington River</u> |
| <u>Raritan River- South Branch at Long Valley (Clairmont Section)</u> |
| <u>Raritan River- South Branch at High Bridge</u> |
| <u>Raritan River- South Branch at Flemington</u> |
| <u>Round Valley Reservoir</u> |
| <u>Spruce Run Reservoir</u> |
| Mercer County |
| <u>Assunpink Creek at Windsor</u> |
| <u>Carnegie Lake at Princeton</u> |
| <u>D&R Canal at Port Mercer</u> |
| <u>D&R Canal at West Trenton</u> |
| <u>Delaware River- Phillipsburg to Trenton</u> |
| <u>Delaware River at Trenton</u> |
| <u>Grovers Mill Pond at Princeton Junction</u> |
| <u>Mercer Lake</u> |
| <u>Peddie Lake</u> |
| <u>Rosedale Lake</u> |
| Middlesex County |
| <u>Davidson's Mill Pond at Deans</u> |
| <u>D&R Canal at Griggstown</u> |
| <u>DeVeo Lake</u> |
| <u>Duhernal Lake</u> |
| <u>Farrington Lake</u> |
| <u>Manalapan Lake</u> |
| <u>Weston Mill Pond</u> |
| Monmouth County |
| <u>Assunpink Creek at Windsor</u> |

| |
|--|
| <u>Assunpink Lake</u> |
| <u>Deal Lake</u> |
| <u>Forge Pond</u> |
| <u>Lake Lefferts</u> |
| <u>Manasquan Reservoir</u> |
| <u>Marlu Lake</u> |
| <u>Metedeconk River-North Branch at Siloam</u> |
| <u>Shadow Lake</u> |
| <u>Spring Lake</u> |
| <u>Swimming River Reservoir</u> |
| <u>Wampum Lake</u> |
| Morris County |
| <u>Budd Lake</u> |
| <u>Jersey City Reservoir</u> |
| <u>Lake Hopatcong</u> |
| <u>Oak Ridge Reservoir</u> |
| <u>Passaic River-Rt. 280 to confluence of Pompton at Two Bridges</u> |
| <u>Pompton River</u> |
| <u>Ramapo River at Pompton/Wayne (Pompton Feeder)</u> |
| <u>Rockaway River at Powerville</u> |
| <u>Rockaway River at Whippany</u> |
| <u>Speedwell Lake</u> |
| <u>Splitrock Reservoir</u> |
| Ocean County |
| <u>Butterfly Bogs Pond</u> |
| <u>Cranberry Bog Reservoir near Lakehurst Naval Air Center</u> |
| <u>Double Trouble Lake</u> |
| <u>Enno Lake</u> |
| <u>Horicon Lake</u> |
| <u>Lake Barnegat</u> |
| <u>Lake Carasaljo</u> |
| <u>Lake Manahawkin</u> |
| <u>Oakford Lake</u> |
| <u>Pine Lake</u> |
| <u>Pohatcong Lake</u> |
| <u>Prospertown Lake</u> |
| <u>Shenandoah Lake</u> |

| |
|---|
| <u>Stafford Forge Main Line</u> |
| <u>Success Lake</u> |
| <u>Toms River at Ridgeway Branch</u> |
| <u>Turn Mill Pond</u> |
| Passaic County |
| <u>Clinton Reservoir</u> |
| <u>Echo Lake Reservoir</u> |
| <u>Green Turtle Lake</u> |
| <u>Greenwood Lake</u> |
| <u>Monksville Reservoir</u> |
| <u>Oak Ridge Reservoir</u> |
| <u>Passaic River- Route 280 to confluence of Pompton River at Two Bridges</u> |
| <u>Passaic River-Elmwood Park to Dundee Lake at Garfield</u> |
| <u>Passaic River at Woodland Park</u> |
| <u>Pompton Lake</u> |
| <u>Pompton River</u> |
| <u>Ramapo Lake</u> |
| <u>Sheppard Pond</u> |
| <u>Wanaque Reservoir</u> |
| Salem County |
| <u>Alloway Lake</u> |
| <u>DOD Lake at Penns Grove</u> |
| <u>Elmer Lake</u> |
| <u>Fenwick Creek</u> |
| <u>Maskells Mill Lake</u> |
| <u>Oldmans Creek at Route 130 Bridge</u> |
| <u>Parvin Lake</u> |
| <u>Salem Canal</u> |
| <u>Salem River</u> |
| <u>Willow Grove Lake</u> |
| <u>Woodstown Memorial Lake</u> |
| Somerset County |
| <u>Bound Brook-Entire Lake</u> |
| <u>D&R Canal at Griggstown</u> |
| <u>D&R Canal at Bound Brook</u> |
| <u>Green Brook at Madison Ave Bridge</u> |
| <u>Lamington River</u> |
| <u>Millstone River at Manville</u> |

| |
|---|
| <u>Raritan River-North Branch at Branchburg</u> |
| <u>Raritan River-South Branch at Neshanic Station</u> |
| <u>Raritan River- Confluence of the Millstone River at Millstone</u> |
| Sussex County |
| <u>Blue Mountain Lake</u> |
| <u>Canistear Reservoir</u> |
| <u>Catfish Pond</u> |
| <u>Cranberry Lake</u> |
| <u>Crater Lake</u> |
| <u>Delaware River-NY Borderline to Water Gap</u> |
| <u>Delaware River at Milford/Montague</u> |
| <u>Hainesville Pond</u> |
| <u>Lake Aeroflex</u> |
| <u>Lake Hopatcong-Entire Lake</u> |
| <u>Lake Musconetcong</u> |
| <u>Paulinskill Lake</u> |
| <u>Saw Mill Pond</u> |
| <u>Steeny Kill Lake</u> |
| <u>Swartswood Lake</u> |
| <u>Little Swartswood Lake</u> |
| <u>Wawayanda Lake</u> |
| Union County |
| <u>Rahway River at Milton Lake</u> |
| <u>Rahway River at Valley Road Pond</u> |
| Warren County |
| <u>Allamuchy Pond</u> |
| <u>Columbia Lake</u> |
| <u>Delaware Lake</u> |
| <u>Delaware River-NY Borderline to Water Gap</u> |
| <u>Delaware River-Delaware Water Gap to Phillipsburg</u> |
| <u>Furnace Lake</u> |
| <u>Merrill Creek Reservoir</u> |
| <u>Mountain Lake</u> |
| <u>Musconetcong River near New Hampton Road Overpass</u> |
| <u>Musconetcong River near Shurts Road Overpass</u> |
| <u>Musconetcong River (unnamed tributary near Shurts Road)</u> |
| <u>Musconetcong River within Point Mountain Trout Conservation Area</u> |

White Lake

ESTUARINE & MARINE WATERBODY SPECIFIC ADVISORIES

(Please follow this link to our [statewide advisories](#) for other species as well)

Newark Bay Complex

Including Newark Bay, Tidal Hackensack River, Arthur Kill, Kill Van Kull, and all tidal tributaries

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|-------------------------------------|---|--|
| Blue Crab* | Do not harvest or eat ⁵ | Do not harvest or eat ⁵ | |
| Striped Bass* | Four meals per year | Do not eat | |
| White Perch | Four meals per year | Do not eat | |
| White Catfish | One meal per year | Do not eat | |
| American Eel | Four meals per year | Do not eat | |
| Atlantic Needlefish | One meal per month | Do not eat | (NY Advisory) |
| Rainbow Smelt | One meal per month | Do not eat | (NY Advisory) |
| Gizzard Shad | Do not eat | Do not eat | (NY Advisory) |
| Bluefish | One meal per month | Do not eat | |
| Summer Flounder | One meal per month | Do not eat | |
| Oyster Toadfish | One meal per month | One meal per month | New-2025 |

Passaic River (Tidal)

From the head of tide at Garfield to Newark Bay and all tidal tributaries

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------------------|-------------------------------------|---|--|
| Blue Crab* | Do not harvest or eat ⁵ | Do not harvest or eat ⁵ | |
| All finfish & shellfish* | Do not eat | Do not eat | |

Hudson River

From the NY-NJ borderline (near Alpine, NJ) downstream of the NY-NJ borderline on the Upper New York Bay (at Bayonne, NJ)

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|--|--|--|
| Striped Bass* | Four meals per year | Do not eat | |
| White Perch | One meal per year | Do not eat | |
| White Catfish | Do not eat | Do not eat | |
| American Eel* | One meal per year | Do not eat | |
| Blue Crab | One meal of 7 crabs per week (do not eat the green gland) ⁶ | One meal of 7 crabs per week (do not eat the green gland) ⁶ | |
| Winter Flounder | One meal per month | One meal per month | |
| Atlantic Needlefish | One meal per month | Do not eat | (NY Advisory) |
| Rainbow Smelt | One meal per month | Do not eat | (NY Advisory) |
| Bluefish <24 inches | One meal per month | Do not eat | |
| Gizzard Shad | Do not eat | Do not eat | (NY Advisory) |

Raritan River and South River

Tidal portion upstream of the Route 35 and tidal South River

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------|-------------------------------------|---|--|
| White Catfish | Four meals per year | Do not eat | |
| White Perch | Four meals per year | Do not eat | |

Raritan Bay Complex

Includes the Raritan Bay, tidal Raritan River (up to the Route 1 bridge) and all tidal tributaries

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------------------------|---|---|---|
| Summer Flounder (Fluke) | One meal per week | One meal per week | Updated-2025 |
| Striped Bass | One meal per month | Do not eat | |
| White Perch | One meal per month | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per week | |
| Channel Catfish | One meal per month | Do not eat | |
| American Eel | One meal per year | Do not eat | |
| Blue Crab | One meal of 7 crabs per month (do not eat green gland) ⁶ | One meal of 7 crabs per month (do not eat the green gland) ⁶ | |
| Weakfish | One meal per month | Do not eat | |
| Winter Flounder | One meal per month | One meal per month | |
| Porgy | One meal per month | One meal per month | |
| American Lobster | One meal per week (do not eat green gland) ⁶ | One meal per week (do not eat green gland) ⁶ | |
| Common Carp | One meal per month | One meal per month | |
| Atlantic Needlefish | One meal per month | Do not eat | (NY Advisory) |
| Rainbow Smelt | One meal per month | Do not eat | (NY Advisory) |
| Gizzard Shad | Do not eat | Do not eat | (NY Advisory) |
| White Catfish | One meal per month | Do not eat | |
| Flathead Catfish | One meal per week | One meal per month | |
| Spot | One meal per month | One meal per month | New-2025 |

Absecon Bay near Absecon River

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|-------------------------------------|---|---|
| American eel | One meal per month | One meal per month | New-2025 |
| Oyster toadfish | One meal per month | One meal per month | New-2025 |
| Summer flounder | One meal per week | One meal per week | New-2025 |
| White perch | One meal per month | One meal per month | New-2025 |

| Sandy Hook Bay & Lower Bay | | | |
|---------------------------------------|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Summer Flounder (Fluke) | One meal per week | One meal per week | |
| Striped Bass | One meal per month | Do not eat | |

| Barnegat Bay at Manahawkin Bay | | | |
|---------------------------------------|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Weakfish | One meal per week | One meal per month | |

| Barnegat Bay near Metedeconk River | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Black sea bass | One meal per week | One meal per week | New-2025 |
| Northern puffer | One meal per week | One meal per week | New-2025 |
| Spot | One meal per month | One meal per month | New-2025 |

| Barnegat Bay near Toms River | | | |
|-------------------------------------|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Striped Bass | No restrictions | One meal per month | |
| American eel | One meal per month | One meal per month | New-2025 |
| Northern puffer | One meal per week | One meal per week | New-2025 |

| Atlantic Ocean-Sandy Hook to Sea Bright | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Summer Flounder (Fluke) | One meal per week | One meal per week | |

Atlantic Coastal Tributaries
Including the Navesink River, Shrewsbury River, Shark River, Toms River, and Mullica River

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| American Eel | One meal per month | One meal per month | |

Atlantic Ocean-Sea Isle City to Cape May

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Weakfish | One meal per week | One meal per month | |

Egg Harbor Reef

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------------|---|---|---|
| Black sea bass | No restrictions | One meal per week | New-2025 |

Sea Girt Reef

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------------|---|---|---|
| Black sea bass | No restrictions | One meal per week | New-2025 |

Lower Delaware River-Tidal Section
*Trenton downstream to the Delaware/Pennsylvania border (Bridgeport, near Logan Twp.)
including all tributaries to the head of tide-See all location specific Delaware River advisories*

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | |
| Hybrid Striped Bass | No restrictions | One meal per week | |
| Striped Bass | Four meals per year | Do not eat | |
| White Perch | Four meals per year | Do not eat | |
| White Catfish | One meal per month | Do not eat | |
| Channel Catfish | One meal per year | Do not eat | |
| American Eel | One meal per year | Do not eat | |
| Common Carp | One meal per week | One meal per month | |
| Flathead Catfish | One meal per month | One meal per month | PA Public Health Advisory |

Delaware River at Trenton/Crosswicks Creek
See all Lower Delaware River Advisories

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|----------------|---|---|--|
| White Perch | One meal per week | One meal per month | |
| American Eel | One meal per month | Do not eat | |

Delaware River at Tacony Palmyra Bridge
See all Lower Delaware River Advisories

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-----------------|---|---|--|
| White Perch | One meal per month | Do not eat | |
| Channel Catfish | Four meals per year | Do not eat | |

Delaware River at Raccoon Creek
See all Lower Delaware River Advisories

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-----------------|---|---|--|
| White Perch | One meal per month | One meal per month | |
| American Eel | One meal per year | Do not eat | |
| Channel Catfish | Four meals per year | Do not eat | |

Delaware River at Woodbury Creek/Fort Mifflin
See all Delaware River Advisories

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|----------------------------|---|---|--|
| White Perch | One meal per month | Do not eat | |
| American Eel | Four meals per year | Do not eat | Revised-2025 |
| Channel Catfish | Four meals per year | Do not eat | |
| Largemouth Bass | One meal per month | One meal per month | New-2025 |
| Pumpkinseed Sunfish | One meal per month | One meal per month | New-2025 |
| Common Carp | One meal per month | One meal per month | New-2025 |

Delaware River at Salem River
See all Delaware River Advisories

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| White Perch | One meal per month | One meal per month | |
| Channel Catfish | One meal per month | Do not eat | |

Delaware River Estuary
(NJ/Delaware/PA/borderline downstream to Chesapeake & Delaware (C&D) Canal)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| All Finfish | Three meals per year | Do not eat | |

Delaware Estuary & Delaware Bay
Chesapeake & Delaware (C&D) Canal out to the mouth of Delaware Bay

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| Striped Bass | Three meals per year | Do not eat | |
| White Perch | Six meals per year | Do not eat | |
| White Catfish | Three meals per year | Do not eat | |
| Channel Catfish | Three meals per year | Do not eat | |
| American Eel | Three meals per year | Do not eat | |
| Bluefish (< 20 inches) | One meal per month | One meal per month | |
| Bluefish (> 20 inches) | Three meals per year | Do not eat | |
| Weakfish | One meal per week | One meal per month | |

Delaware Bay Tributaries

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| American Eel | One meal per month | Four meals per year | |

Delaware Bay near Cohansey River

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| American eel | One meal per week | One meal per week | New-2025 |
| Oyster toadfish | One meal per month | One meal per month | New-2025 |
| Spot | One meal per month | One meal per month | New-2025 |
| White perch | One meal per month | One meal per month | New-2025 |

Delaware Bay near Maurice River

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| American eel | One meal per week | One meal per week | New-2025 |
| Oyster toadfish | One meal per week | One meal per week | New-2025 |
| Spot | One meal per week | One meal per week | New-2025 |
| White perch | One meal per week | One meal per week | New-2025 |

Upper Bay

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| Spot | One meal per week | One meal per week | New-2025 |
| Summer Flounder | One meal per week | One meal per week | New-2025 |

FRESHWATER WATERBODY SPECIFIC ADVISORIES

(Please follow this link to our [statewide advisories](#) for other species as well)

Alcyon Lake Gloucester County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|-------------------------------------|---|--|
| Largemouth Bass | One meal per month | One meal per month | |
| Black Crappie | No restrictions | One meal per month | |

Allamuchy Pond Warren County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|-------------------------------------|---|--|
| Largemouth Bass | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| American Eel | One meal per week | One meal per week | |

Alloway Lake Salem County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|-------------------------------------|---|--|
| Bluegill sunfish | No restrictions | One meal per week | New-2025 |
| Largemouth Bass | One meal per week | One meal per month | New-2025 |
| Common Carp | One meal per week | One meal per month | New-2025 |

Assumpink Creek at Windsor Mercer/Monmouth County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|-------------------------------------|---|--|
| Largemouth Bass | No restrictions | One meal per week | |

Assunpink Lake
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | No restrictions | |
| White Perch | One meal per month | One meal per month | New-2025 |

Atlantic City Reservoir at Pomona
Atlantic County (Pinelands Region)
NO FISHING ALLOWED

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | Do not eat | Do not eat | |
| Chain Pickerel | Do not eat | Do not eat | |
| Yellow Perch | Do not eat | Do not eat | |

Atsion Lake at Atsion
Burlington County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Yellow Bullhead | One meal per week | Do not eat | |

| Batsto Lake <i>Burlington County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | Do not eat | Revised-2025 |
| Chain Pickerel | One meal per week | Do not eat | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per month | |
| Yellow Bullhead | One meal per week | Do not eat | Revised-2025 |
| American Eel | No restrictions | One meal per month | |
| Black Crappie | One meal per week | One meal per month | New-2025 |

| Big Pine Lake <i>Burlington County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per year | Do not eat | New-2025 |
| American Eel | One meal per year | Do not eat | New-2025 |
| Bluegill Sunfish | One meal per year | Do not eat | New-2025 |
| Chain Pickerel | One meal per year | Do not eat | New-2025 |

| Big Timber Creek West Deptford at Runnemed <i>Camden/Gloucester Counties</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| White Perch | One meal per month | One meal per month | |
| Brown Bullhead | No restrictions | No restrictions | |
| White Catfish | No restrictions | One meal per week | |
| Channel Catfish | Four meals per year | Do not eat | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |
| Redbreast Sunfish | One meal per month | One meal per month | New-2025 |
| Flathead Catfish | Four meals per year | Do not eat | New-2025 |

Blue Mountain Lake

Sussex County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|-------------------------------------|---|--|
| Largemouth Bass | No restrictions | One meal per month | |
| Yellow Perch | No restrictions | One meal per week | |
| Yellow Bullhead | No restrictions | One meal per week | |

Bound Brook- Entire Lake (including Spring Lake)

Somerset County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|-------------------------------------|---|--|
| All fish species | Do not eat | Do not eat | |

Branch Brook Park Lake

Essex County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|-------------------------------------|---|--|
| Largemouth Bass | One meal per week | Do not eat | |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Common Carp | One meal per month | Do not eat | |

Budd Lake

Morris County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|-------------------------------------|---|--|
| Largemouth Bass | No restrictions | One meal per month | |
| Northern Pike | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Brown Bullhead | No restrictions | No restrictions | |
| White Catfish | One meal per month | One meal per month | |
| White Sucker | No restrictions | No restrictions | |

Butterfly Bogs Pond
Ocean County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Chain Pickerel | One meal per week | Do not eat | |
| Brown Bullhead | No restrictions | One meal per week | |

Canistear Reservoir
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Yellow Perch | No restrictions | One meal per month | |
| Bluegill Sunfish | One meal per week | Do not eat | |
| Yellow Bullhead | No restrictions | One meal per week | |
| Walleye | One meal per week | Do not eat | |

Carnegie Lake at Princeton
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| White Perch | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per week | |
| Channel Catfish | No restrictions | One meal per month | |
| Common Carp | One meal per week | One meal per month | |

Catfish Pond
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | One meal per week | Do not eat | |
| Yellow Perch | One meal per week | One meal per month | |

Cedar Lake
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | One meal per week | Do not eat | |

Cedarville Ponds
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Chain Pickerel | One meal per week | Do not eat | |
| Yellow Perch | No restrictions | One meal per month | |

Clementon Lake
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | One meal per month | |

Clinton Reservoir
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Rock Bass | No restrictions | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per month | |
| Yellow Bullhead | One meal per week | One meal per month | |
| White Sucker | No restrictions | One meal per month | |

Cohansey River at Bridgeton
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Channel Catfish | One meal per week | One meal per month | |
| White Perch | One meal per week | One meal per month | |

Columbia Lake
Warren County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Striped Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Walleye | One meal per week | One meal per month | |
| American Eel | One meal per month | One meal per month | |

Cooper River Park Lake
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | |
| Black Crappie | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | Revised-2025 |
| Brown Bullhead | One meal per month | Do not eat | |
| Common Carp | Four meals per year | Do not eat | |

Cooper River at Hopkins Pond
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Brown Bullhead | One meal per month | Four meals per year | |

Cooper River at Evans Pond
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Bluegill Sunfish | One meal per week | One meal per month | |
| Common Carp | One meal per month | Do not eat | |

Cranberry Bog Reservoir near Lakehurst Naval Air Center
Ocean County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Bluegill Sunfish | Four meals per year | Do not eat | New-2025 |
| Chain Pickerel | One meal per year | Do not eat | New-2025 |

Cranberry Lake
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Hybrid Striped Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | Do not eat | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Yellow Perch | One meal per week | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | Updated-2025 |

Crater Lake
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Yellow Perch | One meal per week | Do not eat | |
| Brown Bullhead | One meal per week | One meal per month | |

Crosswicks Creek at Bordentown
Burlington County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| White Perch | One meal per month | Do not eat | |
| White Catfish | No restrictions | One meal per week | |
| Channel Catfish | One meal per month | Do not eat | |

Crystal Lake at Fieldsboro
Burlington County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Black Crappie | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |

Davidson's Mill Pond at Deans
Middlesex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per week | |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Yellow Bullhead | No restrictions | One meal per week | |
| American Eel | One meal per month | One meal per month | |
| Brown Bullhead | One meal per week | Do not eat | |

Deal Lake
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Brown Bullhead | One meal per week | One meal per week | Revised-2025 |
| Common Carp | One meal per month | Do not eat | |
| White Perch | One meal per month | One meal per month | Updated-2025 |
| American Eel | One meal per month | Do not eat | |

Delaware & Raritan Canal-Entire Length
 See D&R Canal locations specific advisories
All counties along Delaware River & Raritan Canal

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Channel Catfish | One meal per month | Do not eat | |
| American Eel | One meal per month | Do not eat | |

D&R Canal at Lambertville
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Common Carp | One meal per month | One meal per month | Updated-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | New-2025 |
| Smallmouth Bass | Four meals per year | Do not eat | New-2025 |
| Black Crappie | One meal per month | One meal per month | New-2025 |
| Flathead Catfish | Four meals per year | Do not eat | New-2025 |

D&R Canal at Port Mercer
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Common Carp | One meal per year | Do not eat | |

D&R Canal at West Trenton
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------------------|---|---|---|
| Walleye | One meal per month | Do not eat | |
| Common Carp | One meal per month | Do not eat | Updated-2025 |
| Largemouth Bass | One meal per month | One meal per month | New-2025 |
| Redbreast Sunfish | One meal per month | One meal per month | New-2025 |

| D&R Canal at Griggstown <i>Middlesex/Somerset County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Brown Bullhead | No restrictions | One meal per week | |

| D&R Canal at Bound Brook <i>Somerset County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Yellow Perch | No restrictions | One meal per month | |
| Common Carp | Four meals per year | Do not eat | |

| Delaware Lake <i>Warren County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Bluegill Sunfish | No restrictions | One meal per week | Revised-2025 |
| American Eel | One meal per week | One meal per week | Revised-2025 |

| Delaware River from NJ/PA/NY- Border to Morrisville Bridge, PA | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Rock Bass | Two meals per month | Two meals per month | PA Public Health Advisory |

Delaware River-NY Borderline to Water Gap

Warren/Sussex County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|-------------------------------------|---|--|
| Smallmouth Bass | One meal per week | One meal per week | |
| Muskellunge | No restrictions | One meal per month | |
| Channel Catfish | No restrictions | One meal per month | |
| White Sucker | One meal per month | One meal per month | |
| Walleye | One meal per week | One meal per week | |
| American Eel | One meal per week | One meal per month | |

Delaware River at Milford/Montague

Sussex County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|-------------------------------------|---|--|
| Smallmouth Bass | One meal per month | One meal per month | Updated-2025 |
| White Sucker | One meal per week | One meal per week | |
| Walleye | One meal per week | One meal per month | |
| American Eel | One meal per month | One meal per month | |

Delaware River-Delaware Water Gap to Phillipsburg

Warren County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|-------------------------------------|---|--|
| Smallmouth Bass | No restrictions | One meal per month | |
| Walleye | No restrictions | One meal per week | |
| White Catfish | One meal per week | Do not eat | |
| Channel Catfish | No restrictions | One meal per month | |

Delaware River at Phillipsburg/Easton
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| Smallmouth Bass | One meal per month | One meal per month | Updated-2025 |
| White Sucker | One meal per week | One meal per month | |
| American Eel | One meal per month | Do not eat | |
| Channel Catfish | One meal per month | One meal per month | |
| Striped Bass | One meal per month | One meal per month | |

Delaware River-Phillipsburg to Trenton
Hunterdon/Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Striped Bass | Four meals per year | Do not eat | |
| Channel Catfish | Four meals per year | Do not eat | |
| Walleye | Two meals per month | Two meals per month | PA Public Health Advisory |
| White Sucker | One meal per month | Do not eat | |
| American Eel | One meal per month | Do not eat | |

Delaware River at Lambertville
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Smallmouth Bass | Four meals per year | Do not eat | |
| White Sucker | One meal per month | One meal per month | |
| American Eel | One meal per month | Do not eat | |
| Channel Catfish | One meal per week | One meal per month | |

| Delaware River at Trenton <i>Mercer County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per month | Do not eat | |

| DeVeo Lake <i>Middlesex County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | One meal per week | One meal per month | |
| Brown Bullhead | One meal per week | One meal per week | |

| DOD Lake at Penns Grove <i>Salem County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per month | |
| Common Carp | One meal per month | Do not eat | |
| Northern Snakehead | One meal per week | One meal per month | New-2025 |
| Brown Bullhead | One meal per week | One meal per week | New-2025 |

| Double Trouble Lake <i>Ocean County (Pinelands Region)</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | |
| Yellow Bullhead | One meal per month | Do not eat | |

Duhernal Lake
Middlesex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|------------------|---|---|--|
| Largemouth Bass | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | One meal per week | One meal per week | |

East Creek Pond
Cape May County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-------------------------|---|---|--|
| Largemouth Bass | One meal per month | Do not eat | Revised-2025 |
| Chain Pickerel | One meal per month | Do not eat | Revised-2025 |
| Yellow Perch | One meal per month | Do not eat | Updated-2025 |
| Pumpkinseed Sunfish | No restrictions | One meal per month | |
| Yellow Bullhead | One meal per month | Do not eat | Updated-2025 |
| American Eel | One meal per week | Do not eat | |
| Brown Bullhead | One meal per month | Do not eat | |
| Bluegill Sunfish | One meal per month | Do not eat | New-2025 |

Echo Lake Reservoir
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|------------------|---|---|--|
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |

Enno Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-----------------|---|---|--|
| Largemouth Bass | One meal per week | One meal per month | |
| American Eel | One meal per week | One meal per month | |

Elmer Lake
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Black Crappie | One meal per week | One meal per month | New-2025 |
| Bluegill Sunfish | One meal per week | One meal per month | New-2025 |
| Brown Bullhead | No restrictions | One meal per week | New-2025 |
| Common Carp | One meal per week | One meal per week | New-2025 |
| Largemouth Bass | One meal per week | One meal per month | New-2025 |
| Yellow Perch | One meal per week | One meal per month | New-2025 |

Evans Pond at Haddonfield
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per week | |
| Brown Bullhead | One meal per week | One meal per week | |

Farrington Lake
Middlesex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | |
| Chain Pickerel | No restrictions | One meal per month | |
| Yellow Perch | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Common Carp | Four meals per year | Do not eat | |
| Brown Bullhead | One meal per week | One meal per month | |

Fenwick Creek
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Channel Catfish | One meal per month | Do not eat | |
| Common Carp | One meal per month | One meal per month | |
| White Catfish | One meal per week | One meal per month | |

| Forge Pond <i>Monmouth County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | |
| White Perch | One meal per month | One meal per month | |
| Yellow Perch | One meal per month | One meal per month | Revised-2025 |
| Common Carp | One meal per month | One meal per month | |
| White Catfish | One meal per week | One meal per month | New-2025 |
| Pumpkinseed Sunfish | One meal per month | One meal per month | New-2025 |
| Striped Bass | One meal per month | One meal per month | New-2025 |

| Furnace Lake <i>Warren County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per week | Revised-2025 |
| Brown Bullhead | No restrictions | No restrictions | Updated-2025 |
| Pumpkinseed Sunfish | No restrictions | One meal per week | Updated-2025 |
| Yellow Bullhead | No restrictions | One meal per week | New-2025 |

| Great Egg Harbor River <i>Atlantic County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | |
| Channel Catfish | One meal per week | Do not eat | |
| Pumpkinseed Sunfish | No restrictions | One meal per month | |

| Green Brook at Madison Ave Bridge <i>Somerset County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per month | Do not eat | |

Green Turtle Lake
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Yellow Perch | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per month | |

Greenwich Lake
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | New-2025 |
| American Eel | Four meals per year | Do not eat | New-2025 |
| Bluegill Sunfish | Four meals per year | Do not eat | New-2025 |

Greenwood Lake
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per week | |
| Walleye | One meal per month | One meal per month | |
| White Perch | No restrictions | No restrictions | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |

Grovers Mill Pond at Princeton Junction
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Brown Bullhead | One meal per week | One meal per month | |

| Hainesville Pond <i>Sussex County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per week | |

| Hammonton Lake <i>Atlantic County (Pinelands Region)</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Black Crappie | One meal per month | Do not eat | New-2025 |
| Bluegill Sunfish | One meal per week | Do not eat | New-2025 |
| Brown Bullhead | One meal per month | Do not eat | New-2025 |
| Chain Pickerel | One meal per month | Do not eat | New-2025 |
| Largemouth Bass | One meal per month | Do not eat | New-2025 |
| Yellow Perch | One meal per month | Do not eat | New-2025 |

| Harrisville Pond <i>Burlington County (Pinelands Region)</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | Updated-2025 |
| Yellow Bullhead | One meal per month | Do not eat | Revised-2025 |
| Mud Sunfish | One meal per month | Do not eat | |

| Horicon Lake <i>Ocean County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | Revised-2025 |
| Yellow Bullhead | One meal per month | Do not eat | Updated-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | New-2025 |

| Jersey City Reservoir <i>Morris County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | Do not eat | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Rock Bass | No restrictions | One meal per month | |
| Brown Bullhead | No restrictions | No restrictions | |
| White Catfish | One meal per week | One meal per month | |

| Kirkwood Lake <i>Camden County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Common Carp | Four meals per year | Do not eat | |

| Lake Absegami <i>Burlington County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per month | Do not eat | Revised-2025 |
| Chain Pickerel | One meal per month | Do not eat | Revised-2025 |
| Yellow Bullhead | One meal per week | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per month | New-2025 |

| Lake Aeroflex <i>Sussex County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | Do not eat | Updated-2025 |
| Chain Pickerel | One meal per week | One meal per month | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | Revised-2025 |
| American Eel | One meal per week | One meal per month | |
| Pumpkinseed Sunfish | No restrictions | No restrictions | |

Lake Audrey
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| American Eel | One meal per week | One meal per month | New-2025 |
| Largemouth Bass | One meal per month | Do not eat | New-2025 |
| Pumpkinseed Sunfish | One meal per week | One meal per month | New-2025 |

Lake Barnegat
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Chain Pickerel | One meal per week | One meal per month | New-2025 |
| Pumpkinseed Sunfish | One meal per week | One meal per month | New-2025 |
| Yellow Bullhead | One meal per week | One meal per month | New-2025 |

Lake Carasaljo
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | One meal per month | Updated-2025 |
| Brown Bullhead | No restrictions | One meal per week | |
| Pumpkinseed Sunfish | One meal per week | One meal per month | Revised-2025 |
| Channel Catfish | One meal per week | One meal per month | New-2025 |

Lake Hopatcong-Entire Lake
Morris/Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| Walleye | One meal per week | One meal per month | |
| Yellow Perch | No restrictions | One meal per month | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |
| Common Carp | One meal per month | One meal per month | New-2025 |
| White Perch | One meal per month | One meal per month | New-2025 |

Lake Lefferts
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per week | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per week | |
| Yellow Perch | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per week | Revised-2025 |
| Bluegill Sunfish | No restrictions | One meal per week | Revised-2025 |

Lake Manahawkin
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | Revised-2025 |
| Chain Pickerel | Do not eat | Do not eat | Revised-2025 |
| Pumpkinseed Sunfish | One meal per week | One meal per month | |
| American Eel | No restrictions | One meal per month | |
| Bluegill Sunfish | One meal per week | Do not eat | New-2025 |
| Brown Bullhead | One meal per week | One meal per month | New-2025 |
| Yellow Perch | One meal per month | Do not eat | New-2025 |

Lake Musconetcong
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Largemouth Bass | One meal per year | Do not eat | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| Brown Bullhead | No restrictions | One meal per week | Revised-2025 |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | New-2025 |
| Black Crappie | One meal per year | Do not eat | New-2025 |

Lake Nummy
Cape May County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Chain Pickerel | One meal per week | Do not eat | |
| Yellow Perch | One meal per week | Do not eat | |
| Yellow Bullhead | No restrictions | One meal per month | |

| Lake Oswego <i>Burlington County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | Revised-2025 |
| Yellow Bullhead | One meal per month | Do not eat | Revised-2025 |
| American Eel | One meal per week | Do not eat | |

| Lake Tappan at Old Tappan <i>Bergen County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | No restrictions | One meal per month | |
| Smallmouth Bass | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | One meal per week | |
| Common Carp | No restrictions | One meal per week | |

| Lamington River <i>Hunterdon/Somerset County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Brown Trout | No restrictions | One meal per week | |
| Smallmouth Bass | No restrictions | One meal per week | |
| Redbreast Sunfish | No restrictions | One meal per week | |
| American Eel | One meal per week | One meal per month | |

| Lenape Lake <i>Atlantic County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | Do not eat | Updated-2025 |
| Chain Pickerel | One meal per week | One meal per month | |
| American Eel | One meal per month | Do not eat | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per month | Updated-2025 |
| Channel Catfish | One meal per week | One meal per month | |
| White Catfish | One meal per week | One meal per month | New-2025 |

| Lily Lake <i>Atlantic County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per month | Do not eat | New-2025 |

| Linden Lake at Lindenwold <i>Camden County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | No restrictions | One meal per month | |

| Little Mantua Creek <i>Gloucester County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | Four meals per year | Do not eat | New-2025 |

| Little Pine Lake at Browns Mills <i>Burlington County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per year | Do not eat | |
| Pumpkinseed Sunfish | Four meals per year | Do not eat | |
| Yellow Perch | One meal per year | Do not eat | |

| Little Timber Creek at Brooklawn <i>Camden County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | Do not eat | |
| White Perch | One meal per month | Do not eat | |
| Brown Bullhead | No restrictions | No restrictions | |
| Channel Catfish | Four meals per year | Do not eat | |

Malaga Lake
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | One meal per month | |

Manalapan Lake
Middlesex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Yellow Perch | No restrictions | One meal per week | |
| Black Crappie | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per week | |
| American Eel | One meal per month | One meal per month | |

Manasquan Reservoir
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| Yellow Perch | No restrictions | One meal per week | |
| Black Crappie | One meal per week | One meal per month | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | Updated-2025 |
| American Eel | One meal per week | One meal per month | Revised-2025 |

Mantua Creek
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Striped Bass | One meal per year | Do not eat | |
| White Perch | One meal per month | One meal per month | Updated-2025 |
| Channel Catfish | One meal per month | One meal per month | |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Pumpkinseed Sunfish | One meal per month | One meal per month | Revised-2025 |
| American Eel | Four meals per year | Do not eat | New-2025 |
| Common Carp | One meal per month | One meal per month | New-2025 |
| Yellow Perch | One meal per month | One meal per month | New-2025 |
| Bluegill Sunfish | Four meals per year | Do not eat | New-2025 |

Maple Lake at Estell Manor
Atlantic County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| American Eel | One meal per week | Do not eat | |

Marlton Lake
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |

Marlu Lake
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Bluegill Sunfish | No restrictions | One meal per week | Revised-2025 |
| Common Carp | One meal per week | One meal per week | Revised-2025 |
| Black Crappie | No restrictions | One meal per week | New-2025 |

Maskells Mill Lake
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | One meal per month | |
| Black Crappie | No restrictions | One meal per month | |
| Brown Bullhead | One meal per week | One meal per month | |

Maurice River-Downstream of Millville
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | Updated-2025 |
| White Perch | One meal per month | One meal per month | Revised-2025 |
| White Catfish | One meal per month | Do not eat | |
| Channel Catfish | One meal per month | Do not eat | |
| Bluegill Sunfish | One meal per week | One meal per month | Revised-2025 |
| Striped Bass | One meal per month | Do not eat | Revised-2025 |
| Common Carp | One meal per week | One meal per month | Updated-2025 |

Menantico Sand Pools at Millville
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| American Eel | One meal per week | Do not eat | |

Mercer Lake
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Channel Catfish | One meal per week | One meal per month | |
| American Eel | One meal per week | One meal per week | |
| Yellow Bullhead | No restrictions | No restrictions | |
| Brown Bullhead | No restrictions | One meal per week | New-2025 |

Merrill Creek Reservoir
Warren County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Smallmouth Bass | One meal per week | One meal per month | |
| Lake Trout | One meal per month | One meal per month | Revised-2025 |
| Yellow Perch | No restrictions | One meal per month | |
| Black Crappie | No restrictions | One meal per week | |
| Bluegill Sunfish | One meal per week | One meal per week | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | |
| Rainbow Trout | No restrictions | One meal per week | |

Metedeconk River-North Branch at Siloam
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| American Eel | Four meals per year | Four meals per year | |

Millstone River at Manville
Somerset County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Channel Catfish | One meal per month | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Common Carp | Four meals per year | Do not eat | |
| Smallmouth Bass | No restrictions | One meal per month | |
| Flathead Catfish | No restrictions | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per week | |

Mirror Lake at Browns Mills
Burlington County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Updated-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| Brown Bullhead | No restrictions | One meal per week | Revised-2025 |
| American Eel | Four meals per year | Do not eat | Updated-2025 |
| Bluegill Sunfish | Four meals per year | Do not eat | Updated-2025 |
| Yellow Perch | One meal per week | One meal per month | New-2025 |

Monksville Reservoir
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Smallmouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | One meal per month | Do not eat | |
| Walleye | No restrictions | One meal per month | |
| White Perch | One meal per week | Do not eat | |
| Yellow Perch | No restrictions | One meal per week | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| Bluegill Sunfish | No restrictions | One meal per week | |

Mountain Lake
Warren County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Muskellunge | No restrictions | One meal per week | |
| Bluegill Sunfish | One meal per week | One meal per week | Revised-2025 |
| Common Carp | One meal per week | One meal per month | |
| Yellow Bullhead | One meal per week | One meal per week | Revised-2025 |
| Channel Catfish | One meal per week | One meal per month | |
| American Eel | No restrictions | One meal per month | |

Mullica River-Green Bank to Batsto
Burlington/Atlantic County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | One meal per month | Do not eat | Updated-2025 |
| White Perch | One meal per week | One meal per month | Revised-2025 |
| Pumpkinseed Sunfish | One meal per week | One meal per month | |
| Brown Bullhead | One meal per week | One meal per month | |
| White Catfish | One meal per month | One meal per month | Revised-2025 |
| Channel Catfish | One meal per week | One meal per month | |
| American Eel | No restrictions | One meal per month | |
| Striped Bass | Four meals per year | Do not eat | New-2025 |
| Black Crappie | One meal per month | Do not eat | New-2025 |

Musconetcong River near New Hampton Road Overpass
Warren County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------------------|---|---|---|
| American Eel | Four meals per year | Do not eat | New-2026 |
| Rainbow Trout | One meal per week | One meal per week | New-2026 |
| Redbreast Sunfish | One meal per month | One meal per month | New-2026 |

Musconetcong River near Shurts Road Overpass

Warren County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|-------------------------------------|---|---|
| American Eel | Four meals per year | Do not eat | New-2026 |
| Brown Trout | Four meals per year | Do not eat | New-2026 |
| Rainbow Trout | One meal per month | One meal per month | New-2026 |
| Redbreast Sunfish | Four meals per year | Do not eat | New-2026 |
| White Sucker | Four meals per year | Do not eat | New-2026 |

Musconetcong River (Unnamed Tributary near Shurts Road)

Warren County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------|-------------------------------------|---|---|
| American Eel | One meal per year | Do not eat | New-2026 |
| Brown Trout | Four meals per year | Do not eat | New-2026 |

Musconetcong River within Point Mountain Trout Conservation Area

Warren County

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|-------------------------------------|---|---|
| American Eel | One meal per month | One meal per month | New-2026 |
| Bluegill Sunfish | One meal per month | One meal per month | New-2026 |
| Brown Trout | One meal per month | One meal per month | New-2026 |
| Rainbow Trout | One meal per week | One meal per week | New-2026 |
| Redbreast Sunfish | One meal per month | One meal per month | New-2026 |
| White Sucker | One meal per month | One meal per month | New-2026 |

New Brooklyn Lake at Sickerville

Camden County (Pinelands Region)

| Species | General Population ^(2,3) | High-Risk Population ^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|-------------------------------------|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | One meal per week | Do not eat | |
| Black Crappie | No restrictions | One meal per month | |
| Pumpkinseed Sunfish | No restrictions | One meal per month | |
| Yellow Bullhead | No restrictions | One meal per week | |

Newton Lake
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------------|---|---|---|
| Channel Catfish | No restrictions | One meal per week | |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Brown Bullhead | No restrictions | One meal per week | |
| Northern Snakehead | Four meals per year | Do not eat | New-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | New-2025 |
| Common Carp | One meal per month | Do not eat | New-2025 |

Newton Creek at Collingswood
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Black Crappie | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Brown Bullhead | One meal per week | One meal per month | |
| Common Carp | Four meals per year | Do not eat | |

Oakford Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Bluegill Sunfish | One meal per year | Do not eat | New-2025 |
| Brown Bullhead | One meal per month | One meal per month | New-2025 |
| Common Carp | Four meals per year | Do not eat | New-2025 |
| Largemouth Bass | One meal per year | Do not eat | New-2025 |

Oak Ridge Reservoir
Passaic/Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Brown Bullhead | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | One meal per month | |

Oldmans Creek at Route 130 Bridge
Gloucester/Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| White Perch | One meal per month | One meal per month | Updated-2025 |
| Channel Catfish | Four meals per year | Do not eat | |
| American Eel | One meal per month | One meal per month | New -2025 |
| Largemouth Bass | One meal per month | One meal per month | New-2025 |

Oradell Reservoir
Bergen County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per week | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | No restrictions | |
| Common Carp | No restrictions | No restrictions | |
| American Eel | One meal per week | One meal per month | |

Overpeck Creek at Ridgefield Park
Bergen County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | No restrictions | No restrictions | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| Common Carp | One meal per month | One meal per month | |
| American Eel | Four meals per year | Do not eat | |
| Pumpkinseed Sunfish | No restrictions | No restrictions | |

| Parvin Lake <i>Salem County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | Do not eat | Revised-2025 |
| Chain Pickerel | No restrictions | One meal per month | |
| American Eel | One meal per week | One meal per month | |
| Bluegill Sunfish | One meal per week | One meal per month | New-2025 |
| Common Carp | One meal per week | One meal per month | New-2025 |
| Yellow Perch | One meal per week | One meal per month | New-2025 |

| Passaic River-Route 280 to confluence of Pompton River at Two Bridges <i>Morris/Essex/Passaic County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | |
| Northern Pike | One meal per week | One meal per month | |
| Black Crappie | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Redbreast Sunfish | One meal per week | One meal per month | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |
| Yellow Bullhead | No restrictions | One meal per week | |
| Common Carp | One meal per month | Do not eat | |
| Smallmouth Bass | Four meals per year | Do not eat | New-2025 |

| Passaic River at Fair Lawn <i>Bergen County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per month | One meal per month | New-2025 |
| Pumpkinseed Sunfish | One meal per month | One meal per month | New-2025 |
| Smallmouth Bass | Four meals per year | Do not eat | New-2025 |

| Passaic River at Woodland Park <i>Passaic County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per month | One meal per month | |
| Brown Bullhead | No restrictions | No restrictions | |
| Common Carp | One meal per week | One meal per month | |
| Largemouth Bass | One meal per week | Do not eat | |
| Northern Pike | One meal per week | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per month | |
| Smallmouth Bass | One meal per week | Do not eat | |

| Passaic River-Elmwood Park to Dundee Lake at Garfield <i>Passaic/Bergen County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | |
| Bluegill Sunfish | Four meals per year | Do not eat | |
| Redbreast Sunfish | One meal per week | Four meals per year | |
| Brown Bullhead | One meal per week | Four meals per year | |
| Yellow Bullhead | One meal per week | One meal per month | |
| Common Carp | One meal per month | Do not eat | |
| American Eel | One meal per month | Do not eat | |
| Smallmouth Bass | Four meals per year | Do not eat | New-2025 |

| Paulinskill Lake <i>Sussex County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Yellow Perch | No restrictions | One meal per week | |
| Common Carp | One meal per month | One meal per month | Updated-2025 |
| Bluegill Sunfish | Four meals per year | Do not eat | Revised-2025 |

Peddie Lake
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | |
| Bluegill Sunfish | Four meals per year | Do not eat | |
| Brown Bullhead | No restrictions | No restrictions | |
| American Eel | Four meals per year | Do not eat | |

Pemberton Lake

Burlington County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Black Crappie | One meal per week | One meal per week | New-2025 |
| Bluegill Sunfish | No restrictions | One meal per week | New-2025 |
| Largemouth Bass | One meal per week | One meal per month | New-2025 |
| White Perch | One meal per week | One meal per week | New-2025 |
| Common Carp | One meal per month | One meal per month | New-2025 |

Penbryn Lake

Camden County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Black Crappie | One meal per week | One meal per month | New-2025 |
| Bluegill Sunfish | One meal per week | One meal per month | New-2025 |
| Channel Catfish | No restrictions | One meal per week | New-2025 |
| Largemouth Bass | One meal per week | One meal per month | New-2025 |
| American Eel | One meal per week | One meal per month | New-2025 |
| Brown Bullhead | No restrictions | One meal per week | New-2025 |
| Common Carp | One meal per week | One meal per month | New-2025 |

Pennsauken Creek
Camden County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| White Perch | One meal per month | Do not eat | |
| Bluegill Sunfish | One meal per month | Four meals per year | |
| Pumpkinseed Sunfish | One meal per week | One meal per month | |
| White Catfish | One meal per month | One meal per year | |
| Channel Catfish | One meal per month | Do not eat | Updated-2025 |
| Common Carp | Four meals per year | Do not eat | |

Pine Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Largemouth Bass | One meal per year | Do not eat | |
| Pumpkinseed Sunfish | One meal per year | Do not eat | Updated-2025 |
| American Eel | One meal per year | Do not eat | Updated-2025 |
| Bluegill Sunfish | One meal per year | Do not eat | New-2025 |
| Chain Pickerel | One meal per year | Do not eat | New-2025 |
| Brown Bullhead | Four meals per year | Do not eat | New-2025 |

Pohatcong Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Yellow Perch | One meal per week | One meal per week | |
| American Eel | One meal per week | Do not eat | |

Pompton Lake at Pompton Lakes
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Common Carp | One meal per month | One meal per month | |

Pompton River
Passaic/Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Northern Pike | One meal per week | Do not eat | |
| Yellow Perch | One meal per month | One meal per month | Revised-2025 |
| Black Crappie | No restrictions | One meal per month | |
| Rock Bass | One meal per week | Do not eat | |
| Redbreast Sunfish | One meal per week | Four meals per year | |
| Common Carp | Four meals per year | Do not eat | |
| Bluegill Sunfish | Four meals per year | Do not eat | New-2025 |
| Yellow Bullhead | One meal per week | One meal per week | New-2025 |

Prosperptown Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | Revised-2025 |
| Chain Pickerel | One meal per month | Do not eat | Revised-2025 |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Brown Bullhead | One meal per week | One meal per month | Revised-2025 |
| Black Crappie | One meal per week | One meal per month | New-2025 |
| Pumpkinseed Sunfish | One meal per week | One meal per month | New-2025 |

Raccoon Creek
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| American Eel | No restrictions | One meal per week | |

Rahway River at Milton Lake
Union County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Bluegill Sunfish | One meal per week | One meal per month | |
| Brown Bullhead | One meal per week | One meal per month | |
| Common Carp | Four meals per year | Do not eat | |

Rahway River at Valley Road Pond
Union County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Brown Bullhead | One meal per month | One meal per month | |
| Common Carp | One meal per month | Do not eat | |

Ramapo Lake
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Brown Bullhead | No restrictions | One meal per month | |

Ramapo River at Pompton/Wayne (Pompton Feeder)
Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | |
| Smallmouth Bass | One meal per week | Do not eat | |
| Black Crappie | One meal per week | One meal per month | |
| Rock Bass | One meal per week | Do not eat | |
| Redbreast Sunfish | One meal per week | One meal per month | |
| Pumpkinseed Sunfish | One meal per week | Do not eat | |
| Yellow Bullhead | One meal per week | Do not eat | |
| Common Carp | One meal per month | One meal per month | |

| Rancocas Creek at Delran <i>Burlington County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | Do not eat | |
| White Catfish | One meal per month | Do not eat | |
| Common Carp | Four meals per year | Do not eat | |
| Walleye | Four meals per year | Do not eat | |

| Rancocas Creek at Riverside <i>Burlington County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | Do not eat | |
| White Catfish | One meal per month | One meal per month | |
| Channel Catfish | One meal per month | Do not eat | |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Striped Bass | Four meals per year | Do not eat | |
| White Perch | One meal per week | One meal per month | |
| Flathead Catfish | One meal per month | One meal per month | New-2025 |

| Raritan River-North Branch at Branchburg <i>Somerset County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Smallmouth Bass | No restrictions | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per week | |
| Yellow Bullhead | One meal per week | One meal per month | |
| American Eel | One meal per week | One meal per month | |

| Raritan River-South Branch at Long Valley (Clairmont Section) <i>Hunterdon County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Brown Trout | No restrictions | One meal per week | |

Raritan River-South Branch at High Bridge
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|---|---|---|
| Redbreast Sunfish | No restrictions | One meal per week | |
| American Eel | One meal per month | Do not eat | |

Raritan River-South Branch at Flemington
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|---|---|---|
| Brown Trout | No restrictions | One meal per week | |
| Smallmouth Bass | One meal per week | One meal per week | |
| Redbreast Sunfish | No restrictions | One meal per week | |
| Yellow Bullhead | One meal per week | One meal per month | |
| American Eel | One meal per month | Do not eat | |

Raritan River- South Branch at Neshanic Station
Somerset County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per week | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Rock Bass | No restrictions | One meal per month | |
| Redbreast Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per week | |
| Common Carp | One meal per week | One meal per month | |
| American Eel | One meal per month | Do not eat | |

Raritan River-Confluence of the Millstone River at Millstone
Somerset County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Smallmouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Redbreast Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| White Catfish | No restrictions | One meal per month | |
| Channel Catfish | One meal per month | One meal per month | |
| Common Carp | One meal per month | Do not eat | |
| American Eel | One meal per month | Do not eat | |
| Walleye | One meal per month | Do not eat | |
| Flathead Catfish | One meal per month | One meal per month | |

Rockaway River at Powerville
Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | No restrictions | One meal per month | |
| Rock Bass | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Yellow Bullhead | No restrictions | One meal per week | |

Rockaway River at Whippany
Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Black Crappie | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | One meal per week | |

Rosedale Lake
Mercer County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Black Crappie | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Common Carp | No restrictions | One meal per week | |
| Channel Catfish | No restrictions | No restrictions | |

Round Valley Reservoir
Hunterdon County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Smallmouth Bass | One meal per month | One meal per month | Revised-2025 |
| Lake Trout | One meal per month | One meal per month | |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| White Catfish | One meal per week | One meal per week | |
| Channel Catfish | One meal per month | One meal per month | |
| American Eel | One meal per month | One meal per month | |

Salem Canal
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|--------------------|---|---|---|
| Northern Snakehead | One meal per week | One meal per week | New-2025 |
| Black Crappie | One meal per week | One meal per month | New-2025 |
| Largemouth Bass | Four meals per year | Do not eat | New-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | New-2025 |
| Common Carp | One meal per month | One meal per month | New-2025 |

Salem River
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per month | One meal per month | Revised-2025 |
| Common Carp | Four meals per year | Do not eat | Revised-2025 |
| White Perch | Four meals per year | Do not eat | New-2025 |
| American Eel | Four meals per year | Do not eat | New-2025 |

Saw Mill Pond
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Northern Pike | No restrictions | One meal per month | |
| Bluegill Sunfish | One meal per week | One meal per month | Revised-2025 |
| Brown Bullhead | No restrictions | No restrictions | |
| American Eel | One meal per week | One meal per week | Revised-2025 |

Shadow Lake
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | No restrictions | |

Shenandoah Lake
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| American Eel | One meal per month | One meal per month | |

Sheppard Pond
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Rock Bass | No restrictions | One meal per week | |
| Redbreast Sunfish | No restrictions | One meal per month | |
| Brown Bullhead | One meal per week | One meal per month | |
| Pumpkinseed Sunfish | No restrictions | No restrictions | |

Speedwell Lake
Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Common Carp | No restrictions | One meal per week | |

Splitrock Reservoir
Morris County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | No restrictions | One meal per month | |
| Yellow Perch | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |

| Spring Lake <i>Monmouth County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Common Carp | No restrictions | No restrictions | |

| Spruce Run Reservoir <i>Hunterdon County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | No restrictions | One meal per month | |
| Smallmouth Bass | One meal per week | One meal per month | |
| Channel Catfish | No restrictions | One meal per week | |
| Common Carp | One meal per month | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Hybrid Striped Bass | One meal per month | One meal per month | |
| Northern Pike | No restrictions | One meal per month | |

| Stafford Forge Main Line <i>Ocean County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per week | Do not eat | |

| Steeny Kill Lake <i>Sussex County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Chain Pickerel | One meal per week | One meal per month | Revised-2025 |
| American Eel | One meal per week | One meal per week | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | Updated-2025 |
| Brown Bullhead | No restrictions | One meal per week | New-2025 |
| Yellow Perch | One meal per week | One meal per month | New-2025 |

| Stewart Lake <i>Gloucester County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Bluegill Sunfish | Four meals per year | Do not eat | Revised-2025 |
| Brown Bullhead | One meal per week | Do not eat | |
| Common Carp | Four meals per year | Do not eat | Revised-2025 |
| Northern Snakehead | One meal per week | One meal per month | New-2025 |
| American Eel | One meal per month | One meal per month | New-2025 |
| White Perch | One meal per month | One meal per month | New-2025 |
| White Catfish | One meal per month | Do not eat | New-2025 |

| Stow Creek at Canton <i>Cumberland County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| American Eel | One meal per week | One meal per month | |

| Strawbridge Lake <i>Burlington County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Black Crappie | No restrictions | One meal per year | |
| Bluegill Sunfish | No restrictions | One meal per week | Updated-2025 |
| Brown Bullhead | One meal per week | Four meals per year | |
| Common Carp | Do not eat | Do not eat | |

| Success Lake <i>Ocean County (Pinelands Region)</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Chain Pickerel | One meal per week | Do not eat | |

| Sunset Lake <i>Cumberland County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | |

| Swartswood Lake <i>Sussex County</i> | | | |
|--|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per month | One meal per month | Revised-2025 |
| Smallmouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per week | |
| Walleye | One meal per month | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per week | Revised-2025 |
| American Eel | One meal per week | One meal per month | |
| Brown Bullhead | No restrictions | One meal per week | New-2025 |

| Little Swartswood Lake <i>Sussex County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Brown Bullhead | No restrictions | One meal per week | |

| Swimming River Reservoir <i>Monmouth County</i> | | | |
|---|---|---|---|
| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
| Largemouth Bass | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |
| Common Carp | One meal per week | One meal per week | |
| American Eel | One meal per month | One meal per month | |

Toms River at Ridgeway Branch
Ocean County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------|---|---|---|
| Chain Pickerel | One meal per month | Do not eat | |
| Brown Bullhead | One meal per month | Do not eat | |

Turn Mill Pond
Ocean County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| American Eel | One meal per week | One meal per week | |

Union Lake
Cumberland County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|----------------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | Revised-2025 |
| Chain Pickerel | One meal per month | Do not eat | |
| White Perch | One meal per week | Do not eat | |
| Bluegill Sunfish | One meal per week | Do not eat | |
| Brown Bullhead | One meal per month | Do not eat | Revised-2025 |
| White Catfish | One meal per week | Do not eat | |
| Black Crappie | Four meals per year | Do not eat | New-2025 |
| Pumpkinseed Sunfish | One meal per week | Do not eat | New-2025 |
| Yellow Perch | One meal per month | Do not eat | New-2025 |
| American Eel | Four meals per year | Do not eat | New-2025 |

Wading River
Burlington County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Chain Pickerel | One meal per week | Do not eat | |
| Brown Bullhead | One meal per week | Do not eat | |
| Yellow Bullhead | One meal per week | Do not eat | |
| White Catfish | One meal per week | Do not eat | |

Wampum Lake
Monmouth County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | No restrictions | |

Wanaque Reservoir
Passaic County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Smallmouth Bass | One meal per month | Do not eat | |
| Chain Pickerel | One meal per week | Do not eat | |
| White Perch | One meal per week | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| Yellow Bullhead | No restrictions | One meal per week | |
| White Catfish | No restrictions | One meal per month | |

Wawayanda Lake
Sussex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | One meal per week | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per month | |
| Yellow Bullhead | One meal per week | One meal per month | |
| Brown Bullhead | No restrictions | One meal per week | |
| Pumpkinseed Sunfish | No restrictions | One meal per week | |

Weequahic Park Lake
Essex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|------------------|---|---|--|
| Largemouth Bass | No restrictions | One meal per week | |
| White Perch | No restrictions | One meal per week | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| Common Carp | One meal per month | One meal per month | |

Weston Mill Pond
Middlesex County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|------------------|---|---|--|
| Largemouth Bass | No restrictions | One meal per month | |
| Chain Pickerel | No restrictions | One meal per month | |
| Yellow Perch | No restrictions | One meal per month | |
| Black Crappie | No restrictions | One meal per month | |
| Bluegill Sunfish | No restrictions | One meal per week | |
| Brown Bullhead | No restrictions | No restrictions | |
| American Eel | One meal per month | Do not eat | |

White Lake
Warren County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-------------------------|---|---|--|
| Largemouth Bass | One meal per week | One meal per month | Revised-2025 |
| Chain Pickerel | One meal per week | One meal per month | Revised-2025 |
| Bluegill Sunfish | One meal per week | One meal per week | Revised-2025 |
| American Eel | No restrictions | One meal per week | Revised-2025 |
| Pumpkinseed Sunfish | No restrictions | No restrictions | |

Whitesbog Pond
Burlington County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|----------------|---|---|--|
| Chain Pickerel | One meal per week | Do not eat | |

Whites Pond in Waldwick
Bergen County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Bluegill Sunfish | One meal per month | One meal per month | New-2025 |
| Largemouth Bass | One meal per month | One meal per month | New-2025 |

Willow Grove Lake
Salem County (Pinelands Region)

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-----------------|---|---|---|
| Largemouth Bass | One meal per week | Do not eat | |
| Chain Pickerel | One meal per week | Do not eat | |
| Brown Bullhead | No restrictions | One meal per month | |
| Yellow Bullhead | One meal per week | Do not eat | |

Wilson Lake
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|-------------------------|---|---|---|
| Largemouth Bass | One meal per month | Do not eat | |
| Chain Pickerel | Do not eat | Do not eat | Updated-2025 |
| Yellow Perch | One meal per month | Do not eat | |
| Pumpkinseed Sunfish | One meal per month | Do not eat | |
| Bluegill Sunfish | One meal per month | Do not eat | Updated-2025 |
| Yellow Bullhead | One meal per month | Do not eat | Revised-2025 |

Woodbury Creek
Gloucester County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New- New advisory Revised-Advisory changed Updated-New data, no change in advisory |
|---------------------|---|---|---|
| Largemouth Bass | Four meals per year | Do not eat | |
| Channel Catfish | Four meals per year | Do not eat | |
| Pumpkinseed Sunfish | Four meals per year | Do not eat | |

Woodstown Memorial Lake
Salem County

| Species | General Population^(2,3) | High-Risk Population^(1,2,3) | New - New advisory Revised -Advisory changed Updated -New data, no change in advisory |
|-----------------|---|---|--|
| Largemouth Bass | No restrictions | One meal per month | |
| Black Crappie | No restrictions | One meal per month | |