#### **CHAPTER 9B**

#### SURFACE WATER QUALITY STANDARDS

#### Authority

N.J.S.A. 58:10A-1 et seq., 58:11A-1 et seq. and 13:1D-1 et seq.

#### Source and Effective Date

R.1998 d.234, effective April 17, 1998. See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

#### Executive Order No. 66(1978) Expiration Date

Chapter 9B, Surface Water Quality Standards, expires on April 17, 2003

#### Chapter Historical Note

Chapter 9B, Surface Water Quality Standards, was recodified from N.J.A.C. 7:9-4 by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 24 N.J.R. 4471(a), 25 N.J.R. 404(a), 25 N.J.R. 5569(a).

Pursuant to Executive Order No. 66(1978), Chapter 9B, Surface Water Quality Standards, was readopted as R.1996 d.87, effective January 18, 1996. See: 27 N.J.R. 3521(a), 28 N.J.R. 1202(a). Notice of Determination to Not Adopt Proposed Amendments to Surface Water Quality Standards. See: 29 N.J.R. 1691(b).

Pursuant to Executive Order No. 66(1978), Chapter 9B, Surface Water Quality Standards, was readopted as R.1998 d.234, effective April 17, 1998. See: Source and Effective Date. See, also, section annotations. Administrative correction. See: 30 N.J.R. 3267(a).

#### Cross References

Flood control, storm water systems, degradation of water quality, see N.J.A.C. 7:13-2.8.

#### CHAPTER TABLE OF CONTENTS

## SUBCHAPTER 1. SURFACE WATER QUALITY STANDARDS

Scope of subchapter

7:9B-1.1

- Construction 7:9B-1.2 7:9B-1.3 Severability 7:9B-1.4 Definitions 7:9B-1.5 Statements of policy Establishment of water quality-based effluent limitations 7:9B-1.67:9B-1.7 Waterway loadings in areawide water quality management Procedures for modifying water quality-based effluent limi-7:9B-1.8 tations for individual dischargers to Category One waters Procedures for modifying water quality-based effluent limi-7:9B-1.9 tations for individual dischargers to Category Two waters 7:9B-1.10 Procedures for reclassifying specific agents for less restric-
- tive uses
  7:9B-1.11 Procedures for reclassifying specific segments for more restrictive uses
- 7:9B-1.12 Designated uses of FW1, PL, FW2, SE1, SE2, SE3, and SC waters
- 7:9B-1.13 Designated uses of mainstem Delaware River and Delaware Bay
- 7:9B-1.14 Surface water quality criteria
- 7:9B-1.15 Surface water classifications for the waters of the State of New Jersey

## SUBCHAPTER 1. SURFACE WATER QUALITY STANDARDS

#### 7:9B-1.1 Scope of subchapter

Unless otherwise provided by rule or statute, this subchapter shall constitute the rules of the Department of Environmental Protection governing matters of policy with respect to the protection and enhancement of surface water resources, class definitions and quality criteria, use designation and quality criteria for the mainstem of the Delaware River including the Delaware Bay, the classification of surface waters of the State, procedures for establishing water quality-based effluent limitations, modification of water quality-based effluent limitations, procedures for reclassifying specific segments for less restrictive uses and procedures for reclassifying specific segments for more restrictive uses pursuant to N.J.S.A. 13:1D–1 et seq., the New Jersey Water Pollution Control Act, N.J.S.A. 58:10A–1 et seq., and the Water Quality Planning Act, N.J.S.A. 58:11A–1 et seq.

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a). Amended by R.1998 d.234, effective May 18, 1998. See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

### 7:9B-1.2 Construction

This subchapter shall be liberally construed to permit the Department and its various divisions to discharge their statutory functions.

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a).

#### 7:9B-1.3 Severability

If any subchapter, section, subsection, provision, clause, or portion of this chapter, or the application thereof to any person, is adjudged unconstitutional or invalid by a court of competent jurisdiction, such judgment shall be confined in its operation to the subchapter, section, subsection, clause, portion, or application directly involved in the controversy in which such judgment shall have been rendered and it shall not affect or impair the remainder of this chapter or the application thereof to other persons.

New Rule, R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a).

#### 7:9B-1.4 Definitions

The following words and terms, when used in this subchapter, shall have the following meanings, unless the context clearly indicates otherwise.

"Acute toxicity" means a lethal or severe adverse sublethal effect (for example, immobilization of daphnids) to an organism exposed to a toxic substance for a relatively short period of time. Acute toxicity is measured by short-term bioassays, generally of 48 or 96 hour duration.

"Agricultural water supply" means water used for field crops, livestock, horticulture, and silviculture.

"Ambient temperature" means the temperature of a waterbody beyond the portion of the waterbody that is affected by the localized heated waste discharge or discharge complex; or the temperature of a waterbody that would exist without the addition of heated discharges.

"Anadromous fish" means fish that spend most of their life in saline waters and migrate to fresh waters to spawn.

"Aquatic substrata" means soil material and associated biota underlying the water.

"Bioaccumulation" means the increase of the concentration of a substance within the tissues of an organism, to levels in excess of that substance's ambient environmental concentration, directly from the water or through the ingestion of food (usually other organisms).

"Bioassay" means a toxicity test using aquatic organisms to determine the concentration or amount of a toxic substance causing a specified response in the test organisms under stated test conditions.

"Biota" means the animal and plant life of an ecosystem; flora and fauna collectively.

"Calculable changes" means changes to water quality characteristics as demonstrated by any acceptable mathematical, predictive method.

"C1" means Category One waters.

"C2" means Category Two waters.

"Category one waters" means those waters designated in the tables in N.J.A.C. 7:9B–1.15(c) through (h), for purposes of implementing the antidegradation policies set forth at N.J.A.C. 7:9B–1.5(d), for protection from measurable changes in water quality characteristics because of their clarity, color, scenic setting, other characteristics of aesthetic value, exceptional ecological significance, exceptional recreational significance, exceptional water supply significance, or exceptional fisheries resource(s). These waters may include, but are not limited to:

- 1. Waters originating wholly within Federal, interstate, State, county, or municipal parks, forests, fish and wildlife lands, and other special holdings that have not been designated as FW1 at N.J.A.C. 7:9B–1.15(h) Table 6;
- 2. Waters classified at N.J.A.C. 7:9B-1.15(c) through (g) as FW2 trout production waters and their tributaries;
- 3. Surface waters classified in this subchapter as FW2 trout maintenance or FW2 nontrout that are upstream of waters classified in this subchapter as FW2 trout production;

- 4. Shellfish waters of exceptional resource value; or
- 5. Other waters and their tributaries that flow through, or border, Federal, State, county, or municipal parks, forests, fish and wildlife lands, and other special holdings.

"Category two waters" means those waters not designated as Outstanding National Resource Waters or Category One at N.J.A.C. 7:9B-1.15 for purposes of implementing the antidegradation policies set forth at N.J.A.C. 7:9B-1.5(d).

"Chlorine produced oxidants" means the sum of free and combined chlorine and bromine as measured by the methods approved under N.J.A.C. 7:18. In fresh waters the oxidants measured are comprised predominantly of hypochlorous acid (HOCl), hypochlorite ion (OCl-), monochloramine and dichloramine. In saline waters the oxidants measured are comprised predominately of the oxidants listed for fresh waters plus hypobromous acid (HOBr-), hypobromous ion (OBr) and bromamines.

"Chronic toxicity" means death or other adverse impacts that affect the growth, survival, or reproductive success of an organism or its progeny after a relatively long exposure period to toxic substances. Chronic toxicity is measured using intermediate-term or long-term bioassays.

"Criteria" means those elements of the Surface Water Quality Standards, expressed as constituent concentrations, levels, or narrative statements, representing a quality of water that supports a particular use. When the criteria are met, water quality will generally protect the designated use.

"Cumulative substance" means a substance that may be bioaccumulated within an organism to concentrations that exert a toxic effect on that organism or render it unfit for consumption.

"Department" means the New Jersey Department of Environmental Protection.

"Designated use" means those surface water or ground water uses, both existing and potential, that have been established by the Department for waters of the State.

"Diadromous fish" means fish that spend most of their life in one type of water, either fresh or saline, and migrate to the other type to spawn.

"Disinfection" means the removal, destruction, or inactivation of pathogenic and indicator organisms.

"Dissolved metal" means the concentration of metal that passes through a  $0.45~\mu m$  membrane filter (as defined in "Methods for Chemical Analysis of Water and Wastes," EPA-600/4-79-020, March 1979).

"DRBC" means Delaware River Basin Commission.

"EC50" means the median effective concentration of a toxic substance expressed as a statistical estimate of the concentration that has a specified adverse effect on 50 percent of the test organisms under specified test conditions, based on the results of an acute bioassay.

"Epilimnion" means the freely circulating upper region of a thermally stratified waterbody extending from the surface to the thermocline.

"Existing uses" means those uses actually attained in the waterbody on or after November 28, 1975, whether or not they are included in the Surface Water Quality Standards.

"Federal Act" means the "Federal Water Pollution Control Act" (33 U.S.C. § 1251 et seq.), commonly referred to as the Clean Water Act, including all subsequent supplements and amendments.

"Flow-through bioassay" means a toxicity test in which the test solutions flow into and out of the test chambers on a once-through basis for the duration of the test, in accordance with N.J.A.C. 7:18.

"Fresh water(s)" means all nontidal and tidal waters generally having a salinity, due to natural sources, of less than or equal to 3.5 parts per thousand at mean high tide.

"FW" means the general surface water classification applied to fresh waters.

"FW1" means those fresh waters, as designated in N.J.A.C. 7:9B–1.15(h) Table 6, that are to be maintained in their natural state of quality (set aside for posterity) and not subjected to any man-made wastewater discharges or increases in runoff from anthropogenic activities. These waters are set aside for posterity because of their clarity, color, scenic setting, other characteristic of aesthetic value, unique ecological significance, exceptional recreational significance, exceptional water supply significance, or exceptional fisheries resource(s).

"FW2" means the general surface water classification applied to those fresh waters that are not designated as FW1 or Pinelands Waters.

"Groundwater" means that portion of water beneath the land surface that is within the zone of saturation (below the water table) where pore spaces are filled with water.

"Heat dissipation area" means a mixing zone, as may be designated by the Department, into which thermal effluents may be discharged for the purpose of mixing, dispersing, or dissipating such effluents without creating nuisances, hazardous conditions, or violating the provisions of this chapter, the Surface Water Quality Standards.

"Hypolimnion" means the lower region of a stratified waterbody that extends from the thermocline to the bottom of the waterbody, and is isolated from circulation with the

upper waters, thereby receiving little or no oxygen from the atmosphere.

"Important species" means species that are commercially valuable (for example, within the top 10 species landed, by dollar value); recreationally valuable; threatened or endangered; critical to the organization and/or maintenance of the ecosystem; or other species necessary in the food web for the well-being of the species identified in this definition.

"Industrial water supply" means water used for processing or cooling.

"Intermittent stream" means a stream with a MA7CD10 flow of less than one-tenth (0.1) cubic foot per second.

"Lake, pond, or reservoir" means any impoundment, whether naturally occurring or created in whole or in part by the building of structures for the retention of surface water, excluding sedimentation control and stormwater retention/detention basins and ponds designed for treatment of wastewater. Lakes, ponds, and reservoirs are characterized by a long term or permanent downgradient restriction of surface water flow from the impoundment and areas of quiescent water within the body of the impoundment. Lakes, ponds, and reservoirs are frequently characterized by greater water depths within the impoundment than either the upgradient or downgradient surface water flow and by shallow water lateral edges containing emergent or submerged plant species. For regulatory purposes, the upgradient boundary of a lake, pond, impoundment, or reservoir shall be considered to be the point at which areas of greater depth and relatively quiescent water can be differentiated from the upgradient surface water input into the impoundment under average flow conditions.

"LC50" means the median lethal concentration of a toxic substance, expressed as a statistical estimate of the concentration that kills 50 percent of the test organisms under specified test conditions, based on the results of an acute bioassay.

"Limiting nutrient" means a nutrient whose absence or scarcity exerts a restraining influence upon an aquatic biological population.

"Load allocation" means the portion of a receiving water's total maximum daily load (TMDL) for a specific pollutant that is allocated to existing or future nonpoint sources of pollution.

"Long term harmonic mean flow" means the number of daily flow measurements divided by the sum of reciprocals of the flows; in other words, it is the appropriate design flow for health effects occurring after long term exposures and is calculated by

$$n/\sum_{i=1}^{n} (1/Qi)$$

where n is the number of recorded flows and Q is the combined receiving water and effluent flow.

"MA1CD10" means the minimum average one day flow with a statistical recurrence interval of 10 years.

"MA7CD10" means the minimum average seven consecutive day flow with a statistical recurrence interval of 10 years.

"MA30CD5" means the minimum average 30 consecutive day flow with a statistical recurrence interval of five years.

"Measurable changes" means changes measured or determined by a biological, chemical, physical, or analytical method, conducted in accordance with USEPA approved methods as identified in 40 C.F.R. 136 or other analytical methods (for example, mathematical models, ecological indices) approved by the Department, that might adversely impact a water use (including, but not limited to, aesthetics).

"Mixing zones" means localized areas of surface waters, as may be designated by the Department, into which wastewater effluents may be described for the purpose of mixing, dispersing, or dissipating such effluents without creating nuisances or hazardous conditions, or violating the provisions of this subchapter.

"Natural flow" means the water flow that would exist in a waterway without the addition of flow of artificial origin.

"Natural water quality" means the water quality that would exist in a waterway or a waterbody without the addition of water or waterborne substances from artificial origin.

"NJPDES" means New Jersey Pollutant Discharge Elimination System.

"Nondegradation waters" means those waters set aside for posterity because of their clarity, color, scenic setting, other characteristic of aesthetic value, unique ecological significance, exceptional recreational significance, or exceptional water supply significance. These waters include all waters designated as FW1 in this subchapter.

"Nonpersistent" means degrading relatively quickly, generally having a half-life of less than 96 hours.

"Nonpoint source" or "NPS" means:

1. Any man-made or man-induced activity, factor, or condition, other than a point source, from which pollutants are or may be discharged;

- 2. Any man-made or man-induced activity, factor, or condition, other than a point source, that may temporarily or permanently change any chemical, physical, biological, or radiological characteristic of waters of the State from what was or is the natural, pristine condition of such waters, or that may increase the degree of such change; or
- 3. Any activity, factor, or condition, other than a point source, that contributes or may contribute to water pollution.

"Nontrout waters" means fresh waters that have not been designated in N.J.A.C. 7:9B-1.15(b) through (h) as trout production or trout maintenance. These waters are generally not suitable for trout because of their physical, chemical, or biological characteristics, but are suitable for a wide variety of other fish species.

"Nontrout waters" means fresh waters that have not been designated in N.J.A.C. 7:9B–1.15(b) through (h) as trout production or trout maintenance. These waters are generally not suitable for trout because of their physical, chemical, or biological characteristics, but are suitable for a wide variety of other species. "NPDES" means National Pollutant Discharge Elimination System.

"NT" means nontrout waters.

"Nutrient" means a chemical element or compound, such as nitrogen or phosphorus, which is essential to and promotes the growth and development of organisms.

"Outstanding National Resource Waters" means high quality waters that constitute an outstanding national resource (for example, waters of National/State Parks and Wildlife Refuges and waters of exceptional recreational or ecological significance) as designated in N.J.A.C. 7:9B–1.15(i).

"Persistent" means relatively resistant to degradation, generally having a half life of over 96 hours.

"Pinelands waters" means all waters within the boundaries of the Pinelands Area, except those waters designated as FW1 in N.J.A.C. 7:9B–1.15(h) Table 6, as established in the Pinelands Protection Act (N.J.S.A. 13:18A–1 et seq.) and shown on Plate 1 of the "Comprehensive Management Plan" adopted by the New Jersey Pinelands Commission in November 1980.

"PL" means the general surface water classification applied to Pinelands Waters.

"Point source" or "PS" means any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, vessel, or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

"Pollutant" means any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, refuse, oil, grease, sewage sludge, munitions, chemical wastes, biological materials, medical wastes, radioactive substance (except those regulated under the Atomic Energy Act of 1954, as amended (42 U.S.C. §§ 2011 et. seq. )), thermal waste, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, agricultural and construction waste or runoff or other residue discharged directly or indirectly to the land, ground waters or surface waters of the State, or to a domestic treatment works as defined at N.J.A.C. 7:14A–1.2. "Pollutant" includes both hazardous and nonhazardous pollutants.

"Primary contact recreation" means water related recreational activities that involve significant ingestion risks and includes, but is not limited to, wading, swimming, diving, surfing, and water skiing.

"Public hearing" means a legislative type hearing before a representative or representatives of the Department providing the opportunity for public comment, but does not include cross-examination.

"River mile" or "R.M." means the distance, measured in statute miles, between two locations on a stream, with the first location designated as mile zero. For example, mile zero for the Delaware River is located at the intersection of the center line of the navigation channel and a line between the Cape May Light, New Jersey, and the tip of Cape Henlopen, Delaware.

"Saline waters" means waters having salinities generally greater than 3.5 parts per thousand at mean high tide.

"SC" means the general surface water classification applied to coastal saline waters.

"SE" means the general surface water classification applied to saline waters of estuaries.

"Secondary contact recreation" means recreational activities where the probability of water ingestion is minimal and includes, but is not limited to, boating and fishing.

"Shellfish" means those mollusks commonly known as clams, oysters, or mussels.

"Shellfish waters" means waters classified as Approved, Seasonally Approved, Special Restricted, Seasonally Special Restricted or Condemned that support or possess the potential to support shellfish which are within the Coastal Area Facility Review Act (C.A.F.R.A.) zone as delineated in 1973, (excluding: 1—The Cohansey River upstream of Brown's Run; 2—The Maurice River upstream of Route 548; 3—The Great Egg Harbor River upstream of Powell Creek; 4—The Tuckahoe River upstream of Route 50; 5—The Mullica River upstream of the Garden State Parkway) plus the adjacent areas between Route 35 (from its

juncture with the C.A.F.R.A. zone just north of Red Bank to its juncture with the C.A.F.R.A. zone just south of Keyport) and the C.A.F.R.A. zone and the area from the C.A.F.R.A. zone on the south northwesterly along Route 35 to the northern shore of the Raritan River, then easterly along the northern shore of the Raritan River to the southeast point of Perth Amboy, then due east to the New Jersey jurisdictional limit, and seaward along the jurisdictional limit to the Atlantic Ocean.

"State Act" means the New Jersey "Water Pollution Control Act," N.J.S.A. 58:10A-1 et seq., as amended.

"Stream temperature" means the temperature of a stream outside of a designated heat dissipation area.

"Surface water classifications" means names assigned by the Department as set forth at N.J.A.C. 7:9B-1.15(b) through (h) to waters having the same designated uses and water quality criteria (for example, FW1, PL, FW2-NT, SE1, SC, Zone 1C).

"Surface Water Quality Standards" means the New Jersey rules, in this chapter, N.J.A.C. 7:9B, which set forth designated uses, use classifications, and water quality criteria for the State's waters based upon such uses, and the Department's policies concerning these uses, classifications and criteria.

"Surface waters" means water at or above the land's surface which is neither groundwater nor contained within the unsaturated zone, including, but not limited to, the ocean and its tributaries, all springs, streams, rivers, lakes, ponds, wetlands, and artificial waterbodies.

"Thermal alterations" means the increase or decrease in the temperature of surface waters, above or below the natural temperature, that may be caused by the activities of man.

"Thermocline" means the plane of maximum rate of change in temperature with respect to depth.

"Tidal waters" means fresh or saline water under tidal influence, up to the head of tide.

"TM" means trout maintenance.

"Total maximum daily load" or "TMDL" means a total maximum daily load formally established pursuant to Section 7 of the Water Quality Planning Act (N.J.S.A. 58:11A-7) and Section 303(d) of the Clean Water Act, 33 U.S.C. §§ 1251 et seq. A TMDL is the sum of individual wasteload allocations for point sources, load allocations for nonpoint sources of pollution, other sources such as tributaries, or adjacent segments, and allocations to a reserve or margin of safety for an individual pollutant.

"Total recoverable metal" means the concentration of metal in an unfiltered sample following treatment with hot

Supp. 5-18-98

dilute mineral acid (as defined in "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1979, incorporated herein by reference).

"Toxic substance" or "toxic pollutant" means any pollutant identified pursuant to the Federal Act, or any pollutant or combination of pollutants, including disease causing agents, which after discharge and upon exposure, ingestion, inhalation or assimilation into any organism, either directly or indirectly by ingestion through food chains, may, on the basis of the information available to the Department, cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions, including malfunctions in reproduction, or physical deformation, in such organisms or their offspring. Toxic pollutants shall, include but not be limited, to those pollutants identified pursuant to Section 307 of the Federal Act or Section 4 of the State Act, or in the case of "sludge use or disposal practices," any pollutant identified pursuant to Section 405(d) of the Federal Act.

"TP" means trout production.

"Trout maintenance waters" means waters designated at N.J.A.C. 7:9B-1.15(b) through (g) for the support of trout throughout the year.

"Trout production waters" means waters designated at N.J.A.C. 7:9B-1.15(b) through (g) for use by trout for spawning or nursery purposes during their first summer.

"Unsaturated zone" means the subsurface volume between the land's surface and the top of the saturated zone (water table), where moisture does not fill all the pore spaces in the formation or soil.

"USEPA" means the United States Environmental Protection Agency.

"Wasteload allocation" or "WLA" means the portion of a receiving water's total maximum daily load for a specific pollutant that is allocated to one of its existing or future point sources of pollution. WLAs constitute a type of water quality-based effluent limitation.

"Water quality-based effluent limitations" means effluent limitations established so that the quality of the waters receiving a discharge will meet the surface water quality criteria and policies of this chapter after the introduction of the effluent.

"Waters of the State" means the ocean and its estuaries, all springs, streams, wetlands, and bodies of surface or ground water, whether natural or artificial, within the boundaries of the State of New Jersey or subject to its jurisdiction.

"Wetlands" means those areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as hydrophytic vegetation. The Department shall evaluate the parameters of hydrology, soils, and vegetation to determine the presence and extent of wetlands.

"Zone" means the general surface water classification applied to the main stem Delaware River and Delaware Bay.

Amended by R.1989 d.420, effective August 7, 1989.
See: 20 N.J.R. 1597(a), 21 N.J.R. 2302(b).
Amended by R.1993 d.610, effective December 6, 1993.
See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a).
Amended by R.1996 d.383, effective August 5, 1996.
See: 27 N.J.R. 4506(b), 28 N.J.R. 3782(b).
Added "Dissolved metal" and amended "Nondegradation waters" to include color as a criterion for set asides.
Amended by R.1998 d.234, effective May 18, 1998.

See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

Rewrote the section.

#### 7:9B-1.5 Statements of policy

- (a) General policies are as follows:
- 1. These Surface Water Quality Standards apply to all surface waters of the State.
- 2. Water is vital to life and comprises an invaluable natural resource which is not to be abused by any segment of the State's population or economy. It is the policy of the State to restore, maintain and enhance the chemical, physical and biological integrity of its waters, to protect the public health, to safeguard the aquatic biota, protect scenic and ecological values, and to enhance the domestic, municipal, recreational, industrial, agricultural and other reasonable uses of the State's waters.
- 3. Toxic substances in waters of the State shall not be at levels that are toxic to humans or the aquatic biota, or that bioaccumulate in the aquatic biota so as to render them unfit for human consumption.
- 4. The discharge in domestic or industrial wastewater of carcinogenic, mutagenic, or teratogenic substances is of particular concern to the Department. Human health-based ambient criteria have been established for carcinogenic substances at levels which would result in no greater than a one-in-one-million lifetime excess cancer risk for Group A and B carcinogens, under exposure assumptions appropriate for the designated uses of the waterbody. Criteria for Group C carcinogens, for which reference doses are not available, have been established at levels which would result in no greater than a one-in-one-hundred thousand lifetime excess cancer risk.

- 5. Existing uses shall be maintained and protected. Designated uses shall, as soon as technically and economically feasible, be attained wherever these uses are not precluded by natural conditions. Where existing criteria are inadequate to support the existing or designated uses, the criteria shall be changed to support the existing uses.
- 6. The restoration of saline waters to levels which permit unrestricted shellfish harvesting is an objective of the Department.

#### (b) Interstate waters policies are as follows:

- 1. The designated uses and water quality criteria for the fresh and saline waters under the jurisdiction of the Delaware River Basin Commission shall be as established in accordance with N.J.A.C. 7:9B–1.13, 1.14(c), and 1.14(d).
- 2. The designated uses and water quality criteria for waters under the jurisdiction of the Interstate Sanitation Commission in the New Jersey/New York metropolitan area shall be as established in this subchapter, or in accordance with the prevailing Water Quality Regulations of the Interstate Sanitation Commission, including all amendments and future supplements thereto, whichever are more stringent.

#### (c) General technical policies are as follows:

- 1. The natural water quality shall be used in place of the promulgated water quality criteria of N.J.A.C. 7:9B–1.14 for all water quality characteristics that do not meet the promulgated water quality criteria as a result of natural causes.
- 2. Water quality criteria are expected to be maintained during periods when nontidal or small tidal stream flows are at or greater than the appropriate design flow. For carcinogenic effect-based human health criteria, the design flow shall be the long term harmonic mean flow. For noncarcinogenic effect-based human health criteria, the design flow shall be the MA30CD5 flow. For acute aquatic life protection criteria, the design flow shall be the MA1CD10 flow. For chronic aquatic life protection criteria the design flow shall be the MA7CD10 flow. The design flow for all other criteria shall be the MA7CD10 flow.
- 3. Water quality criteria are expected to be maintained in intermittent streams during all natural flow conditions. When an intermittent stream does not contain natural flow of sufficient magnitude to determine water quality, the criteria to be maintained in the intermittent stream will be those pertaining to the measurable natural flow immediately downstream of the intermittent stream.
  - 4. Mixing zones policies are as follows:
  - i. Water quality within a mixing zone may be allowed to fall below applicable water quality criteria provided

- the existing and designated uses outside the mixing zone are not adversely impacted.
- ii. Mixing zone requirements will be determined by the Department on a case-by-case basis taking into special consideration the extent and nature of the receiving waters so as to meet the intent and purpose of the criteria and standards.
- iii. The total area and volume of a waterway or waterbody assigned to mixing zones shall be limited to that which will not interfere with biological communities or populations of important species to a degree which is damaging to the ecosystem or which diminishes other beneficial uses disproportionately. Furthermore, significant acute mortality of aquatic biota shall not occur within the mixing zone.
- iv. Zones of passage shall be provided for the passage of free-swimming and drifting organisms wherever mixing zones are allowed.
- v. Temperature changes in designated heat dissipation areas shall not cause mortality of the aquatic biota nor create conditions which allow the introduction or maintenance of populations of undesirable organisms at nuisance levels.
- vi. Where waste discharges would result in heat dissipation areas in such close proximity to each other as to impair protected uses, additional limitations shall be prescribed to avoid such impairment.
- vii. No heat dissipation areas shall be permitted in waters classified as FW2-TP or within 1,500 feet of the shoreline in SC waters.
- viii. No mixing zones shall be permitted for indicators of bacterial quality including but not limited to, fecal coliforms and enterococci.
- 5. All analytical data to be incorporated by the Department in water quality monitoring or other activities shall be from laboratories approved or certified by the Department for the analysis of those specific parameters. If certification is not offered for the specific parameter, the laboratory performing the analysis shall, at a minimum, hold certification in the category of certification covering that type of parameter.
- 6. The Department shall utilize the parameter specific criteria contained in N.J.A.C. 7:9B–1.14 in the development of chemical specific water quality based effluent limitations for point source discharges. Whenever parameter specific criteria have not been adopted, the Department will utilize the best available scientific information in the development of chemical specific water quality based effluent limitations for point source discharges. Ambient criteria published by the United States Environmental Protection Agency pursuant to section 304(a) of the Federal Clean Water Act represent the minimum acceptable best scientific information to be used in the development of water quality based effluent limitations for point source discharges.

**9B-7** Supp. 5-18-98

- (d) Antidegradation policies are as follows:
- 1. These antidegradation policies apply to all surface waters of the State.
- 2. Existing uses shall be maintained and protected. Designated uses shall be maintained or, as soon as technically and economically feasible, be attained wherever these uses are not precluded by natural conditions.
- 3. No irreversible changes may be made to existing water quality that would impair or preclude attainment of the designated uses of a waterway.
- 4. No changes shall be allowed in waters which constitute an outstanding National or State resource or in waters that may affect these outstanding resource waters.
- 5. Where water quality exceeds levels necessary to support the designated uses, including, but not limited to, propagation of fish, shellfish, and wildlife and recreation in and on the water, that quality shall be maintained and protected unless the Department finds, after full satisfaction of the intergovernmental coordination and public participation provisions of the Department's continuing planning process as set forth in the Statewide Water Quality Management Plan (see N.J.A.C. 7:15), which includes, but is not limited to, the NJPDES Regulations (N.J.A.C. 7:14A), that allowing lower water quality is necessary to accommodate important economic or social development in the area in which the waters are located.
- 6. These antidegradation policies shall be applied as follows:
  - i. The quality of Nondegradation waters shall be maintained in their natural state (set aside for posterity) and shall not be subject to any manmade wastewater discharges. The Department shall not approve any activity which, alone or in combination with any other activities, might cause changes, other than toward natural water quality, in the existing surface water quality characteristics.
  - ii. For Pinelands waters, the Department shall not approve any activity which alone or in combination with any other activities, might cause changes, other than toward natural water quality, in the existing surface water quality characteristics. This policy shall apply as follows:
    - (1) This policy is not intended to interfere with water control in the operation of cranberry bogs or blueberry production.
    - (2) Dischargers holding valid NJPDES permits as of May 20, 1985 shall be allowed to continue discharging under the terms of their existing NJPDES permits provided that the discharge is not creating any water quality problems and that the designated uses are being attained. If a water quality problem has been created or the designated uses are not being attained, the NJPDES permit shall be modified to eliminate the water quality problem or attain the designated uses.

- (3) Existing dischargers shall be subject to all the provisions of this subchapter when they apply for modification or expansion of their existing discharge.
- iii. Category One waters shall be protected from any measurable changes (including calculable or predicted changes) to the existing water quality. Water quality characteristics that are generally worse than the water quality criteria, except as due to natural conditions, shall be improved to maintain or provide for the designated uses where this can be accomplished without adverse impacts on organisms, communities or ecosystems of concern.
- iv. For Category Two waters, water quality characteristics that are generally better than, or equal to, the water quality standards shall be maintained within a range of quality that shall protect the existing/designated uses, as determined by studies acceptable to the Department, relating existing/designated uses to water quality. Where such studies are not available or are inconclusive, water quality shall be protected from changes that might be detrimental to the attainment of the designated uses or maintenance of the existing uses. Water quality characteristics that are generally worse than the water quality criteria shall be improved to meet the water quality criteria.
- 7. Where a lower classification of water (including the different antidegradation waters) may impinge upon a higher classification of water the Department shall ensure that the quality and uses of the higher classification water are protected.
- 8. A waterway or waterbody from which raw water is transferred to another waterway or waterbody shall be treated as a tributary to the waterway or waterbody receiving the transferred water.
- 9. Modifications of water quality based effluent limitations established to implement this antidegradation policy may be granted pursuant to N.J.A.C. 7:9B-1.8 and 1.9.
- (e) Water quality-based effluent limitation policies are as follows:
  - 1. Water quality-based effluent limitations may be established so as to minimize total expenditures, subject to social and environmental constraints, so that the provisions of the water quality standards (which includes the antidegradation policies) are met. This policy may result in the assignment of different levels of treatment to different dischargers where this proves more beneficial on a study area basis.
  - 2. Modifications of water quality-based effluent limitations established to implement the water quality standards (which includes the antidegradation policies) granted pursuant to N.J.A.C. 7:9B–1.8 and 1.9, shall provide for effluent limits at least as stringent as those required pursuant to sections 301, 306, and 307 of the Federal Clean Water Act or the minimum BOD<sub>5</sub> effluent standards at N.J.A.C. 7:14A–12.4, where applicable, whichever are more stringent.

- 3. Water quality-based effluent limitations developed in accordance with N.J.A.C. 7:14A-13.6 shall not interfere with the attainment of the Surface Water Quality Standards, including the antidegradation policies.
- 4. When a discharge is made to a tidal waterway in the reach where the salinity varies from less than 3.5 ppt. to greater than 3.5 ppt., or the salinity data are inconclusive, the Department shall establish as water quality-based effluent limitations the more stringent of the limitations, on a parameter specific basis, required for the upstream, FW, waters or the downstream, SE, waters.
- 5. Where the effluent limitations developed pursuant to N.J.A.C. 7:14A–13.6 are below the level of detectability of the procedures in N.J.A.C. 7:18 the Department will use an effluent limitation of nondetectable in any NJPDES permit.
- 6. Compliance schedules may be issued in accordance with N.J.A.C. 7:14A–6.4 when it is demonstrated by a discharger that new or revised water quality-based effluent limitations, based on ambient criteria adopted or revised after July 1, 1977, cannot be consistently met with the facility's existing treatment process. No schedule of compliance may be allowed for parameter specific water quality-based effluent limitations where the parameter specific ambient water quality criterion, which was the basis for developing that limitation, was adopted prior to July 1, 1977, and has not been revised since adoption.
- (f) Bioassay and biomonitoring policies are as follows:
  - 1. Bioassay test species selection criteria follow:
  - i. The objective of the Department is to use test species for toxicity testing bioassays that are representative of the more sensitive aquatic biota from the different trophic levels of the waters in question.
  - ii. Test species need not be indigenous to, nor occur in the waters in question.
  - iii. When the bioassay test protocol being utilized falls under the scope of N.J.A.C. 7:18 the Department shall designate the approved representative species considered to be the most sensitive to the discharge.
- 2. Acute definitive bioassay tests, in accordance with N.J.A.C. 7:18, will normally be utilized in determining the toxicity of a discharge to the aquatic biota.
- 3. The Department, in order to further characterize the toxicity of a discharge, may allow or require the use of other procedures including, but not limited to:
  - i. Bioaccumulation testing;
  - ii. Mutagenicity testing; and
  - iii. Measures of the structure and function of the aquatic community in the receiving waters.
- 4. Parameter specific water quality criteria for toxic substances in a waterbody may be established by the

Department when adequate data, from appropriate bioassays or scientific literature, are available as follows:

- i. Appropriate bioassays, for purposes of this policy, shall include both acute definitive and chronic definitive bioassays; and
- ii. The amount of bioassay data or scientific literature needed to support adoption of a parameter specific criterion in a given waterbody will be determined by the Department on a case-by-case basis.
- (g) Nutrient policies are as follows:
  - 1. These policies apply to all FW waters of the State.
- 2. Except as due to natural conditions, nutrients shall not be allowed in concentrations that cause objectionable algal densities, nuisance aquatic vegetation, or otherwise render the waters unsuitable for the designated uses.
- 3. The Department may establish site-specific water quality criteria for nutrients in lakes, ponds, reservoirs or streams, in addition to or in place of the criteria in N.J.A.C. 7:9B–1.14, when necessary to protect existing or designated uses. Such criteria shall become part of these Water Quality Standards.
- 4. The Department shall establish water quality based effluent limits for nutrients, in addition to or more stringent than, the effluent standard in N.J.A.C. 7:9–5.7, as necessary to meet the quality criteria.
- 5. Activities resulting in the non-point discharge of nutrients shall implement the best management practices determined by the Department to be necessary to protect the existing or designated uses.
- 6. The Department may allow or require the use of algal biostimulation assays, to determine the limiting nutrient in a lake, pond, reservoir or stream.

Amended by R.1989 d.420, effective August 7, 1989. See: 20 N.J.R. 1597(a), 21 N.J.R. 2302(b). Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a). Amended by R.1994 d.84, effective February 22, 1994. See: 25 N.J.R. 405(a), 26 N.J.R. 1124(a). Amended by R.1998 d.234, effective May 18, 1998. See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

In (c), added a new 6; in (e), deleted former 2 through 4, recodified former 5 as 2, inserted a new 3 and recodified former 6 through 8 as 4 through 6; and in (f), deleted former 4 and recodified former 5 as 4.

#### Case Notes

Proposed disturbance of isolated wetlands for construction of stormwater outfall and associated stormwater conveyance structure met permit requirements. Clothier v. Department of Environmental Protection, 95 N.J.A.R.2d (EPE) 229.

## 7:9B-1.6 Establishment of water quality-based effluent limitations

(a) For Category One waters, as defined in N.J.A.C. 7:9B–1.4, draft water quality-based effluent limitations shall be assigned to a point source discharge so as to protect the

existing water quality from any measurable or calculable changes. The Department shall establish draft water quality-based effluent limitations, as appropriate, for those parameters contained in N.J.A.C. 7:9B–1.14, as well as any other parameters the Department believes may have a detrimental effect on the designated or existing uses.

- (b) For Category Two waters, as defined in N.J.A.C. 7:9B-1.4, draft water quality-based effluent limitations shall be assigned to a point source discharge so as to:
  - 1. Maintain water quality characteristics that are generally better than or equal to the water quality standards at a level that will protect the existing and designated uses; and
  - 2. Bring water quality characteristics that are generally worse than the water quality criteria, except as due to natural conditions, up to the water quality criteria or to levels corresponding with wasteload allocations established pursuant to N.J.A.C. 7:15–7.6.
- (c) Water quality based effluent limits for chlorine produced oxidants based on the criteria in N.J.A.C. 7:9B–1.14(c)14 are not applicable where:
  - 1. The aquatic community of a waterbody is exposed to one or more point source discharges of non-contact cooling water that is intermittently chlorinated to control condenser biofouling;
  - 2. The total period of such exposure to chlorinated wastewater is two hours per day or less; and
  - 3. The maximum concentration of chlorine produced oxidants in the effluents of such discharges shall not exceed 200  $\mu$ g/L.

Amended by R.1989 d.420, effective August 7, 1989.

See: 20 N.J.R. 1597(a), 21 N.J.R. 2302(b).

Administrative Correction. See: 23 N.J.R. 302(a).

Amended by R.1993 d.610, effective December 6, 1993.

See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a). Amended by R.1998 d.234, effective May 18, 1998.

See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

Rewrote the section.

#### Case Notes

Department of Environmental Protection findings should be adequately supported by the record and carefully explained. Matter of Issuance of a Permit by Dept. of Environmental Protection to Ciba-Geigy Corp., 120 N.J. 164, 576 A.2d 784 (1990).

Department of Environmental Protection must state whether a final permit satisfies Ocean Discharge Criteria and must state in both the draft and final permit the basis of its finding. Matter of Issuance of a Permit by Dept. of Environmental Protection to Ciba-Geigy Corp., 120 N.J. 164, 576 A.2d 784 (1990).

A discharge seeking to reduce water quality below the level necessary to support designated uses must advance important economic or social development in the area. Matter of Issuance of a Permit by Dept. of Environmental Protection to Ciba-Geigy Corp., 120 N.J. 164, 576 A.2d 784 (1990).

Department of Environmental Protection should determine whether discharges into "Category Two" waters maintain water quality to protect designated uses. Matter of Issuance of a Permit by Dept. of Environmental Protection to Ciba-Geigy Corp., 120 N.J. 164, 576 A.2d 784 (1990).

## 7:9B-1.7 Waterway loadings in areawide water quality management plans

Any total maximum daily load, wasteload allocation, or load allocation established as an amendment to an areawide water quality management plan under N.J.A.C. 7:15–3.4 shall be consistent with all of the provisions of this subchapter.

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a).

# 7:9B-1.8 Procedures for modifying water quality-based effluent limitations for individual dischargers to Category One waters

- (a) An applicant requesting modification of a water quality-based effluent limitation, established on a case-by-case basis, must demonstrate, to the satisfaction of the Department, after public notice (including notice to affected municipalities) and a public hearing (where sufficient public interest exists), that:
  - 1. Some change in ambient water quality should be allowed because of necessary and justifiable social or economic development;
  - 2. Alternative effluent limitations, at least as stringent as the technology-based effluent limitations required by either sections 301, 306, and 307 of the Federal Clean Water Act, or the effluent limitations resulting from application of the minimum BOD<sub>5</sub> effluent standards in N.J.A.C. 7:14A-12.4 (where applicable), whichever are more stringent, will not interfere nor be injurious to the existing or designated uses; and
  - 3. Where the requested modified effluent limitations would result in contravention of the water quality criteria or the degradation of the natural water quality, whichever is less stringent:
    - i. The water quality criteria are not attainable because of natural background; or
    - ii. The water quality criteria are not attainable because of irretrievable man-induced conditions; or
    - iii. Natural, ephemeral, intermittent, or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met; or
    - iv. Controls more stringent than those required by Sections 301(b) and 306 of the Federal Clean Water Act would result in substantial and widespread adverse social and economic impact.

(g) In those cases in which a thermal discharge is involved, the procedures for reclassifying segments for more restrictive uses shall be consistent with section 316 of the Federal Clean Water Act.

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a). Amended by R.1998 d.234, effective May 18, 1998. See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

In (a), deleted "sponsored or endorsed by County or Municipal Governing Bodies" following "entertain petitions".

#### 7:9B-1.12 Designated uses of FW1, PL, FW2, SE1, SE2, SE3, and SC waters

- (a) In all FW1 waters the designated uses are:
- 1. Set aside for posterity to represent the natural aquatic environment and its associated biota;
  - 2. Primary and secondary contact recreation;
- 3. Maintenance, migration and propagation of the natural and established aquatic biota; and
  - 4. Any other reasonable uses.
- (b) In all PL waters the designated uses are:
- 1. Cranberry bog water supply and other agricultural uses:
- 2. Maintenance, migration and propagation of the natural and established biota indigenous to this unique ecological system;
- 3. Public potable water supply after conventional filtration treatment (a series of processes including filtration, flocculation, coagulation, and sedimentation, resulting in substantial particulate removal but no consistent removal of chemical constituents) and disinfection;
  - 4. Primary and secondary contact recreation; and
  - 5. Any other reasonable uses.
- (c) In all FW2 waters the designated uses are:
- 1. Maintenance, migration and propagation of the natural and established biota;
  - 2. Primary and secondary contact recreation;
  - 3. Industrial and agricultural water supply;
- 4. Public potable water supply after conventional filtration treatment (a series of processes including filtration, flocculation, coagulation, and sedimentation, resulting in substantial particulate removal but no consistent removal of chemical constituents) and disinfection; and
  - 5. Any other reasonable uses.
- (d) In all SE1 waters the designated uses are:
- 1. Shellfish harvesting in accordance with N.J.A.C. 7:12;

- 2. Maintenance, migration and propagation of the natural and established biota;
  - 3. Primary and secondary contact recreation; and
  - 4. Any other reasonable uses.
- (e) In all SE2 waters the designated uses are:
- 1. Maintenance, migration and propagation of the natural and established biota;
  - Migration of diadromous fish;
  - Maintenance of wildlife;
  - 4. Secondary contact recreation; and
  - Any other reasonable uses.
- (f) In all SE3 waters the designated uses are:
  - 1. Secondary contact recreation;
  - 2. Maintenance and migration of fish populations;
  - Migration of diadromous fish;
  - Maintenance of wildlife; and
  - 5. Any other reasonable uses.
- (g) In all SC waters the designated uses are:
- 1. Shellfish harvesting in accordance with N.J.A.C. 7:12;
  - 2. Primary and secondary contact recreation;
- 3. Maintenance, migration and propagation of the natural and established biota; and
  - 4. Any other reasonable uses.

Petition for Rulemaking: Exxon petitioning for reclassification to less restrictive uses of portion of Morses Creek. 21 N.J.R. 3791(c).

Amended by R.1998 d.234, effective May 18, 1998.

See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

Rewrote (b)3 and (c)4.

#### Case Notes

Leasehold in shellfish bottoms was not particularized property right sufficient to entitle holder to adjudicatory hearing regarding coastal development. N.J.S.A. 12:5-1 et seq., 13:19-1 et seq., 50:1-5 et seq., 52:14B-2(b), 52:14B-9. Spalt v. New Jersey Dept. of Environmental Protection, 237 N.J.Super. 206, 567 A.2d 264 (A.D.1989), certification denied 122 N.J. 140, 584 A.2d 213.

#### 7:9B-1.13 Designated uses of mainstem Delaware River and Delaware Bay

(a) The designated uses for the mainstem Delaware River and Delaware Bay are those contained in "Delaware River Basin Commission, Water Quality Regulations, Administrative Manual—Part III," Article 3, dated October 23, 1996, including all amendments and future supplements thereto.

(b) The designated uses for other waters under the jurisdiction of the DRBC are as set forth at N.J.A.C. 7:9B-1.15(d).

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 25 N.J.R. 5569(a). Amended by R.1998 d.234, effective May 18, 1998. See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

In (a), changed date of Administrative Manual from May 22, 1991 to

October 23, 1996.

#### 7:9B-1.14 Surface water quality criteria

- (a) Surface water quality criteria for FW1 waters shall be maintained as to quality in their natural state.
- (b) Surface water quality criteria for PL waters are as follows:
  - 1. These waters shall be maintained as to quality in their existing state or that quality necessary to attain or protect the designated uses, whichever is more stringent.
    - i. For Nitrate-Nitrogen a level of 2 mg/L shall be maintained in the surface waters unless it is shown that a lower level must be maintained to protect the existing surface water quality.

- ii. A pH level between 3.5 and 5.5 shall be maintained unless it is demonstrated that a pH level outside of that range is necessary to protect the existing/desig-
- 2. The water quality criteria for existing discharges are the water quality criteria contained in "Surface Water Quality Standards" as adopted in March 1981, except that:
  - i. The criteria for Nitrate-Nitrogen and pH promulgated in N.J.A.C. 7:9B-1.14(b)1 for PL waters apply instead of the 1981 criteria; and
  - ii. The criteria for phosphorous and toxic substances promulgated in N.J.A.C. 7:9B-1.14(c) apply instead of the 1981 criteria, as though the freshwater portions of the PL waters were classified as FW2 and the saline portions were classified as SE1.
- (c) Surface Water Quality Criteria for FW2, SE, SC

#### Surface Water Quality Criteria for FW2, SE and SC Waters

(Expressed as maximum concentrations unless otherwise noted)

Sub	stance
1.	Bacterial quality
	(Counts/100 ml)

#### Criteria

- Bacterial Indicators shall not exceed, in all shellfish waters, the standard for approved shellfish waters as established by the National Shellfish Sanitation Program as set forth in its current manual of operations
- Fecal Coliforms:
  - (1) Fecal coliform levels shall not exceed a geometric average of 50/100 ml.
  - (2) Fecal coliform levels shall not exceed a geometric average of 200/100 ml nor should more than 10 percent of the total samples taken during any 30-day period exceed 400/100 ml.
  - (3) Fecal coliform levels shall not exceed a geometric average of 770/100 ml.
  - (4) Fecal coliform levels shall not exceed a geometric average of 1500/100 ml.
- iii. Enterococci:
  - (1) Enterococci levels shall not exceed a geometric mean of 33/100 ml, nor shall any single sample exceed 61/100 ml.
  - (2) Enterococci levels shall not exceed a geometric mean of 35/100 ml, nor shall any single sample exceed 104/100 ml.
- iv. Samples shall be obtained at sufficient frequencies and at locations during periods which will permit valid interpretation of laboratory analyses. As a guideline and for the purpose of these regulations, a minimum of five samples as equally spaced over a 30-day period, as feasible, should be collected; however, the number of samples, frequencies and locations will be determined by the Department or other appropriate agency in any particular case.
- 2. Dissolved oxygen (mg/L)
- Not less than 7.0 at any time;
- 24 hour average not less than 6.0. Not less than 5.0 at any time (see paragraph viii below);
- 24 hour average not less than 5.0, but not less than 4.0 at any time iii. (see paragraph viii below);

#### Classifications Shellfish Waters

- Within 1500 feet of shoreline in SC waters. FW2, SE1, and SC 1500 feet to 3 miles from the shoreline.
- SE2 SE3
- FW2
- SE1 and SC
- All Classifications

FW2-TP FW2-TM

FW2-NT (except as in iv below), SE1

Sub	stance	iteria v. Not less than 4.0 at any time;	,	Classifications Tidal portions of FW2-NT tributaries to the Delaware River, between Rancocas Creek and Big Timber
		corresponding 100 percent satillating 24 hour averages.	en values shall be expressed as their uration values for purposes of calcu-	Creek inclusive. SC SE2 SE3 FW2-TM, FW2-NT, SE1
3.	Floating, colloidal, color and settleable solids; pe- troleum hydrocarbons and other oils and grease	the aquatic substrata in quanti None which would render the uses; and	or deposited along the shore or on ties detrimental to the natural biota. waters unsuitable for the designated	All Classifications
		ing the Federal EPA Environn Laboratory Method (Freon Ex	"the goal is none detectable utiliz- nental Monitoring and Support tractable—Silica Gel Adsorption— resent criteria, however, are those	All Classifications
4.	pH (Standard Units)	i. 6.5-8.5.	_	FW2, All SE
_	Dhambana Tatal	i. Natural pH conditions shall pr		SC
5.	Phosphorus, Total (mg/L)	pond or reservoir, or in a tribu such bodies of water, except v oped pursuant to N.J.A.C. 7:91		FW2
		in paragraph i above or where pursuant to N.J.A.C. 7:9B-1.5( not exceed 0.1 in any stream, u	to satisfy the more stringent criteria e site-specific criteria are developed g)3, phosphorous as total P shall unless it can be demonstrated that not and will not otherwise render the nated uses.	FW2
6.	Radioactivity	<ol> <li>Prevailing regulations including plements thereto adopted by the Agency pursuant to Sections 1.</li> </ol>	g all amendments and future sup- ne U.S. Environmental Protection 412, 1445, and 1450 of the Public led by the Safe Drinking Water Act	All Classifications
7.	Solids, Suspended (mg/L)	i. 25.0		FW2-TP, FW2-TM
	(Non-filterable residue)	<ul><li>i. 40.0</li><li>ii. None which would render the uses.</li></ul>	waters unsuitable for the designated	FW2-NT All SE, SC
8.	Solids, Total Dissolved [Filterable Residue] (mg/L)	growth or propagation of the a percent of background are dee narrative criterion above. Incre ground may be granted where	ich may adversely affect the survival, iquatic biota. (Increases up to 133 med to be in compliance with the cases above 133 percent of backthe discharger demonstrates, to the that the proposed increase will not ota.)	FW2
		<ol> <li>No increase in background wh</li> </ol>	ich would interfere with the desigmg/L, whichever is more stringent.	FW2
			water unsuitable for the designated	All SE
9.	Sulfate (mg/L)	i. 250		FW2
10.	Taste and odor producing substances	or odors in water supplies and None which would render the uses.	which would produce offensive taste biota used for human consumption. waters unsuitable for the designated	All Classifications
11.	Temperature and Heat Dissipation Areas	<ul><li>Thermal Alterations (Tempera heat dissipation areas)</li><li>(1) Streams</li></ul>	tures shall be measured outside of	
		(i) No thermal alteration ambient temperature wastewater effluents	ons which would cause changes in es except where properly treated are discharged. Where such diseratures shall not deviate more than bient temperature.	FW2-TP

**9B-15** Supp. 5-18-98

Substance

Criteria

(ii) No thermal alterations which would cause temperatures to exceed ambient by more than 1.1°C (2°F) at any time or which would cause temperatures in excess of 20°C

Classifications FW2-TM

(iii) No thermal deviations which would cause temperatures to deviate more than 2.8°C (5°F) at any time from ambient temperatures. No heat may be added which would cause temperatures to exceed 27.8°C (82°F) for small mouth bass or yellow perch waters, or 30°C (86°F) for other nontrout waters.

FW2-NT

No thermal alterations which would cause temperatures to deviate from ambient by more than 2.2°C (4°F), from September through May, nor more than 0.8°C (1.5°F) from June through August, nor cause temperatures to exceed 29.4°C (85°F).

All SE

(2) Lakes, Ponds or Reservoirs

No thermal alterations except where it can be shown to be beneficial to the designated and existing uses.

FW2-TM, FW2-TP

No thermal alterations of more than 1.7°C (3°F) in the epilimnion of lakes and other standing waters. No

FW2-NT

discharges of heated effluent into the hypolimnion nor pumping of water from the hypolimnion (for discharge back into the same water body) shall be permitted unless it is demonstrated, to the satisfaction of the Department, that such practices will be beneficial to the existing and designated uses.

All SE

SC

(3) Saline Bays—No thermal alterations which would cause temperatures to deviate from ambient by more than 2.2°C (4°F), from September through May, nor more than 0.8°C (1.5°F) from June through August nor cause temperatures to exceed

29.4°C (85°F). (4) Coastal Waters—No direct heat additions within 1500 feet of the shoreline. No thermal alterations which would cause

temperatures to deviate from ambient temperatures by more than 2.2°C (4°F) from September through May, nor more than 0.8°C (1.5°F) from June through August, nor which would

cause temperatures to exceed 26.7°C (80°F).

ii. Heat Dissipation Areas

(1) Streams

FW2-TM, FW2-NT, All SE

- (i) Not more than one-quarter (1/4) of the cross section and/or volume of the water body at any time;
- Not more than two-thirds (%) of the surface from shore to shore at any time; and
- These limits may be exceeded by special permission, on a case-by-case basis, when a discharger can demonstrate that a larger heat dissipation area meets the tests for a waiver under Section 316 of the Federal Clean Water Act.

(2) Lakes, Ponds, Reservoirs, Bays or Coastal Waters: Heat dissipation areas will be developed on a case-by-case basis.

None, either alone or in combination with other substances, in such concentrations as to affect humans or be detrimental to the natural aquatic biota, produce undesirable aquatic life, or which would render the waters unsuitable for the designated uses.

FW2

None which would cause standards for drinking water to be exceeded after appropriate treatment.

All Classifications

All Classifications

All Classifications

Toxic substances shall not be present in concentrations that cause acute or chronic toxicity to aquatic biota, or bioaccumulate within an organism to concentrations that exert a toxic effect on that organism or render it unfit for consumption.

All Classifications

The concentrations of nonpersistent toxic substances in the State's waters shall not exceed one-twentieth (0.05) of the acute definitive LC50 or EC50 value, as determined by appropriate bioassays conducted in accordance with N.J.A.C. 7:18.

Toxic Substances (general)

Criteria

Classifications
All Classifications

v. The concentration of persistent toxic substances in the State's waters shall not exceed one-hundredth (0.01) of the acute definitive LC50 or EC50 value, as determined by appropriate bioassays conducted in accordance with N.J.A.C. 7:18.

13. Toxic Substances (µg/L):

Substance

NOTE: Except as noted, aquatic life criteria followed by an (a) represent acute aquatic life protection criteria as a one-hour average and aquatic life criteria followed by (c) represent chronic aquatic life protection criteria as a four-day average. No exceedance of aquatic life criteria shall be permitted at or above the design flows specified in section N.J.A.C. 7:9B-1.5(c)2. Criteria followed by an (h) are noncarcinogenic effect-based human health criteria as a 30-day average with no frequency of exceedance at or above the design flows specified in section N.J.A.C. 7:9B-1.5(c)2. Criteria followed by an (hc) are carcinogenic effect-based human health criteria as a 70-year average with no frequency of exceedance at or above the design flows specified in section N.J.A.C. 7:9B-1.5(c)2 and are based on a risk level of one-in-one-million. Criteria followed by an (hcc) are for toxic substances considered to be possible human carcinogens as a 70-year average with no frequency of exceedance at or above the design flows specified in section N.J.A.C. 7:9B-1.5(c)2 and are based on a risk level of one-in-one hundred thousand. Criteria followed by an (OL) are organoleptic effect-based criteria and are maximum concentrations.

i.	Acenaphthylene	Reserved.	
	Acrolein	(1) 320(h)	All FW2
		(2) 780(h)	All SE, SC
iii.	Acrylonitrile	(1) 0.0591(hc)	All FW2
	1.01/10.11.00	(2) 0.665(hc)	All SE, SC
iv.	Aldrin	(1) 3.0(a); 0.000135(hc)	All FW2
14.	A Marini	(2) 1.3(a); 0.000144(hc)	All SE, SC
v.	Aluminum (Total recoverable)	Reserved.	rm ob, oc
vi.	Ammonia, un-ionized	(1) 20(c)	FW2-TP, FW2-TM
V1.	(24-hour average)	(1) 20(c) (2) 50(c)	FW2-NT
	(24-flour average)	(3) 0.1 of acute definitive	All SE, SC
		LC50 or EC50(c)	All SL, SC
vii.	Anthracene	(1) 9,570(h)	All FW2
V11.	Antinacene	(1) 3,376(h) (2) 108,000(h)	All SE, SC
*****	Antimony (Total recoverable)	(1) 12.2(h)	All FW2
viii.	Antimony (Total recoverable)	(1) 12.2(11) (2) 4,300(h)	All SE, SC
:	Argania (Total reservariable)		All FW2
ix.	Arsenic (Total recoverable)	(1) 0.0170(hc)	All SE, SC
	Ashaataa	(2) 0.136(hc)	All FW2
х.	Asbestos	(1) 7 million fibers/L(h) (fibers longer than 10 micrometers)	All I W Z
i	Barium (Total recoverable)	(1) 2,000(h)	All FW2
xi. xii.	Benz(a)anthracene	(1) 2,000(h) (1) 0.0028(hc)	All FW2
AII.	Benz(a)antinacene	(1) 0.0025(hc) (2) 0.031(hc)	All SE, SC
xiii.	Benzene	(1) 0.150(hc)	All FW2
AIII.	Benzene	(2) 71(hc)	All SE, SC
xiv.	Benzidine	(1) 0.000118(hc)	All FW2
Aiv.	Benziame	(2) 0.000535(hc)	All SE, SC
XV.	3,4-Benzofluoranthene	(1) 0.0028(hc)	All FW2
Av.	(Benzo(b)fluoranthene)	(2) 0.031(hc)	All SE, SC
xvi	Benzo(a)pyrene	(1) 0.0028(hc)	All FW2
д.	(BaP)	(2) 0.031(hc)	All SE, SC
xvii.	Benzo(ghi)perylene	Reserved.	121 022, 00
xviii.	Benzo(k)fluoranthene	(1) 0.0028(hc)	All FW2
21,111.	Benzo (n)maorammene	(2) 0.031(hc)	All SE, SC
xix.	Beryllium (Total recoverable)	Reserved.	,
XX.	alpha-BHC (alpha-HCH)	(1) 0.00391(hc)	All FW2
	mp 2220 (mp 2222)	(2) 0.0131(hc)	All SE, SC
xxi.	beta-BHC (beta-HCH)	(1) 0.137(hcc)	All FW2
		(2) 0.460(hcc)	All SE, SC
xxii.	gamma-BHC	(1) 2.0(a); 0.080(c)	All FW2
	(gamma-HCH/Lindane)	(2) 0.16(a)	All SE, SC
xxiii.	Bis(2-chloroethyl) ether	(1) 0.0311(hc)	All FW2
	* * * * * * * * * * * * * * * * * * * *	(2) 1.4(hc)	All SE, SC
xxiv.	Bis(2-chloroisopropyl) ether	(1) 1,250(h)	All FW2
	1 17 /	(2) 170,000(h)	All SE, SC
XXV.	Bis(2-ethylhexyl) phthalate	(1) 1.76(hc)	All FW2
	, , , , , ,	(2) 5.92(hc)	All SE, SC
xxvi.	Bromodichloromethane	(1) 0.266(hc)	All FW2
	(Dichlorobromomethane)	(2) 22(hc)	All SE, SC
xxvii.	Bromoform	(1) 4.38(hc)	All FW2

**9B-17** Supp. 5-18-98

Substance	<u>Criteria</u>	Classifications
xxviii.	Butyl benzyl phthalate	(2) 360(hc) All SE, SC (1) 239(h) All FW2
xxix.	Cadmium (Total recoverable)	(2) 416(h) All SE, SC (1) 10(h) All FW2
XXX.	Carbon tetrachloride	(1) $0.363(hc)$ All FW2
xxxi.	Chlordane	(2) 6.31(hc) All SE, SC (1) 2.4(a); 0.0043(c); 0.000277(hc) All FW2 (2) 0.09(a); 0.0040(c); 0.000283(hc) All SE, SC
xxxii.	Chloride	(1) 250,000(o1); 860,000(a); 230,000(c) All FW2
xxxiii.	Chlorine Produced Oxidants (CPO)	(1) 19(a); 11(c) All FW2 (2) 13(a); 7.5(c) All SE, SC
xxxiv.	Chlorobenzene	(1) 22.0(h) All FW2
XXXV.	Chloroform	(2) 21,000(h) All SE, SC (1) 5.67(hc) All FW2 (2) 470(hc) All SE, SC
xxxvi.	2-Chlorophenol	(1) 122(h) All FW2 (2) 402(h) All SE, SC
xxxvii.	Chlorpyrifos	(1) 0.083(a); 0.041(c) All FW2
xxxviii.	Chromium (Total recoverable)	(2) 0.011(a); 0.0056(c) All SE, SC (1) 160(h) All FW2 (2) 3,230(h) All SE, SC
xxxix.	Chrysene	(1) 0.0028(hc) All FW2
xl.	Copper (Dissolved)	(2) 0.031(hc) All SE, SC (1) (Reserved.) (2) (Reserved.) New York/New Jersey
xli.	Cyanide	(3) 7.9(a); 5.6(c) Harbor Estuary † (1) 22(a); 5.2(c); 768(h) All FW2 (2) 1.0(a); 1.0(c); 220,000(h) All SE, SC
xlii.	4,4'-DDD (p,p'-TDE)	(1) 0.000832(hc) All FW2
xliii.	4,4'-DDE	(2) 0.000837(hc) All SE, SC (1) 0.000588(hc) All FW2 (2) 0.000591(hc) All SE, SC
xliv.	4,4'-DDT	(2) 0.000591(hc) All SE, SC (1) 1.1(a); 0.0010(c); 0.000588(hc) All FW2 (2) 0.13(a); 0.0010(c); 0.000591(hc) All SE, SC
	Demeton	(1) 0.1(c) All FW2 SE, and SC
xlvi.	Dibenz(a,h)anthracene	(1) 0.0028(hc) All FW2 (2) 0.031(hc) All SE, SC
xlvii.	Dibromochloromethane (Chlorodibromomethane)	(1) 72.6(h) All FW2
xlviii.	Di-n-butyl phthalate	(1) 3,530(h) All FW2 (2) 15,700(h) All SE, SC
xlix.	1,2-Dichlorobenzene	(1) 2,520(h) All FW2
1.	1,3-Dichlorobenzene	(2) 16,500(h) All SE, SC (1) 2,620(h) All FW2 (2) 22,200(h) All SE, SC
li.	1,4-Dichlorobenzene	(2) 22,200(ll) All SE, SC (1) 343(h) All FW2 (2) 3,159(h) All SE, SC
lii.	3,3'-Dichlorobenzidine	(1) 0.0386(hc) (2) 0.0767(hc) All FW2 All SE, SC
liii.	1,2-Dichloroethane	(2) 0.076 (lic) All SE, SC (1) 0.291(hc) All FW2 (2) 99(hc) All SE, SC
liv. lv.	1,1-Dichloroethylene trans-1,2-Dichloroethylene	(1) 4.81(h) All FW2
lvi.	2,4-Dichlorophenol	(1) 592(h) All FW2 (1) 92.7(h) All FW2
lvii.	1,3-Dichloropropene	(2) 794(h) All SE, SC (1) 0.193(hc) All FW2 (2) 1700(h) All SE, SC
lviii.	Dieldrin	(1) 2.5(a); 0.0019(c); 0.000135(hc) All FW2
lix.	Diethyl phthalate	(2) 0.71(a); 0.0019(c); 0.000144(hc) All SE, SC (1) 21,200(h) All FW2 (2) 111,000(h) All SE, SC
lx.	Dimethyl phthalate	(1) 313,000(h) All FW2
lxi.	4,6-Dinitro-o-cresol	(2) 2,900,000(h) All SE, SC (1) 13.4(h) All FW2 (2) 765(h) All SE, SC
lxii.	2,4-Dinitrophenol	(1) 69.7(h) All FW2

9B-18

Substance		Criteria		Classifications
		0.470.4.4.1	(2) 14,000(h)	All SE, SC
	lxiii.	2,4-Dinitrotoluene	(1) 0.11(hc)	All FW2 All SE, SC
	lxiv.	1,2-Diphenylhydrazine	(2) 9.1(hc) (1) 0.0405(hc)	All FW2
	IAIV.	1,2-Diphenymydrazine	(2) 0.541(hc)	All SE, SC
	lxv.	Endosulfans	(1) 0.22(a); 0.056(c); 0.932(h)	All FW2
		(alpha and beta)	(2) 0.034(a); 0.0087(c); 1.99(h)	All SE, SC
	lxvi.	Èndosulfan sulfate	(1) 0.93(h)	All FW2
			(2) 2.0(h)	All SE, SC
	lxvii.	Endrin	(1) 0.18(a); 0.0023(c); 0.629(h)	All FW2
	lxviii.	Endrin aldehyde	(2) 0.037(a); 0.0023(c); 0.678(h) (1) 0.76(h)	All SE, SC All FW2
	ixviii.	Endrin aldenyde	(1) 0.76(h) (2) 0.81(h)	All SE, SC
	lxix.	Ethylbenzene	(1) 3,030(h)	All FW2
			(2) 27,900(h)	All SE, SC
	lxx.	Fluoranthene	(1) 310(h)	All FW2
			(2) 393(h)	All SE, SC
		Fluorene	(1) 1,340(h)	All FW2 All FW2, SE and SC
	lxxii.	Guthion Heptachlor	(1) 0.01(c) (1) 0.52(a); 0.0038(c); 0.000208(hc)	All FW2
	IAAIII.	Teptaemor	(2) 0.053(a); 0.0036(c); 0.000236(hc)	All SE, SC
	lxxiv.	Heptachlor epoxide	(1) 0.52(a); 0.0038(c); 0.000103(hc)	All FW2
			(2) 0.053(a); 0.0036(c); 0.000106(hc)	All SE, SC
	lxxv.	Hexachlorobenzene	(1) 0.000748(hc)	All FW2
			(2) 0.000775(hc)	All SE, SC
	lxxvi.	Hexachlorobutadiene	(1) 6.94(h)	All FW2
	lxxv11.	Hexachlorocyclopentadiene	(1) 245(h) (2) 17,000(h)	All FW2 All SE, SC
	lxxviii.	Hexachloroethane	(1) 2.73(h)	All FW2
	LLXVIII.	Tiemenior octinate	(2) 12.4(h)	All SE, SC
	lxxix.	Indeno(1,2,3-cd)	(1) 0.0028(hc)	All FW2
<b>_</b>		pyrene	(2) 0.031(hc)	All SE, SC
		Iron (Total recoverable)	Reserved.	All FW2
	lxxxi. lxxxii.		(1) 552(h) (1) 5(h)	All FW2
	lxxxiii.		(1) 0.1(c)	All FW2, SE and SC
	lxxxiv.		(1) 100 $(h)$	All SE, SC
	lxxxv.	Mercury (Total recoverable)	(1) 0.144(h)	All FW2
		36 d 11	(2) 0.146(h)	All SE, SC
	lxxxvi.	Methoxychlor	(1) 0.03(c); 40(h) (2) 0.03(c)	All FW2 All SE, SC
	lxxxvii.	Methyl bromide	(1) 48.4(h)	All FW2
	IAAAVII.	(Bromomethane)	(2) 4,000(h)	All SE, SC
1	xxxviii.	Methyl chloride	Reserved.	,
		(Chloromethane)		
	lxxxix.	Methylene chloride	(1) 2.49(hc)	All FW2
		Minor	(2) 1,600(hc)	All SE, SC All FW2, SE and SC
	xc. xci.	Mirex Nickel (Total recoverable)	(1) 0.001(c) (1) 516(h)	All FW2, SE and SC All FW2
	ACI.	(Total recoverable)	(1) 316(h) (2) 3,900(h)	All SE, SC
	xcii.	Nitrate (as N)	(1) 10,000(h)	All FW2
	xciii.	Nitrobenzene	(1) 16.0(h)	All FW2
			(2) 1,900(h)	All SE, SC
	xciv.	N-Nitrosodi-n-butylamine	(1) 0.00641(hc)	All FW2 All FW2
	xcv. xcvi.	N-Nitrosodiethylamine N-Nitrosodimethylamine	(1) 0.000233(hc) (1) 0.000686(hc)	All FW2
	ACVI.	14-1410 osodinie inylaninie	(2) 8.1(hc)	All SE, SC
	xcvii.	N-Nitrosodiphenylamine	(1) 4.95(hc)	All FW2
		· · · · · · · · · · · · · · · · · · ·	(2) 16.2(hc)	All SE, SC
	xcviii.	N-Nitrosopyrrolidine	(1) 0.0167(hc)	All FW2
	xcix.	Parathion	(1) 0.065(a); 0.013(c)	All FW2 All FW2
	c.	Pentachlorobenzene	(1) 3.67(h) (2) 4.21(h)	All SE, SC
المستحدث	ci.	Pentachlorophenol	(1) e(1.005(pH) - 4.830)(a);	02., 00
	OI.		e(1.005(pH) - 5.290)(c); 0.282(hc)	All FW2
			(2) $13(a)$ ; $7.9(c)$ ; $8.2(hc)$	All SE, SC
		1		



Substa		Criteria		Classifications
		Phenanthrene	Reserved.	
	ciii.	Phenol	(1) 20,900(h)	All FW2
			(2) 4,600,000(h)	All SE, SC
		Phosphorous (yellow)	(1) 0.1(c)	All SE, SC
•	cv.	Polychlorinated biphenyls	(1) 0.014(c); 0.000244(hc)	All FW2
		(PCBs-1242, 1254, 1221, 1232 1248, 1260, and 1016)		All SE, SC
	cvi.	Pyrene	(1) 797(h)	All FW2
			(2) 8,970(h)	All SE, SC
	cvii.	Selenium (Total recoverable)	(1) 10(h)	All FW2
	cviii.	Silver (Total recoverable)	(1) 164(h)	All FW2
	cix.	Sulfide-hydrogen sulfide	(1) 2(c)	All FW2, SE and SC
		(undissociated)		
	cx.	1,2,4,5-Tetrachlorobenzene	(1) 2.56(h)	All FW2
			(2) 3.25(h)	All SE, SC
	cxi.	2,3,7,8-Tetrachlorodibenzo-p-	(1) 0.000000013(hc)	All FW2
		dioxin (TCDD)	(2) 0.000000014(hc)	All SE, SC
	cxii.	1,1,2,2,-Tetrachloroethane	(1) 1.72(hcc)	All FW2
	cxiii.	Tetrachloroethylene	(1) 0.388(hc)	All FW2
			(2) 4.29(hc)	All SE, SC
	cxiv.	Thallium (Total recoverable)	(1) 1.70(h)	All FW2
			(2) 6.22(h)	All SE, SC
	cxv.	Toluene	(1) 7,440(h)	All FW2
	4.2	20100110	(2) 200,000(h)	All SE, SC
	cxvi.	Toxaphene	(1) 0.73(a); 0.0002(c); 0.000730(hc)	All FW2
	02111.	Tonaphone	(2) 0.21(a); 0.0002(c); 0.000747(hc)	All SE, SC
	cxvii.	1,2,4-Trichlorobenzene	(1) 30.6(h)	All FW2
	0211111	1,2,1 1110111010001120110	(2) 113(h)	All SE, SC
	cxviii.	1,1,1,-Trichloroethane	(1) 127(h)	All FW2
	cxix.	1,1,2-Trichloroethane	(1) 13.5(h)	All FW2
	CXX.	Trichloroethylene	(1) 1.09(hc)	All FW2
	· CAA.	Themoroemytene	(2) 81(hc)	All SE, SC
	cxxi.	2,4,5-Trichlorophenol	(1) 2,580(h)	All FW2
	CAAI.	2,4,5-Themorophenor	(1) 2,350(h) (2) 9,790(h)	All SE, SC
	cxxii.	2,4,6-Trichlorophenol	(1) 2.14(hc)	All FW2
	CAAII.	2,4,0-111emorophenor	(1) 2.14(llc) (2) 6.53(llc)	All SE, SC
	cxxiii.	Vinyl chloride	(1) 0.0830(hc)	All FW2
	CAMIII.	v myr emoriae	(1) 0.0050(hc) (2) 525(hc)	All SE, SC
	cxxiv.	Zinc (Total recoverable)	Reserved.	All SE, SC
14.	Furbidity (N	lenhelome i Maximum	a 30-day average of 15 NTU, a maximum of 50 NTU at	FW2, SE3
17. t	ric Turbidit	y Unit-NTU) any time.		,
		any time	a 30-day average of 10 NTU, a maximum of 30 NTU at	SE1, SE2
		iii. Levels sha	all not exceed 10.0 NTU.	SC

- † These waters include Newark Bay, the New Jersey portions of Raritan Bay, Upper New York Bay, Lower New York Bay, Arthur Kill, Kill van Kull, saline portions of the Passaic, Hackensack, and Hudson Rivers, and saline portions of tributaries to all of these waters.
- (d) Surface water quality criteria for waters under the jurisdiction of the DRBC:
  - 1. Mainstem Delaware River and Delaware Bay:
  - i. For parameters with criteria in "Delaware River Basin Commission, Administrative Manual—Part III, Water Quality Regulations," Article 3, dated October 23, 1996, including all amendments and future supplements thereto, the criteria contained therein are the applicable criteria.
  - ii. For parameters without criteria in "Delaware River Basin Commission, Administrative Manual—Part III, Water Quality Regulations," Article 3, dated October 23, 1996, including all amendments and future supplements thereto, the criteria at (c) above are the applicable criteria and shall be applied as follows:

- (1) Criteria applicable to FW2-NT waters apply where salinities are less than or equal to 3.5 parts per thousand (ppt) at mean high tide;
- (2) Criteria applicable to SE waters apply where salinities are greater than 3.5 ppt at mean high tide; and
- (3) Where salinities vary from 3.5 ppt or less, to greater than 3.5 ppt, at mean high tide, the more stringent of the FW2–NT or SE criteria apply.
- 2. Tributaries to the mainstem Delaware River and Delaware Bay:



- i. The applicable criteria are those contained in "Delaware River Basin Commission, Administrative Manual—Part III, Water Quality Regulations," Article 3, dated October 23, 1996, including all amendments and supplements thereto; or
- ii. The criteria at (c) above, whichever are more stringent.
- 3. For all waters under the jurisdiction of the DRBC where criteria are not established in "Delaware River Basin Commission, Administrative Manual—Part III, Water Quality Regulations," Article 3, dated October 23, 1996, including all amendments and future supplements thereto, or at (c) above, the Department shall use criteria based upon the best available scientific information, in accordance with (d)1ii above and N.J.A.C. 7:9B-1.5(c)5, to establish water quality-based effluent limitations.

Amended by R.1987 d.320, effective August 3, 1987 (operative October 1, 1987).

See: 18 N.J.R. 1435(a), 19 N.J.R. 1433(a).

Amended by R.1989 d.420, effective August 7, 1989.

See: 20 N.J.R. 1597(a), 21 N.J.R. 2302(b).

Amended by R.1993 d.415, effective August 16, 1993.

See: 25 N.J.R. 405(a), 25 N.J.R. 3755(a).

Amended by R.1993 d.610, effective December 6, 1993.

See: 24 N.J.R. 3983(a), 24 N.J.R. 4471(a), 25 N.J.R. 5569(a).

Amended by R.1996 d.383, effective August 5, 1996.

See: 27 N.J.R. 4506(b), 28 N.J.R. 3782(b).

Amended by R.1998 d.234, effective May 18, 1998.

See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

In the table in (c), inserted 8ii and recodified former ii as iii; and in (d), changed the date of the Administrative Manual throughout.

## 7:9B-1.15 Surface water classifications for the waters of the State of New Jersey

- (a) This section contains the surface water classifications for the waters of the State of New Jersey. Surface water classifications are presented in tabular form. Subsections (c) through (g) contain surface water classifications by major drainage basin. Subsection (h) lists FW1 waters by tract within basins and subsection (i) identifies the Outstanding National Resource Waters of the State.
- (b) The following are instructions for the use of Tables 1 through 5 found in N.J.A.C. 7:9B-1.15(c) through (g) respectively:
  - 1. The surface water classification tables give the surface water classifications for waters of the State. Surface waters of the State and their classification are listed in the table covering the major drainage basin in which they are located. The major drainage basins are:
    - i. The Atlantic Coastal drainage basin which contains the surface waters listed in Table 1 in (c) below;
    - ii. The Delaware River drainage basin which contains the surface waters listed in Table 2 in (d) below;
    - iii. The Passaic River, Hudson River and New York Harbor Complex drainage basin which contains the surface waters listed in Table 3 in (e) below;

- iv. The Raritan River and Raritan Bay drainage basin which contains the surface waters listed in Table 4 in (f) below; and
- v. The Wallkill River drainage basin which contains the surface waters listed in Table 5 in (g) below.
- 2. Within each basin the waters are listed alphabetically and segment descriptions begin at the headwaters and proceed downstream.

#### 3. To find a stream:

- i. Determine which major drainage basin the stream is in:
- ii. Look for the name of the stream in the appropriate table and find the classification;
- iii. For unnamed or unlisted streams, find the stream or other waterbody that the stream of interest flows into and look for the classification of that stream or waterbody. The classification of the stream of interest may then be determined by referring to (b)5 below. If the second stream or waterbody is also unlisted, repeat the process until a listed stream or waterbody is found. Use (b)5iv below to classify streams entering unlisted lakes.
- 4. To find a lake or other non-stream waterbody:
- i. Determine which major drainage basin the waterbody is in;
- ii. Look for the waterbody name in the appropriate table:
- iii. If the waterbody is not listed, use (b)5ii, 5iii, 5vi, and 5vii below to determine the appropriate classification
- 5. To find unnamed waterways or waterbodies or named waterways or waterbodies which do not appear in the listing, use the following instructions:
  - i. Unnamed or unlisted freshwater streams that flow into streams classified as FW2-TP, FW2-TM, or FW2-NT take the classification of the classified stream they enter, unless the unlisted stream is a PL water which is covered in (b)5vii below. If the stream could be a C1 water, see (b)5vi below.
  - ii. All freshwater lakes, ponds and reservoirs that are five or more acres in surface area, that are not located entirely within the Pinelands Area boundaries (see (b)5vii below) and that are not specifically listed as FW2-TP or FW2-TM are classified as FW2-NT. This includes lakes, ponds and reservoirs on segments of streams which are classified as FW2-TM or FW2-TP such as Saxton Lake on the Musconetcong River. If the waterbody could be a C1 water, also check (b)5vi below.
  - iii. All freshwater lakes, ponds and reservoirs, that are less than five acres in surface area, upstream of and

contiguous with FW2-TP or FW2-TM streams, and which are not located entirely within the Pinelands Area boundaries (see(b)5vii below) are classified as FW2-TM. All other freshwater lakes, ponds and reservoirs that are not otherwise classified in this subsection or the following tables are classified as FW2-NT. If the waterbody could be a C1 water, also check (b)5vi below.

- iv. Unnamed or unlisted streams that enter FW2 lakes, ponds and reservoirs take the classification of either the listed tributary stream flowing into the lake with the highest classification or the listed tributary stream leaving the lake with the highest classification, whichever has the highest classification, or, if there are no listed tributary or outlet streams to the lake, the first listed stream downstream of the lake. If the stream is located within the boundaries of the Pinelands Area, see (b)5vii below; if it could be a C1 water, also see (b)5vi below.
- v. Unnamed or unlisted saline waterways and waterbodies are classified as SE1 in the Atlantic Coastal Basin. Unnamed or unlisted saline waterways which enter SE2 or SE3 waters in the Passaic, Hackensack and New York Harbor Complex basin are classified as SE2 unless otherwise classified within Table 3 in (e) below. Freshwater portions of unnamed or unlisted streams entering SE1, SE2, or SE3 waters are classified as FW2-NT. This only applies to waters that are not PL waters (see (b)5vii below). If the waterbody or waterway could be a C1 water, also see (b)5vi below.
- vi. If the waterway or waterbody of interest flows through or is entirely located within State parks, forests or fish and game lands, Federal wildlife refuges, other special holdings, or is a State shellfish water as defined in this subchapter, the Department's maps should be checked to determine if the waterbody of interest is mapped as a C1 water. If the waterway or waterbody does not appear on the United States Geological Survey quadrangle that the Department used as a base map in its designation of the C1 waters, the Department will determine on a case-by-case basis whether the waterway or waterbody should be designated as C1.
- vii. All waterways or waterbodies, or portions of waterways or waterbodies, that are located within the boundaries of the Pinelands Area established at N.J.S.A. 13:18A-11a are classified as PL unless they are listed as FW1 waters in Table 6 in (h) below. A tributary entering a PL stream is classified as PL only for those portions of the tributary that are within the Pinelands Area. Lakes are classified as PL only if they are located entirely within the Pinelands Area.
- 6. The following 10 classifications are used for the sole purpose of identifying the water quality classification of the waters listed in the tables in (c) through (h) below:

- i. "FW1" means freshwaters wholly within Federal or State lands or special holdings that are preserved for posterity and are not subject to manmade wastewater discharges.
  - ii. "FW2-TP" means FW2 trout production.
  - iii. "FW2-TM" means FW2 trout maintenance.
  - iv. "FW2-NT" means FW2 nontrout.
  - v. "PL" means Pinelands Waters.
- vi. "SE1" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(d).
- vii. "SE2" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(e).
- viii. "SE3" means saline estuarine waters whose designated uses are listed in N.J.A.C. 7:9B-1.12(f).
- ix. "SC" means the general surface water classification applied to saline coastal waters.
- x. FW2-NT/SE1 (or a similar designation that combines two classifications) means a waterway in which there may be a salt water/fresh water interface. The exact point of demarcation between the fresh and saline waters must be determined by salinity measurements and is that point where the salinity reaches 3.5 parts per thousand at mean high tide. The stream is classified as FW2-NT in the fresh portions (salinity less than or equal to 3.5 parts per thousand at mean high tide) and SE1 in the saline portions.
- 7. The following water quality designations are used in Tables 1 through 5 in (c) through (g), respectively, below:
  - i. "(C1)" means Category One waters;
  - ii. "(tp)" indicates trout production in waters which are classified as FW1. This is for information only and does not affect the water quality criteria for those waters:
  - iii. "(tm)" indicates trout maintenance in waters which are classified as PL or FW1. For FW1 waters this is for information only and does not affect the water quality criteria for those waters.
- (c) The surface water classifications in Table 1 are for waters of the Atlantic Coastal Basin:

#### TABLE 1

Waterbody
ABRAMS CREEK
(Marmora)—Entire length, except portion outside the boundaries of the MacNamara Wildlife Management Area
(Griscom)—Portions of the Creek and tributaries outside of the MacNamara Wildlife Management Area
ABSECON BAY (Absecon)—All waters within Absecon Wildlife Management Area
ABSECON CREEK

Classification
FW2-NT/SE1(C1)
FW2-NT/SE1
SE1(C1)

Waterbady	Classification	Waterbody	Classification
Waterbody (Egg Harbor)—North and South Branches from their	Classification	(Island Beach State Park)—All waters in the Park, not	FW2-NT/SE1/
origins downstream to the boundary of the Pinelands		classified as FW1 above	SC(C1)
Protection and Preservation Area	PL	BARNEGAT BAY TRIBUTARIES—See ATLANTIC	
(Absecon)—Entire length, except portions described above	FW2-NT/SE1	OCEAN, TRIBUTARIES BASS RIVER	
ARNOLD POND (Barnegat)	FW2-NT/SE1(C1)	(Oswego Lake)—Source to Pineland Protection and	
ATLANTIC OCEAN		Preservation Area boundary at the Garden State	
(Offshore)—Waters from the shoreline out to the three mile limit, except areas described below	SC	Parkway, except those branches described separately below	PL
(Beach Haven)—Waters of the Atlantic Ocean out to	ĢC	(New Gretna)—Pineland Protection and Preservation	1L
the State's three mile limit from Beach Haven Inlet to	00(04)	Area boundary to the boundary of shellfish waters	FW2-NT/SE1
Cape May Point, excluding the following waters:  1. (Atlantic City)—All of the Ocean waters inshore	SC(C1)	(New Gretna)—Boundary of shellfish waters to Mullica River	SE1(C1)
of a line that begins at the center of Convention		(Bass River State Forest)—Tommy's Branch from its	SEI(CI)
Hall, Atlantic City bearing approximately 153		headwaters to the Bass River State Forest Recreation	
degrees T (True North) and extends 2.0 nautical miles to a point with coordinates of latitude 39		Area service road (Bass River State Forest)—Falkenburg Branch of Lake	FW1
degrees 19.4 minutes N., longitude 74 degrees		Absegami from its headwaters to the Lake	FW1
25.1 minutes W., from this point, approximately		BATSTO RIVER	
2 nautical miles offshore, the line runs parallel to the shoreline in a southwesterly direction for		(Browns Mills)—Entire length, except waters described separately below	PL
approximately 2.1 nautical miles to a point with		(Wharton)—Skit Branch and tributaries from their	1L
coordinates of latitude 39 degrees 18.4 minutes		headwaters to the confluence with Robert's Branch	FW1
N., longitude 74 degrees 27.5 minutes W., then bearing approximately 333 degrees T (reciprocal		(Wharton)—The easterly branches of the Batsto River	
153 degrees T) for approximately 1.9 nautical		from Batsto Village upstream to the confluence with Skits Branch	FW1
miles to the outermost tip of the Ventnor City		BEACH THOROFARE (Margate)—Entire length	SE1(C1)
Fishing Pier located at the Boardwalk and South		BEAR SWAMP BROOK	
Cambridge Ave., City of Ventnor, then along that pier to the shore and terminating.		(Squankum)—Entire length, except segment described below	FW2-NT
<ol><li>(Ocean City)—All of the ocean waters inshore</li></ol>		(Allaire)—Segment within the boundaries of Allaire	
of a line which begins at the City of Ocean City's Beach Patrol, First Aid and Rest Room building		State Park	FW2-NT(C1)
located on the beach at 34th Street, with coordi-		BIG ELDER CREEK (Sea Isle City)—Segment within the boundaries of Mar-	
nates of latitude 39 degrees 15.0 minutes N.,		mora Wildlife Management Area	SE1(C1)
longitude 74 degrees 36.6 minutes W., and bears		(Sea Isle City)—Segment outside the boundaries of	SE1
approximately 126 degrees T (True North) for approximately 1.5 nautical miles from the shore-		Marmora Wildlife Management Area BIG GRAVELING CREEK (Great Bay)—Entire length	SE1(C1)
line to a point with coordinates of latitude 39		BIG GREAVES CREEK	` /
degrees 14.1 minutes N., longitude 74 degrees 35.0 minutes W., then bears approximately 216		(MacNamara)—Segment of the Creek outside the boundaries of MacNamara Wildlife Management	
degrees T along the shoreline in a southwesterly		Area	SE1
direction 1.5 nautical miles off-shore, for ap-		(MacNamara)—Creek and tributaries within the bound-	
proximately 2.3 nautical miles to a point with coordinates of latitude 39 degrees 12.3 minutes		aries of MacNamara Wildlife Management Area BIG THOROFARE	SE1(C1)
N., longitude 74 degrees 36.7 minutes W., then		(Tuckerton)—Source to boundary of Great Bay Blvd.	
bears approximately 306 degrees T for approxi-		Wildlife Management Area	SE1
mately 1.4 nautical miles to the outermost tip of Anglers Fishing Club's Pier, 5825 Central Ave.,		(Tuckerton)—Segment within the boundaries of Great Bay Blvd. Wildlife Management Area	SE1(C1)
Ocean City, then along that pier to the shore-		BLUEFISH BROTHERS (Stone Harbor)—Entire length	SEI(CI)
line.		BLUEFISH CREEK (Stone Harbor)—Entire length	SE1(C1)
<ol> <li>Seven mile beach outfall exclusion</li> <li>Wildwood outfall exclusion</li> </ol>		BOG BRANCH CREEK (Middletown)—Entire length BRIGANTINE (Brigantine National Wildlife Refuge)—	SE1(C1)
TRIBUTARIES, ATLANTIC OCEAN		All waters within the boundaries of the Brigantine	FW2-NT/SE1
(New Jersey Coast)—All those streams or segments of		National Wildlife Refuge	(C1)
streams that flow directly into the Atlantic Ocean or into back bays of the Ocean which are not included		BRISBANE LAKE (Allaire State Park)—The lake and its tributaries within	
elsewhere in this list, are not within the boundaries of		the boundaries of Allaire State Park, except Mill Run,	
the Pinelands Protection or Preservation Areas and		which is listed separately, and the tributary described	
are not mapped as C1 waters by the Department (Pinelands)—All streams or segments of streams which	FW2-NT/SE1	separately below (Allaire State Park)—The easterly tributary to Mill Run	FW2-NT(C1)
flow directly into the Atlantic Ocean or into back bays		upstream of Brisbane Lake, located entirely within	
of the Ocean, are within the boundaries of the Pine-		the Allaire State Park boundaries	FW1
lands Protection and Preservation Areas and are not classified as FW1 in this Table	PL	(Mill Run)—Mill Run from its source to Brisbane Lake (Mill Run)—Mill Run from the outlet of Brisbane Lake	FW2-NT(C1)
(New Jersey Coast)—All streams or segments of	rL .	to the Manasquan River	FW2-NT(C1)
streams which flow directly into the Atlantic Ocean or		BROAD CREEK (New Gretna)—Entire length	SE1(C1)
into back bays of the Ocean, are mapped as C1 waters by the Department are not trout maintenance		BROAD THOROFARE (Longport)—South of Rt. 152	SE1
waters by the Department are not trout maintenance waters, and are not classified as FW1 in this Table	FW2-NT/SE1(C1)	(Longport)—South of Rt. 152 (Longport)—North of Rt. 152	SEI(C1)
BABCOCK CREEK (Marmora)—Entire length	FW2-NT/SE1(C1)	BROTHERS CREEK (Burleigh)—Entire length	SE1(C1)
BALLANGER CREEK (New Gretna)—Source to Pollys Ditch	FW2-NT/SE1	CABBAGE THOROFARE (Great Bay)—Entire length CEDAR BRIDGE BRANCH (Lakewood)—Entire length	SE1(C1) FW2-NT
(New Gretna)—Pollys Ditch to Bay	SE1(C1)	CEDAR CREEK	1 112 111
BANKS CREEK (Marmora)—Entire length	SE1(C1)	(Manahawkin)—Source to boundaries of the Manahaw-	EWA NEWSTA
BARNEGAT BAY (Barnegat National Wildlife Refuge)—All waters within		kin Wildlife Management Area (Manahawkin)—Creek and tributaries within the	FW2-NT/SE1
the boundaries of the Barnegat National Wildlife		boundaries of the Manahawkin Wildlife Management	
Refuge	SE1(C1)	Area	FW2-NT/SE1(C1)
(Barnegat Light)—All other waters of the bay (Island Beach State Park)—All freshwater ponds within	SE1(C1)	CEDAR CREEK (Cedar Crest)—Source to the boundaries of the Pine-	
the boundaries of Island Beach State Park	FW1	lands Protection and Preservation Area at the Garden	
•			

Waterbody	Classification	Waterbody	Classification
State Parkway, except branches described separately below	PL	(Berlin)—Source to confluence with Tinker Branch (Berlin)—Tinker Branch, the River from its confluence	FW2-NT
(Berkeley)—Garden State Parkway to Barnegat Bay	FW2-NT/SE1	with Tinker Branch, and all tributaries within the	
(Greenwood Forest)—Webbs Mill Branch and tributar- ies located entirely within the boundaries of Green-		Pinelands Protection and Preservation Area, down- stream to the boundary at the Rt. 40 bridge in Mays	
wood Forest Wildlife Management Area	FW1	Landing	PL
(Greenwood Forest)—Chamberlain's Branch from its origins to a point 1000 feet west of Route 539	FW1	(Winslow)—All tributaries or segments of tributaries outside of the boundaries of the Pinelands Protection	
(Greenwood Forest)—Those portions of the tributaries to Chamberlain's Branch originating and wholly con-		and Preservation Area, downstream to Rt. 40 at Mays Landing	FW2-NT
tained within the boundaries of the Greenwood For-		(Mays Landing)—Rt. 40 bridge to Great Egg Harbor,	
est Wildlife Management Area CEDAR HAMMOCKS CREEK (English Creek Land-	FW1	except those tributaries described separately below (Mays Landing)—All tributaries or segments of tributar-	FW2-NT/SE1
ing)—Entire length	SE1(C1)	ies within the boundaries of the Pinelands Protection	DI
CEDAR RUN (Stafford)—Source to the boundaries of the Pinelands		and Preservation areas (Egg Harbor)—Tributaries and all other waters within	PL
Protection and Preservation Area at the Garden State	PL	MacNamara Wildlife Management Area, except tribu- tary described below	FW2-NT/SE1(C1)
Parkway (Cedar Run)—Garden State Parkway to the boundaries		(Tuckahoe)—Stream adjacent to and north of Hawkins	rwz-wijobi(Ci)
of the Barnegat National Wildlife Refuge (Barnegat)—National Wildlife Refuge boundaries to	FW2-NT/SE1	Creek, and its tributaries, from their origins to the point where the influence of impoundment begins	FW1
Barnegat Bay	FW2-NT/SE1(C1)	GREAT SOUND (Avalon)—All waters within Great	
CEDAR SWAMP CREEK (Cedar Spring)—Entire length, except segment de-		Sound State Park GREAT THOROFARE	SE1(C1)
scribed separately below	FW2-NT/SE1	(Ventror)—West of Rt. 40	SE1(C1) SE1
(Marmora)—Creek and tributaries within the bound- aries of the MacNamara Wildlife Management Area	FW2-NT/SE1(C1)	(Ventnor)—East of Rt. 40 GRISCOM CREEK (Gibson Landing)—Entire length	FW2-NT/SE1(C1)
CHAMBERLAIN BRANCH—See CEDAR CREEK CHANNEL CREEK (Barnegat Bay)—Entire length	SE1(C1)	GUNNING RIVER (Barnegat)—Entire length, except segment described	
CHARLEY CREEK (Marmora)—Entire length	FW2-NT/SE1(C1)	below	FW2-NT/SE1
CLEAR STREAM (Jackson)—Entire length COLLINS TIDE PONDS (Barnegat)	FW2-TM FW2-NT/SE1(C1)	(Barnegat)—Stream and tributaries within the bound- aries of Barnegat National Wildlife Refuge	FW2-NT/SE1(C1)
COMMANDO CREEK (Marmora)—Entire length	SE1(C1)	HALFWAY CREEK	
CRANBERRY BROOK (Monmouth)—Entire length DAVENPORT BROOK	FW2-NT/SE1	(Middletown)—Source to the boundary of the MacNa- mara Wildlife Management Area	FW2-NT/SE1
(Berkeley)—Source to the boundaries of the Pinelands Protection and Preservation Area at the Penn Central		(MacNamara)—Creek and tributaries within the bound- aries of the MacNamara Wildlife Management Area	SE1(C1)
railroad tracks	PL	HARRY POND (Barnegat)	FW2-NT/SE1(C1)
(Toms River)—Railroad tracks to confluence with Wrangel Brook	FW2-NT	HATFIELD CREEK (Beach Haven Heights)—Entire length	SE1(C1)
DEEP CREEK (Herbertsville)—Entire length	FW2-NT	HAWKINS CREEK	(,
DEEP RUN (Wharton)—Run and tributaries from their sources to Springer's Brook	FW1	(Tuckahoe)—Source to the point where the influence of impoundment begins	FW1
DICKS BROOK (Larrabee's Crossing)—Entire length DINNER POINT CREEK (Staffordsville)—Entire length	FW2-NT SE1(C1)	(Tuckahoe)—Downstream of the influence of impoundment	SE1(C1)
DOCK THOROFARE (Northfield)—Entire length	SEI(CI)	HAY STACK BROOK (Howell)—Entire length	FW2-NT
DOVE MILL BRANCH—See TOMS RIVER EDWARD CREEK		HOSPITALITY CREEK (Longport)—Entire length JACOVY CREEK (Stone Harbor)—Entire length	SE1(C1) SE1(C1)
(Sea Isle City)—Source to the boundary of Marmora	CE4	JAKES BRANCH	()
Wildlife Management area (Sea Isle City)—Boundary of Marmora Wildlife Man-	SE1	(Berkeley)—Source to the boundaries of the Pinelands Protection and Preservation Area at the Garden State	
agement Area to Horn Creek FALKENBURG BRANCH—See BASS RIVER	SE1(C1)	Parkway (Beachwood)—Garden State Parkway to Toms River	PL FW2-NT/SE1
FLAT CREEK (Marmora)—Entire length	FW2-NT/SE1(C1)	JAY CREEK	SE1(C1)
FLATTERAS CREEK (Beach Haven Heights)—Entire length	SE1(C1)	JIMMIES CREEK (Great Bay)—Source to the boundary of Great Bay	
FORKED RIVER	521(01)	Wildlife Management Area	SE1(C1)
(Lacey)—River and branches from their sources to the boundaries of the Pinelands Protection and Preserva-		(Parkers Landing)—Segments of the Creek outside the boundaries of Great Bay Wildlife Management Area	SE1
tion Area at the Garden State Parkway (Forked River)—Garden State Parkway to Barnegat	PL	JOSH CREEK (Stone Harbor)—Entire length JUDIES CREEK	SE1(C1)
Bay	FW2-NT/SE1	(Great Bay)—Source to widening of creek	SE1
FORTESCUE (Fortescue)—All waters within the Fortescue Wildlife Management Area	FW2-NT/SE1(C1)	(Great Bay)—Widening of creek to mouth JUMPING BROOK (Neptune)—Entire length	SE1(C1) FW2-NT/SE1
GIBSON CREEK	. (,	KNOLL POND (Barnegat)	FW2-NT/SE1(C1)
(Gibson Landing)—Entire length, except segment de- scribed below	PL	LAKES BAY (Ventnor)  LAKES CHANNEL (Ventnor)—Entire length	SE1(C1) SE1(C1)
(Marmora)—Segment and tributaries within the Mac- Namara Wildlife Management Area	FW2-NT/SE1(C1)	LITTLE GREAVES CREEK (MacNamara)—Entire length	SE1(C1)
GO THROUGH CREEK	1 112 111/5221(61)	LITTLE SCOTCH BONNET	
(Burleigh)—Entire length, except segment described be- low	SE1	(Stone Harbor)—Entire length, except segment de- scribed below	SE1
(Burleigh)-Segment within the boundaries of the Mar-		(Stone Harbor)—Segment within the boundaries of Marmora Wildlife Management Area	
mora Wildlife Management Area GOING THROUGH CREEK (English Creek Landing)	SE1(C1) SE1(C1)	LITTLE THOROFARE (Tuckerton)—Entire length	SE1(C1) SE1(C1)
GREAT BAY (Brigantine)—All waters of the Bay and all natural waterways which are tributary to the Bay and all		LONG BROOK (Jackson)—Entire length LONG POINT CREEK (Marmora)—Entire length	PL FW2-NT/SE1(C1)
waters, including both natural and manmade channels		LONG SWAMP BROOK	
and ponds within the boundaries of the Brigantine National Wildlife Refuge and the Great Bay Wildlife		(Squankum)—Entire length, except segment within the boundaries of Allaire State Park	FW2-NT
Management Area GREAT EGG HARBOR RIVER	FW2-NT/SE1(C1)	(Allaire)—Segment within the boundaries of Allarie State Park	FW2-NT(C1)
		TOTAL WALL	(01)

Waterbody	Classification	Waterbody	Classification
LOWER LONG REACH (Stone Harbor)—Entire length	SE1(C1)	Seaf Weeks Rd., downstream to the boundaries of the	E33/1
LUDLAM CREEK (Marmora)—Entire length	SE1(C1) SE1(C1)	Wharton State Forest (Wharton)—Gun Branch from its headwaters to U.S.	FW1
MAIN MARSH CREEK (Brigantine)—Entire length MANAHAWKIN CREEK	SEI(CI)	Rt. 206	FW1
(Manahawkin)—Source to the boundaries of Manahaw-		(New Gretna)—River and tributaries from the Pine-	
kin Wildlife Management Area	FW2-NT/SE1	lands Protection and Preservation Area boundary to	
(Manahawkin)—Within the boundaries of the Mana-		Great Bay	SE1(C1)
hawkin Wildlife Management Area	FW2-NT/SE1(C1)	(Wharton)—Brooks and tributaries between and imme- diately to the west of Tylertown and Crowleytown,	
MANASQUAN RIVER MAIN STEM (Freehold)—Source to Rt. 9 bridge, except tributaries		from their headwaters to the head of tide at mean	
described separately under Tributaries, below	FW2-NT	high water	FW1
(Farmingdale)—Rt. 9 bridge to the "Narrows" in the		NARROWS CREEK (Middletown)—Entire length	SE1(C1)
vicinity of the Meadows Marina, except tributaries	TTV 10 TTV 4	NORTH CHANNEL POND (Stone Harbor)	FW2-NT/SE1(C1)
described separately under Tributaries, below	FW2-TM SE1	OLDMAN CREEK (Stone Harbor)—Entire length OTTER CREEK (Middletown)—Entire length	SE1(C1) SE1(C1)
(Meadows Marina)—The "Narrows" to surf waters TRIBUTARIES, MANASQUAN RIVER (See also	SEI	OYSTER CREEK	SEI(CI)
BRISBANE LAKE)		(Brookville)—Source to the boundaries of the Pinelands	
(Adelphia)—Entire length	FW2-NT	Protection and Preservation Area at the Garden State	
(Allaire)—Those portions of the first and second south-		Parkway	PL
erly tributaries west of the Hospital Rd. which are located entirely within the boundaries of Allaire State		(Forked River)—Garden State Parkway to Barnegat Bay	FW2-NT/SE1
Park	FW1(tm)	OYSTER CREEK (Great Bay)—Entire length	SE1(C1)
(Brick)—Tributaries within the boundaries of Allaire	z (( z( iii)	REEVY BRANCH—See SHARK RIVER	()
State Park and Manasquan River Wildlife Manage-		RING ISLAND CREEK (Stone Harbor)—Entire length	SE1(C1)
ment Area, except those designated FW1, above	FW2-TM(C1)	RISLEY CHANNEL (Margate)—Entire length	SE1(C1)
(Freehold)—Tributaries within the boundaries of Tur-	EW2 NT(C1)	ROUNDABOUT CREEK (New Gretna)—Entire length SALT CREEK (Stone Harbor)—Entire length	SE1(C1) SE1(C1)
key Swamp Wildlife Management Area MARMORA WILDLIFE MANAGEMENT AREA	FW2-NT(C1)	SCULL BAY (Linwood)	SEI(CI)
(Strathmere)—All waters within the boundaries of Mar-		SEDGE CREEK (MacNamara)—Entire length	SE1(C1)
mora Wildlife Management Area	FW2-NT/SE1(C1)	SHARK CREEK (Stone Harbor)—Entire length	SE1(C1)
MARSH BOG BROOK		SHARK RIVER	ENVO NO
(Farmingdale)—Source to Yellow Brook Rd.	FW2-NT	(Colts Neck)—Source to Rt. 33 (Neptune)—Rt. 33 to Brighton Ave. bridge, Glendola	FW2-NT FW2-TM/SE1
(Allaire)—Allaire State Park boundary at Yellow Brook Rd. to Manasquan River	FW2-NT(C1)	(Glendola)—Brighton Ave. bridge, Glendola	FW2-NT/SE1
MASONS CREEK (Marmora)—Entire length	SE1(C1)	TRIBUTARY	
MCNEALS BRANCH—See TUCKAHOE RIVER		REEVY BRANCH (Reevytown)—Source to confluence	
METEDECONK RIVER		with Shark River	FW2-NT
SOUTH BRANCH		SHELL THOROFARE (Wildwood Gables)—Entire	SE1(C1)
(Lakewood)—Entire length, except segment described below	FW2-NT	length SHELTER ISLAND BAY (Margate)	SE1(C1) SE1(C1)
(Turkey Swamp)—Tributaries within the boundaries of	1 112 111	SHELTER ISLAND WATERS (Margate)—Entire length	SE1(C1)
Turkey Swamp Wildlife Management Area	FW2-NT(C1)	SKIT BRANCH—See BATSTO RIVER	` '
NORTH BRANCH METEDECONK RIVER		SOD THOROFARE (Linwood)—Entire length	SE1(C1)
(Freehold)—Source to Aldrich Rd., except segment de-	EWO NIT	SOUTHEAST CREEK (Stone Harbor)—Entire length SQUANKUM BROOK	SE1(C1)
scribed below (Turkey Swamp)—River and tributaries within the	FW2-NT	(Squankum)—Entire length, except segment described	
boundaries of Turkey Swamp Wildlife Management	,	below	FW2-NT
Area	FW2-NT(C1)	(Allaire)—Segment within Allaire State Park	FW2-NT(C1)
(Lakewood)—Aldrich Rd. to Lanes Mills	FW2-TM	STEELMAN BAY (Somers Point)	SE1(C1)
(Brick)—Lanes Mills to confluence with Metedeconk	EWO NIT	SWAN POND (Marmora) SWAN POND RACE (Marmora)—Entire length	FW2-NT/SE1(C1) FW2-NT/SE1(C1)
River, South Branch MAIN STEM METEDECONK RIVER	FW2-NT	TAUGH CREEK	1 W2-111/5E1(C1)
(Brick)—Confluence of North and South branches to		(Whitesboro)—Entire length, except segment described	
Barnegat Bay	FW2-NT/SE1	below	SE1(C1)
MIDDLE RIVER		(Whitesboro)—Portions outside the boundaries of Mar-	CE1
(Tuckahoe)—Entire length, except the segment de-	FW2-NT/SE1	mora Wildlife Management Area TIMBER SWAMP BROOK (Oak Glen)—Entire length	SE1 FW2-NT
scribed below (Middletown)—Segment within the boundaries of Mac-	1 W 2-1V 1/5E1	TINKER BRANCH—See GREAT EGG HARBOR	1 112-111
Namara Wildlife Management Area	FW2-NT/SE1(C1)	RIVER	
MILE THOROFARE (Brigantine)—Entire length	SE1(C1)	TITMOUSE BROOK (Howell)—Entire length	FW2-TM
MILL RUN (Allaire)—See BRISBANE LAKE		TOMMYS BRANCH—See BASS RIVER	
MINGAMAHONE BROOK MAINSTEM		TOMS RIVER MAIN STEM	
(Farmingdale)—Entire length, except segments de-		(Holmeson)—Source to Rt. 528 bridge, Cassville, except	
scribed below	FW2-TM	those tributaries described separately under Tributar-	
(Allaire State Park)—Brook and tributaries within the		ies below	FW2-NT
boundaries of Allaire State Park	FW2-TM(C1)	(Van Hiseville)—Rt. 528 bridge to Rt. 547 bridge in	
EASTBRANCH (Farmingdale)—Source to confluence with mainstem		Whitesville, except tributaries described separately, under Tributaries below	PL(tm)
north of Farmingdale	FW2-NT	(Whitesville)—Rt. 547 bridge to Pinelands Protection	12(111)
MIRY RUN (MacNamara)—Entire length	FW2-NT/SE1(C1)	and Preservation Area boundaries at the NJ Central	
MOTT CREEK (Brigantine)—Entire length	SE1(C1)	Railroad tracks, except tributaries described separate-	DY (tors)
MUD CREEK (MacNamara)—Entire length	SE1(C1)	ly, under Tributaries below (Manchester)—NJ Central Railroad tracks to Rt. 571	PL(tm)
MUDDY FORD BROOK (Larrabee's Crossing)—Entire length	FW2-TM	bridge, except tributaries described separately, under	
MULBERRY THOROFARE (Northfield)—Entire length	SE1(C1)	Tributaries below	FW2-TM
MULLICA RIVER	. ,	(Toms River)—Rt. 571 bridge to Barnegat Bay, except	
(Berlin)—Source to Pinelands Protection and Preserva-		tributaries described separately, under Tributaries be-	EW/2 NT/CE1
tion Area boundaries at the Garden State Parkway, except branches and tributaries described below	PL	low TRIBUTARIES, TOMS RIVER	FW2-NT/SE1
(Wharton)—Stream in the southeasterly corner of the		(Holmeson)—Tributaries within the boundaries of the	
Wharton State Forest located between Ridge Rd. and		Pinelands Protection and Preservation Area	PL
-			

Waterbody	Classification	TABLE 2	
(Van Hiseville)—All tributaries outside the boundaries			Classification
of the Pinelands Protection and Preservation Area which enter the River between the Rt. 528 bridge,		Waterbody ALEXAUKEN CREEK (Lambertville)—Entire length	Classification FW2-TM
Cassville, and the Rt. 547 bridge, Whitesville, except		ALLAMUCHY CREEK (Allamuchy)—Entire length	FW2-NT(C1)
Dove's Mill Branch described separately below	FW2-TM	ALLAMUCHY POND (Allamuchy)	FW2-NT(C1)
(Toms River)—All tributaries within the boundaries of the Pinelands Protection and Preservation Area	PL	ALLAMUCHY POND TRIBUTARIES (Allamuchy)— All tributaries that are located entirely within the	
(Archer's Corners)—All tributaries outside the bound-	rL .	boundaries of Allamuchy State Park and that flow into	
aries of the Pinelands Protection Area and within the		Allamuchy Pond	FW1 FW2-NT/SE1
boundaries of Colliers Mills Wildlife Management	EWO NECC1)	ALLOWAY CREEK (Alloways)—Entire length ALMS HOUSE BROOK	FW2-N1/SE1
Area DOVE'S MILL BRANCH	FW2-NT(C1)	(Hampton)—Source to, but not including, County Farm	
(Van Hiseville) Entire length, except the segment de-		Pond (Frankford)—County Farm Pond to Paulins Kill	FW2-TM FW2-NT
scribed separately below	FW2-NT	ANDOVER JUNCTION BROOK (Andover)—Entire	F W 2-1\(\frac{1}{2}\)
(Holmansville)—Stream and tributaries within Butterfly Bogs Wildlife Management Area	FW2-NT(C1)	length	FW2-TM
MAPLE ROOT BRANCH	1 112111(01)	ASHROE LAKE (Stokes State Forest) ASHROE LAKE TRIBUTARIES	FW2-NT(C1)
(Jackson)—Source to confluence with Toms River	PL	(Stokes State Forest)—Tributary to the Lake from Deer	
TUCKAHOE DIVER	FW2-NT(C1)	Lake and portion of southernmost tributary to Ashroe	
TUCKAHOE RIVER (Milmay)—Source to Pinelands Protection and Preser-		Lake outside of the Stokes State Forest boundary (Stokes State Forest)—Southernmost tributary to the	FW2-TP(C1)
vation Area boundary at Rt. 49	PL	Lake from its source to the Stokes State Forest	
(Head of River)—McNeals Branch and the River within		boundary	FW1(tp)
the boundaries of the Peaselee Wildlife Management Area, except tributaries within the boundaries of the	•	ASSISCUNK CREEK (Burlington)—Entire length ASSUNPINK CREEK	FW2-NT
Pinelands Protection and Preservation Area, de-		(Trenton)—Source to confluence with the Delaware	
scribed separately below	FW2-NT/SE1(C1)	River, except segments described separately below	FW2-NT
(Head of River)—Tributaries within the Pinelands Pro- tection and Preservation Area boundaries	PL	(Roosevelt)—Creek and those tributaries within the boundaries of the Assunpink Wildlife Management	
(Tuckahoe)—Edge of Fish and Wildlife Management	12	Area	FW2-NT(C1)
Area at confluence with Warners Mill Stream to		(Quaker Bridge)—Portions of the creek within the	ENVO NEE/C1)
Great Egg Harbor, except segment described sepa- rately below	FW2-NT/SE1(C1)	boundaries of Van Ness Refuge BALDRIDGE CREEK	FW2-NT(C1)
· (Tuckahoe)—River, tributaries and all other waters	FW2-N1/5E1(C1)	(Salem Creek)—Entire length, except segments de-	
within boundaries of the MacNamara Wildlife Man-	,	scribed below	FW2-NT/SE1(C1)
agement Area TULPEHOCKEN CREEK	FW2-NT/SE1(C1)	(Salem Creek)—Segments outside the boundaries of the Supawna National Wildlife Refuge	FW2-NT/SE1
(Wharton)—Creek and tributaries from their origin to		BARKERS MILL BROOK (Independence)—Entire	
the confluence with Featherbed Branch	FW1	length BAY PONDS (Egg Island)	FW2-TP(C1) FW2-NT/SE1(C1)
(Wharton)—The westerly tributaries and those natural ponds within the lands bounded by Hawkins (Bull-		BEADONS CREEK (Fortescue)—Entire length	SE1(C1)
town-Hawkins) Rd., Hampton Gate (Tuckerton) Rd.,		BEAR BROOK (Johnsonburg)—Entire length	FW2-TP(C1)
and Sandy Ridge Rd.	FW1	BEAR CREEK (Johnsonburg)—Mud Pond to the Erie-Lackawanna	
TURTLE GROUND CREEK (Jeffers Landing)—Entire	SE1(C1)	Railroad trestle north of Johnsonburg	FW1(tm)
length TURTLE GUT (Ventnor)—Entire length	SE1(C1)	(Frelinghuysen)—Erie-Lackawanna Railroad trestle to confluence with Pequest River	FW2-TM
WADING RIVER		BEATTY'S BROOK (Penwell)—Entire length	FW2-TP(C1)
(Chatsworth)—Entire length, except tributaries de- scribed separately below	PL .	BEAVER BROOK (Hope)—Entire length	FW2-NT
(Greenwood Forest)—Westerly tributary to Howards-	rL .	BEAVER BROOK (Jefferson)—Source to, but not in- cluding, Lake Shawnee	FW2-NT
ville Cranberry Bog Reservoir and other tributaries		BEAVERDAM BRANCH	1 112 111
located entirely within the boundaries of the Green- wood Forest Wildlife Management Area	FW1	(Glassboro)—Source to boundary of the Glassboro	ENIO NE
WARNERS MILL STREAM	LWI	Wildlife Management Area (Glassboro)—Within the boundaries of Glassboro Wild-	FW2-NT
(Head of River)—Source to Pinelands Protection and		life Management Area	FW2-NT(C1)
Preservation Area boundary at Aetna Dr.	PL	BEERSKILL (High Point State Pools) Source to houndary of High	
(Head of River)—Aetna Dr. to boundary of the Pease- lee Wildlife Management Area	FW2-NT/SE1	(High Point State Park)—Source to boundary of High Point State Park at 41° 15'48'N, 74° 45'49'W	FW1(tp)
(Head of River)—Within the boundaries of the Peaslee		(Shaytown)—Boundary of High Point State Park to	
Wildlife Management Area to the Tuckahoe River WEBBS MILL BRANCH—See CEDAR CREEK	FW2-NT/SE1(C1)	confluence with Little Flat Brook BIG FLAT BROOK	FW2-TP(C1)
WIGWAM CREEK		(Montague)—Sawmill Pond to confluence with Parker	
(Great Bay)—Source to Rt. 9	FW2-NT/SE1	Brook, except segments described under the listing	ENIO NECCO
(Great Bay)—Rt. 9 to Mott Creek WINTER CREEK (New Gretna)—Entire length	SE1(C1) SE1(C1)	for Flat Brook, below (Sandyston)—Confluence with Parker Brook, through	FW2-NT(C1)
WHIRLPOOL CHANNEL (Margate)—Entire length	SE1(C1)	the Blewitt Tract, to the confluence with Flat Brook,	•
WORLDS END CREEK (New Gretna)—Entire length	SE1(C1)	except tributaries described under the listing for Flat Brook, below	FW2-TP(C1)
WRANGLE BROOK (Keswick Grove)—Entire length, except segment de-		(Tuttles Corner)—Outlet stream from Lake Ashroe to	FW2-1F(C1)
scribed below	FW2-NT/SE1	its confluence with Big Flat Brook	FW2-TP(C1)
(Whiting)—Brook and tributaries within Whiting Wild-		BIG TIMBER CREEK (Westville)—Entire length	FW2-NT
life Management Area WRANGLE CREEK (Forked River)—Entire length and	FW2-NT(C1)	BLACKBIRD GUT (Newport)—Entire length	SE1(C1)
all waters within Forked River Game Farm	FW2-NT/SE1(C1)	BLACKS CREEK (Bordentown)—Entire length	FW2-NT
WRECK POND BROOK (Wall)—Entire length	FW2-NT	BLAIR CREEK (Hardwick)—Source to Bass Lake	FW2-NT
		(Hardwick Center)—Bass Lake outlet to Paulins Kill	FW2-TM
(d) The surface water classifications in 7	Table 2 are for	BOILER DITCH (Egg Island)—Entire length BRASS CASTLE CREEK (Brass Castle)—Entire length	FW2-NT/SE1(C1) FW2-TP(C1)
waters of the Delaware River Basin:		BROOKALOO SWAMP (Hope)—Entire length	FW2-TM

	en 181 -1	***	CI tC' t'
Waterbody	Classification	Waterbody	Classification
BUCKHORN CREEK (Hutchinson)—Entire length	FW2-TP(C1)	(Easton, Pa.)—Mouth of the Lehigh River at River Mile	
BUCKS DITCH (Mad Horse Creek)—Entire length	SE1(C1)	183.66, to the head of tide at the Trenton-Morrisville	- 4F
BUCKSHUTEM CREEK		Toll Bridge, Trenton at River Mile 133.4	Zone 1E
(Centre Grove)—Entire length, except segments de-	PRIVA NET	(Trenton)—Head of tide at the Trenton-Morrisville	
scribed separately below	FW2-NT	Bridge, Trenton, River Mile 133.4 to below the mouth	~ ^
(Edward G. Bevan—Creek and tributaries within the		of Pennypack Creek, Pennsylvania at River Mile 108.4	Zone 2
boundaries of Edward G. Bevan Wildlife Manage-		(Philadelphia)—River mile 108.4 to below the mouth of	
ment Area, except those tributaries described sepa-	TT ( ) TT ( C ( )	Big Timber Creek, New Jersey, at River Mile 95.0	Zone 3
rately below	FW2-NT(C1)	(Gloucester)—River Mile 95.0 to the Pennsylvania-De-	
(Edward G. Bevan)—Joshua and Pine Branches to their	T7774	laware state line at River Mile 78.8	Zone 4
confluence with Buckshutem Creek	FW1	(Marcus Hook)—Pennsylvania-Delaware state line at	
CAT GUT (Mad Horse Creek)—Entire length	SE1(C1)	River Mile 78.8 to Liston Pt., Delaware at River Mile	
CEDAR BRANCH (Manumuskin River)—Source to	T33.74	48.2	Zone 5
Manumuskin River	FW1	(Liston Point)—Delaware Bay from Liston Point, Dela-	
CEDAR BRANCH (Edward G. Bevan)—Entire length	FW1	ware at River Mile 48.2 to River Mile 0.0 at the	
CEDAR BRANCH (Edward G. Bevan)—See NANTUX-		intersection of the centerline of the navigation chan-	
ENT CREEK		nel and a line between Cape May Light and the tip of	
CEDAR CREEK		Cape Henlopen, Delaware	Zone 6(C1)
(Dividing Creek Station)—Entire length, except por-	FW2-NT	TRIBUTARIES, DELAWARE RIVER	
tions described separately below (Edward G. Bevan)—Those tributaries to Cedar Creek	F W 2-14 I	(Holland)—Entire length	FW2-TP(C1)
that originate in and are located entirely within the		(Port Jervis)—Unnamed or unlisted direct tributaries	
boundaries of Edward G. Bevan Wildlife Manage-		that are north of Big Timber Creek, are outside of	
	FW1	the Pinelands Protection and Preservation Areas, and	
ment Area	FW2-NT(C1)	are not mapped as C1 waters by the Department	FW2-NT
CEDARVILLE POND (Cedarville) CHERRY TREE CREEK (Mad Horse Creek)—Entire	FW2-N1(C1)	(Knowlton)—Source, north of Hope-Delaware Road, to	
	SE1(C1)	confluence with the Delaware River 0.5 mile south of	
length CLARKS POND (Bridgeton)	FW2-NT(C1)	Ramseysburg	FW2-TP(C1)
CLEARVIEW CREEK (Hampton)—Source to Alms	1 W2-111(C1)	(Titusville)—Unnamed tributaries through Washington	
House Brook	FW2-NT	Crossing State Park	FW2-NT(C1)
CLINT MILLPOND (Beaver Swamp)	FW2-NT(C1)	(Brooklawn)—Unnamed or unlisted direct tributaries,	` '
CLOVE (MILL) BROOK	1 W2-111(C1)	south of Big Timber Creek and north of Oldman's	
(Montague)—Lake Marcia outlet to State line, except		Creek, that are outside of the Pinelands Protection	
tributaries described below	FW2-TP(C1)	and Preservation Areas and are not mapped as C1	
(High Point State Park)—The second and third norther-	1 W2-11 (C1)	waters by the Department	FW2-NT/SE2
ly tributaries to Clove Brook, the tributaries to Steeny		(Penns Grove)—Unnamed or unlisted direct tributaries,	
Kill Lake, and those tributaries downstream of Steeny		south of and including Oldmans Creek, that are out-	
Kill Lake that originate in High Point State Park		side of the Pinelands Protection and Preservation	
downstream to their confluence with Clove Brook or		Areas and are not mapped as C1 waters by the	
to the High Point State Park boundaries	FW1(tp)	Department	FW2-NT/SE1
(High Point State Park)—Those northerly tributaries to	1 W 1(tp)	(Pinelands)—All streams or segments of streams which	1 112 111/0221
Mill Brook that are located due west of Steeny Kill		flow directly into the Delaware River, are within the	
Lake, within the boundaries of High Point State Park	FW1(tp)	boundaries of the Pinelands Area and are not classi-	
COHANSEY RIVER (Bridgeton)—Entire length	FW2-NT/SE1	fied as FW1 waters in this Table	PL
COOPER BRANCH—See RANCOCAS CREEK	1 112 111,022	DENNIS CREEK	
COOPER RIVER (Camden)—Entire length	FW2-NT	(South Dennis)—Entire length, except segments de-	
COPPERMINE BROOK (Pahaquarry)—Entire length	FW1	scribed below	FW2-NT/SE1
COURTENY PONDS (Egg Island)	FW2-NT/SE1(C1)	(Woodbine)—All tributaries within the boundaries of	1 112 111/021
CRANBERRY LAKE (Byram)	FW2-TM(C1)	the Pinelands Protection and Preservation Areas	PL
CRANBERRY LAKE OUTLET STREAM	1 1 (01)	(Dennis Creek)—Segment of the Creek, all tributaries,	112
(Byram)—Entire length within Cranberry Lake State		and all other surface waters within the boundaries of	
Park	FW2-NT(C1)		FW2-NT/SE1(C1)
(Byram)—Stream outside of Cranberry Lake State Park	FW2-NT	the Dennis Creek Wildlife Management Area DEVILS GUT	I WZ-IVI/DEI(CI)
CRISS BROOK (Stokes State Forest)—Entire length			
within the boundaries of Stokes State Forest	FW1(tp)	(Mad Horse Creek)—Entire length, except tributaries described below	SE1(C1)
CROSSWICKS CREEK (Bordentown)—Entire length	FW2-NT	(Mad Horse Creek)—Tributaries outside the Mad	SEI(CI)
CROW CREEK (S. Dennis)—Entire length	FW2-NT/SE1(C1)	Horse Creek Wildlife Management Area	SE1
CULVER'S CREEK (Frankford)—Entire length	FW2-TM	DIVIDING CREEK	SEI .
CULVER'S LAKE (Frankford)	FW2-TM	(Dividing Creek)—Entire length, except those segments	
DEER LAKE (Sandyston)	FW2-NT(C1)	described below	FW2-NT/SE1
DEER PARK BRANCH—See RANCOCAS CREEK	` '	(Edward G. Bevan)—Those segments of tributaries that	1 W 2-141/5E1
DEER PARK POND		are located entirely within the boundaries of the	
(Allamuchy)—Pond and tributaries to the pond within		Edward G. Bevan Wildlife Management Area	FW1
Allamuchy State Park, except those tributaries classi-			
fied as FW1, below	FW2-NT(C1)	DIVISION CREEK (Dix)—Entire length	SE1(C1)
(Allamuchy)—All tributaries to the Pond and to its	` '	DOCTORS CREEK	
outlet stream that are located entirely within the		(Red Creek)—Entire length, except segment described	THE NET
boundaries of Allamuchy State Park	FW1	below	FW2-NT
(Allamuchy)—Deer Park Pond outlet stream down-		(Imlaystown)—Segment within Imlaystown Lake Wild-	THY O NITT (CIA)
stream to Musconetcong River	FW2-TM(C1)	life Management Area	FW2-NT(C1)
DELAWANNA CREEK (Delaware)—Entire length	FW2-TM	DONKEY'S CORNER BROOK (Delaware Water	T733/1
DELAWARE AND RARITAN CANAL (Lambertville)—		Gap)—Entire length	FW1
Entire length	FW2-NT	DRUMBO CREEK	DWO NEEDOTA
DELAWARE RIVER		(Dix)—Entire length except segment described below	FW2-NT/SE1
MAIN STEM (Interstate Waters—Classifications from		(Dix)—Segment within the boundaries of Dix Wildlife	EWO NEWOLA (CA)
Delaware River Basin Commission (DRBC))		Management Area	FW2-NT/SE1(C1)
(State Line)—That portion of DRBC's Zone 1C from		DRY BROOK (Branchville)—Entire length	FW2-NT
the New York-New Jersey state line to the proposed		DUCK POND (Swartswood)	FW2-NT(C1)
axis of the Tocks Island Dam at River Mile 217.0	Zone 1C	DUNNFIELD CREEK	
(Tocks Island)—Proposed axis of Tocks Island Dam at		(D 1 111 / C ) C D T 00	T733/1/4\
		(Del. Water Gap)—Source to Rt. I-80	FW1(tp)
River Mile 217.0 to the mouth of the Lehigh River at		(Del.Water Gap)—Rt. I-80 to Delaware River, except	
	Zone 1D		FW1(tp) FW2-TP(C1)

Waterbody	Classification	Waterbody	Classification
(Worthington)—All unnamed waters that are located entirely within the boundaries of the Worthington		(Woodbine)—Entire length except segment described below	SE1
State Forest EAST CREEK	FW1	(Dennis Creek)—Segment and all tributaries within the Dennis Creek Wildlife Management Area Area	SE1(C1)
(Dennis)-Source to boundaries of the Pinelands Pro-		GRAVELLY RUN (Edward G. Bevan)—Downstream to	
tection and Preservation Area except those portions described separately below	PL	the Edward G. Bevan Wildlife Management Area boundaries	FW1
(Belleplain)—A stream and tributary that originate just south of East Creek Mill Rd., 1.2 + miles north-		HAINESVILLE POND (Hainsville) HAKIHOKAKE CREEK (Milford)—Entire length in-	FW2-NT(C1)
northeast of Eldora and are located entirely within	FW1	cluding headwaters known as Little York Creek TRIBUTARIES	FW2-TP(C1)
the boundaries of Belleplain State Forest (Eldora)—Boundary of the Pinelands Protection and	rw1	(Wydner)-Source to confluence with Hakihokake	
Preservation Area to Delaware Bay except segment described separately below	FW2-NT/SE1	Creek west of York Road HALFWAY HOUSE BROOK (Franklin)—Entire length	FW2-TP(C1) FW2-TP(C1)
(Dennis Creek)—Segment within the boundaries of the Dennis Creek Wildlife Management Area		HANCES BROOK (Rockport)—Entire length HARIHOKAKE CREEK	FW2-TP(C1)
ELDER GUT (Egg Island)—Entire length	FW2-NT/SE1(C1) FW2-NT/SE1(C1)	(Alexandria)—Source to Rt. 519 bridge	FW2-NT
FIDDLERS CREEK (Titusville)—Entire length FISHING CREEK (Egg Island)—Entire length	FW2-TM FW2-NT/SE1(C1)	(Frenchtown)—Rt. 519 bridge to Delaware River HARRISONVILLE LAKE (Harrisonville)	FW2-TM FW2-NT(C1)
FISHING CREEK		HATCHERY BROOK (Hackettstown)—Entire length	FW2-TM
(Canton)—Source to Mad Horse Creek Wildlife Man- agement Area and all tributaries outside of the		HIGBEE BEACH (Higbee Beach Wildlife Management Area)—All waters within the boundaries of Higbee	
boundaries of Mad Horse Creek Wildlife Manage- ment Area	SE1	Beach Wildlife Management Area HIGHS BEACH (Highs Beach)—All waters within the	FW2-NT/SE1(C1)
(Mad Horse Creek)—Creek and tributaries within the		Wildlife Management Area south of Highs Beach	FW2-NT/SE1(C1) FW2-TM
boundaries of Mad Horse Creek Wildlife Manage- ment Area	SE1(C1)	HONEY RUN (Hope)—Entire length HOPATCONG, LAKE (Hopatcong)	FW2-TM
FLAT BROOK (Flatbrook-Roy)—Confluence of Big Flat Brook and		ILLIF, LAKE (Andover) IMLAYSTOWN LAKE (Imlaystown)	FW2-TM FW2-NT(C1)
Little Flat Brook to the boundary of Flatbrook-Roy		INDEPENDENCE CREEK	FW2-TP(C1)
Wildlife Management Area, except segments de- scribed below	FW2-TP(C1)	(Alphano)—Source to Alphano Rd. (Alphano)—Alphano Rd. to Pequest River	FW2-NT
(Flatbrookville)—Flatbrook-Roy Wildlife Management Area boundary to Delaware River, except segments		INDIAN DITCH (Egg Island)—Entire length ISLAND DITCH (Egg Island)—Entire length	FW2-NT/SE1(C1) FW2-NT/SE1(C1)
described below	FW2-TM	JACKSONBURG CREEK (Blairstown)—Entire length	FW2-TM FW2-NT
(Walpack)—Segment of the Brook within Walpack Wildlife Management Area	FW2-TM(C1)	JACOBS CREEK (Hopewell)—Entire length JADE RUN (Lebanon State Forest)	FW1
(Stokes State Forest)—Two tributaries to Flat Brook which originate along Struble Road in Stokes State		JOSHUA BRANCH—See BUCKSHUTEM CREEK KING POND (Egg Island)	SE1(C1)
Forest to their confluences with Flat Brook within the		KITTATNNY LAKE (Sandyston)	FW2-NT(C1)
boundaries of Flatbrook-Roy Wildlife Management Area	FW1(tm)	KITTATINNY LAKE TRIBUTARY (Stokes State Forest)—Source to boundary of Stokes	
(High Point)—All surface waters of the Flat Brook drainage area within the boundaries of High Point		State Forest (Sandyston)—State Forest boundary to Kittatinny Lake	FW1(tp) FW2-TP(C1)
State Park and Stokes State Forest, except the follow-	FW1	KNOWLTON BROOK (Knowlton)—Entire length	FW2-TP(C1) FW2-TP(C1)
ing waters: 1. Saw Mill Pond and Big Flat Brook downstream	FW1	KURTENBACH'S BROOK (Waterloo)—Entire length KYMER BROOK (Andover)—Entire length	FW2-IF(CI)
to the confluence with Flat Brook; 2. Mashipacong Pond and its outlet stream (Parker		LAHAWAY CREEK (Propsertown)—Entire length, except tributaries de-	
Brook) to the confluence with Big Flat Brook;		scribed separately below	FW2-NT
<ol><li>Lake Wapalanne and its outlet stream to the confluence with Big Flat Brook;</li></ol>		(Colliers Mills)—All tributaries which originate in the Colliers Mills Wildlife Management Area north-	
<ol> <li>Lack Ocquittunk and waters connecting it with Big Flat Brook;</li> </ol>		northeast of Archers Corners, from their sources to the boundaries of the Colliers Mills Wildlife Manage-	
5. Stony Lake and its outlet stream (Stony Brook)		ment Area Area LAKE—See listing under Name	FW1
to the confluence with Big Flat Brook; 6. Kittatinny Lake, that portion of its inlet stream		LITTLE EASE RUN	
outside the Stokes State Forest boundaries, and its outlet stream, including the Shotwell Camp-		(Glassboro)—Entire length, except portion described separately below	FW2-NT
ing Area tributary, to the confluence with Big Flat Brook:		(Glassboro)—Run and tributaries within the Glassboro Wildlife Management Area, except tributary de-	
7. Deer Lake and its outlet stream to Lake Ashroe;		scribed separately below	FW2-NT(C1)
<ol> <li>Lake Ashroe, portions of its tributaries outside the Stokes State Forest boundaries, and its out-</li> </ol>	•	(Glassboro)—The portion of a branch of Little Ease Run situated immediately north of Stanger Avenue,	
let stream to the confluence with Big Flat Brook;		and entirely within the Glassboro Wildlife Manage- ment Area	FW1
9. Lake Shawanni and its outlet stream to its con-		(Glassboro)—The first and second easterly tributaries to	
fluence with Flat Brook;  10. Crigger Brook and tributary to its confluence		Little Ease Run north of Academy Road LITTLE FLAT BROOK	FW1
with Big Flat Brook. (Del. Water Gap)—All tributaries to Flat Brook that		(High Point State Park)—Source to boundary of High Point State Park	FW1(tp)
flow from the Kittatinny Ridge and are located en-		(Layton)—State park boundary to, but not including,	(+/
tirely within the boundaries of the Delaware Water Gap National Recreation Area	FW1	tributary described below, to confluence with Big Flat Brook	FW2-TP(C1)
FORKED BROOK (Stokes State Forest)—Entire length FURNACE (OXFORD) BROOK	FW2-TP(C1)	(Flatbrook-Roy)—Tributary which originates north of Bevans-Layton Rd. downstream to the first pond	
(Oxford)—Source to railroad bridge at Oxford	FW2-TP(C1)	adjacent to the Fish and Game headquarters building	FW1(tp)
(Oxford)—Railroad bridge to Pequest River FURNACE LAKE (Oxford)	FW2-NT FW2-TM	LITTLE SHABACUNK CREEK (Lawrence)—Entire length	FW2-NT
GARDNERS LAKE (Andover) GOOSE POND (Mad Horse Creek)	FW2-TM SE1(C1)	LITTLE SWARTSWOOD LAKE (Swartswood) LITTLE YORK CREEK (Little York)—Entire length	FW2-NT(C1) FW2-TP(C1)
GOSHEN CREEK		LOCKATONG CREEK	· (/

9B-28

Waterbody (Kingwood)—Source to Idell Bridge	Classification FW2-NT	Waterbody MIDDLE MARSH CREEK	Classification
(Raven Rock)—Idell Bridge to Delaware River	FW2-TM	(Dix)—All fresh waters which originate in and are	
LOGAN POND (Repaupo)	FW2-NT(C1)	located entirely within the boundaries of the Dix	
LOMMASONS GLEN BROOK (Lommasons Glen)—En- tire length	FW2-TP(C1)	Wildlife Management Area MILE BRANCH—Entire length	FW1 FW1
LONG POND (Mad Horse Creek)	SE1(C1)	MILL BROOK (Montague)—See CLOVE BROOK	1 111
LONE TREE CREEK (Egg Island)—Entire length	SE1(C1)	MILL BROOK (Broadway)—Entire length	FW2-TP(C1)
LOPATCONG CREEK (Allens Mills)—Source to Decker Rd. bridge	FW2-TP(C1)	MILL CREEK (Carmel)—Entire length, except segment described be-	
(Herkers Hollow)—Decker Rd. bridge to Rt. 22 bridge	FW2-TM	low	FW2-NT
(Phillipsburg)—Rt. 22 bridge to a point 560 feet		(Union Lake)—Creek and tributaries within the bound-	
(straight line distance) upstream of the Penn Central railroad track	FW2-TP(C1)	aries of the Union Lake Wildlife Management Area MINE BROOK	FW2-NT(C1)
(Phillipsburg)—From a point 560 feet (straight line	()	(Mt. Olive)—Source to, but not including, Upper Mine	
distance) upstream of the Penn Central railroad track downstream to the confluence with the Delaware		Brook Reservoir, downstream to Lower Mine Brook	
River	FW2-NT	Reservoir outlet	FW2-TM
TRIBUTARY		(Mt. Olive)—Lower Mine Brook Reservoir outlet down- steam to Drakestown Road bridge	FW2-TP(C1)
(Uniontown)—Entire length LOWER BROTHERS CREEK (Egg Island)—Entire	FW2-TP(C1)	(Hackettstown)—Drakestown Road bridge downstream	()
length	SE1(C1)	to confluence with Musconetcong River	FW2-TM
LOWER DEEP CREEK (Mad Horse Creek)—Entire		TRIBUTARIES (Drakestown)—Source downstream to, but not includ-	
length LUBBERS RUN (Byram)—Entire length	SE1(C1) FW2-TM	ing, Burd Reservoir	FW2-TP(C1)
MAD HORSE CREEK	1 112-1111	(Drakestown)—Burd Reservoir downstream to conflu-	TIXIO ED 6
(Canton)—Source to the boundary of Mad Horse Creek		ence with Mine Brook (Washington)—Entire length of tributary which joins	FW2-TM
Wildlife Management Area and all tributaries outside the boundaries of the Wildlife Management Area	FW2-NT/SE1	Mine Brook approximately 280 yards upstream of the	
(Mad Horse Creek)—Creek and all waters within the	1 W2-141/5L1	confluence with the Musconetcong River	FW2-TP(C1)
Mad Horse Creek Wildlife Management Area	FW2-NT/SE1(C1)	MIRY RUN (Mercerville)—Entire length MOORE CREEK (Hopewell)—Entire length	FW2-NT FW2-TM
MALAPATIS CREEK (Mad Horse Creek)—Entire length, except segment de-		MOUNT MISERY BROOK	F W 2-1 W1
scribed below	SE1(C1)	(Woodmansie)—Entire length, except segments de-	
(Mad Horse Creek)—Portions of the Creek beyond the	` /	scribed below	PL
boundaries of the Mad Horse Creek Wildlife Man- agement Area	SE1	SOUTH BRANCH, MOUNT MISERY BROOK (Lebanon State Forest)—All tributaries to the South	
MANANTICO CREEK	SEI	Branch that are located entirely within the boundaries	
(Millville)—Entire length, except segment described be-		of Lebanon State Forest	FW1
low (Menantico)—Segment within the boundaries of the	FW2-NT	(Pasadena)—The two easterly branches of the Branch which are located entirely within the boundaries of	
Menantico Ponds Wildlife Management Area	FW2-NT(C1)	the Pasadena Wildlife Management Area	FW1
MANTUA CREEK (Woodbury)—Entire length	FW2-NT/SE2	MOUNTAIN LAKE (Liberty)	FW2-TM
MARCIA LAKE (High Point State Park)—Entire length	FW2-TM(C1)	MOUNTAIN LAKE CREEK (Liberty)—Source to Mountain Lake	FW2-TM
(High Point State Park)—Outlet stream from the Lake	1 W2-1M(C1)	(White)—Mountain Lake dam to Pequest River	FW2-IM FW2-NT
to the confluence with Clove (Mill) Brook	FW2-TP(C1)	MUD POND (Johnsonburg)	FW1
MASHIPACONG POND (Montague) MASON CREEK	FW2-NT(C1)	MUDDY BROOK (Hope)—Entire length MUDDY CREEK	FW2-NT FW1
(Springfield)—Entire length, except segment described		(Mad Horse Creek)—Entire length, except segments	LWI
below (Medford)—Segment within Medford Wildlife Manage-	FW2-NT	described below	SE1(C1)
ment Area	FW2-NT(C1)	(Mad Horse Creek)—Segments outside of the bound- aries of the Mad Horse Creek Wildlife Management	
MASONS RUN	• • •	Area	SE1
(Pine Hill)—Source to Little Mill Rd.	FW2-TP(C1)	MUDDY RUN	
(Lindenwold)—Little Mill Rd. to confluence with Big Timber Creek	FW2-NT	(Elmer)—Entire length, except segments described be-	EXXO NUT
MAURICE RIVER		low (Elmer)—Portion of the Run within Greenwood Pond	FW2-NT
MAIN STEM (Willow's Grove)—Source to the boundary of the sec-		Wildlife Management Area	FW2-NT(C1)
tion of Union Lake Wildlife Management Area north		(Centerton)—Portion of the Run within Parvin State	EWO NIT/C1)
of Vineland	FW2-NT	Park MUDDY RUN	FW2-NT(C1)
(Vineland)—Boundary of the Union Lake Wildlife Management Area to confluence with Blackwater		(Pittsgrove)—Entire length, except segment described	
Branch	FW2-NT(C1)	below	FW2-NT
(Vineland)—Confluence with Blackwater Branch to De-	. ,	(Vineland)—Segment within Union Lake Wildlife Man- agement Area	FW2-NT(C1)
laware Bay, except tributaries described under Tribu- taries below	FW2-NT/SE1	MUSCONETCONG RIVER	12 (61)
TRIBUTARIES, MAURICE RIVER	1 W2-111/5D1	(Hackettstown)—Lake Hopatcong dam to Delaware	TTV 10 TTV 1
(Willow's Grove)—Those portions of tributaries that are		River, except tributaries described below TRIBUTARIES	FW2-TM
within the boundaries of the Pinelands Protection and Preservation Area	PL	(Anderson)—Entire length	
(Vineland)—All tributaries within the boundaries of the	- 2	(Changewater)—Entire length	FW2-TP(C1)
Union Lake Wildlife Management Area and within		(Deer Creek Pond)—See DEER PARK POND (Franklin)—Entire length	FW2-TP(C1)
the Wildlife Management Area that borders Dela- ware Bay	FW2-NT/SE1(C1)	(Lebanon)—Entire length	FW2-TP(C1)
MCCORMICK POND (Egg Island)	FW2-NT/SE1(C1)	(Port Murray)—Entire length	FW2-TP(C1)
MACDONALD BRANCH—See RANCOCAS CREEK		(S. of Point Mtn.) (S. of Schooley's Mtn. Brook)—Entire length	FW2-TP(C1) FW2-TP(C1)
MERRILL CREEK (Harmony)—Entire length, but not including Merrill Creek Reservoir	FW2-TP(C1)	(Waterloo)—Tributary west of Kurtenbach's Brook	1 112-11 (C1)
MERRILL CREEK RESERVOIR (Harmony)	FW2-TM	from source downstream to Waterloo Valley Road	THE
MIDDLE BROTHERS CREEK (Egg Island)—Entire	SE1(C1)	bridge MUSKEE CREEK	FW2-TP(C1)
length	SLI(CI)	MOJILL OKLLIK	

·			
Waterbody	Classification	Waterbody	Classification
(Port Elizabeth)—Source to boundary of Pinelands Pro-		(Whittingham)—Stream and tributaries within the Whit-	
tection and Preservation Area, except segments de-		tingham Wildlife Management Area, except those	
scribed separately below	PL	classified as FW1, above	FW2-TM(C1)
(Peaselee)—The Middle Branch from its origin to the		(Vienna)—Tranquility bridge to Townsbury bridge	FW2-NT
boundaries of the Peaselee Wildlife Management		(Townsbury)—Townsbury bridge to Delaware River, ex-	1 442-141
	EXX/1		TAND TIM
Area	FW1	cept segment described below	FW2-TM
(Peaselee)—Those portions of the tributaries to Slab		(Pequest)—Segment and tributaries within the bound-	******
Branch which are located entirely within the bound-		aries of the Pequest Wildlife Management Area	FW2-NT(C1)
aries of the Peaselee Wildlife Management Area	FW1	TRIBUTARIES	
(Bricksboro)—Pinelands Protection and Preservation		(Petersburg)—Headwaters and tributaries downstream	
Area boundaries to Maurice River	FW2-NT	to Ryan Road bridge	FW2-TP(C1)
NANCY GUT		PIERSONS DITCH (Egg Island)—Entire length	FW2-NT/SE1(C1)
(Nantuxent)—Source to the boundary of Nantuxent		PINE BRANCH—See BUCKSHUTEM CREEK	` '
Creek Wildlife Management Area	SE1(C1)	PLUM BROOK (Sergeantsville)—Entire length	FW2-TM
(Newport)—Stream and all tributaries outside of the		POHATCONG CREEK	
boundaries of the Nantuxent Creek Wildlife Manage-		MAIN STEM	
ment Area	SE1	(Mansfield)—Source to Karrsville bridge	FW2-TP(C1)
NANTUXENT CREEK	SE1	(Pohatcong)—Karrsville bridge to Delaware River	FW2-TM
			F W 2-1 W
(Newport Landing)—Entire length, except segment de-	FIX NW/054	TRIBUTARIES	THE CONTRACTOR
scribed below	FW2-NT/SE1	(Greenwich)—Entire length	FW2-TP(C1)
(Nantuxent)—All waters within the boundaries of Nan-		(New Village)—Entire length	FW2-TP(C1)
tuxent Creek Wildlife Management Area	FW2-NT/SE1(C1)	(Willow Grove)—Entire length	FW2-TP(C1)
NEW WAWAYANDA LAKE (Andover)	FW2-TM	POND BROOK (Middleville)—Swartswood Lake outlet	
NISHISAKAWICK CREEK (Frenchtown)—Entire length	FW2-NT	to Trout Brook	FW2-NT
OLDMANS CREEK		POPHANDUSING BROOK	
(Lincoln)—Entire length, except portion described be-		(Hazen)—Source downstream to Route 519 bridge	FW2-TP(C1)
low	FW2-NT/SE1	(Belvidere)—Route 519 bridge downstream to conflu-	1 (01)
(Harrisonville)—Portion within Harrisonville Lake	1 W2-141/5L51	ence with the Delaware River	FW2-TM
	ENVO NEE/C1)		
Wildlife Management Area	FW2-NT(C1)	RACCOON CREEK (Logan)—Entire length	FW2-NT/SE2
OCQUITTUNK LAKE		RANCOCAS CREEK	
(Stokes State Forest)—Entire lake	FW2-NT(C1)	NORTH BRANCH	
(Stokes State Forest)—From the outlet of the Lake to		(North Hanover)—Source to boundary of the Pinelands	
the confluence with Big Flat Brook	FW2-TP(C1)	Protection and Preservation Area at Pemberton	PL
OCQUITTUNK LAKE TRIBUTARY (Stokes State For-		(Pemberton)—Boundary of the Pinelands Protection	
est)—Source to Ocquittunk Lake	FW1(tp)	and Preservation Area to the Delaware River, except	
ORANDAKEN CREEK	(1)	tributaries described below	FW2-NT
(Fortescue)—Source to boundary of Egg Island Berry-		(Pemberton)—Tributaries within the boundaries of the	
town Wildlife Management Area	FW2-NT/SE1	Pinelands Protection and Preservation Areas	PL
(Egg Island)—Creek and tributaries within the bound-	1 W2-141/SE1	SOUTH BRANCH RANCOCAS CREEK	rL
aries of the Egg Island Berrytown Wildlife Manage-	ENIO NEGET (C1)	(Southhampton)—Source to Pinelands Protection and	
ment Area	FW2-NT/SE1(C1)	Preservation Area boundaries at Rt. 206 bridge south	
PARGEY CREEK		of Vincentown	PL
(Gibbstown)—Entire length, except segment described		(Vincentown)—Vincentown to Delaware River, except	
below	FW2-NT/SE2	tributaries described separately below	FW2-NT
(Logans Pond)—Segment within the boundaries of Lo-		(Vincentown)—All tributaries within the Pinelands Pro-	
gans Pond Wildlife Management Area	FW2-NT/SE2(C1)	tection and Preservation Area	PL
PARKER BROOK (Montague)—Entire length	FW2-TP(C1)	COOPER BRANCH RANCOCAS CREEK	
PARVIN LAKE (Parvin State Park)	FW2-NT(C1)	(Woodmansie)-Entire length, except portions de-	
PATTYS FORK—See MAD HORSE CREEK	2 2 (02)	scribed separately, below	PL
PAULINA CREEK (Paulina)—Entire length	FW2-TM	(Lebanon State Forest)—Branch and tributaries down-	1 L
PAULINS KILL	1 1 2-1111		
	,	stream to Pakim Pond, and tributaries to Cooper	
EAST BRANCH	ENIO NECON	Branch located entirely within the Lebanon State	77X 14
(Andover)—Source to Limecrest quarry	FW2-NT(C1)	Forest boundaries	FW1
(Lafayette)—Limecrest quarry to confluence with Pau-		DEER PARK BRANCH RANCOCAS CREEK	
lins Kill, West Branch, except tributary described		(Buckingham)—Stream and tributaries near Bucking-	
below	FW2-TP(C1)	ham to confluence with Pole Bridge Branch	FW1
TRIBUTARY EAST BRANCH		MACDONALDS BRANCH RANCOCAS CREEK	
(Sussex Mills)—Entire length of tributary to the East		(Woodmansie)-Entire length, except as described sep-	
Branch at Sussex Mills	FW2-NT(C1)	arately below	PL
WEST BRANCH	<b>(</b> )	(Lebanon State Forest)—Branch and tributaries located	
(Newton)—Entire length	FW2-NT	entirely within Lebanon State Forest	FW1
MAIN STEM		SHINNS BRANCH RANCOCAS CREEK	. ***
(Blairstown)—Confluence of East and West branches to		(Lebanon State Forest)—Branch and tributaries located	
`	EXIO TM		
Rt. 15 bridge (bench mark 507)	FW2-TM	entirely within the boundaries of Lebanon State For-	T3374
(Hampton)—Rt. 15 bridge to Paulins Kill Lake dam	FW2-NT	est, from their sources to the forest boundary	FW1
(Paulins Kill Lake)—Paulins Kill Lake dam to Delaware		(Lebanon Lake Estates)—Forest boundary to lake	PL
River, except tributaries described separately below	FW2-TM	ROARING DITCH	
TRIBUTARIES, MAIN STEM		(Heislerville)—Entire length, except segment described	
(Blairstown)—Entire length of tributary east of Walnut		below	SE1
Valley	FW2-TM	(Eldora)—Ditch and all tributaries within the Dennis	
(Emmons Station)—Entire length	FW2-TP(C1)	Creek Wildlife Management Area boundaries	SE1(C1)
(Stillwater)—Entire length	FW2-TM	ROWANDS POND (Clementon)-Pond, inlet stream and	. ,
(Stillwater Station)—Entire length	FW2-TP(C1)	outlet stream within Rowands Pond Wildlife Manage-	
PENNSAUKEN CREEK (Cinnaminson)—Entire length	FW2-NT	ment Area	FW2-NT(C1)
PEQUEST RIVER		RUNDLE BROOK (Del. Water Gap)—Source to Sussex	(01)
(Belvidere)—Source to Tranquility bridge except seg-		County Route 615	FW1
ments described below	FW2-TM	SALEM CREEK (RIVER) (Salem)—Entire length	
(Whittingham)—Northwesterly tributaries, including Big	7 11 2 1 1VI		FW2-NT/SE1
Spring, located within the boundaries of the Whitting-		SAMBO ISLAND BROOK (Del. Water Gap)—Entire	EW/1
		length	FW1
ham Wildlife Management Area, southwest of Spring-		SAMBO ISLAND POND (Del. Water Gap)	FW1
dale, from their origins to their confluence with the	TW14/4	SANDYSTON CREEK (Sandyston)—Entire length	FW2-TP(C1)
Pequest River	FW1(tm)	SAVAGES RUN	

Waterbody	Classification	Waterbody	Classification
(Belleplain State Forest)—Entire length, except portions described separately, below	PL	(Lake Lenape)—Lake Lenape to Andover Junction	FW2-NT
(Belleplain State Forest)—Those two tributaries and	rL	Brook THREE MOUTHS (Egg Island)	FW2-NT/SE1(C1)
portions thereof downstream of Lake Nummi and all		THUNDERGUST BROOK	1 112 111/021(01)
tributaries to Lake Nummi that are located entirely		(Deerfield)—Entire length, except segment described	
within the boundaries of Belleplain State Forest	FW1	below	FW2-NT
SAWMILL POND (High Point) SCHOOLEYS MTN. BROOK (Schooley's Mtn.)—Entire	FW2-NT(C1)	(Deerfield)—That segment within the boundaries of Parvin State Park	EW2 NT(C1)
length	FW2-TP(C1)	THUNDERGUST LAKE (Parvin State Park)	FW2-NT(C1) FW2-NT(C1)
SHABACUNK (SHABBECONO) CREEK (Ewing)—En-	()	TILLMAN BROOK (Walpack)—Entire length	FW1(tp)
tire length	FW2-NT	TROUT BROOK (Hackettstown)—Entire length	FW2-TM(C1)
(Stokes State Forest) Headwaters and tributories	•	TROUT BROOK (Tranquility)—Entire length	FW2-TP(C1)
(Stokes State Forest)—Headwaters and tributaries downstream to, but not including, Shawanni Lake	FW1(tp)	TROUT BROOK (Hope)—Entire length TROUT BROOK (Allamuchy)—Entire length	FW2-TM FW2-NT
(Stokes State Forest)—Outlet of Shawanni Lake down-	- ··-(- <b>P</b> )	TROUT BROOK	
stream to confluence with Flat Brook	FW2-TP(C1)	(Middleville)—Source to confluence with Pond Brook	FW2-TP(C1)
SHAWANNI LAKE (Stokes State Forest)	FW2-NT(C1)	(Middleville)—Confluence with Pond Brook to Paulins	ESS/O NET
SHAWS MILL POND (Cedarville) TRIBUTARIES	FW2-NT/SE1(C1)	Kill TURKEY HILL BROOK (Bethlehem)—Entire length	FW2-NT FW2-TP(C1)
(Edward G. Bevan)—Cedar and Mile Branches to		TURNERS FORK—See MAD HORSE CREEK	12 11 (01)
Shaw's Mill Pond	FW1	TUTTLES CORNER BROOK (Tuttles Corner)—Entire	
SHIMERS BROOK		length	FW2-TP(C1)
(Millville)—Entire length, except those segments and tributaries designated FW1, below	FW2-TP(C1)	UPPER BROTHERS CREEK (Egg Island)—Entire length	SE1(C1)
(High Point)—That segment of Shimers Brook and all	1 112 11 (01)	UPPER DEEP CREEK (Mad Horse Creek)—Entire	obi(ci)
tributaries within the boundaries of High Point State		length	SE1(C1)
Park	FW1(tp)	VANCAMPENS BROOK (Millbrook)—Entire length	FW2-TP(C1)
SHINNS BRANCH—See RANCOCAS CREEK SHIPETAUKIN CREEK (Lawrenceville)—Entire length	FW2-NT	WAPALANNE LAKE (Stokes State Forest)	FW2-NT(C1)
SHORE DITCH (Mad Horse Creek)—Entire length	SE1(C1)	WELDON BROOK (Jefferson Township), from source to, but not including, Lake Shawnee	FW2-TM
SILVER LAKE (Hope)	FW2-TM	WEST CREEK	
SILVER LAKE FORK—See MAD HORSE CREEK		(Halberton)—Source to the boundary of the Pinelands	
SLAB BRANCH—See MUSKEE CREEK		Protection and Preservation Areas, except those por-	DY
SLUICE CREEK (South Dennis)—Entire length, except segment de-		tions described separately below (Belleplain)—The portion of the tributary that origi-	PL
scribed below	FW2-NT/SE1	nates about 0.9 miles southeast of Hoffman's Mill and	
(Dennis Creek)—Segments of tributaries that are within		is located entirely within the boundaries of Belleplain	
the Dennis Creek and the Beaver Swamp Wildlife	EWO NED/CE1/C1	State Forest	FW1
Management Areas SMITH FERRY BROOK (Del. Water Gap)—Entire	FW2-NT/SE1(C1)	(Belleplain)—Those tributaries that originate about 0.5 miles upstream of Hoffman's Mill and are located	•
length	FW1	entirely within the boundaries of Belleplain State	
SPARTA JUNCTION BROOK (Sparta Junction)—Entire		Forest	FW1
length SPRING MILLS BROOK	FW2-TM(C1)	(Belleplain)—Eastern branch of the easterly tributary to Pickle Factory Pond from its origin to its confluence	
(Spring Mills)—Source to Rt. 519 bridge	FW2-TP(C1)	with the western branch	FW1
(Milford)—Rt. 519 bridge to confluence with Hakiho-	, ,	(Delmont)—Boundary of the Pinelands Protection and	
kake Creek STEELE RUN	FW2-TM	Preservation Area to the boundary of the Fish and Game lands	ESU2 NIT/CE1/C1
(Washington Crossing State Park)—Source to conflu-		(Delmont)—Boundary of the Fish and Game lands to	FW2-NT/SE1(C1)
ence with westerly tributary	FW1	Delaware Bay	SE1
(Titusville)—Confluence with westerly tributary to the		WEST PORTAL CREEK (West Portal)—Entire length	FW2-TP(C1)
Delaware River STEENY KILL LAKE (High Point)	FW2-NT FW1	WHITE BROOK (Montague)—Entire length	FW2-TP(C1) FW2-TM
STEEP RUN (Mauricetown)—Entire length	FW2-NT(C1)	WHITE LAKE (Hardwick) WICKECHEOKE CREEK	F W 2-1 W
STEPHENSBURG BROOK (Stephensburg)—Entire	1 1.1(01)	(Locktown)—Source to confluence with Plum Brook	FW2-NT
length	FW2-TP(C1)	(Stockton)—Confluence with Plum Brook to Delaware	
STONY BROOK (Knowlton)—Entire length STONY BROOK	FW2-TP(C1)	River	FW2-TM
(Stokes State Forest)—Source and tributaries, wholly		WIDGEON PONDS (Egg Island) WILLS BROOK (Mt. Olive)—Entire length	FW2-NT/SE1(C1) FW2-TM
contained within Stokes State Forest, from their ori-		YARDS CREEK (Blairstown)—Entire length	FW2-TP(C1)
gins to, but not including, Stony Lake	FW1(tp)	, , ,	, ,
(Stokes State Forest)—Tributary originating approxi-		(e) The surface water classifications in T	able 3 are for
mately one mile west of the Branchville Reservoir to the confluence with Stony Brook	FW1(tp)	waters of the Passaic, Hackensack and New	v York Harbor
(Stokes State Forest)—Outlet of Stoney Lake to the	1 11 1(tp)	Complex Basin:	
confluence with Big Flat Brook	FW2-TP(C1)	Complex Busin.	
STONEY LAKE (Stokes State Forest)	FW2-TM(C1)		
TRIBUTARIES—See STONY BROOK STOW CREEK		TABLE 3	
(Stow Creek Landing)—Entire length, except tributaries		Waterbody	Classification
described separately below	FW2-NT/SE1	APSHAWA BROOK (Macopin)—Entire length	FW2-TP(C1)
(Mad Horse Creek)—Tributaries within the boundaries of the Mad Horse Creek Wildlife Management Area	FW2-NT/SE1(C1)	ARTHUR KILL (Perth Amboy)—The Kill and its saline New Jersey	
STRAIGHT CREEK (Berrytown)—Entire length	SE1(C1)	tributaries between the Outerbridge Crossing and a	
SUNFISH POND (Worthington)—The pond and its out-	, ,	line connecting Ferry Pt., Perth Amboy to Wards Pt.,	
let stream to the Delaware River	FW1	Staten Island, New York	SE2
SWAN CREEK (Lambertville)—Entire length SWARTSWOOD CREEK (Swartswood)—Entire length	FW2-NT FW2-TM	(Elizabeth)—From an east-west line connecting Eliza- bethport with Bergen Pt., Bayonne to the Outerbridge	
SWARTSWOOD CREEK (Swartswood)—Entire length SWARTSWOOD LAKE (Stillwater)	FW2-TM(C1)	Crossing	SE3
TAR HILL BROOK	<b>\</b> /	(Woodbridge)—All freshwater tributaries	FW2-NT
(Lake Lenape)—Source to, but not including, Lake	ENVO TE C	BEAR SWAMP BROOK (Mahwah)—Entire length	FW2-TP(C1)
Lenape	FW2-TM	BEAR SWAMP LAKE (Ringwood State Park)	FW2-NT(C1)

Waterbody	Classification	Waterbody	Classification
BEAVER BROOK (Meriden)—From Splitrock Reservoir Dam downstream		(Chatham)—Entire length, except segment described below	FW2-NT
to Meriden Road bridge	FW2-TP(C1)	(Great Swamp)—Segment within the boundaries of the	F W 2-1N 1
(Denville)—Meriden Road Bridge to Rockaway River	FW2-NT	Great Swamp National Wildlife Refuge	FW2-NT(C1)
TRIBUTARIES		GREEN BROOK	` ,
(Meriden)—Two tributaries located approximately three	ENVO ED/C1)	(W. Milford)—Entire length, except those segments de-	ENIO ED/O1)
quarters of a mile southwest of Meriden BEECH BROOK	FW2-TP(C1)	scribed below (Hewitt State Forest)—These segments and tributaries	FW2-TP(C1)
(West Milford)—From State line downstream to		which originate and are located entirely within the	
Monksville Reservoir	FW2-TM	Hewitt State Forest boundaries	FW1(tp)
BELCHER CREEK (W. Milford)—Entire length	FW2-NT	GREEN POND (Rockaway)	FW2-TM
BERRYS CREEK (Secaucus)—Entire length	FW2-NT/SE2	GREEN POND BROOK	
BLACK BROOK (Meyersville)—Entire length, except segment described		(Picatinny Arsenal)—Green Pond outlet to, but not including, Picatinny Lake	FW2-TP(C1)
below	FW2-NT	(Wharton)—Outlet of Picatinny Lake to the confluence	1 112-11 (C1)
(Great Swamp)—Segment and tributaries within the		with the Rockaway River	FW2-NT
Great Swamp National Wildlife Refuge	FW2-NT(C1)	GREENWOOD LAKE (W. Milford)	FW2-TM
(Wanague) Handwaters downstream to lower Spake		HACKENSACK RIVER	FW2-NT
(Wanaque)—Headwaters downstream to lower Snake Den Road bridge	FW2-TP(C1)	(Oradell)—Source to Oradell dam (Oradell)—Main stem and saline tributaries from Ora-	F W 2-1V I
(Wanaque)—Lower Snake Den Road bridge to the	1 112 11 (01)	dell dam to the confluence with Overpeck Creek	SE1
boundary of Norvin Green State Forest	FW2-TM	(Little Ferry)—Main stem and saline tributaries from	
(Norvin Green State Forest)—That portion of the		Overpeck Creek to Route 1 and 9 crossing	SE2
stream and any tributaries within the Norvin Green State Forest	FW2-TM(C1)	(Kearny Point)—Main stem downstream from Route 1 and 9 crossing	SE3
BRUSHWOOD POND (Ringwood State Park)	FW2-TM(C1)	TRIBUTARIES	SE3
BUCKABEAR POND (Newfoundland)—Pond, its tribu-	1 112 1111(01)	(Oradell)—Tributaries joining the main stem between	
taries and connecting stream to Clinton Reservoir	FW2-NT(C1)	Oradell dam and the confluence with Overpeck Creek	FW2-NT/SE1
BURNT MEADOW BROOK (Green Pond)—Source	PINA NE	(Little Ferry)—Tributaries joining the main stem down-	THE NUMBER
downstream to confluence with Green Pond Brook BURNT MEADOW BROOK (Stonetown)—Entire length	FW2-NT FW2-TP(C1)	stream of Overpeck Creek HANKS POND (Clinton)—Pond and all tributaries	FW2-NT/SE2 FW1
CANISTEAR RESERVOIR (Vernon)	FW2-TM	HARMONY BROOK (Brookside)—Entire length	FW2-TP(C1)
CANISTEAR RESERVOIR TRIBUTARY (Vernon)—		HARRISONS BROOK (Bernards)—Entire length	FW2-NT
The southern branch of the eastern tributary to the		HAVEMEYER BROOK (Mahwah)—Entire length	FW2-TP(C1)
Reservoir	FW1	HEWITT BROOK (W. Milford)—Entire length	FW2-TP(C1)
CANOE BROOK (Chatham)—Entire length CEDAR POND (Potsville)—Pond and all tributaries	FW2-NT FW1	HIBERNIA BROOK (Marcella)—Source to first Green Pond Road bridge	
CHARLOTTEBURG RESERVOIR (Charlotteburg)	FW2-TM	downstream of Lake Emma	FW2-TP(C1)
CHERRY RIDGE BROOK		(Hibernia)-First Green Pond Road bridge to conflu-	
(Vernon)—Tributaries not contained within Wawayanda		ence with Beaver Brook	FW2-TM
State Park and Newark Watershed lands	FW2-NT	TRIBUTARY	EWO TRACE
(Wawayanda State Park)—Brook and tributaries up- stream of Canistear Reservoir located entirely within		(Lake Ames)—Source to, but not including, Lake Ames HIGH MOUNTAIN BROOK (Ringwood)—Source to,	FW2-TP(C1)
the boundaries of Wawayanda State Park and the		but not including, Skyline Lake	FW2-TP(C1)
Newark Watershed lands	FW1	HOHOKUS BROOK (Hohokus)—Entire length	FW2-NT/SE2
CLINTON BROOK		HUDSON RIVER	
(W. Milford)—Source to Pequannock River, except Clinton Reservoir listed separately below	FW2-TP(C1)	(Rockleigh)—River and saline portions of New Jersey tributaries from the New Jersey-New York boundary	
CLINTON RESERVOIR (W. Milford)	FW2-TM(C1)	line in the north to its confluence with the Harlem	
CLOVE BROOK—See STAG BROOK		River, New York	SE1
COOLEY BROOK		(Englewood Cliffs)—River and saline portions of New	
(W. Milford)—Entire length, except segments described below	EW2 TD(C1)	Jersey tributaries from the confluence with the Har- lem River, New York to a north-south line connecting	
(Hewitt State Forest)—Segments of the brook and all	FW2-TP(C1)	Constable Hook (Bayonne) to St. George (Staten	
tributaries which originate and are located entirely		Island, New York)	SE2
within Hewitt State Forest	FW1(tp)	TRIBUTARIES	
CORYS BROOK (Warren)—Entire length	FW2-NT	(Rockleigh)—Freshwater portions of tributaries to the	77770 N.T.
CRESSKILL BROOK (Alpine)—Source to Duck Pond Rd. bridge, Demarest	FW2-TP(C1)	Hudson River in New Jersey INDIAN GROVE BROOK	FW2-NT
(Demarest)—Duck Pond Rd. bridge to Tenakill Brook	FW2-NT	(Bernardsville)—Entire length	FW2-TP(C1)
CROOKED BROOK TRIB. (East of Sheep Hill)—Entire		JACKSON BROOK	/
length	FW2-TP(C1)	(Mine Hill)—Source to the boundary of Hurd Park,	
CUPSAW BROOK (Skylands)—Source to Wanaque Reservoir, except seg-		Dover (Dover)—Hurd Park to Rockaway River	FW2-TP(C1) FW2-NT
ment described below	FW2-NT	JENNINGS CREEK (W. Milford)—State line to Wa-	F W 2-141
(Ringwood State Park)—That segment of Cupsaw		naque River	FW2-TP(C1)
Brook within the boundaries of Ringwood State Park	FW2-NT(C1)	JERSEY CITY RESERVOIR (Boonton)	FW2-TM
DEAD RIVER (Liberty Corners)—Entire length	FW2-NT	KANOUSE BROOK (Newfoundland)—Entire length	FW2-TP(C1)
DEN BROOK (Randolph)—Entire length TRIBUTARY	FW2-NT	KIKEOUT BROOK (Butler)—Entire length KILL VAN KULL (Bayonne)—Westerly from a north-	FW2-NT
(Randolph)—Tributary west of Shongum Lake	FW2-TP(C1)	south line connecting Constable Hook (Bayonne) to St.	
DUCK POND (Ringwood)	FW2-NT(C1)	George (Staten Island, New York)	SE3
ELIZABETH RIVER		LAKE RICKONDA OUTLET STREAM	
(Elizabeth)—Source to Broad St. bridge, Elizabeth and all freshwater tributaries	FW2-NT	(Monks)—That segment of the outlet stream from Lake Rickonda within Ringwood State Park	EW2.TM(C1)
(Elizabeth)—Broad St. bridge to mouth	SE3	LAKE STOCKHOLM BROOK	FW2-TM(C1)
FOX BROOK (Mahwah)—Entire length	FW2-NT	(Stockholm)—Entire length, except tributaries described	
GLASMERE PONDS (Ringwood)	FW2-NT(C1)	separately below	FW2-TP(C1)
GOFFLE BROOK (Hawthorne)—Entire length GRANNEY BROOK—See SPRING BROOK	FW2-NT	(Stockholm)—Portion of westerly tributary, from its origins to about 1,000 feet south of the Route 23 bridge,	
GRANNIS BROOK (Morris Plains)—Entire length	FW2-NT	located entirely within the boundaries of the Newark	
GREAT BROOK		watershed	FW1(tp)

•	•		
Waterbody	Classification	Waterbody	Classification
(Stockholm)—Brook between Hamburg Turnpike and		line, near Jefferson from its origin to about 2,000 feet	
Vernon-Stockholm Rd. to its confluence with Lake Stockholm Brook, north of Rt. 23	E33/1/4m)	upstream of the pond	FW1(tm)
LITTLE POND BROOK (Oakland)—Entire length	FW1(tp) FW2-TP(C1)	(Lake Kampfe)—Source to, but not including, Lake Kampfe	FW2-TM
LOANTAKA BROOK	1 11 (01)	(Lake Kampfe)—Lake Kampfe to Pequannock River,	1 112-1111
(Green Village)-Entire length, except segment de-		except tributary described separately below	FW2-NT
scribed below	FW2-NT	(Lake Kampfe)—Tributary within the boundaries of	
(Great Swamp)—Brook and all tributaries within the boundaries of Great Swamp National Wildlife Refuge	EW2 NT(C1)	Norvin Green State Forest, originating west of Torne Mtn.	EWO NIT(C1)
LUD-DAY BROOK—(Camp Garfield)—Source down-	FW2-NT(C1)	PILES CREEK (Grasselli)—Entire length	FW2-NT(C1) SE3
stream to its confluence with the southwestern outlet	**	POMPTON LAKE (Pompton Lakes)	FW2-NT
stream from Clinton Reservoir just upstream of the		POMTPON RIVER (Wayne)—Entire length	FW2-NT
confluence of the outlet stream and a tributary from		POND BROOK (Oakland)—Entire length	FW2-NT
Camp Garfield MACOPIN RIVER	FW1	POSTS BROOK (Pleamingdale) Source to confluence with Wongque	
(Newfoundland)—Source to Echo Lake dam	FW2-NT	(Bloomingdale)—Source to confluence with Wanaque River, except Wanaque Reservoir, and segment de-	
(Newfoundland)—Echo Lake dam to Pequannock River	FW2-TM	scribed below	FW2-NT
MÈADOW BROOK		(Norvin Green State Forest)—That segment of the	
(Wanaque)—Skyline Lake to E. Belmont Ave.	FW2-NT	stream and all tributaries within the boundaries of	TTT ( ) ( ) ( )
(Wanaque)—E. Belmont Ave. downstream to Wanaque River	FW2-TP(C1)	Norvin Green State Forest PREAKNESS (SINGAC) BROOK	FW2-NT(C1)
MILL BROOK	1 w 2-11 (C1)	(Wayne)—Source to, but not including, Barbour Pond	FW2-TP(C1)
(Randolph)—Source to Rt. 10 bridge	FW2-TP(C1)	(Barbour Pond)—Pond to Passaic River	FW2-NT
(Randolph)—Rt. 10 bridge to Rockaway River	FW2-NT	PRIMROSE BROOK	
MONKSVILLE RESERVOIR (Long Pond Ironworks	EWO TN (C1)	(Harding)—Source to Lees Hill Road bridge	FW2-TP(C1)
State Park) MORSES CREEK (Linden)—Entire length	FW2-TM(C1) FW2-NT/SE3	(Harding)—Lees Hill Road bridge to Great Swamp National Wildlife Refuge boundary	FW2-NT
MOSSMANS BROOK—(West Milford)—Source to con-	1 W2-11/313	(Great Swamp)—Wildlife Refuge boundary to Great	1 W2-W1
fluence with Clinton Reservoir	FW2-TP(C1)	Brook	FW2-NT(C1)
MT. TABOR BROOK (Morris Plains)—Entire length	FW2-NT	RAHWAY RIVER	
NEWARK BAY (Newark)—North of an east-west line		SOUTH BRANCH	
connecting Elizabethport with Bergen Pt., Bayonne up to the mouths of the Passaic and Hackensack Rivers	SE3	(Rahway)—Source to Hazelwood Ave., Rahway (Rahway)—Hazelwood Ave. to mouth	FW2-NT SE2
NOSENZO POND (Upper Macopin)	FW2-NT(C1)	MAIN STEM	SE2
OAK RIDGE RESERVOIR (Oak Ridge)	FW2-TM	(Rahway)—Upstream of Pennsylvania Railroad bridge	FW2-NT
OAK RIDGE RESERVOIR (Oak Ridge)—Northwestern		(Linden)—Penn. Railroad bridge to Route 1 & 9 cross-	
tributary to Reservoir	FW1(tm)	ing (Conterest) Route 1.0 grassing to mouth	SE2
OHIO BROOK (Morris Township)—Source downstream to Morristown town line	FW2-TM	(Carteret)—Route 1-9 crossing to mouth RAMAPO LAKE (Ramapo)—Lake and all outlet streams	SE3
OVERPECK CREEK (Palisades Park)—Entire length	FW2-NT/SE2	and tributaries within the boundaries of Ramapo Mtn.	
PACACK BROOK		State Forest	FW2-NT(C1)
(Stockholm)—Outlet of Canistear Reservoir to Pequan-	77110 NT	RAMAPO RIVER (Mahwah)—State line to Pompton	
nock River (Canistear)—Brook and tributaries upstream of Canis-	FW2-NT	River TRIBUTARY (Oakland)—Entire length	FW2-NT FW2-TP(C1)
tar Reservoir located entirely within the boundaries		RINGWOOD CREEK	1 W2-11 (C1)
of the Newark Watershed	FW1	(Ringwood)—Entire length, except segment described	
PASSIAC RIVER		below	FW2-TM
(Mendham)—Source downstream to, but not including,		(Sloatsburg)—Creek within Ringwood State Park	FW2-TM(C1)
Osborn Pond or tributaries described separately be- low	FW2-TP(C1)	RINGWOOD MILL POND (Ringwood) ROCKAWAY RIVER	FW2-NT(C1)
(Paterson)— Outlet of Osborn Pond to Dundee Lake	1 2 11 (01)	(Wharton)—Source to Washington Pond outlet, exclud-	
dam	FW2-NT	ing the segment within the boundaries of the Berk-	
(Little Falls)—Dundee Lake dam to confluence with Second River	FW2-NT/SE2	shire Valley Wildlife Management area	FW2-NT
(Newark)—Confluence with Second River to mouth	FW2-N1/SE2 SE3	(Berkshire Valley)—That segment within the bound- aries of the Berkshire Valley Wildlife Management	
TRIBUTARIES	SL3	Area	FW2-NT(C1)
(Great Piece Meadows State Park)—Tributaries within		(Dover)—Washington Pond outlet downstream to Rt.	,
Great Piece Meadows State Park	FW2-NT(C1)	46 bridge	FW2-TM(C1)
PECKMAN RIVER (Verona)—Entire length PEQUANNOCK RIVER	FW2-NT	(Boonton)—Rt. 46 bridge to Passiac River, excluding Jersey City Reservoir	FW2-NT
MAIN STEM		RUSSIA BROOK	I W2-N1
(Vernon)—Source to confluence with Pacack Brook	FW1(tp)	(Sparta)—Source to Lake Hartung dam	FW2-NT
(Hardyston)—Pacack Brook to, but not including, Oak		(Milton)—Lake Hartung dam to, but not including,	
Ridge Reservoir	FW2-TM	Lake Swannanoa	FW2-TM
(Newfoundland)—Outlet of Oak Ridge Reservoir down- stream to, but not including Charlotteburg Reservoir	FW2-TP(C1)	SADDLE RIVER (Upper Saddle River)—State line to Bergen County Rt.	
(Charlotteburg)—Outlet of Charlotteburg Reservoir to,	1 112-11 (01)	2 bridge	FW2-TP(C1)
but not including, Macopin Reservoir or the tributar-		(Saddle River)—Bergen County Rt. 2 bridge to Allen-	, ,
ies described separately below	FW2-TM	dale Rd. bridge	FW2-TM
(Kinnelon)—Macopin Reservoir outlet to Hamburg Turnpike bridge in Pompton Lakes Borough	FW2-TP(C1)	(Lodi)—Allendale Rd. bridge to Passaic River SAWMILL CREEK (Pompton Plains)—Entire length	FW2-NT/SE3 FW2-NT
(Riverdale)—Hamburg Turnpike bridge in Pompton	1 112-11 (C1)	SCARLET OAK POND (Mahwah)	FW2-TM
Lakes Borough to confluence with Wanaque River	FW2-TM	SHEPPARD LAKE (Ringwood)	FW2-TM(C1)
(Pompton Plains)—Confluence with Wanaque River	T1110 - T11	SINGAC BROOK—See PREAKNESS BROOK	TENUO NUT
downstream to confluence with Pompton River	FW2-NT	SLOUGH BROOK (Livingston)—Entire length	FW2-NT FW2-NT/SE3
TRIBUTARIES (Copperas Mtn.)—Entire length	FW2-TP(C1)	SMITH CREEK (Woodbridge)—Entire length SPLIT ROCK RESERVOIR (Rockaway)	FW2-IN1/SE3 FW2-TM
(Smoke Rise)—Entire length	FW2-TP(C1)	SPLIT ROCK RESERVOIR TRIBUTARIES	
(Green Pond Junction)—Tributary at Green Pond Junc-		(Farny State Park)—Three tributaries within Farny	THE AMERICAN
tion from its origin downstream to Route 23	FW1(tm)	State Park SPRING (GRANNEY) BROOK (Mine Hill)—Entire	FW2-NT(C1)
(Jefferson)—Tributary joining the main stem about 3,500 ± feet southeast of the Sussex-Passaic County		length	FW2-TP(C1)
		-0	_ ( /

Waterbody	Classification	Waterbody	Classification
SPRING GARDEN BROOK (Florham)—Entire length	FW2-NT	(Oceanport)—Source to a line beginning on the east-	
STAG (CLOVE) BROOK (Mahwah)—Entire length	FW2-TP(C1)	ernmost extent of Gooseneck Point and bearing ap-	
STEPHENS BROOK		proximately 162 degrees True North to its terminus	
(Roxbury)—Entire length, except segment described		on the westernmost extent of an unnamed point of	
separately, below	FW2-NT	land in the vicinity of the western extent of Cayuga	971
(Berkshire Valley)—That segment north of the bound-		Ave. in Oceanport	SE1
aries of the Berkshire Valley Wildlife Management		(Oceanport)—Creek below the line described above	SE1(C1)
Area	FW1	BLUE BROOK (Mountainside)—Entire length	FW2-NT
STONE HOUSE BROOK (Kinnelon)—Entire length	FW2-NT	BOULDER HILL BROOK (Tewksbury)—Entire length	FW2-TP(C1)
STONY BROOK (Boonton)—Entire length	FW2-NT	BOUND BROOK (Dunellen)—Entire length	FW2-NT
SURPRISE LAKE (Hewitt)	FW1	BRANCHPORT CREEK	
SWAN POND (Ringwood)	FW2-NT(C1)	(Long Branch)—Source to a line beginning on the	
TENAKILL BROOK (Demarest)—Entire length	FW2-NT	northernmost extent of an unnamed point of land	
TERRACE POND (Wawayanda)	FW2-NT(C1)	lying north of Pocano Ave. in Oceanport and bearing	
TIMBER BROOK (Kitchell)-Entire length, except tribu-	` '	approximately 055 degrees True North to its terminus	
tary described separately below	FW2-NT	on the westernmost extent of the northern bulkhead	
TIMBER BROOK (Farny State Park)—Headwater seg-		at the lagoon located between France Rd. and Lori	
ment of tributary to Timber Brook within Farny State		Rd. in Monmouth Beach	FW2-NT/SE1
Park	FW2-NT(C1)	(Monmouth Beach)—Creek below line described above	SE1(C1)
TROY BROOK (Troy Hills)—Entire length	FW2-NT	BUDD LAKE (Mt. Olive)	FW2-NT(C1)
WANAQUE RESERVOIR	FW2-TM	BURNETT BROOK (Ralston)—Entire length	FW2-TP(C1)
WANAQUE RIVER		CAPOOLONG (CAKEPOULIN) CREEK (Sydney)—En-	
MAIN STEM		tire length	FW2-TP(C1)
(Wanaque)—Greenwood Lake outlet, through Wa-		CEDAR BROOK (Spotswood)—Entire length	FW2-NT
naque Wildlife Management Area and Long Pond		CHAMBERS BROOK (Whitehouse)—Entire length	FW2-NT
Iron Works State Park, including the Monksville Res-		CHEESEQUAKE STATE PARK WATERS (S. Am-	
ervoir, to the Monksville Reservoir Dam at Stone-		boy)—Fresh waters within the park upstream of the	
town Road, except tributary described separately be-		limits of tidal influence	FW2-NT(C1)
low	FW2-TM(C1)	CLAYPIT CREEK	
(Hewitt)—Entire length of tributary south of Jennings	12 1(01)	(Navesink)—Source to widening of the Creek near Lin-	
Creek	FW2-TP(C1)	den Ave. and just north to the Locust Ave. bridge in	
(Pompton Lakes)—Wanaque Reservoir dam to Wa-	1 112 11 (01)	Navesink	FW2-NT/SE1
naque Ave. bridge	FW2-NT	(Navesink)—Widening of Creek to Navesink River	SE1(C1)
(Pompton Lakes)—Wanaque Ave. bridge downstream		COLD BROOK (Oldwick)—Entire length	FW2-TP(C1)
to Pequannock River	FW2-TM	CRAMERS CREEK (Hamden)—Entire length	FW2-NT
WEST BROOK (W. Milford)—Entire length	FW2-TP(C1)	CRANBURY BROOK (Old Church)—Entire length	FW2-NT
WEST POND (Hewitt)	FW1	CRUSER BROOK (Montgomery)—Entire length	FW2-NT
WEYBLE POND (Ringwood)	FW2-NT(C1)	CUCKELS BROOK (Bridgewater)—Entire length	FW2-NT
WHIPPANY RIVER	1,112111(01)	DAWSONS BROOK (Ironia)—Entire length	FW2-TP(C1)
(Brookside)—Source to Whitehead Rd. bridge	FW2-TP(C1)	DEEP RUN (Old Bridge)—Entire length	FW2-NT
(Morristown)—Whitehead Rd. bridge to Rockaway Riv-	1 2 11 (01)	DEVILS BROOK (Schalks)—Entire length	FW2-NT
er	FW2-NT	DRAKES BROOK	
TRIBUTARIES		(Ledgewood)—Source downstream to Hillside Avenue	TTT10 TD ((C1)
(Brookside)—Entire length	FW2-TP(C1)	bridge	FW2-TM(C1)
(E. of Brookside)—Entire length	FW2-TM	(Flanders)—Hillside Avenue bridge to confluence with	TTT10 NTT(C1)
(E. of Washington Valley)—Entire length	FW2-TM	the South Branch Raritan River	FW2-NT(C1)
(Gillespie Hill)—Entire length	FW2-TP(C1)	TRIBUTARY (Mt. Olive)—Source downstream to Cen-	THE (C1)
(Shonguin Mtn.)—Entire length	FW2-NT	tral Railroad bridge	FW2-TP(C1)
WONDER LAKE (West Milford)	FW2-NT(C1)	DUCK POND RUN (Port Mercer)—Entire length	FW2-NT
WOODBRIDGE CREEK (Woodbridge)—Entire length	FW2-NT/SE3	DUKES BROOK (Somerville)—Entire length	FW2-NT
" O D D TO D O TO D TO	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ELECTRIC BROOK (Schooley's Mtn.)—Entire length	FW2-TP(C1)
		FLANDER'S BROOK (Flanders)—Entire length	FW2-TP(C1)
(f) The surface water classifications in '	Table 4 are for	FLANDERS CANAL (Flanders)—Entire length	FW2-NT(C1)
		FROG HOLLOW BROOK (Califon)—Entire length	FW2-TP(C1)
waters of the Raritan River and Raritan Bay	Dasin:	GANDER BROOK (Manalapan)—Entire length	FW2-NT
		GLADSTONE BROOK (St. Bernards School)—Entire	ESTA CIDACAN
		length	FW2-TP(C1)
TABLE 4		GREAT DITCH (S. Brunswick)—That portion of Great	
IADLE 4		Ditch and its tributaries within Pigeon Swamp State	

TABLE 4	Ditch and its tributaries within Pigeon Swamp State	
	Park	FW2-NT(C1)
Waterbody Classification	GREEN BROOK	
ALLERTON CREEK (Allerton)—Entire length FW2-NT	(Watchung)—Source to Rt. 22 bridge	FW2-TM
AMBROSE BROOK Piscataway)—Entire length FW2-NT	(Plainfield)—Rt. 22 bridge to Bound Brook	FW2-NT
AMWELL LAKE (Snydertown) FW2-NT(C1)	GUINEA HOLLOW BROOK (Tewksbury)	FW2-TP(C1)
ASSISCONG CREEK (Flemington)—Entire length FW2-NT	HACKLEBARNEY BROOK (Hacklebarney)—Entire	
BACK BROOK (Vanliew's Corners)—Entire length FW2-NT	length	FW2-TP(C1)
BALDWINS CREEK	HEATHCOTE BROOK (Kingston)—Entire length	FW2-NT
(Pennington)—Entire length, except segment described	HERZOG BROOK (Pottersville)—Entire length	FW2-TP(C1)
separately below FW2-NT	HICKORY RUN (Califon)—Entire length	FW2-TP(C1)
(Baldwin)—Segment within the boundaries of Baldwin	HOCKHOCKSON BROOK (Colts Neck)—Entire length	FW2-TM
Lake Wildlife Management Area FW2-NT(C1)	HOLLAND BROOK (Readington)—Entire length	FW2-NT
BARCLAY BROOK (Redshaw Corners)—Entire length FW2-NT	HOLLOW BROOK (Pottersville)—Entire length	FW2-TP(C1)
BEAVER BROOK	HOOKS CREEK LAKE (Cheesequake State Park)	FW2-NT(C1)
(Cokesbury)—Source to Reformatory Road bridge FW2-TP(C1)	HOOPSTICK BROOK (Bedminster)—Entire length	FW2-NT
(Annadale)—Reformatory Rd. bridge to Raritan River,	INDIA BROOK (NORTH BRANCH, RARITAN RIV-	
South Branch FW2-TM	ER)	
BEDEN BROOK (Montgomery)—Entire length FW2-NT	(Randolph)—Entire length	FW2-TP(C1)
BIG BEAR BROOK (West Windsor)—Entire length FW2-NT	IRELAND BROOK (Paulus Corners)—Entire length	FW2-NT
BIG BROOK (Vanderberg)—Entire length FW2-NT	IRESICK BROOK (Spotswood)—Entire length	FW2-NT
BLACK BROOK (Polktown)—Entire length FW2-TP(C1)	KRUEGER'S BROOK (Flanders)—Entire length	FW2-TP(C1)
BLACK RIVER—See LAMINGTON RIVER	LAMINGTON RIVER (BLACK RIVER)	
BLACKBERRY CREEK	(Succasunna)—Source to Rt. 206 bridge	FW2-NT(C1)

Waterbody	Classification	Waterbody	Classification
(Milltown)—Rt. 206 bridge to confluence with Rinehart		OCEANPORT CREEK	
Brook	FW2-TM(C1)	(Fort Monmouth)—Source to a line beginning on the	
(Pottersville)—Confluence with Rinehart Brook to	EWO TD(C1)	easternmost extent of Horseneck Point and bearing	
Camp Brady bridge, Bedminster (Vliettown)—Camp Brady bridge to Rt. 523 bridge	FW2-TP(C1) FW2-TM	approximately 140 degrees T (True North) to its terminus on the westernmost extent of an unnamed	
(Burnt Mills)—Rt. 523 to North Branch, Raritan River	FW2-TM FW2-NT	point of land located at the westernmost extent of	
TRIBUTARY (Ironia)—Source downstream to, but not	1 112-111	Monmouth Boulevard in Oceanport	FW2-NT/SE1
including, Bryant Pond	FW2-TP(C1)	(Oceanport)—Creek downstream of line described	1 112 111/021
LAWRENCE BROOK	(	above	SE1(C1)
(Deans)-Source to the intake of the New Brunswick		PARKERS CREEK	` '
Water Department at Weston's Mill Dam	FW2-NT	(Fort Monmouth)—Source to a line beginning on the	
(New Brunswick)—Weston's Mill Dam to Raritan River	SE1	easternmost extent of Horseneck Point and bearing	
LEDGEWOOD BROOK (Ledgewood)—Entire length	FW2-TP(C1)	approximately 000 degrees T (True North) to its	
LITTLE BROOK (Califon)—Entire length	FW2-TP(C1)	terminus on Breezy Point on the Little Silver side	TIME NUMBER
LITTLE SILVER CREEK		(north) side of the creek.	FW2-NT/SE1
(Shrewsbury)—Source to a line beginning on the east- ern bank of that unnamed lagoon located between		(Fort Monmouth)—Creek downstream of line described above	SE1(C1)
Wardell Ave. and Oakes Rd. in Rumson and bearing		PEAPACK BROOK (Gladstone)—Entire length	SE1(C1) FW2-TP(C1)
approximately 171 degrees T (True North) to its		PETERS BROOK (Somerville)—Entire length	FW2-NT
terminus on the south shore of Little Silver Creek	FW2-NT/SE1	PIGEON SWAMP (Pigeon Swamp State Park)—All wa-	
(Rumson)—Creek below line described above	SE1(C1)	ters within the boundaries of Pigeon Swamp State Park	FW2-NT(C1)
LOMERSON BROOK—See HERZOG BROOK	, ,	PIKE RUN (Belle Meade)—Entire length	FW2-NT
MANALAPAN BROOK		PINE BROOK (Clarks Mills)—Entire length	FW2-NT
(Jamesburg)—Source to Duhernal Lake dam except		PINE BROOK (Cooks Mill)—Entire length	FW2-TM
tributary described separately below	FW2-NT	PLEASANT RUN (Readington)—Entire length	FW2-NT
(Tennent)—That portion of the tributary at Tennent		PRESCOTT BROOK (Stanton Station)—Entire length	FW2-TM
along the boundary of Monmouth Battlefield State Park	FW2-NT(C1)	RAMANESSIN (HOP) BROOK (Holmdel)—Entire	FW2-TM
MATCHAPONIX BROOK (WEAMACONK CREEK)	FW2-N1(C1)	length RARITAN BAY—Entire drainage	FW2-NT/SE1
(Mount Mills)—Entire length, except segments de-		RARITAN RIVER	1 W2-111/0L1
scribed below	FW2-NT	NORTH BRANCH (Also see INDIA BROOK)	
(Freehold)—The brook and tributaries within the		(Pleasant Valley)-Source to, but not including, Ravine	
boundaries of Monmouth Battlefield State Park	FW2-NT(C1)	Lake	FW2-TP(C1)
MCGELLAIRDS BROOK	. ,	(Far Hills)—Ravine Lake dam to Rt. 512 bridge	FW2-TM
(Englishtown)—Entire length, except tributary described		(Bedminister)—Rt. 512 bridge to confluence with South	
separately below	FW2-NT	Branch, Raritan River	FW2-NT
(Freehold)—Tributary within Monmouth Battlefield	EWO NEW (CIA)	SOUTH BRANCH RARITAN RIVER	
State Park MCVICVERS (Mandham) Entire landth	FW2-NT(C1)	(Mt. Olive)—Source to the dam that is 390 feet up-	
MCVICKERS (Mendham)—Entire length MIDDLE BROOK (Greater Cross Roads)—Entire length	FW2-TM(C1) FW2-NT	stream of the Flanders-Drakestown Road bridge and the two tributaries which originate north and east of	
MIDDLE BROOK (Greater Cross Roads)—Entire length	F W 2-1V 1	the Budd Lake Airfield	FW2-NT(C1)
EAST BRANCH (Springfield)—Entire length	FW2-TM	(Mt. Olive)—Dam to confluence with Turkey Brook	FW2-TM(C1)
WEST BRANCH (Martinsville)—Entire length	FW2-NT	(Middle Valley)—Confluence with Turkey Brook to Rt.	1 112 1112(01)
MAIN STEM (Bound Brook)—Confluence of East and		512 bridge	FW2-TP(C1)
West branches to Raritan River	FW2-NT	(Califon)— Rt. 512 bridge to downstream end of Pack-	` '
MILFORD BROOK (Lafayette Mills)—Entire length	FW2-NT	ers Island, except segment described separately, below	FW2-TM
MILLSTONE RIVER (Hightstown)—Entire length	FW2-NT	(Ken Lockwood Gorge)—River and tributaries within	
MINE BROOK (Mine Brook)—Entire length	FW2-NT	Ken Lockwood Gorge Wildlife Management Area	FW2-TM(C1)
TRIBUTARIES	ESTA (ED/CH)	(Neshanic Sta.)—Downstream end of Packers Island to	ESSA NA
(East of Mine Mt.)—Entire length	FW2-TP(C1)	confluence with North Branch, Raritan River TRIBUTARIES, SOUTH BRANCH RARITAN RIV-	FW2-NT
(South of Mine Mt.)—Source downstream to Douglass Road Bridge	FW2-TP(C1)	ER	
MINE BROOK (Colts Neck)—Entire length	FW2-NT	(Long Valley)—Entire length	FW2-TP(C1)
MULHOCKAWAY CREEK (Pattenburg)—Entire length	FW2-TP(C1)	(S. of Hoffmans)—Entire length	FW2-TP(C1)
NAVESINK RIVER	()	(S. of Schooley's Mt.)—Entire length	FW2-TP(C1)
(Red Bank)—Source to a line starting at a point at the		MAIN STEM RARÍTAN RIVER	` /
northeast end of Blossom Cove, bearing approximate-		(Bound Brook)—From confluence of North and South	
ly 142 degrees T (True North), through navigational	a=-	Branches to Landing Lane bridge in New Brunswick	
aid C23 to the south bank near Riverview Hospital	SE1	and all freshwater tributaries downstream of Landing	**************************************
(Rumson)—River southeast of the line described above,	GE1/G1)	Lane bridge	FW2-NT
except segment described below	SE1(C1)	(Sayreville)—Landing Lane bridge to Raritan Bay and	CE1
(Monmouth Beach)—All waters south and east of a line beginning on the northwesternmost point of land on		all saline water tributaries RINEHART BROOK (Hacklebarney)—Entire length	SE1 FW2-TP(C1)
Raccoon Island (in the vicinity of the western extent		ROCK BROOK (Montgomery)—Entire length	FW2-NT
of Highland Ave.) in Monmouth Beach, and bearing		ROCKAWAY CREEK	1 112-111
approximately 056 degrees T (True North) to the		NORTH BRANCH	
southernmost point of a small unnamed island, and		(Mountainville)—Source to Rt. 523 Bridge	FW2-TP(C1)
then bearing approximately 091 degrees T (True		(Whitehouse)—Rt. 523 bridge to confluence with South	, ,
North) to its terminus on the northernmost point of		Branch	FW2-TM
land located at the northern extent of Monmouth		SOUTH BRANCH	
Parkway in Monmouth Beach and all waters south of		(Whitehouse)—Entire length	FW2-TM
a line beginning on the western shoreline (just east of		MAIN STEM (Whitehouse)—Confluence of North and South Branch-	
Monmouth Parkway in Monmouth Beach) and bear- ing approximately 081 degrees T (True North), inter-		es to Lamington River	FW2-NT
secting Channel Marker Flashing Red 4 and Channel		ROCKY RUN (Lebanon)—Entire length	FW2-TP(C1)
Marker Flashing Red 2 and terminating on the east-		ROUND VALLEY RESERVOIR (Clinton)	FW2-TP
ern shoreline of the Galilee section of Monmouth		ROYCE BROOK (Manville)—Entire length	FW2-NT
Beach.	SE1	SANDY HOOK BAY (Sandy Hook)	SE1
NESHANIC RIVER (Reaville)—Entire length	FW2-NT	SHREWSUBURY RIVER	ATT 1 (AC)
NORTON BROOK (Norton)—Entire length	FW2-TP(C1)	(Little Silver)—Source to Rt. 36 highway bridge	SE1(C1)
OAKDALE CREEK (Chester)—Entire length	FW2-TP(C1)	(Highlands)—Rt. 36 bridge to Sandy Hook bay	SE1
OAKEYS BROOK (Deans)—Entire length	FW2-NT	SIDNEY BROOK (Grandin)—Entire length	FW2-NT

		· ·	
Waterbody	Classification	Waterbody	Classification
SIMONSON BROOK (Griggstown)—Entire length	FW2-NT	(Rudeville)—Tributaries within the Hamburg Mtn.	
SIX MILE RUN (Franklin Church)-Entire length, ex-		Wildlife Management Area not classified as FW1,	
cept segment described below	FW2-NT	above	FW2-TM(C1)
(Hillsborough)—Segment within the boundaries of Six		(McAfee)—Entire length	FW2-TP(C1)
Mile Run State Park	FW2-NT(C1)	(Vernon Valley)—Entire length	FW2-NT
SOUTH RIVER		CLOVE CREEK (Colesville)—Entire length	FW2-TM
(Old Bridge)—Duhernal Lake to intake of the Sayre-	ENVO NE	CLOVE BROOK	,
ville Water Department.	FW2-NT	(Wantage)—Source to, but not including, Clove Acres  Lake, except those tributaries described separately	•
(Sayreville)—Below the intake of the Saryreville Water	OT:1	below	FW2-TM
Department	SE1 FW2-NT	(Sussex)—Clove Acres Lake to Papakating Creek	FW2-NT
SPOOKY BROOK (Bound Brook)	FWZ-INI	(High Point)—Those portions of the two northern-most	1 112.112
SPRUCE RUN		tributaries located entirely within High Point State	
(Glen Gardner)—Source to, but not including, Spruce	FW2-TP(C1)	Park boundaries, immediately east of Lake Marcia	FW1(tp)
Run Reservoir (Clinton)—Spruce Run Reservoir dam to Raritan River,	FW2-11 (C1)	FRANKLIN POND CREEK	(-17)
South Branch	FW2-TM	(Hardyston)—Source to, but not including, Franklin	
SPRUCE RUN RESERVOIR (Union)—Reservoir and	1 11 2-1111	Pond	FW2-TP(C1)
tributaries	FW2-TM(C1)	(Hamburg Mtn.)—Tributaries within the Hamburg Mtn.	
STONY BROOK (Washington)—Entire length	FW2-TP(C1)	Wildlife Management Area	FW2-TM(C1)
STONY BROOK	()	GLENWOOD BROOK (Glenwood)—Outlet of Glen-	
(Hopewell)—Entire length, except that segment de-		wood Lake to State line	FW2-TM
scribed below	FW2-NT	HAMBURG CREEK	
(Snydertown)—Brook and tributaries within Amwell		(Hamburg Mtn.)—Source to Rt. 517 bridge, Rudeville,	THE COURT
Lake Wildlife Management Area	FW2-NT(C1)	except tributary described separately below	FW2-TM
STONY BROOK (Watchung)—Entire length	FW2-NT	(Hardistonville)—Rt. 517 bridge to Wallkill River	FW2-NT
SUN VALLEY BROOK (Mt. Olive)—Entire length	FW2-TP(C1)	(Hamburg Mtn.)—The third tributary just southwest of	
SWIMMING RIVER		Hamburg Mtn. flowing toward the Wallkill River and	
(Red Bank)—Source to the intake of the Monmouth		located entirely within the Hamburg Mtn. Wildlife Management Area	FW1
Consolidated Water Company at the Swimming River		HANFORD BROOK (Hanford)—Entire length within	LWI
Reservoir dam	FW2-NT	New Jersey	FW2-NT
(Red Bank)—Below the Swimming River Reservoir		LAKE LOOKOUT (Wawayanda)	FW1
dam to the Navesink River	FW2-NT/SE1	LAKE LOOKOUT BROOK (Wawayanda)—Brook and	
TANNERS BROOK (Washington)—Entire length	FW2-NT(C1)	tributaries from source in Newark City holdings,	
TEETERTOWN BROOK (Lebanon)—Entire length	FW2-TP(C1)	through the Wawayanda State Park, to confluence with	
TEN MILE RUN (Franklin)—Entire length	FW2-NT	the outlet stream from Lake Wawayanda	FW1
TENNENT BROOK (Old Bridge)—Entire length	FW2-NT	LAKE RUTHERFORD (Wantage)—The Lake and its	
TEPEHEMUS BROOK (Manalapan)—Entire length	FW2-NT	tributaries	FW1(tm)
TOWN NECK CREEK (Little Silver)—Source to a line beginning on the east-		LAUREL POND (Wawayanda)—Laurel Pond, including	
ernmost extent of the unnamed point of land located		its outlet stream and tributaries, to the outlet stream	
just east of Paag Circle on the south bank of Town		from Lake Wawayanda	FW1
Neck Creek and bearing approximately 095 degrees		LIVINGSTON PONDS (Wawayanda)—The two north-	TIMO NITI(CI)
True North and terminating on Silver Point	FW2-NT/SE1	western ponds which are within State Park lands	FW2-NT(C1)
(Little Silver)—Creek below line described below	SE1(C1)	LIVINGSTON PONDS BROOK (Wawayanda State	EWO TD/C1)
TROUT BROOK (Hacklebarney)—Entire length	FW2-TP(C1)	Park)—Source downstream to State line	FW2-TP(C1)
TURKEY BROOK (Mt. Olive)—Entire length	FW2-TP(C1)	LONG HOUSE BROOK (Upper Greenwood Lake)—Source to State line, except	
TURTLEBACK BROOK (Middle Valley)—Entire length	FW2-NT	segment described below	FW2-NT
WALNUT BROOK (Flemington)—Entire length	FW2-TM	(Upper Greenwood Lake)—Segment within the bounds	1 112 111
WEAMACONK CREEK See MATCHAPONIX BROOK		of Hewitt State Forest	FW2-NT(C1)
WEMROCK BROOK		LOUNSBERRY HOLLOW BROOK (Vernon Valley)—	,
(Millhurst)—Entire length, except that segment de-	TITIO NIT	Outlet of Glenwood Lake to Pochuck Creek	FW2-TM
scribed below	FW2-NT	MUD POND OUTLET STREAM (Hamburg)—Outlet	
(Monmouth Battlefield State Park)—Those segments of	•	stream from the Pond, located within Hamburg Mtn.	
the brook and its tributaries within the boundaries of	EW2 NT(C1)	Wildlife Management Area	FW2-NT(C1)
Monmouth Battlefield State Park	FW2-NT(C1)	PAPAKATING CREEK	
WEMROCK POND (Monmouth Battlefield State Park) WILLOUGHBY BROOK (Buffalo Hollow)—Entire	FW2-NT(C1)	MAIN STEM	-
length	FW2-TP(C1)	(Frankford)—Source to Rt. 629 bridge	FW2-TM
WILLOW BROOK (Holmdel)—Entire length	FW2-NT	(Pellettown)—Entire length of tributary	FW2-NT
YELLOW BROOK (Colts Neck)—Entire length	FW2-NT	(Wantage)—Rt. 629 bridge to Wallkill River	FW2-NT
		WEST BRANCH	FW2-NT
		(Wantage)—Entire lengthe PARKER LAKE (Wawayanda)	FW2-NT(C1)
(g) The surface water classifications in 7	Table 5 are for	POCHUCK CREEK	1 112-111 (01)
waters of the Wallkill River Basin:		(Vernon)—Source to State line, except segment de-	
Waters of the Walliam Tayor Dashi		scribed separately below	FW2-NT
		(High Point)—Segment within State Park lands	FW2-NT(C1)
		QÙARRYVILLE BROOK—See WILLOW BROOK	, ,
TABLE 5	~	RUTGERS CREEK (High Point)—The Cedar Swamp	
•		headwaters of the tributary to Rutgers Creek located	
Waterbody	Classification	entirely within the High Point State Park boundaries	
BEARFORT WATERS (Wawayanda)	FW2-NT(C1)	just south of the State line	FW1
BEAVER RUN (Wantage)—Entire length	FW2-NT	SAND HILLS BROOK	
BLACK CREEK		(Hamburg Mtn.)—The upstream portion of Sand Hills	
(McAfee)—Source to Rt. 94 bridge, except those tribu-	EW2 TM	Brook, including the pond at its headwaters, located	
taries described separately, below	FW2-TM FW2-NT	entirely within the boundaries of the Hamburg Mtn. Wildlife Management Area	FW1
(Vernon)—Rt. 94 bridge to Pochuck Creek TRIBUTARIES	I. M.7-14 I	(Hamburg)—Brook and tributaries beyond Manage-	T. 44.7
(Hamburg)—Three tributaries to Black Creek which	*	ment Area boundaries	FW2-NT
originate in the Hamburg Mtn. Wildlife Management		SAWMILL POND BROOK	
Area from their sources to the Management Area		(W. Milford)—Entire length, except segment described	
boundaries	FW1(tm)	separately below	FW2-NT
·	, ,	•	

Waterbody (Wawayanda)—Segment within the boundaries of Wawayanda State Park	Classification FW2-NT(C1)	Waterbody WANTAGE BROOK (Wantage)—Entire length WAWAYANDA CREEK	Classification FW2-NT
SPARTA GLEN BROOK (Sparta)—Entire length SPRING BROOK (Maple Grange)—Entire length TOWN BROOK (Vernon)—Entire length	FW2-TP(C1) FW2-TP(C1) FW2-TM	(Vernon)—State line to Pochuck Creek, except un- named tributary described below TRIBUTARIES	FW2-TM
WALLKILL RIVER (Sparta)—Source to confluence with Sparta Glen Brook (Franklin)—Sparta Glen Brook to, but not including,	FW2-NT	(Wawayanda)—Source to State line (Wawayanda State Park)—Segments within State Park boundaries, except Livingston Ponds Brook as noted	FW2-NT
Franklin Pond (Wantage)—Outlet of Franklin Pond to State line TRIBUTARIES	FW2-TM FW2-NT	above WAWAYANDA LAKE (Wawayanda) WHITE LAKE (Sparta)	FW2-NT(C1) FW2-TM(C1) FW2-TM
(Sparta)—Lake Saginaw dam downstream to Wallkill River (Hamburg Mtn.)—The first tributary, just south of Hamburg Mtn., flowing toward the Wallkill River and	FW2-TP(C1)	WILDCAT BROOK (Franklin)—Entire length WILLOW (QUARRYVILLE) BROOK (Wantage)—En- tire length	FW2-NT FW2-TM
located entirely within the Hamburg Mtn. Wildlife Management Area (Ogdensburg)—Tributary from the outlet of Heaters Pond to the confluence with the Wallkill River	FW1(tm) FW2-TP(C1)	(h) FW1 waters are listed in Table 6 basins:	by tract within

#### TABLE 6

#### ATLANTIC COASTAL PLAIN BASIN ALLAIRE STATE PARK

#### MANASQUAN RIVER WATERSHED

Those portions of the first and second southerly tributaries to the Manasquan River, which are west of Hospital Rd, and are located entirely within the boundaries of Allaire State Park

The easterly tributary to Mill Run upstream of Brisbane Lake, located entirely within the boundaries of Allaire State Park

#### BASS RIVER STATE FOREST

#### BASS RIVER WATERSHED

Tommy's Branch from its headwaters downstream to the Bass River State Forest Recreation Area service road

Falkenburg Branch of Lake Absegami from its headwaters to the Lake

#### GREENWOOD FOREST WILDLIFE MANAGEMENT AREA

#### CEDAR CREEK WATERSHED

Webbs Mill Branch and tributaries, located entirely within the Greenwood Forest Wildlife Management Area boundaries

Chamberlain's Branch from its origins to a point 1000 feet west of Route 539

Those portions of the tributaries to Chamberlain's Branch originating and wholly contained within the boundaries of the Greenwood Forest Wildlife Management Area

#### WADING RIVER WATERSHED

Westerly tributary to the Howardsville Cranberry Bog Reservoir and other tributaries that are located entirely within the boundaries of the Greenwood Forest Wildlife Management Area

#### ISLAND BEACH STATE PARK

## BARNEGAT BAY WATERSHED All freshwater ponds in Island Beach State Park

## LESTER G. MACNAMARA WILDLIFE MANAGEMENT AREA

#### GREAT EGG HARBOR RIVER WATERSHED

TUCKAHOE PUBLIC FISHING AND HUNTING GROUNDS WHARTON STATE FOREST Hawkins Creek and tributaries and the next adjacent, northern stream and tributaries that enter the Great Egg Harbor River, from their origins downstream to where the influence of impoundment begins See LESTER G. MACNAMARA WILDLIFE MANAGEMENT AREA

#### MULLICA RIVER WATERSHED

Deep Run and tributaries from their headwaters downstream to Springer's Brook

Skit Branch and tributaries from their headwaters downstream to the confluence with Robert's Branch Tulpehocken Creek and tributaries from their sources downstream to the confluence with Featherbed Branch

The westerly tributaries to Tulpehocken Creek and those natural ponds within the lands bounded by Hawkins (Bulltown-Hawkins) Rd., Hampton Gate (Tuckerton) Rd., and Sandy Ridge Rd.

Stream in the southeasterly corner of the Wharton State Forest, located between Ridge Rd. and Seaf Weeks Rd. downstream to the boundaries of Wharton State Forest

Brooks and tributaries to the Mullica River between and immediately to the west of Tylertown and Crowleytown, from their headwaters downstream to the head of tide at mean high water

The easterly branches of the Batsto River from Batsto Village upstream to the confluence with Skit Branch

Gun Branch from its headwaters downstream to U.S. Route 206

#### DELAWARE RIVER BASIN ALLAMUCHY STATE PARK

#### MUSCONETCONG RIVER WATERSHED

All those tributaries to Deer Park Pond and its outlet stream, that are located entirely within the boundaries of Allamuchy State Park

#### PEQUEST RIVER WATERSHED

All tributaries that are located entirely within Allamuchy State Park and flow into Allamuchy Pond EAST CREEK WATERSHED

#### BELLEPLAIN STATE FOREST

All tributaries to Lake Nummi from their origins downstream to the lake

Those two tributaries to Savages Run and portions thereof downstream of Lake Nummi, which are located entirely within the Belleplain State Forest boundaries

A stream and its tributaries that originate just south of East Creek Mill Rd., 1.2± miles north-northeast of Eldora, and are located entirely within the boundaries of Belleplain State Forest WEST CREEK WATERSHED

The portion of the tributary to West Creek that originates about 0.9 miles southeast of Hoffman's Mill and is located entirely within the boundaries of Belleplain State Forest

Eastern branch of the easterly tributary to Pickle Factory Pond from its origin to its confluence with the western branch

Those tributaries to the stream which enter West Creek approximately 0.5 miles upstream of Hoffman's Mill and which are located entirely within the boundaries of Belleplain State Forest CROSSWICKS CREEK WATERSHED

All tributaries to Lahaway Creek originating in the Colliers Mills Wildlife Management Area northnortheast of Archers Corner, from their origins downstream to the boundaries of the Colliers Mills Wildlife Management Area

DELAWARE RIVER WATERSHED

All tributaries to Flat Brook flowing from the Kittatinny Ridge and located entirely within the boundaries of the Delaware Water Gap National Recreation Area

Rundle Brook upstream of Sussex County Route 615

Smith Ferry Brook
Donkey's Corner Brook
Sambo Island Brook and Pond
Coppermine Brook in Pahaquarry
Dunnfield Creek to Route I-80

MIDDLE MARSH CREEK WATERSHED

All fresh waters which originate in and are located entirely within the boundaries of the Dix Wildlife Management Area

MAURICE RIVER WATERSHED

Joshua and Pine Branches of Buckshutem Creek to their confluences with Buckshutem Creek Gravelly Run downstream to the boundaries of the Edward G. Bevan Wildlife Management Area NANTUXENT CREEK WATERSHED

Cedar and Mile Branches to Shaw's Mill Pond

DIVIDING CREEK WATERSHED

Those tributaries to Cedar Creek which originate in and are located entirely within the boundaries of the Edward G. Bevin Wildlife Management Area

Those portions of tributaries to Dividing Creek, located entirely within the boundaries of the Edward G. Bevan Wildlife Management Area

FLAT BROOK WATERSHED

The tributary to Little Flat Brook which originates north of the Bevans-Layton Rd., downstream to the first pond adjacent to the Fish and Game headquarters building

Two tributaries to Flat Brook which originate along Struble Rd. in Stokes State Forest, downstream to the confluence with Flat Brook within Flatbrook-Roy Wildlife Management Area boundaries MAURICE RIVER WATERSHED

The portion of a branch of Little Ease Run situated immediately north of Stanger Avenue, and entirely within the Glassboro Wildlife Management Area

First and second easterly tributaries to Little Ease Run north of Academy Road

CLOVE BROOK WATERSHED

The second and third northerly tributaries to Clove Brook, those tributaries to Steeny Kill Lake, Steeny Kill Lake, and those downstream of the Lake which originate in High Point State Park, downstream to the confluence with Clove Brook or to the boundaries of High Point State Park.

The posthody tributaries to Mill Brook due west of Steeny Kill Lake within the High Beint State Park.

The northerly tributaries to Mill Brook due west of Steeny Kill Lake, within the High Point State Park FLAT BROOK WATERSHED

All surface waters of the Flat Brook drainage within the boundaries of High Point State Park and Stokes State Forest except the following:

(1) Saw Mill Pond and Big Flat Brook downstream to the confluence with Flat Brook;

(2) Mashipacong Pond and its outlet stream (Parker Brook) to the confluence with Big Flat Brook;

(3) Lake Wapalanne and its outlet stream to the confluence with Big Flat Brook;

(4) Lake Ocquittunk and waters connecting it with Big Flat Brook;

- (5) Stony Lake and its outlet stream (Stony Brook) downstream to the confluence with the Big Flat Brook:
- (6) Kittatinny Lake, that portion of its inlet stream outside the Stokes State Forest boundaries, and its outlet stream, including the Shotwell Camping Area tributary, to the confluence with Big Flat Brook;
- (7) Deer Lake and its outlet stream to Lake Ashroe;
- (8) Lake Ashroe, the portions of its tributaries outside the Stokes State Forest boundaries, and its outlet stream to the confluence with Big Flat Brook;
- (9) Lake Shawanni and its outlet stream to the confluence with Flat Brook;
- (10) Crigger Brook and its tributary to the confluence with Big Flat Brook

SHIMERS BROOK WATERSHED

The portion of Shimers Brook and its tributaries that are located within the boundaries of High Point State Park

PEQUEST RIVER WATERSHED

Mud Pond and its outlet stream, Bear Creek, to the Erie-Lackawanna Railroad trestle, north of Johnsonburg

RANCOCAS CREEK WATERSHED

Deer Park Branch and tributaries near Buckingham, downstream to the confluence with Pole Bridge Branch

Tributaries to the South Branch of Mount Misery Brook located entirely within the boundaries of Lebanon State Forest

COLLIERS MILLS

WILDLIFE MANAGEMENT AREA

DELAWARE WATER GAP
NATIONAL RECREATION AREA

DIX WILDLIFE MANAGEMENT AREA

EDWARD G. BEVAN WILDLIFE MANAGEMENT AREA

FLATBROOK-ROY WILDLIFE MANAGEMENT AREA

GLASSBORO WILDLIFE MANAGEMENT AREA

HIGH POINT STATE PARK AND STOKES STATE FOREST

JOHNSONBURG NATURAL AREA

LEBANON STATE FOREST

Cooper Branch and tributaries downstream to Pakim Pond and those tributaries to Coopers Branch downstream of Pakim Pond that are located entirely within the boundaries of Lebanon State Forest Shinns Branch and tributaries located entirely within the boundaries of Lebanon State Forest, from their sources to the forest boundary

Jade Run located entirely within the boundaries of Lebanon State Forest

MacDonalds Branch and tributaries located entirely within the boundaries of Lebanon State Forest, from their sources to the forest boundary

MILLVILLE FISH AND **GAME TRACT** PASADENA WILDLIFE MANAGEMENT AREA

See EDWARD G. BEVAN WILDLIFE MANAGEMENT AREA

RANCOCAS CREEK WATERSHED

The two easterly branches of the South Branch of Mount Misery Brook, located entirely within the boundaries of the Pasadena Wildlife Management Area

PEASELEE WILDLIFE MANAGEMENT AREA MAURICE RIVER WATERSHED

Middle Branch of Muskee Creek from its origin to the boundaries of the Peaselee Wildlife Management Area

Cedar Branch of the Manumuski River, from its origin to the boundaries of the Peaselee Wildlife Management Area

Those portions of tributaries to Slab Branch located entirely within the boundaries of the Peaselee Wildlife Management Area

WASHINGTON CROSSING STATE PARK

STEELE RUN WATERSHED

That portion of Steele Run, located within the boundaries of Washington Crossing State Park, to the

WHITTINGHAM WILDLIFE MANAGEMENT AREA

confluence with the westerly tributary PEOUEST RIVER WATERSHED

Northwesterly tributaries to the Pequest River, including Big Spring, located within the boundaries of the Whittingham Wildlife Management Area southwest of Springdale, from their origins to their confluence with the Pequest River

WORTHINGTON STATE FOREST

DELAWARE RIVER WATERSHED

Sunfish Pond and its outlet stream to the Delaware River. All unnamed waters located entirely within the boundaries of the Worthington State Forest

DUNNFIELD CREEK WATERSHED

Dunnfield Creek to I-80

PASSAIC RIVER, HACKENSACK RIVER, NY HARBOR COMPLEX BASIN A.S. HEWITT STATE FOREST

WANAQUE RIVER WATERSHED

Portions of Cooley Brook and tributaries which originate and are located entirely within the boundaries of Hewitt State Forest

Surprise Lake

Portions of Green Brook and tributaries which originate and are located entirely within the boundaries of Hewitt State Forest

West Pond

ROCKAWAY RIVER WATERSHED

BERKSHIRE VALLEY WILDLIFE MANAGEMENT AREA CITY OF NEWARK HOLDINGS AND WAWAYANDA

STATE PARK

Stephens Brook north of the boundaries of the Berkshire Valley Wildlife Management Area PEOÛANNOCK RIVER WATERSHED

Cedar Pond and all tributaries

Hanks Pond and all tributaries Tributary to Pequannock River at Green Pond Junction from its origin downstream to Route 23

Tributary joining the main stem of the Pequannock River 3,500 ± feet southeast of the Sussex-Passaic County line, near Jefferson from its origin to about 2,000 feet upstream of the pond

Pacack Brook and its tributaries upstream of Canistear Reservoir, located entirely within the boundaries of the Newark watershed and Wawayanda State Park

Cherry Ridge Brook and its tributaries north of Canistear Reservoir, located entirely within the boundaries of the Newark watershed lands and Wawayanda State Park

The southern branch of the easterly tributary to Canistear Reservoir

Pequannock River and tributaries upstream of the confluence with Pacack Brook

The northwestern tributary to Oak Ridge Reservoir

The portion of the westerly tributary to Lake Stockholm Brook, from its origins to about 1,000 feet south of the Route 23 Bridge, located entirely within the boundaries of the Newark watershed Lud-Day Brook downstream to its confluence with the southwestern outlet stream from Clinton Reservoir just upstream of the confluence of the outlet stream and a tributary from Camp Garfield Brook between Hamburg Turnpike and Vernon-Stockholm Road, downstream to its confluence with

Lake Stockholm Brook, north of Rt. 23 NONE

RARITAN RIVER BASIN WALLKILL RIVER BASIN CITY OF NEWARK HOLDINGS AND WAWAYANDA STATE PARK

LAKE LOOKOUT BROOK WATERSHED

Lake Lookout, Lake Lookout Brook and tributaries from its headwaters in the Newark City holdings, downstream through the State-owned Wawayanda State Park to the confluence with the outlet stream from Lake Wawayanda

HAMBURG MOUNTAIN SAND HILLS BROOK WATERSHED WILDLIFE MANAGEMENT AREA

The upstream portion of Sand Hills Brook, including the pond at its headwaters, located entirely within the boundaries of the Hamburg Mtn. Wildlife Management Area

BLACK CREEK WATERSHED

All those portions of three tributaries to Black Creek originating in the Hamburg Mtn. Wildlife Management Area, from their origin downstream to the Management Area boundaries

FRANKLIN POND CREEK WATERSHED

9B-39

The first tributary to Franklin Pond Creek just south of Hamburg Mountain, flowing toward the Wallkill River and located entirely within the Hamburg Mtn. Wildlife Management Area

HAMBURG CREEK WATERSHED

The third tributary just southwest of Hamburg Mountain, which flows toward the Wallkill River and is located entirely within the Hamburg Mtn. Wildlife Management Area

CLOVE RIVER WATERSHED

Those portions of the two northernmost tributaries to Clove River which are located entirely within the boundaries of High Point State Park, and are immediately east of Lake Marcia

RUTGERS CREEK WATERSHED

The Cedar Swamp headwaters of the tributary to Rutgers Creek, located entirely within the boundaries of High Point State Park, just south of the New Jersey-New York state line

LAKE RUTHERFORD WATERSHED

Lake Rutherford, located northwest of Colesville

LAUREL POND WATERSHED

Laurel Pond, and its outlet stream and tributaries downstream to the outlet stream from Lake Wawayanda

(i) The following are the Outstanding National Resource Waters of the State:

- 1. FW1 Waters; and
- 2. PL Waters.

HIGH POINT STATE PARK

SUSSEX BOROUGH WATER

WAWAYANDA STATE PARK

SUPPLY LAND

New Rule, R.1989 d.420, effective August 7, 1989.

See: 20 N.J.R. 1597(a), 21 N.J.R. 2302(b).

Petition for Rulemaking: Exxon petitioning for reclassification to less restrictive uses for portion of Morses Creek.

21 N.J.R. 3791(c).

Notice of denial of Petition for Rulemaking for Surface Water Quality Standards Tidal Portion of Morses Creek. See: 23 N.J.R. 129(a).

Amended by R.1993 d.415, effective August 16, 1993.

See: 25 N.J.R. 405(a), 25 N.J.R. 3775(a).

Amended by R.1993 d.610, effective December 6, 1993. See: 24 N.J.R. 3983(a), 24 N.J.R. 4471(a), 25 N.J.R. 5569(a).

Amended by R.1994 d.84, effective February 22, 1994.

See: 25 N.J.R. 405(a), 26 N.J.R. 1124(a).

Administrative Corrections.

See: 26 N.J.R. 1226(a).

Amended by R.1996 d.383, effective August 5, 1996.

See: 27 N.J.R. 4506(b), 28 N.J.R. 3782(b).

Amended by R.1998 d.234, effective May 18, 1998.

See: 29 N.J.R. 5128(a), 30 N.J.R. 1778(a).

Rewrote tables.