

check 12/17/14

7. "Enforcement of Federal Manufactured Home Standards" which may be cited throughout the regulations as N.J.A.C. 5:23-4C and when referred to in subchapter 4C may be cited as this subchapter.

8. "Licensing of Code Enforcement Officials" which may be cited throughout the regulations as N.J.A.C. 5:23-5 and when referred to in subchapter 5 of this chapter may be cited as this subchapter.

9. "Rehabilitation Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-6 and, when referred to in subchapter 6 of this chapter, may be cited as this subchapter.

10. "Barrier Free Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-7 and when referred to in subchapter 7 of this chapter may be cited as this subchapter.

11. "Asbestos Hazard Abatement Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-8 and when referred to in subchapter 8 of this chapter may be cited as this subchapter.

12. "Code Interpretations" which may be cited throughout the regulations as N.J.A.C. 5:23-9 and when referred to in subchapter 9 of this chapter may be cited as this subchapter.

13. "Radon Hazard Subcode" which may be cited throughout the regulations as N.J.A.C. 5:23-10 and when referred to in subchapter 10 of this chapter may be cited as this subchapter.

14. "Playground safety subcode" which may be cited throughout this chapter as N.J.A.C. 5:23-11 and, when referred to in subchapter 11 of this chapter, may be cited as "this subchapter."

15. "Elevator Safety Subcode" which may be cited throughout the rules as N.J.A.C. 5:23-12 and when referred to in subchapter 12 of this chapter may be cited as this subchapter.

16. "Optional elevator inspection program" which may be cited throughout the rules as N.J.A.C. 5:23-12A and, when referred to in subchapter 12A of this chapter, may be cited as "this subchapter."

Amended by R.1978 d.350, eff. October 1, 1978.

See: 10 N.J.R. 378(a), 10 N.J.R. 469(f).

Amended by R.1987 d.509, effective December 7, 1987.

See: 19 N.J.R. 1264(a), 19 N.J.R. 2270(a).

(b) substantially amended.

Amended by R.1990 d.226, effective May 7, 1990.

See: 21 N.J.R. 3696(a), 22 N.J.R. 1356(a).

Added 9 and 10 to (b).

Amended by R.1990 d.313, effective June 18, 1990.

See: 22 N.J.R. 691(a), 22 N.J.R. 1915(b).

Text added at (b)5.

Amended by R.1990 d.562, effective November 19, 1990.

See: 22 N.J.R. 2629(c), 22 N.J.R. 3482(d).

Added reference to N.J.A.C. 7:14B.

Amended by R.1991 d.325, effective July 1, 1991.

See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Text on elevators added at (b).

Amended by R.1992 d.183, effective April 20, 1992.

See: 24 N.J.R. 167(a), 24 N.J.R. 1475(b).

Reference to Indoor Air Quality Subcode added at (b)12.

Amended by R.1994 d.96, effective February 22, 1994.

See: 25 N.J.R. 5388(a), 26 N.J.R. 1073(a).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

Deleted (b)14.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

In (b)9, substituted "Rehabilitation Subcode" for "Tax Exemptions".

Amended by R.1998 d.480, effective September 21, 1998.

See: 30 N.J.R. 1119(b), 30 N.J.R. 3461(a).

In (b), added 16.

Amended by R.1999 d.351, effective October 18, 1999.

See: 31 N.J.R. 1838(a), 31 N.J.R. 3082(a).

Rewrote (b)14.

Case Notes

Councilperson violated local ethics law; project manager for private construction company. *Bleeker v. Local Finance Board*, 94 N.J.A.R.2d (CAF) 122.

5:23-1.2 Authority

These regulations are promulgated by the Commissioner of the Department of Community Affairs pursuant to the authority of the "State Uniform Construction Code Act" (P.L. 1975, c.217, as amended).

5:23-1.3 Intent and purpose

(a) It is the intent and purpose of the regulations:

1. To encourage innovation and economy in construction and to provide requirements for construction and construction materials consistent with nationally recognized standards.

2. To formulate such requirements, to the extent practicable, in terms of performance objectives, so as to make adequate performance for the use intended as the test of acceptability.

3. To permit to the fullest extent feasible the use of modern technical methods, devices and improvements, including premanufactured systems, consistent with reasonable requirements for the health, safety and welfare of occupants or users of buildings and structures.

4. To eliminate restrictive, obsolete, conflicting and unnecessary construction regulations that tend to unnecessarily increase construction costs or retard the use of new materials, products or methods of construction, or provide preferential treatment to types or classes of materials or products or methods of construction.

5. To insure adequate maintenance of buildings and structures throughout the State and to adequately protect the health, safety and welfare of the people.

6. To eliminate unnecessary duplication of effort and fees in the review of construction plans and the inspection of construction.

Case Notes

Intent is elimination of construction regulations by local government units. *Home Builders League of South Jersey, Inc. v. Evesham Twp.*, 174 N.J. Super. 252, 416 A.2d 81 (Law Div. 1980).

Uniform Construction Code codified in regulations. *Bureau of Construction Code Enforcement v. Hasbrouck Heights*, 4 N.J.A.R. 282 (1983).

5:23-1.4 Definitions

The following words and terms, when used in this chapter, shall have the following meanings unless the context clearly indicates otherwise:

“Alteration” means the rearrangement of any space by the construction of walls or partitions, the addition or elimination of any door or window, the extension or rearrangement of any system, the installation of any additional equipment or fixtures and any work which affects a primary structural component.

“Building” means a structure enclosed with exterior walls or fire walls, built, erected and framed of component structural parts, designed for the housing shelter, enclosure and support of individuals, animals or property of any kind. When used herein, building and structure shall be interchangeable except where the context clearly indicates otherwise.

“Building subcode official” means a qualified person appointed by the municipal appointing authority or the commissioner pursuant to the act and the regulations to enforce the provisions of the building subcode within the jurisdiction of the enforcing agency.

“Business day” means any day of the year, exclusive of Saturdays, Sundays, and legal holidays.

“Certificate of approval” means a certificate issued pursuant to N.J.A.C. 5:23-2 upon completion of work that requires a construction permit but not a certificate of occupancy.

“Certificate of compliance” means the certificate provided for in N.J.A.C. 5:23-2 and 12, indicating that potentially hazardous equipment is being maintained in accordance with the Act and this chapter.

“Certificate of continued occupancy” means the certificate provided for in N.J.A.C. 5:23-2, indicating that as a result of a general inspection of the visible parts of the building, no violations of N.J.A.C. 5:23-2.14 have been determined to have occurred and no unsafe conditions violative of N.J.A.C. 5:23-2.32 have been found, and that the existing use of the building has heretofore lawfully existed.

“Certificate of occupancy” means the certificate provided for in N.J.A.C. 5:23-2, indicating that the construction authorized by the construction permit has been completed in accordance with the construction permit, the act and the regulations.

“Change of use” means a change from one use to another use in a building or tenancy or portion thereof.

“Class I structure” means a structure not listed in N.J.A.C. 5:23-4.3A(d)1i through v or 2ii through xx.

“Class II structure” means a structure listed in N.J.A.C. 5:23-4.3A(d)2ii through xx.

“Class III structure” means a structure listed in N.J.A.C. 5:23-4.3A(d)1i through v.

“Commissioner” means the Commissioner of the Department of Community Affairs.

“Construction Board of Appeals” means the board provided for in N.J.A.C. 5:23A.

“Construction official” means a qualified person appointed by the municipal appointing authority or the commissioner pursuant to the act and the regulations to enforce and administer the regulations within the jurisdiction of the enforcing agency.

“Construction permit” means an authorization to begin work subject to the conditions established in subchapter 2 of this chapter.

“Department” means the Department of Community Affairs.

“Effective date” means, in the case of a new rule, amendment or repeal, the date of promulgation in the New Jersey Register. The effective date of a readoption is the date of filing with the Office of Administrative Law.

“Electrical subcode official” means a qualified person appointed by the municipal appointing authority or the commissioner pursuant to the act and the regulations to enforce and provisions of the electrical subcode within the jurisdiction of the enforcing agency.

“Elevator” or “elevator device” means a hoisting and lowering device equipped with a car or platform which moves in guides for the transportation of individuals or freight in a substantially vertical direction through successive floors or levels of a building or structure; or a power driven, inclined, continuous stairway used for raising or lowering passengers; or a type of passenger carrying device on which passengers stand or walk, and in which the passenger carrying surface remains parallel to its direction of motion and is uninterrupted. This includes, but it is not limited to, elevators, escalators, moving walks, dumbwaiters, wheelchair lifts, manlifts, stairway chairlifts and any device within the scope of ASME A17.1 (Safety Code for Elevators and Escalators) or ASME A90.1 (Safety Standards for Belt Manlifts).

“Elevator subcode official” means a qualified person appointed by the municipal appointing authority or the Commissioner, pursuant to the Act and this chapter, to enforce the provisions of any subcode specifically designated for such enforcement in N.J.A.C. 5:23-3, within the jurisdiction of the enforcing agency.

“Enforcing agency” means the municipal or State administrative entity charged with the administration and enforcement of the regulations consisting of the construction official, subcode officials and assistants thereto appointed in accordance with N.J.S.A. 52:27D-126 of the act and the regulations.

“Equipment” means plumbing, heating, electrical, ventilating, air conditioning, refrigerating and fire prevention equipment, and elevators, dumb waiters, escalators, boilers, pressure vessels and other mechanical facilities or installations, which are related to building services and shall not include manufacturing, production or process equipment, but which shall include connections from building service to process equipment.

“Facility” for the purpose of applying for an annual permit means exclusive of a hotel/casino, a building or group of buildings under common ownership or control and whose maintenance work is performed under the direct supervision of a maintenance supervisor.

“Fire protection subcode official” means a qualified person appointed by the appropriate appointing authority or the commissioner pursuant to the act and the regulations to enforce those portions of any subcode, specifically designated for such enforcement in N.J.A.C. 5:23-3, within the jurisdiction of the enforcing agency.

“Health care facility” means the facility or institution, whether public or private, engaged principally in providing services for health maintenance organizations, diagnosis or treatment of human disease, pain, injury, deformity or physical condition, including but not limited to a general hospital, special hospital, mental hospital, public health center, diagnostic center, treatment center, rehabilitation center, extended care facility, skilled nursing home, nursing home, intermediate care facility, tuberculosis hospital, chronic disease hospital, maternity hospital, outpatient clinic, dispensary, home health care agency, home for the sheltered care of adult persons, and bioanalytical laboratory or central services facility serving one or more such institutions, but excluding institutions that provide healing solely by prayer.

1. This definition shall not be deemed to include nurses, doctors, or other staff housing not attached in accordance with minimum fire separation standards in the building subcode; administrative offices not attached in accordance with minimum fire separation standards in the building subcode; parking garages, or other such facilities for which the Federal government does not impose standards as a condition of funding.

“Hearing examiner” means a person appointed by the commissioner to conduct hearings, summarize evidence and make findings of fact.

“Lead abatement” means a process designed either to mitigate or to eliminate permanently lead-based paint hazards on a premises and includes, but is not limited to: the removal of lead-based paint and lead-contaminated dust; the containment or encapsulation of lead-based paint; the replacement of lead-painted surfaces or fixtures; the removal or covering of lead-contaminated soil; and all preparation, cleanup, disposal and post-abatement clearance testing activities associated with such measures. “Lead abatement” shall not include painting, woodworking, structural renovation or other indoor or outdoor contracting services that may result in the disturbance of paint, unless it is evident from the statements and/or actions of a person or persons authorizing or performing such services that an objective of the work is the mitigation or permanent elimination of a lead-based paint hazard.

“Lead evaluation” means a surface-by-surface investigation to determine the presence and condition of lead-based paint and the provision of a report explaining the results of the investigation, including, but not limited to, hazards and recommendations for abatement.

“Maintenance” means the replacement or mending of existing work with equivalent materials or the provision of additional work or material for the purpose of the safety, healthfulness and upkeep of the structure and the adherence to such other standards of upkeep as are required in the interest of public safety, health and welfare.

“Major work” means any construction work for which any prior approvals are required, any construction of a new structure not previously occupied and any construction work other than ordinary repairs otherwise not qualifying as “minor work” or a “small job”.

“Manufactured home” means a structure, transportable in one or more sections, which in the traveling mode, is eight body feet or more in width, or 40 body feet or more in length, or, when erected on site, is 320 or more square feet, and which is built on a permanent chassis and designed to be used as a dwelling with or without a permanent foundation when connected to the required utilities, and includes the plumbing, heating, air conditioning and electrical systems contained therein; except that such term shall also include any structure which meets all of the requirements of this paragraph except the size requirements and with respect to which the manufacturer has voluntarily filed a certification required by the Secretary of the United States Department of Housing and Urban Development and complies with the standards established under 42 U.S.C. Section 5401 et seq.

“Minor work” means construction work undertaken in existing structures, requiring no prior approvals and no plan

review, not altering in any way the structural members of a building and meeting the definition set forth in N.J.A.C. 5:23-2.17A.

“Municipality” means any city, borough, town, township or village.

“Municipal Procedures Manual” means the book established by the Commissioner, effective January 1, 1984, and any subsequent revisions, detailing the steps to be followed in completing, processing and filing the standards forms, logs and reports required for administration and enforcement of the State Uniform Construction Code.

“Operative date” means the date upon which the Department and local enforcing agencies shall enforce, and all parties shall comply with, an effective rule. Unless otherwise provided in the notice of adoption published in the New Jersey Register, the effective date is the operative date.

“Ordinary maintenance” means restoration or improvement of a routine or usual nature which is done by replacing a part of, or putting together, something that is worn or broken in a building, electrical, plumbing, heating, ventilation or air conditioning system and meeting the definition set forth in N.J.A.C. 5:23-2.7.

“Owner” means the owner or owners in fee of the property or a lesser estate therein, a mortgagee or vendee in possession, an assignee of rents, receiver, executor, trustee, lessee or any other person, firm or corporation, directly or indirectly in control of a building, structure or real property and shall include any subdivision thereof of the State.

“Plans and specifications” means and includes all of the written, graphic and pictorial documents prepared or assembled for describing the design, location and physical characteristics of the elements of the project controlled by these rules and necessary for obtaining a permit. They shall be drawn to an appropriate scale. Where the plans and specifications show, describe or document features of the project not controlled by these rules, the portion(s) of the plans and specifications showing features not controlled by these rules shall not be considered to be “plans and specifications” within the meaning of this definition.

“Plumbing subcode official” means a qualified person appointed by the municipal appointing authority or the commissioner pursuant to the act and the regulations to enforce the provisions of the plumbing subcode within the jurisdiction of the enforcing agency.

“Premanufactured system” or “premanufactured construction” means an assembly of materials or products that is intended to comprise all or part of a building or structure and that is assembled off-site by a repetitive process under circumstances intended to insure uniformity of quality and material content. The term shall include, but not be limited to, manufactured homes and industrialized/modular buildings.

“Primary function space” means a room or space housing a major activity for which the building or tenancy is intended, including, but not limited to, office area, auditorium, assembly space, dining room, bar or lounge, warehouse, factory, dwelling, care, confinement, retail, and educational spaces, but not including kitchens, bathrooms, storage rooms or other spaces supporting a primary function space. A building or tenancy may contain more than one primary function space.

“Prior approvals” means the necessary certifications or approvals issued or authorized by any Federal or State agency, or any political subdivision of the State, which are not inconsistent with this chapter and which are conditions precedent to the issuance of a construction permit or a certificate of occupancy or approval, as the case may be. Prior approvals shall include, but not be limited to, the following:

1. Zoning;
2. Soil erosion and sediment control;
3. Highway curb cuts;
4. Water and sewer treatment works approvals;
5. Coastal areas facilities review;
6. Compliance of underground storage tank systems with N.J.A.C. 7:14B;
 - i. An approval granted by the Department of Environmental Protection or the construction official by authority of N.J.A.C. 7:14B shall be deemed to be a prior approval;
7. Educational adequacy review of public school facilities under N.J.A.C. 6A:26;
8. Pinelands review; and
9. Compliance of abandoned wells with N.J.A.C. 7:9-9.
 - i. Compliance with N.J.A.C. 7:9-9.1 shall be evidenced by a certification issued by a well driller licensed by the Department of Environmental Protection.

“Private inplant inspection agency”, or “evaluation and inspection agency”, means a business entity authorized pursuant to N.J.A.C. 5:23-4 or 4A to approve premanufactured construction.

“Private on-site inspection and plan review agencies” means a business entity authorized pursuant to N.J.A.C. 5:23-4 to act in lieu of a subcode official.

“Public school facility” means any building or part thereof used by a local, regional or consolidated board of education as a primary or secondary school.

“Reconstruction” means any project where the extent and nature of the work is such that the work area cannot be occupied while the work is in progress and where a new certificate of occupancy is required before the work area can be reoccupied. Reconstruction may include repair, renovation, alteration or any combination thereof. Reconstruction shall not include projects comprised only of floor finish replacement, painting or wallpapering, or the replacement of equipment or furnishings. Asbestos hazard abatement and lead hazard abatement projects shall not be classified as reconstruction solely because occupancy of the work area is not permitted.

“Rehabilitation” means the repair, renovation, alteration or reconstruction of any building or structure.

“Renovation” means the removal and replacement or covering of existing interior or exterior finish, trim, doors, windows, or other materials with new materials that serve the same purpose and do not change the configuration of space. Renovation shall include the replacement of equipment or fixtures.

“Repair” means the restoration to a good or sound condition of materials, systems and/or components that are worn, deteriorated or broken using materials or components identical to or closely similar to the existing.

“Small job” means construction work requiring no prior approvals and the total cost of which is under \$5,000. A “small job” may involve more than one trade and may require plan review.

“State sponsored code change proposal” means any proposed amendment or code change adopted by the commissioner in accordance with subsection c. of section 6 of the act as amended for the purpose of presenting such proposed amendment or code change at any of the periodic code change hearings held by the National Model Code adoption agencies, the codes of which have been adopted as subcodes under the Act. For purposes of this definition a State sponsored code change proposal may also oppose any code change under consideration by a model code agency.

“Stop construction order” means the order provided for in N.J.S.A. 52:27D-132 of the act and N.J.A.C. 5:23-2.

“Structure” means a combination of materials to form a construction for occupancy, use or ornamentation, whether installed on, above, or below the surface of a parcel of land; provided, the word “structure” shall be construed when used herein as though followed by the words “or part or parts thereof and all equipment therein” unless the context clearly requires a different meaning.

“Subcode” means any of the national model codes, parts thereof or other codes or standards as adopted by reference in N.J.A.C. 5:23-3 or as set forth in N.J.A.C. 5:23-7, 8, 10 and 12.

“Tenancy” means an entire building, or that portion of a building or story, which is or is intended to be under the control of a single owner or tenant.

“Use” means that portion of a building or tenancy which is devoted to a single use group or special use or occupancy, as defined in the building subcode, or as established by the provisions of any other subcode for the purpose of specifying special requirements applicable to that portion of a building or tenancy.

“Work area” means any entire use, primary function space or tenancy comprising all or part of a reconstruction project as delineated on the approved permit application and/or plans.

As amended, R.1977 d.256, effective August 1, 1977.
See: 9 N.J.R. 164(a), 9 N.J.R. 358(a).

As amended, R.1978 d.162, effective June 1, 1978.

See: 10 N.J.R. 141(a), 10 N.J.R. 225(a).

As amended, R.1981 d.133, effective May 7, 1981.

See: 13 N.J.R. 119(a), 13 N.J.R. 258(c).

“Certificate of continued occupancy” and “prior approvals” recodified.

As amended, R.1982 d.7, effective February 1, 1982.

See: 13 N.J.R. 717(a), 14 N.J.R. 142(a).

“Manufactured home” was “mobile home”, and definition substantially amended. Added “or premanufactured construction” to “pre-manufactured system”, and added “The terms . . . homes”.

As amended, R.1983 d.611, eff. January 3, 1984.

See: 15 N.J.R. 1789(a), 16 N.J.R. 45(b).

Added definitions of “major work”, “minor work”, “municipal procedures manual”, “ordinary repair” and “small job”.

As amended, R.1984 d.120, effective April 16, 1984.

See: 16 N.J.R. 179(a), 16 N.J.R. 873(a).

“Certificate of occupancy” added “N.J.A.C. 5:23-1.4 have . . . been found” to definitions.

Amended by R.1985 d.351, effective July 15, 1985.

See: 17 N.J.R. 1029(a), 17 N.J.R. 1756(b).

Definition for “Facility” added.

Amended by R.1990 d.57, effective February 5, 1990.

See: 21 N.J.R. 3345(b), 22 N.J.R. 350(b).

Reference to compliance with N.J. Underground Storage of Hazardous Substances Act, and deletion of language excluding “public school buildings” from definitions of “building” and “structure”.

Amended by R.1990 d.313, effective June 18, 1990.

See: 22 N.J.R. 691(a), 22 N.J.R. 1915(b).

Industrialized/modular buildings added to definition of premanufactured system.

Amended by R.1991 d.325, effective July 1, 1991.

See: 23 N.J.R. 805(a), 23 N.J.R. 2046(a).

Definitions of certificate of approval, elevator and elevator subcode official added.

Amended by R.1992 d.244, effective June 15, 1992.

See: 24 N.J.R. 1147(a), 24 N.J.R. 2243(a).

Definitions added for Class I, II and III structures.

Amended by R.1993 d.420, effective September 7, 1993.

See: 25 N.J.R. 2158(a), 25 N.J.R. 4072(a).

Amended by R.1993 d.580, effective November 15, 1993.

See: 25 N.J.R. 3692(a), 25 N.J.R. 5145(c).

Administrative Correction.

See: 26 N.J.R. 2779(c).

Amended by R.1995 d.381, effective July 17, 1995.

See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).

Amended by R.1995 d.544, effective October 16, 1995.

See: 27 N.J.R. 2827(a), 27 N.J.R. 3933(a).

Amended by R.1996 d.190, effective April 15, 1996.

See: 28 N.J.R. 320(a), 28 N.J.R. 1981(a).

Added “construction documents”.

Amended by R.1996 d.236, effective May 20, 1996 (operative January 1, 1997).

See: 27 N.J.R. 4050(a), 28 N.J.R. 2586(a).

Amended by R.1996 d.323, effective July 15, 1996 (operative January 1, 1997).

See: 28 N.J.R. 2112(a), 28 N.J.R. 3549(a).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

Amended "Prior approvals" and "Subcode".

Amended by R.1997 d.417, effective October 6, 1997.

See: 29 N.J.R. 3387(a), 29 N.J.R. 4285(a).

Amended "Prior approvals" and "Public school facility".

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

In list of definitions, added "Alteration", "Change of use", "Primary function space", "Reconstruction", "Rehabilitation", "Renovation", "Repair", "Tenancy", "Use", "Work area".

Amended by R.1999 d.424, effective December 6, 1999.

See: 31 N.J.R. 2428(a), 31 N.J.R. 4001(c).

Changed "Ordinary repair" definition to "Ordinary maintenance".

Administrative change.

See: 34 N.J.R. 1022(a).

Amended by R.2003 d.216, effective May 19, 2003.

See: 35 N.J.R. 16(a), 35 N.J.R. 2203(a).

Deleted "Construction documents"; added "Plans and specifications".

Case Notes

Citation to definitions of construction permit and certificate of occupancy. *Home Builders League of South Jersey, Inc. v. Evesham Twp.*, 174 N.J.Super. 252, 416 A.2d 81 (Law Div.1980).

Citation to mobile home definition in former regulation (similar to present manufactured home definition); mobile homes acceptable form of moderate cost housing. *Southern Burlington County N.A.A.C.P. v. Twp. of Mt. Laurel*, 161 N.J.Super. 317, 391 A.2d 935 (Law Div.1978) affirmed in part, reversed in part 92 N.J. 158, 456 A.2d 390, on remand 207 N.J.Super 169, 504 A.2d 66.

Applicant for construction permit must provide assurances that necessary prior approvals obtained. *Riggins v. Pinelands Commission*, 8 N.J.A.R. 441 (1985).

5:23-1.5 Effective date

(a) The provisions of the regulations shall take effect on January 1, 1977. All construction regulations incorporated in any act of the State of New Jersey, or of any municipality presently in effect, or validly promulgated or enacted by any board, department, commission or agency thereof, shall continue in effect until January 1, 1977, and shall thereafter be superseded and of no further force and effect. Any law or regulation addressing areas for which the commissioner shall not have promulgated a subcode may continue in effect until such time as a subcode therefor is adopted.

(b) Exceptions include:

1. This section shall not apply to those aspects of the act which were capable of taking effect on the effective date of the act.

2. This section shall not apply to those parts of N.J.A.C. 5:23-4 which require the adoption of a resolution or other action prior to the effective date. Such section shall take effect upon adoption.

3. This section shall not apply to laws or regulations specifically saved by the act or the regulations.

5:23-1.6 Grace period

(a) For a period of six months following the operative date of a subcode revision, applicants may submit a complete permit application, including all prior approvals, to be reviewed under the code in force immediately preceding the subcode revision. Provided that the application is complete, the construction official and applicable subcode officials shall perform the plan review and issue construction permit(s) based on the code in force immediately prior to the operative date of the subcode revision. This grace period shall apply only to revisions of subcodes.

(b) In the case of a project under review for which a permit has not been issued on the operative date of any subcode revision, review shall continue and permits shall be issued based on the code in force immediately prior to the operative date of the subcode revision.

As amended, R. 1978 d.350, eff. October 1, 1978.

See: 10 N.J.R. 378(a), 10 N.J.R. 469(f).

As amended, R.1984 d.267, eff. June 14, 1984 to expire August 13, 1984.

See: 16 N.J.R. 1812(a).

New (c) added.

Readoption: R.1984 d.382, eff. August 13, 1984, to expire April 1, 1988.

See: 16 N.J.R. 1812(a), 16 N.J.R. 2356(d).

Administrative Correction to (b): Changed "receive" to "received".

See: 22 N.J.R. 2503(b).

Amended by R.1993 d.353, effective July 19, 1993.

See: 25 N.J.R. 1629(a), 25 N.J.R. 3147(a).

Amended by R.1995 d.544, effective October 16, 1995.

See: 27 N.J.R. 2827(a), 27 N.J.R. 3933(a).

Amended by R.1997 d.303, effective July 21, 1997.

See: 29 N.J.R. 1437(b), 29 N.J.R. 3247(a).

Amended section name; rewrote (a); and substantially amended (b).

5:23-1.7 Validity

(a) If any provision of the regulations or the application thereof to any person or circumstances is held invalid, the invalidity shall not effect other provisions or applications of the regulations which can be given effect, and to this end the provisions of the regulations are severable.

(b) Nothing contained in the act or the regulations shall be deemed to affect, repeal, or invalidate local zoning ordinances or the regulation or licensing of any trade or profession engaged in construction work.

SUBCHAPTER 2. ADMINISTRATION AND ENFORCEMENT; PROCESS

5:23-2.1 Title; scope; intent

(a) This part of the regulations, adopted pursuant to authority of the State Uniform Construction Code Act, and entitled "Administration and enforcement; process", shall be known and may be cited throughout the regulations as N.J.A.C. 5:23-2, and when referred to in subchapter 2 of this chapter, may be cited as this subchapter.

(b) Unless otherwise specifically provided, all references to article or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such article, section or provision of this subchapter.

(c) Except as is otherwise specified, these regulations shall control all matters concerning the construction, alteration, addition, repair, removal, demolition, use, location and occupancy of all buildings and structures and their service equipment as herein defined, and shall apply to existing or proposed buildings and structures in the State of New Jersey.

(d) The regulations shall be construed to secure its expressed intent, which is to insure public safety, health and welfare insofar as they are affected by building construction, through structural strength, adequate egress facilities, sanitary equipment, light and ventilation, and fire safety; and, in general, to secure safety to life and property from all hazards incident to the design, erection, repair, removal, demolition or use and occupancy of buildings, structures or premises.

5:23-2.2 Matter covered

(a) The provisions of the regulations shall apply to all buildings and structures and their appurtenant construction, including vaults, area and street projections, and accessory additions; and shall apply with equal force to municipal, county, State and private buildings, except where such buildings are otherwise specifically provided for by the regulations.

(b) A building or structure shall not be constructed, extended, repaired, removed, renovated, altered or reconstructed in violation of these provisions, except that no permit shall be required for ordinary repairs as provided herein, and except further that the raising, lowering or moving of a building or structure on the same lot, as a unit, necessitated by a change in legal grade or widening of a street, shall be permitted, provided the building or structure is not otherwise altered or its use or occupancy changed.

1. Any new work, such as foundations or utility connections shall, however, be in accordance with the regulations.

(c) Any requirement essential for structural, fire or sanitary safety of a building or structure, or essential for the safety of the occupants thereof, and which is not specifically covered by the regulations, shall be determined by the construction official, and appropriate subcode official.

(d) The continuation of occupancy or use of a building or structure, or of a part thereof, contrary to the provisions of the regulations, shall be deemed a violation and subject to the remedies prescribed in this subchapter.

(e) Where provisions herein specify requirements for structural, fire and sanitary safety, no provision of any

municipal zoning or other municipal code shall conflict, govern or have effect. Where the provisions herein specify requirements with respect to location, use, permissible area and height, and the municipal zoning code establishes requirements as well, then the more restrictive requirements of this code or the zoning code shall govern.

Amended by 1981 d.134, effective May 7, 1981.

See: 13 N.J.R. 119(a), 13 N.J.R. 258(b).

(e): "other municipal" was "general".

Administrative Correction to (b): Changed "construed" to "constructed".

See: 22 N.J.R. 2503(b).

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Rewrote (b), new exception that no permit required for ordinary repairs.

Case Notes

Portable fire extinguishers could not be required to be placed in hotel and motel efficiency units with cooking facilities. *Venuti v. Cape May County Const. Bd. of Appeals*, 231 N.J.Super. 546, 555 A.2d 1175 (A.D.1989).

Construction code official authorized to determine particular fire code prevention requirements of building where building use deviates in any significant respect from building uses "specifically covered" by fire prevention subcode; hearing held by construction board of appeals was procedurally deficient. In the Matter of the "Analysis of Walsh Trucking Occupancy and Sprinkler System," 215 N.J.Super. 22, 2, 521 A.2d 883 (App.Div.1987).

5:23-2.3 Applicability

These regulations shall apply to all construction undertaken after the effective date of the regulations or any subsequent amendment thereof.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Case Notes

Forum for seeking double damages under Planned Real Estate Development Full Disclosure Act (PREDFDA) was Superior Court. *Department of Community Affairs, Div. of Housing and Urban Development v. Atrium Palace Syndicate*, 259 N.J.Super. 578, 614 A.2d 1069 (A.D.1992).

Site lighting installations at locations without construction permits were in violation of uniform construction code act. *Public Service Electric and gas company v. Department of Community Affairs*, 94 N.J.A.R.2d (CAF) 13.

5:23-2.4 Alterations, replacements and damages

(a) Existing structures, when repaired, renovated, altered or reconstructed, shall conform to the requirements of N.J.A.C. 5:23-6, Rehabilitation Subcode.

(b) If an existing structure is damaged by fire or any other cause, the requirements of N.J.A.C. 5:23-6, Rehabilitation Subcode, shall apply to the restoration of such building or structure.

(c) Any work which is mandated by any housing, property or fire safety maintenance code, standard or regulation or other State or local law requiring improvements to buildings

or structures shall be made to conform only to the requirements of that code, standard, law or regulation and shall not be required to conform to the subcodes adopted pursuant to this chapter unless the code requiring the alteration so provides.

1. Except as otherwise provided in N.J.A.C. 5:23-6.2(g), any requirement of any other code, standard, regulation, ordinance or law that is more restrictive than any requirement of N.J.A.C. 5:23-6 applicable to the same issue shall not be enforceable.

Amended by R.1985 d.16, effective February 4, 1985.
See: 16 N.J.R. 3073(b), 17 N.J.R. 275(a).

(a)7 added.

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1995 d.381, effective July 17, 1995.

See: 27 N.J.R. 970(a), 27 N.J.R. 2715(a).

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Rewrote (a) stating existing structures shall conform to 5:23-6, "Rehabilitation Subcode"; deleted (a)1 through (a)6; rewrote (b), (c) and inserted (c)1; deleted (a)7i through (b)1.

Amended by R.2002 d.5, effective January 7, 2002.

See: 33 N.J.R. 3392(a), 34 N.J.R. 267(a).

Rewrote (c)1.

5:23-2.5 Concerning increase in size

If the structure is increased in floor area or height, then the increased portion of the structure shall conform to the requirements of this chapter applicable to new construction, while any related work within the existing structure shall conform with the requirements of N.J.A.C. 5:23-6, Rehabilitation Subcode.

Amended by R.1988 d.389, effective August 15, 1988.

See: 20 N.J.R. 1026(a), 20 N.J.R. 2073(a).

Amended by R.1993 d.61, effective February 1, 1993.

See: 24 N.J.R. 1421(a), 25 N.J.R. 463(c).

Hardwired smoke detectors added.

Amended by R.1994 d.433, effective September 6, 1994 (operative January 1, 1995).

See: 26 N.J.R. 1910(a), 26 N.J.R. 3706(a).

Amended by R.1997 d.409, effective October 6, 1997.

See: 29 N.J.R. 2736(a), 29 N.J.R. 4281(a).

In (a)2, amended NFIPA reference.

Amended by R.1998 d.28, effective January 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

Rewrote (a) to conform with "Rehabilitation Subcode"; deleted (a)1 through (c)

Case Notes

Municipal order under zoning ordinance to remove sleeping trailers and disconnect utilities used by refinery repair crew proper exercise of police power; action not preempted by Occupational Safety and Health Act. *Twp. of Greenwich v. Mobil Oil Corp.*, 504 F.Supp. 1275 (D.N.J. 1981).

Permits required to ensure use of proper materials and construction methods; permit requirements not inconsistent with pollution control laws; sewerage authority obliged to obtain local permits and approval before beginning pumping station construction. *Shupack v. Manasquan River Regional Sewerage Authority*, 194 N.J.Super. 199, 476 A.2d 816 (App.Div.1984).

5:23-2.6 Change of use

(a) Continuation of existing use: The legal use of any structure existing on the effective date of the regulations may be continued without change, except as may be specifically provided in these regulations or in any property or fire safety maintenance code, or minimum housing standard or regulation, adopted pursuant to law.

1. A certificate of continued occupancy shall be granted upon request, subject to this subchapter.

(b) Change of use: It shall be unlawful to change the use of any structure or portion thereof without the prior application for and issuance of a certificate of occupancy as herein provided.

1. A certificate of occupancy shall be issued provided such structure shall comply with the provisions of N.J.A.C. 5:23-6, Rehabilitation Subcode.

2. If any non-residential occupancy, other than Use Groups F, H or S, accommodates seven or more non-consecutive group overnight stays within a calendar year for persons over 2½ years of age, and the activities involve planned periods of sleep, the building is considered to have undergone a change of use. In such a case, it shall be necessary to apply for and be issued a Certificate of Occupancy. This shall be a dual Certificate of Occupancy to allow Use Group R-1 in addition to the existing use of the building. Any facility that accommodates six or fewer overnight stays within a calendar year shall obtain a permit under the Uniform Fire Code, N.J.A.C. 5:70. Group overnight stays in Use Groups F, H and S shall be prohibited.

3. The temporary or permanent use of an existing structure as a "special amusement building," as defined in the building subcode, shall be a change in the character of use of the existing building. The building or portion thereof shall be required to comply with the building subcode and fire protection subcode requirements of N.J.A.C. 5:23-6.31(a)5vii.

Amended by R.1985 d.16, effective February 4, 1985.

See: 16 N.J.R. 3073(b), 17 N.J.R. 275(a).

(a) Added text: "or fire safety" and "or minimum housing standard or regulation".

Amended by R.1993 d.662, effective December 20, 1993.

See: 25 N.J.R. 3891(a), 25 N.J.R. 5918(a).

Amended by R.1995 d.144, effective March 20, 1995 (operative July 1, 1995).

See: 26 N.J.R. 2698(a), 26 N.J.R. 3524(a), 27 N.J.R. 1180(a).

Amended by R.1995 d.611, effective December 4, 1995 (operative April 4, 1996).

See: 27 N.J.R. 3257(a), 27 N.J.R. 4884(a).

Amended by R.1998 d.28, effective August 5, 1998.

See: 29 N.J.R. 3603(a), 30 N.J.R. 129(a).

New heading "Change of use"; rewrote (b); added "Rehabilitation Subcode" in (b)1; deleted (b)1i through (c).

Amended by R.2002 d.255, effective August 5, 2002.

See: 33 N.J.R. 4177(a), 34 N.J.R. 2783(a).

In (b), added 2.

Amended by R.2003 d.157, effective April 21, 2003.

See: 34 N.J.R. 4247(a), 35 N.J.R. 1663(b).

In (b), added 3.

Administrative correction.
See: 35 N.J.R. 5062(a).

Case Notes

Civil rights action challenging township actions regarding use of property as church were not ripe for adjudication until township planning board decided site plan application and any need for variance. *Trinity Resources, Inc. v. Township of Delanco, D.N.J.1994, 842 F.Supp. 782.*

5:23-2.7 Ordinary maintenance

(a) Ordinary maintenance to structures may be made without filing a permit application with or giving notice to the construction official.

(b) Such maintenance shall not include any of the following:

1. The cutting away of any wall, partition or portion thereof;
2. The removal or cutting of any structural beam or bearing support;
3. The removal or change of any required means of egress, or rearrangement of parts of a structure affecting the exitway requirements;
4. Any work affecting structural or fire safety;
5. Any work that will increase the nonconformity of any existing building or structure with the requirements of the regulations;
6. Addition to, or alteration, replacement or relocation of:
 - i. Any standpipe;

(d) Post abatement sampling and analysis for an asbestos hazard abatement project shall be performed as per EPA 40 CFR 763.90i. Samples collected within the affected work area shall be analyzed by TEM.

(e) Post abatement sampling and analysis for an asbestos hazard abatement project utilizing the glovebag technique and encapsulation shall be as follows:

1. One sample per 10,000 square feet of work area with a minimum of five samples shall be required. Samples collected within the affected work area may be analyzed by PCM to confirm completion of an asbestos abatement project using the methodology specified in NIOSH 7400.

(f) For TEM analysis, the project shall be considered complete when the results of samples collected in the affected work area comply with 40 CFR 763.90 and Appendix A to Subpart E. Maximum turnaround time from sample collection through data reporting shall be 72 hours.

(g) For PCM analysis, the project shall be considered complete when the results of samples collected in the affected work area show that the concentration of fibers for each of the five samples is less than or equal to 0.01 fibers per cubic centimeter.

(h) When the air analysis results for projects covered by this subchapter show asbestos fiber concentrations above the acceptance criteria, then clean-up shall be repeated until compliance is achieved by re-cleaning all surfaces using wet methods and operating all HEPA equipped air pressure differential units to filter the air.

New Rule R.1986 d.143, effective May 5, 1986.

See: 18 N.J.R. 378(a), 18 N.J.R. 949(a).

Amended by R.1989 d.342, effective July 3, 1989.

See: 20 N.J.R. 1130(b), 21 N.J.R. 1844(b).

Recodified old 8.20 as new 8.21. Section 8.21 was formerly "Demolition".

Recodified from 5:23-8.23 by R.1993 d.198, effective June 7, 1993.

See: 24 N.J.R. 1422(a), 25 N.J.R. 2519(b).

Prior text at section, "Appeals", repealed.

5:23-8.22 Disposal of asbestos waste

(a) The disposal of friable/non-friable asbestos-containing material and asbestos-contaminated waste from the project site shall be in accordance with New Jersey Department of Environmental Protection and Energy requirements specified in N.J.A.C. 7:26 and 40 CFR Part 61, Subpart M.

Amended by R.1986 d.143, effective May 5, 1986.

See: 18 N.J.R. 378(a), 18 N.J.R. 949(a).

Recodified from 8.13 and substantially amended.

Amended by R.1987 d.525, effective December 21, 1987.

See: 19 N.J.R. 902(a), 19 N.J.R. 2389(a).

Substantially amended.

Amended by R.1989 d.342, effective July 3, 1989.

See: 20 N.J.R. 1130(b), 21 N.J.R. 1844(b).

Recodified old 8.14 as new 8.15, no change in text. Section 8.15 was formerly "Duties of the asbestos safety technician".

Recodified from 5:23-8.15 and amended by R.1993 d.198, effective June 7, 1993.

See: 24 N.J.R. 1422(a), 25 N.J.R. 2519(b).

Prior section, "Demolition", recodified as 5:23-8.18.

SUBCHAPTER 9. CODE INTERPRETATIONS

5:23-9.1 Interpretations: Plumbing Subcode

(a) Application of the Plumbing Subcode to certain manufactured homes:

1. Chapter 18 of the Plumbing Subcode (National Standard Plumbing Code) is not applicable to permanently installed manufactured homes meeting the Federal Manufactured Home Construction and Safety Standards, 24 C.F.R. Part 3280.

2. An approved structure placed on a site for use as a permanent dwelling shall meet the requirements of the State Plumbing Subcode, excluding Chapter 18 of the Plumbing Subcode (National Standard Plumbing Code), or, if applicable, the Federal Manufactured Home Construction and Safety Standards.

(b) Use of common water service and sewer lines under Sections 1.2 and 2.19 of the Plumbing Subcode:

1. Common water services shall be permitted to serve attached single-family dwellings in groups of three or more where the common water service is located within property subject to an association easement or on common property and there is a homeowners' association or other owner entity responsible for maintenance and upkeep.

2. Common building sewers shall be permitted to serve attached single-family dwellings in groups of three or more where the common sewer is located within property subject to an association easement or on common property and there is a homeowners' association or other owner entity responsible for maintenance and upkeep.

Amended by R.1995 d.647, effective December 18, 1995 (operative March 18, 1996).

See: 27 N.J.R. 3517(a), 27 N.J.R. 5012(a).

Amended by R.2002 d.319, effective October 7, 2002.

See: 33 N.J.R. 4185(a), 34 N.J.R. 3497(b).

Rewrote the section.

Amended by R.2003 d.386, effective October 6, 2003.

See: 35 N.J.R. 2550(b), 35 N.J.R. 4714(a).

In (b), inserted "owner" preceding "entity" in 1 and 2.

5:23-9.2 Interpretation: Construction Permit for a single-family residence

(a) Any application for a construction permit for a single family residence shall be accompanied by at least two copies of plans drawn to scale, with sufficient clarity and detailed dimensions to show the nature and character of the work to be performed. Plans submitted shall not be required to show more detail or include more information than is reasonably necessary to assure compliance with the requirements of the Uniform Construction Code and rules in this chapter.

(b) Plans containing the following information shall be considered to meet the requirements of (a) above:

1. Site diagram consisting of a site plan showing size and location of all new and existing construction on the site with distances from lot lines and indicating new building services, location and size.

2. Construction plans consisting of a scale drawing showing foundation, floor plans, and elevations, including structural framing notes for all floors, ceilings and roofs. Only girders and columns need be identified and located on the plan. Included on the drawings shall be a loading schedule indicating the live loads for which the structure is designed.

3. The following details and submissions shall be required:

i. A cross section through one typical wall showing construction details from footing to and including roof framing. This section shall indicate all construction materials used including roofing, vapor barriers, sheathing type and thickness, insulation type and thickness, windows, glazing type if other than standard window glazing is used, interior finish material, floor type and thickness, structure, foundation and footings. Decorative material shall not be required to be shown unless it contributes to the structural integrity of the section.

ii. When roof or other truss systems are used, the details required by N.J.A.C. 5:23-2.15(e)1ii(1)(A) shall be shown.

iii. Electrical details indicating lighting; receptacles; motors and equipment; smoke detectors; service entrance locations; size and type (overhead or underground); panel size, location; number of proposed circuits. A symbol legend shall be included.

iv. Plumbing details indicating the locations of fixtures and a notice or table listing water and drainage pipe sizes. A note stating if sewage disposal is to public sewer or individual septic system shall be included.

v. Mechanical details indicating the type of heating system; location, size and type of heating unit, noting the distribution method and indicating design rates, location of fire dampers and safeguards; and location, type and size of flue.

vi. Energy subcode compliance shall be demonstrated with either detailed calculations, Energy Star compliance documentation, the submission of printouts from software recognized by the Department, such as RES Check, or the prescriptive packages described in Bulletin 03-2. RES Check software is available from the Department of Community Affairs, Division of Codes and Standards, PO Box 802, Trenton, New Jersey 08625 or from the U.S. Department of Energy at www.energycodes.gov.

4. The drawings shall bear the seal and signature of an architect or engineer who prepared the plans and is registered in the State of New Jersey. The seal and signature shall appear on each sheet of each copy of the plans submitted.

i. The construction official shall waive the requirements for sealed plans in the case of a single family home owner who prepares his or her own plans for the construction, alteration or repair of a structure used or intended to be used exclusively as the owner's private residence, and which is to be constructed by the owner, providing that the owner shall submit an affidavit attesting to the fact that he has prepared the plans and that the plans are, in the opinion of the construction official and appropriate subcode officials, legible and complete for the purpose of ensuring compliance with the regulations.

ii. Plumbing plans, electrical plans and mechanical plans may be prepared by licensed plumbers, licensed electrical contractors and mechanical contractors, respectively, in accordance with these regulations.

5. Construction plans, and electrical, plumbing, and mechanical details may be shown on more than one drawing.

6. Where a prototype plan has been approved pursuant to existing regulations, only a site diagram and reference to the approved prototype plan shall be required. This site diagram must be signed and sealed by a registered architect or licensed professional engineer.

7. The Construction Official, upon the advice of the appropriate subcode official, may waive any or all of the requirements for plans in (b)1 through 6 above when the work is of a minor nature.

Amended by R.2003 d.216, effective May 19, 2003.

See: 35 N.J.R. 16(a), 35 N.J.R. 2203(a).

In (b)3, inserted "and submissions" following "details" in the introductory paragraph, added new ii, recodified former ii through iv as iii through v and added vi.

Administrative correction.

See: 35 N.J.R. 2865(a).

5:23-9.3 Interpretation: ordinary maintenance

(a) The following items are ordinary maintenance and shall be treated as such by every enforcing agency. No permits for, inspections of, or notice to the enforcing agency of ordinary maintenance shall be required. This is not an all-inclusive listing of ordinary maintenance.

1. Ordinary building maintenance shall include:

i. Exterior and interior painting;

ii. Installation, repair or replacement of any interior finishes of less than 25 percent of the wall area in any given room, in a one or two family dwelling. This shall include plastering and drywall installation;

(1) Vinyl wall covering of any amount is an ordinary repair;

(2) Paneling shall not be considered an ordinary repair;

iii. Wall papering at any location;

iv. The replacement of glass in any window or door. However, the replacement glass shall be of a type and quality that complies with the minimum requirements of the code;

v. The installation and replacement of any window or door, including garage doors, in the same opening without altering the dimensions or framing of the original opening. This shall include storm windows and storm doors. The installation and replacement of means of egress and emergency escape windows and doors may be made in the same opening without altering the dimensions or framing of the original opening,

and shall not reduce the required height, width or net clear opening of the previous window or door assembly;

vi. The repair of any non-structural member such as a partition railing or kitchen cabinet;

vii. The repair or replacement of any interior or exterior trim, decoration or moldings;

viii. The replacement or installation of any flooring material, except carpeting, with a new material. However, installation of carpeting in one and two family dwellings will be permitted under ordinary repairs;

ix. The repair of existing roofing material not exceeding 25 percent of the total roof area within any 12 month period;

x. The repair of existing siding with like material not exceeding 25 percent of the total building exterior wall area within any 12 month period;

xi. The repair or replacement of any part of a porch or stoop which does not structurally support a roof above;

xii. The replacement or installation of screens;

xiii. The installation of any roll or batt insulation when installed adjacent to or not more than one and a half inches from an interior finish; and

xiv. Replacement of exterior rain water gutters and leaders.

2. Ordinary plumbing maintenance shall include:

i. Replacement of hose bib valves in single family dwellings. Replacement hose bib valves shall be provided with an approved atmospheric vacuum breaker;

ii. Refinishing of existing fixtures. Relining of fixtures shall not be considered to be an ordinary repair;

iii. Replacement of ball cocks. Replacement ball cocks must be an approved anti-siphon type;

iv. Repair of leaks involving the replacement of piping between two adjacent joints only;

v. Clearance of stoppages;

vi. Replacements of faucets or working parts of faucets;

vii. Replacement of valves (other than shower or combination bath/ shower valves);

viii. Replacements of working parts of valves, including, but not limited to, shower or combination bath/shower valves;

ix. Replacement of traps except for traps on culinary sinks in food handling establishments;

x. Replacement of a water closet or lavatory or kitchen sink in a single family dwelling with an approved similar fixture provided that no change in the piping arrangement is made. Replacement water closets bearing a date stamp of July 1, 1991 or later must use an average of 1.6 gallons or less of water per flushing cycle; and

xi. Replacement of domestic clothes washers and dishwashers.

3. Ordinary electrical maintenance shall include:

i. The replacement of any receptacle, switch, or lighting fixture rated at 20 amps or less and operating at less than 150 volts to ground with a like or similar item. Replacement of receptacles in locations where ground-fault circuit interrupter protection is required in the electrical subcode, shall not be considered ordinary electrical repairs;

ii. Repairs to any installed electrically operated equipment such as doorbells, communication systems, and any motor operated device. Provided, however,

that if fire protection systems are interrupted for repairs the fire official shall be notified in accordance with the building subcode;

iii. Installation of communications wiring as covered by article 800 of the electrical subcode in one and two family dwellings, or the alteration/rearrangement of existing communications wiring in other occupancies provided however that the rearrangement does not involve penetration of a fire rated assembly and is not in a hazardous location as defined in chapter 5 of the electrical subcode; and

iv. Replacement of domestic dishwashers; and

v. Replacement of kitchen range hoods in single family dwellings.

4. Ordinary fire protection maintenance shall include:

i. The replacement of any sprinkler or smoke detector or heat detector head with a like device;

ii. The repair or replacement of any component of a fire alarm or smoke and heat detection equipment (other than the replacement of a fire alarm control panel); and

iii. The installation of battery-powered smoke detectors.

5. Ordinary heating, ventilation and air conditioning maintenance shall include:

i. Replacement of motors, pumps and fans of the same capacity;

ii. Repair and replacement of heating, supply and return piping and radiation elements, which does not require rearrangement of the piping system;

iii. Repair and replacement of duct work;

iv. Repair of air conditioning equipment and systems; and

v. Repair or replacement of control devices for heating and air conditioning equipment; and

vi. Replacement of kitchen range hoods in single family dwellings.

vii. Replacement of clothes dryers serving and located within dwelling units, provided that no change in fuel type or location or electrical characteristics is required.

viii. Replacement of stoves and ovens in dwelling units, provided no change in fuel type or location or electrical characteristics is required.

6. Ordinary elevator maintenance shall include:

i. The following work on elevator brakes:

(1) Installation of new linings;

(2) Replacement of brake switches, brake stand pivot bushings, and bearings or the reaming out and use of oversized pins. Replacement or repair of brake magnets, magnet coils and/or core sleeves;

(3) Renewal of phase splitting coils; and

(4) Re-babbiting of brake pin holes (gearless), and realigning of brake stands to pulleys.

ii. The following controller/selector repairs:

(1) Installation of overload relays and potential switches, and installation or replacement of reverse phase relays;

(2) Replacement of damaged resistance tubes, grids, broken controller panel sections, main power or brake rectifiers, power and light transformers, and microprocessor printed circuit boards. Replacement or reconditioning of dash pots and retarders. Replacement of a controller with a like or with the state of the art controller when only those features which are available on the existing controller will be made functional;

(3) Renewal of switch bases, armatures, hinge pins, coils, contacts and shunt leads; and

(4) Adjustment of controller to original design specifications.

iii. The following work on motor generators:

(1) Installation of four stem brush rigging on exciter, installation or renewal of bearing oil gauges, and renewal of sleeve or ball bearings;

(2) Replacement of generator armatures, commutators, commutator brushes, and turning down and undercutting of commutators;

(3) Rewinding of generator armatures, stators and field controls;

(4) Removal for testing on a work bench, re-insulating, banding and reinstallation of motor generators; and

(5) Repair of solid state drives and adjustments of generator compounding.

iv. The following work on hoist motors:

(1) Installation or renewal of bearing oil gauges, renewal of sleeve or ball bearings, and re-babbiting of sleeve bearings (gearless);

(2) Replacement of motor armatures, rotors, motor collector rings, commutators, commutator brushes, and turning down and undercutting of commutators;

(3) Rewinding of stators, armatures, and field coils; and

(4) Removal for testing on a work bench, re-insulation, banding and reinstallation of hoist motors and realignment of motors to worm shafts.

v. The following work on machines:

(1) Installation of new demountable drive sheave rims, new drive shafts, new integral drive sheaves, split couplings;

(2) Replacement of worms, gears, worm shaft housings, thrust bearings, thrust housings, external ring gears and pinions, machine drums, solid drive sheaves with demountable drive sheaves, and sheave bearing. Replacement or repair of stop motion switches, slack cable switches, replacement of drive sheave linings. Regrooving of drive sheaves;

(3) Re-babbiting of main bearings, external gears and bearings, and worm shaft housings;

(4) Renewal of sleeve bearings, drum buffers, and drum shafts;

(5) Re-securing of loose brake pulleys and realignment of brake pulleys, with motor gear shaft; and

(6) Removal of bearing shims.

vi. The following work on hoist ropes, compensating ropes and compensating chains:

(1) Replacement or re-socketing of hoist ropes and replacement of compensating ropes or chains, governor ropes, and hitches; and

(2) Shortening of hoist ropes due to a rope stretch.

vii. The following work on governors:

(1) Re-calibration, sealing, and reconditioning of governors, or replacement of governors with like equipment; and

(2) Replacement or reconditioning of governor rope tension sheaves.

viii. The following work on overhead, deflector, car and counterweight sheaves:

(1) Replacement or repair of sheaves, sheave bearings and sheave shafts; and

(2) Re-babbiting of sheave bearings.

ix. The following work on hoistways:

(1) Replacement of traveling cables and other hoistway wiring;

(2) Repair of counterweights, hoistway switches, hydraulic pistons, oil lines in the pit, and repacking of packing glands; and

(3) Repair or replacement of hoistway door equipment, rollers relating cables, gibs, hall buttons, lanterns, position indicator stations, and all existing related equipment, selector tapes, cables, dust covers, toe guards and hoistway fascia, and repair or replacement of all existing pit equipment with like equipment.

x. The following work on rails and guides:

(1) Realignment or replacement of main or counterweight rail sections with like products; and

(2) Repair or replacement of guide shoe liners or car and counterweight guides with like product.

xi. The following work on cabs:

(1) Installation or replacement of main and auxiliary car operating panels, emergency lighting, communication devices, door protective and reopening devices, car position indicators, and in-car lanterns;

(2) Repair or replacement of operating station on top of cars, door operating devices, motors, linkages, hangers, etc., hoistway door drive mechanisms, clutches, etc., side emergency exit latching devices and electrical switches, floor leveling and selector drive devices, terminal slow down and limiting devices, load weighing devices (on top of car and under car isolation), keyless entry and security devices, top of car intrusion devices, closed-circuit TV surveillance devices, lighting fixtures in the car on top of the car and under the car; and

(3) Replacement of ceilings with code approved materials, and of door saddles, cab flooring, walls and panels with materials equivalent to those being replaced in respect to weight and fire resistance.

New Rule, R.1993 d.487, effective October 4, 1993.

See: 25 N.J.R. 2159(a), 25 N.J.R. 4592(a).

Amended by R.1995 d.647, effective December 18, 1995 (operative March 18, 1996).

See: 27 N.J.R. 3517(a), 27 N.J.R. 5012(a).

Amended by R.1999 d.424, effective December 6, 1999.

See: 31 N.J.R. 2428(a), 31 N.J.R. 4001(c).

In (a), substituted references to maintenance for references to repairs throughout, and inserted 4iii.

5:23-9.4 (Reserved)

New Rule, R.1990 d.490, effective October 1, 1990.

See: 22 N.J.R. 592(a), 22 N.J.R. 3148(a).

Repealed by R.1995 d.121, effective March 6, 1995 (operative July 1, 1995).

See: 26 N.J.R. 4875(a), 27 N.J.R. 894(c).

Formerly "Seismic Zones".

5:23-9.5 Interpretation: Records retention

(a) A construction official shall maintain, for the life of each structure wholly or partially within the jurisdiction of the enforcing agency, copies of the following documents: construction application, permits(s), any update(s), notice of unsafe structure, certificate of occupancy, ongoing inspection

control card, elevator inspection, decision of the construction board of appeals, cut-in card and the inspection and certificate logs.

(b) Copies of additional documents may be retained at the discretion of the construction official.

(c) A construction office shall retain copies of plans for Class I and Class II structures for at least the life of the structures and copies of plans for Class III structures for at least 10 years.

New Rule, R.1990 d.364, effective August 6, 1990.

See: 22 N.J.R. 1455(a), 22 N.J.R. 2275(a).

Amended by R.1992 d.230, effective June 1, 1992.

See: 24 N.J.R. 168(a), 24 N.J.R. 2052(a).

Form numbers changed in (a).

Amended by R.1995 d.647, effective December 18, 1995 (operative March 18, 1996).

See: 27 N.J.R. 3517(a), 27 N.J.R. 5012(a).

Amended by R.1996 d.512, effective November 4, 1996.

See: 28 N.J.R. 3697(a), 28 N.J.R. 4782(a).

5:23-9.6 Interpretations: Construction requirements for new and existing casinos

(a) Fixed central pedestal seating (stools) shall be allowed within major aisles and cross-aisles in casinos for gaming patrons who use standard size slot machines or other similar machines, within these aisles, provided the following requirements have been met:

1. Schematic drawings which indicate the dimensions and locations of the stools, and the distances from adjacent fixtures, walls or other objects shall be submitted to the Department for review and release;

2. Stool placement shall not result in any reduction of the required aisle accessway width when measured from the stool and any other adjacent obstacle, including, without limitation, other stools in back-to-back seating arrangements;

3. Stools that swivel and have a back rest shall be restricted so as to rotate only in one direction, operate in series, and be self-centering;

4. A minimum clearance of eight inches, measured from the face of the gaming machine base at knee height, shall be provided between the gaming machine and the stool and a minimum clearance of 10 inches, measured from seat edge to seat edge, shall be provided between adjacent stools, in order to ensure discharge clearances; and

5. The minimum clear width of aisles with slot stools shall be 48 inches.

(b) The following code requirements shall apply to gaming floors:

1. The use group of the gaming floor area shall be A-2.

2. Each gaming floor area shall be designed using an open landscape plan such that there is clear visibility throughout the floor and at least two of the exits are clearly discernible from all portions of the floor. Line of sight obstructions shall be limited and shall be subject to the approval of the Department.

3. An egress study shall be provided for each new egress route and for all modifications to an existing egress route, increases in occupant load or change of egress elements for gaming floor areas.

i. The occupant load shall be calculated at 11 square feet gross per person for all gaming floor areas, regardless of the gaming activity.

ii. The total capacity of the means of egress shall be calculated based on 116 $\frac{2}{3}$ percent of the calculated occupant load of any floor area containing gaming activities and any adjacent spaces using the gaming floor for exit access.

iii. Travel distances shall be delineated on the egress study and shall be measured from each and every occupiable point on the gaming floor to the closest exit. The travel distance shall be measured along the natural path of travel using a distance of one foot from obstructions, corners and walls and using the center of door openings.

iv. Each egress route shall identify the travel distance, number of occupants and size and type of egress elements.

4. Section 1017.4.1.3 of the building subcode, entitled "Special locking arrangements in penal facilities," shall be permitted to apply for areas that are back-of-house to the gaming floor where security is necessary.

5. Gaming equipment, change banks, monitor cabinets and other obstructions located on the gaming floor shall not exceed 65 inches in height except as provided in this paragraph:

i. Equipment and obstructions located at or within 21 feet of perimeter walls, measured perpendicular to the wall, may be of unrestricted height;

ii. Equipment and obstructions located at columns, but not extending more than 12 feet in any direction around the column, including the column itself, may be of unrestricted height;

iii. Equipment and obstructions located so that they do not obstruct visibility throughout the gaming floor, the visibility of at least two exits, or the operation of fire protection systems, may be of such height as is consistent with such visibility and operation; and

iv. Slot machines and similar gaming equipment may be 75 inches in height at any location on the casino floor provided the following conditions are met throughout the entire casino floor(s):

(1) Machines taller than 65 inches shall be of a circle top or similar design so that the 75-inch height is not continuous and at least 40 percent of the vertical projected area between 65 inches and 75 inches is open;

(2) An exit catchment area shall be provided immediately in front of the means of egress having the largest egress capacity and each other means of egress, ranked from the largest to smallest in terms of egress capacity, until such areas are provided in front of means of egress comprising 67 percent of the required egress capacity. Each catchment area shall be a rectangle with the full width of the means of egress component and twice the depth. Gaming equipment and other obstructions within the catchment area shall require Department approval;

(3) All new lighted signage on the casino floor shall be interlocked with the fire alarm system so that activation of an alarm results in disconnection of electrical power to the signage. All such signage shall be interconnected within five years of the installation of the first 75-inch height machine permitted by this section;

(4) All exit signs that are provided on the casino floor shall have a minimum letter height of 10 inches and a minimum letter stroke of two inches with approved distinguishable colors; and

(5) Prior to the installation of the 75-inch high machines, the permit applicant and the Department shall perform a means of egress and exit visibility survey. If directed by the Department, the permit applicant shall install additional signage, or other means found necessary to ensure the discernability of two exits.

6. Signage installed on the gaming floor shall comply with the following:

i. All signage shall be listed, labeled, approved and identified by an approved testing laboratory;

ii. Each sign shall be attached to a wall, post or ceiling. A post-mounted sign above slot machines shall be fastened to, and supported by, the slot machine base;

iii. A sign containing moving sections or ornaments shall be equipped with fail-safe provisions to prevent the sign from releasing and falling or from shifting its center of gravity more than 15 inches. The fail-safe device shall be in addition to the mechanism and mechanism housing that operate the movable section. The fail-safe device shall be capable of supporting the full dead weight of the sign when the moving mechanism releases; and

iv. A sign shall not obstruct visibility throughout the gaming floor, the visibility of exit signage or the operation of fire protection systems.