- (c) If the violator fails to include all the information required by (a) above, the Department may deny the hearing request.
- (d) All adjudicatory hearings shall be conducted in accordance with the Administrative Procedure Act, N.J.S.A. 52:14B-1 et seq., and the Uniform Administrative Procedure Rules, N.J.A.C. 1:1.

Administrative Change in (a). See: 23 N.J.R. 3325(b).

Amended by R.1996 d.578, effective December 16, 1996.

See: 28 N.J.R. 2114(a), 28 N.J.R. 5248(a).

In (a)1, deleted reference to EPA identification number.

## 7:26-5.4 Civil administrative penalties for violations of rules adopted pursuant to the Act

- (a) The Department may assess a civil administrative penalty pursuant to this section of not more than \$50,000 for each violation of each requirement of any rule listed in N.J.A.C. 7:26-5.4(g).
- (b) Each violation of a rule listed in N.J.A.C. 7:26–5.4(g) shall constitute an additional, separate and distinct violation.
- (c) Each day during which a violation continues shall constitute an additional, separate and distinct violation.
- (d) For each parameter that is required to be monitored, sampled or reported, the failure to so monitor, sample or report shall constitute an additional, separate and distinct violation.
- (e) Where any requirement of any rule listed in N.J.A.C. 7:26–5.4(g) may pertain to more than one act, condition, occurrence, item, unit, waste or parameter, the failure to comply with such requirement as it pertains to each such act, condition, occurrence, item, unit, waste or parameter shall constitute an additional, separate and distinct violation.
- (f) The Department shall determine the amount of a civil administrative penalty for each violation of any rule listed in (g) below on the basis of the provision violated, according to the following procedure. For a violation of a requirement or condition of an administrative order, permit, license or other operating authority, the Department may in its sole discretion identify the corresponding requirement of any rule summary listed in (g) below and determine the amount of the civil administrative penalty on the basis of the rule provision violated.
  - 1. Identify the rule violated as listed in N.J.A.C. 7:26-5.4(g)1 through 8A;
  - 2. Identify the corresponding base penalty dollar amount for the rule violated as listed in N.J.A.C. 7:26-5.4(g)1 through 8A;
  - 3. Multiply the base penalty dollar amount times the following multipliers for each factor to obtain the severity penalty component, as applicable:

|      | Severity Factor Multiplic                   | er       |
|------|---|----------|
| i.   | Violator had violated the same rule less    |          |
|      | than 12 months prior to the violation 1.0   | 0        |
| ii.  | Violator had violated a different rule less |          |
|      | than 12 months prior to the violation 0.5   | 0        |
| iii. | Violator had violated the same rule during  |          |
|      | the period which began 24 months prior      |          |
|      | to the violation and ended 12 months        |          |
|      | prior to the violation 0.5                  | <b>0</b> |
| iv.  | Violator had violated a different rule dur- |          |
|      | ing the period which began 24 months        |          |
|      | prior to the violation and ended 12         |          |
|      | months prior to the violation 0.2           | 25       |
|      |   |          |

4. To obtain the civil administrative penalty, add all of the severity penalty components pursuant to (f)3 above, to the base penalty. If the sum total exceeds \$50,000, then the civil administrative penalty shall be \$50,000.

## EXAMPLE:

| Base penalty (for violation of N.J.A.C. | = | \$1,000 |
|---|---|---------|
| 7:26–2.12(f)                            |   |         |
| Subparagraph (f)3iii applies:           |   |         |
| 0.50x1000                               | = | 500     |
| Subparagraph (f)3iv applies:            |   |         |
| 0.25x1000                               | = | + 250   |
| Civil administrative penalty            |   | \$1,750 |
|   |   |         |

- 5. For the purpose of this section, violation of the "same rule" means violation of the same specific requirement of a rule. Where a rule has a list of specific requirements, the same item on the list must be violated to be considered violation of the "same rule.
- (g) The rule summary in this subsection, which summarizes certain provisions in N.J.A.C. 7:26 and 7:26A, is provided for informational purposes only. In the event that there is a conflict between the rule summary in this subsection and a provision in N.J.A.C. 7:26 and 7:26A, then the provision in N.J.A.C. 7:26 and 7:26A shall prevail.
  - 1. The violations of N.J.A.C. 7:26-1, General Provisions, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

| Rule<br>N.J.A.C. | Rule Summary   | Base<br>Penalty |
|------------------|--|-----------------|
| 7:26–1.7(b)      | Failure of owner or operator of any facility exempted under N.J.A.C. 7:26-1.7 to comply with all conditions set forth in its certificate of authority to operate | \$2,000         |

2. The violations of N.J.A.C. 7:26–2, Disposal, and the civil administrative penalty amounts for each violation, are as set forth in the following table.

| Rule<br>N.J.A.C. | Rule Summary  | Penalty |
|------------------|---|---------|
| 7:26–2.7(b)1     | Failure of permittee to apply for a permit renewal at least 90 days prior to the expiration date of the     |         |
|                  | existing SWF permit.  | \$2,000 |
| 7:26–2.8(b)      | Failure of permittee to submit a statement updat-<br>ing the information contained in the initial registra- |         |
|                  | tion statement.   | \$2,000 |

| Dule                | Rule Summary   | Base<br>Penalty    | 3. The vi                        | iolations of N.J.A.C. 7:26-2A, Additiona   | al Spe-         |
|---------------------|--|--------------------|----------------------------------|--|-----------------|
| Rule<br>7:26–2.8(c) | Failure of permittee to notify the Department with-  | Tenanty            | -                                | sal Regulations for Sanitary Landfills, a  |                 |
|                     | in 30 days of any change of information in the registration statement.                                       | \$2,000            |                                  | istrative penalty amounts for each vic   | olation,        |
| 7:26-2.8(e)         | Failure to apply and receive approval of a SWF   | 4-,                | are as set for                   | orth in the following table.   |                 |
|                     | permit prior to engaging in the disposal of solid waste in this State.                                       | \$2,000            |                                  |  | Dose            |
| 7:26-2.8(f)         | Failing to obtain a SWF permit prior to construct-   |                    | Rule                             | Rule Summary   | Base<br>Penalty |
| 7:26-2.8(j)         | ing or operating a solid waste facility.  Failure to meet all conditions, restrictions, require-             | \$5,000            | N.J.A.C.<br>7:26–2A.8(b)1        | Foilure to confine working face to the smallest  |                 |
| •                   | ments or any other provision set forth in SWF  | <b>#2 000</b> '    | 7.20-2A.8(0)1                    | Failure to confine working face to the smallest practical area.  | \$2,000         |
| 7:26-2.8(k)         | permit Failure to receive Department approval prior to   | \$2,000            | 7:26–2A.8(b)2                    | Failure to compact waste to yield smallest vol-<br>ume.  | \$2,000         |
|                     | modifying, revising or otherwise changing a permit   | \$2,000            | 7:26-2A.8(b)3                    | Failure to compact waste in shallow layers; or   | \$2,000         |
| 7:26-2.8(1)         | condition.  Failure to receive Department approval prior to  | -                  |                                  | compacting waste over leachate collection pipes per N.J.A.C. 7:26-2A.7(d)3xiv.                             | \$2,000         |
| 7:26-2.11(b)1       | transferring ownership of a SWF permit.<br>Failure of operator to clean areas where waste has                | \$5,000            | 7:26-2A.8(b)4                    | Failure to ensure lift height of daily cell does not   | Ψ <b>2</b> ,000 |
| 7.20-2.11(0)1       | been deposited or stored within each 24 hour   |                    | 7:26-2A.8(b)5                    | exceed 12 feet. Failure to ensure slope is no steeper than 3:1.  | \$2,000         |
|                     | period, for sanitary landfills all areas where waste has been deposited shall be covered.                    | \$2,000            | 7.20-2A.0(0)3                    | Failure of balefill operations to comply with  |                 |
| 7:26-2.11(b)2       | Failure to ensure any waste stored overnight at any  |                    | 7:26-2A.8(b)6                    | working face requirements.  Failure to obtain department approval of separate                              | \$2,000         |
| 7:26-2.11(b)3       | facility is effectively treated.  Failure to maintain facility property surrounding                          | \$2,000            | 7.20-27 t.0(b)0                  | areas for storage of demolition waste or recycla-  |                 |
| 7.20 2.11(0)0       | the disposal area free of litter, debris, unprocessed  |                    | 7:26-2A.8(b)7                    | ble materials.  Failure to cover exposed surfaces of solid waste at  | \$2,000         |
| 7:26-2.11(b)4       | waste, processed residues and effluents. Failure to implement dust control methods.                          | \$3,000<br>\$2,000 | ٠,٠                              | close of each operating day with daily cover.  | \$2,000         |
| 7:26–2.11(b)5       | Failure to ensure no odors are detected off-site.  | \$4,000            | 7:26–2A.8(b)8<br>7:26–2A.8(b)9   | Failure to progressively apply daily cover.  Failure to apply intermediate cover (a minimum                | \$2,000         |
| 7:26–2.11(b)6       | Failure to maintain all facility systems in a manner<br>that facilitates proper operation and minimizes sys- |                    | 7.20 271.0(0)5                   | of 12 inches of earth) to surfaces exposed more  | •               |
| 50C 011(1)5         | tem downtime.  | \$2,000            | 7:26-2A.8(b)10                   | than 24 hours.  Failure to maintain grade, thickness and integrity   | \$2,000         |
| 7:26–2.11(b)7       | Failure to maintain an adequate water supply and adequate fire-fighting equipment.                           | \$5,000            |                                  | of intermediate and final cover.   | \$2,000         |
| 7:26-2.11(b)8       | Failure to control insects, other arthropods and   |                    | 7:26–2A.8(b)11                   | Failure to grade areas with intermediate cover to facilitate drainage.                                     | \$2,000         |
| 7:26-2.11(b)9       | rodents.  Failure to admit only properly registered solid  | \$3,000            | 7:26-2A.8(b)12                   | Failure to use appropriate daily and intermediate  | Ψ2,000          |
|                     | waste vehicles for loading or unloading of any solid   | ¢2 000             |                                  | cover materials; not maintaining sufficient quanti-<br>ty of cover at site; not maintaining standby supply |                 |
| 7:26-2.11(b)10      | waste. Failure to designate a secure area where solid  | \$3,000            |                                  | of cover within boundaries.  | \$2,000         |
|                     | waste may be unloaded from vehicles exempt from registration under N.J.A.C. 7:26-3.3.                        | \$2,000            | 7:26–2A.8(b)13                   | Failure to construct final cover in accordance with N.J.A.C. 7:26–2A.7(i) and to apply it to all sur-      |                 |
| 7:26-2.11(b)11      | Failure to comply at all times with the conditions   | \$2,000            |                                  | faces.   | \$2,000         |
| 7:26-2.11(b)12      | of SWF permit.  Failure to designate a secure area where unpermit-   | \$2,000            | 7:26–2A.8(b)20                   | Failure to maintain sufficient types and quantities of equipment to adequately meet the require-           |                 |
|                     | ted waste can be deposited.  | \$2,000            | 70C 04 0(1)04                    | ments of (b) 7 through (10) above.   | \$2,000         |
| 7:26–2.11(b)13      | Failure to maintain a record of the quantity of each waste type accepted for disposal.                       | \$5,000            | 7:26–2A.8(b)21                   | Failure to maintain steel wheel type compactors of at least 45,000 pounds.                                 | \$2,000         |
| 7:26-2.11(b)15      | Failing to ensure waste is not received in excess of   |                    | 7:26-2A.8(b)22                   | Failure to equip landfill equipment with safety  |                 |
| 7:26-2.11(b)16      | the system's designed capacity.  Failure to operate the facility in a manner that                            | \$2,000            | 7:26-2A.8(b)23                   | devices.  Failure, in the case of breakdown of equipment,  | \$5,000         |
| ,                   | employs the use of equipment and other tech-   |                    |                                  | to repair or obtain replacement within 24 hours;   |                 |
| 7:26-2.11(b)17      | niques as identified in the facility's SWF permit. Failure to provide a means of cleaning vehicle tires      | \$2,000            |                                  | or to include a maintenance contract in O&M plan.  | \$2,000         |
| 7:26 2 11/b)19      | of debris.   | \$2,000            | 7:26-2A.8(b)24                   | Failure to limit access for disposal to operating  |                 |
| 7:26–2.11(b)18      | Failure to maintain an approved O&M manual at<br>the facility, changes to be submitted, at a mini-           |                    | 7:26-2A.8(b)25                   | hours only.  Failure to secure landfill with a six-foot high   | \$2,000         |
| 7:26-2.12(b)        | mum, on an annual basis. Failure of generators of asbestos containing waste                                  | \$3,000            | 7.26 24 0/5/27                   | chain link fence.  | \$2,000         |
| 7.20-2.12(0)        | materials to submit a complete written notification  |                    | 7:26–2A.8(b)27                   | Failure to maintain all weather road to working face.  | \$2,000         |
|                     | of intent to demolish, 10 days prior to beginning the demolition activity.                                   | \$1,000            | 7:26–2A.8(b)28<br>7:26–2A.8(b)29 | Failure to control litter.  Failure to control dust by spraying water or equiv-                            | \$3,000         |
| 7:26-2.12(c)        | Failure of generators of asbestos containing waste   | <b>41,</b> 000     | 7.20–2A.0(0)29                   | alent.   | \$2,000         |
|                     | material to submit a complete written notification of intent to renovate, 10 days prior to beginning         |                    | 7:26–2A.8(b)30                   | Failure to eliminate emissions which result in<br>odors detectable in areas of human use or occu-          |                 |
| 7-26 2 126-17       | the renovation activity.   | \$1,000            |                                  | pancy beyond boundary line; or to control the  |                 |
| 7:26–2.13(a)7       | Failure to maintain a daily record of asbestos waste and make appropriate submittals.                        | \$3,000            |                                  | odors by use of daily cover; or to immediately cover odorous waste with minimum six inches of              |                 |
| 7:26-2.13(a)8       | Failure to maintain additional required reports in   |                    | 7.0C 04.0C\04                    | cover.   | \$4,000         |
| 7:26-2.13(c)2       | the daily record.  Failure of transporter to complete and sign O and   | \$2,000            | 7:26–2A.8(b)31                   | Failure to control the off-site tracking of mud and soil.  | \$2,000         |
| 7:26-2.13(c)3       | D form prior to disposal.  Failure of facility operator to verify the O and D                                | \$2,000            | 7:26-2A.8(b)32                   | Failure to minimize the propagation and harbor-  | -               |
| , ,                 | form.  | \$2,000            | 7:26-2A.8(b)33                   | age of insects, rodents, and birds.  Failure to protect all monitoring devices and envi-                   | \$2,000         |
| 7:26–2.13(e)        | Failure to submit monthly summaries of waste to the Department.  | \$3,000            | 7:26–2A.8(b)37                   | ronmental systems from damage.   | \$5,000         |
| 7:26:2.14(j)        | Failure of SWFPPA permittee to prepare and sub-  |                    | 7.20-21.0(U)3/                   | Failure to have supervisor on site in order to<br>insure proper operation, evaluate monitoring data        |                 |
| 7:26:2.14(k)        | mit a complete annual progress report.  Failure of SWFPPA permittee to conduct a com-                        | \$2,000            |                                  | and inspection reports, determine performance of<br>landfill, implement all operational decisions and      |                 |
|                     | plete facility wide benchmark audit not less than  | <b>#</b> 0.000     |                                  | ensure compliance with N.J.S.A. 13:1E-1 et seq.,   |                 |
|                     | once every five years.   | \$2,000            |                                  | this chapter and the SWF Permit.   | \$5,000         |

|   |  | Base            |                       |  | Base          |
|---|--|-----------------|-----------------------|--|---------------|
| Rule<br>7:26–2A.8(b)38–41               | Rule Summary Failure to ensure that landfill personnel complete  | Penalty         | Rule                  | Rule Summary manual in order to identify and remedy any prob-  | Penalty       |
| 7.20-2A.0(0)30-41                       | a program of on-the-job training, all personnel  |                 | 7:26-2B.8(f)          | lems and comply with recordkeeping requirements. Failure of the owner or operator to implement               | \$3,000       |
|   | complete training program within six months after date of employment, all personnel take part in         |                 | 7.20 <b>–2B</b> .8(1) | waste receiving area control procedures that pro-  |               |
|   | annual update of initial training program, keep records of training received by personnel until          |                 |                       | vide for the inspection of the incoming waste<br>stream for the purpose of removing nonprocessible           |               |
| 7:26-2A.8(c)                            | closure. Failure to maintain environmental control systems   | \$2,000         |                       | or potentially explosive materials prior to the initiation of processing.                                    | \$3,000       |
| • | in functioning manner, or to inspect them.   | \$5,000         | 7:26–2B.8(g)          | Failure, should the facility experience equipment<br>or system malfunction to the extent that the waste      | •             |
| 7:26–2A.8(d–e)                          | Failure to perform inspections required by (c) above on a weekly basis and after storm events,           |                 |                       | received cannot be handled or processed in the   |               |
| 7:26-2A.8(f)                            | and comply with recordkeeping requirements.  Failure of operator to make repairs in accordance           | \$3,000         |                       | normal manner, of the operator to notify the De-<br>partment of the existence of such a situation and        |               |
|   | with N.J.A.C. 7:26–2A.8(b)28 and O&M manual, if deterioration or malfunction occurs.                     | \$2,000         |                       | circumstances contributing to the situation within the same working day of its occurrence.                   | \$2,000       |
| 7:26–2A.8(g)                            | Failure to maintain and inspect sanitary landfill  |                 | 7:26–2B.8(i)          | Failure to store unprocessed incoming waste, facili-<br>ty process waste residues and effluents, and recov-  |               |
| 7:26-2A.8(h)                            | according to requirements. Failure to monitor in accordance with parameters                              | \$2,000         |                       | ered materials in bunkers, pits, bins, or similar containment vessels and to keep at all times at            |               |
| 7:26-2A.8(i)                            | and schedules.  Failure to submit an annual topographic survey   | \$5,000         | # 0 C 0 D 0 (!)       | levels that prevent spillage or overflow.  | \$2,000       |
| •                                       | prepared according to N.J.A.C. 7:26-2A.8(i)1 through 4 by May 1 of each year.                            | \$2,000         | 7:26–2B.8(j)          | Failure to keep waste delivery tipping hall doors closed during non-processing or non-receiving              |               |
| 7:26-2A.8(j)1                           | Failure to obtain written approval of the Depart-  |                 | 7:26–2B.8(k)          | hours. Failure to schedule the delivery of waste to the  | \$2,000       |
| 7:26-2A.8(j)3                           | ment prior to disruption/excavation. Failure to keep area of excavation consistent with                  | \$2,000         | ,                     | facility and the removal of residues and recovered products from the site so as to eliminate traffic         |               |
|   | amount of equipment, and to keep excavation to smallest practical area.                                  | \$2,000         |                       | backups and allow for fluid vehicular movement on  | <b>#2.000</b> |
| 7:26-2A.8(j)4                           | Failure to control dust, odors, fires, rodents, in-<br>sects, blowing litter.                            | \$3,000         | 7:26-2B.8(l)          | site. Failure to ensure that samples and measurements  | \$2,000       |
| 7:26-2A.8(k)6                           | Failure to repair any disruption of finished grade   | 40,000          |                       | taken for the purpose of monitoring facility process<br>and treatment operations are representative of the   |               |
|   | or covered surface upon completion of firefighting activities.   | \$2,000         |                       | process or operation and are performed with the conditions of the facility's SWF permit.                     | \$5,000       |
| 7:26–2A.8( <i>l</i> )                   | Failure to comply with asbestos waste disposal requirements.   | \$3,000         | 7:26-2B.8(m-r)        | Failure of the operator to comply with waste deter-  | Ψ2,000        |
|   | •  |                 |                       | mination, waste analysis and required recordkeeping.   | \$5,000       |
|   | olations of N.J.A.C. 7:26-2B, Additiona  |                 | 7:26–2B.8(s)          | Failure of the owner or operator to have a 24-hour surveillance system which continuously monitors           |               |
| -                                       | al Regulations for Thermal Destruction   |                 |                       | and controls entry to the facility or an artificial or<br>natural barrier which completely surrounds the fa- |               |
| · ·                                     | er Stations, Materials Recovery Facilities and Mixed Solid Waste Composting                              |                 | 7.26 2D 864           | cility.  | \$5,000       |
|   | e civil administrative penalty amounts for   |                 | 7:26–2B.8(t)          | Failure of a facility to maintain required personnel, supervisor, boiler operator, licensed engineer to      |               |
|   | e as set forth in the following table.   |                 |                       | assure the proper and orderly operation of all system components, along with the ability to han-             |               |
|   |  |                 | 7:26-2B.8(u)          | dle all routine facility maintenance requirements.<br>Failure to ensure that all personnel complete an       | \$5,000       |
| Rule                                    | Rule Summary   | Base<br>Penalty | 7.20 22.6(u)          | initial program of classroom instruction and on-<br>the-job training, training program directed by a         |               |
| N.J.A.C.<br>7:26–2B.7(b)                | Failure of solid waste composting and co-compost-  |                 |                       | person thoroughly familiar with the technology,  |               |
|   | ing facility to comply with quarterly report requirements.   | \$2,000         |                       | ensure that facility personnel respond to any mal-<br>function or emergency situation, complete the ini-     |               |
| 7:26-2B.7(d)                            | Failure of solid waste composting and co-composting facility to comply with training requirements;       | <b>42,</b> 000  |                       | tial training program within six months, planned<br>annual review of the initial training, records docu-     |               |
|   | Access to facility prohibited when facility is closed.   | \$2,000         |                       | ment the type and amount of training received,<br>kept until closure, former employees records kept          |               |
| 7:26–2B.7(e)                            | Failure of solid waste composting and co-composting facility to monitor temperature of composting        |                 |                       | for at least one year.   | \$2,000       |
|   | materials to ensure pathogen reduction criteria are met.   | \$2,000         | 5 The                 | violations of N.J.A.C. 7:26–3, Transpor  | rtation       |
| 7:26–2B.7(f)                            | Failure of solid waste composting and co-composting facility to comply with incoming waste process-      | 42,000          |                       | civil administrative penalty amounts for   |               |
| ## ( PD #/ )                            | ing timeframes and requirements.   | \$2,000         | violation, a          | are as set forth in the following table.   |               |
| 7:26–2B.7(g)                            | Failure of solid waste composting and co-compost-<br>ing facility to ensure incoming, unprocessed waste  |                 |                       |  | Base          |
| 7:26-2B.7(h)                            | is not mixed with finished compost. Failure of solid waste composting and co-compost-                    | \$2,000         | Rule<br>N.J.A.C.      | Rule Summary   | Penalty       |
| ( )                                     | ing facility to comply with 15 month finished compost storage requirement.                               | \$1,000         | 7:26–3.2(a)           | Failure to obtain an approved registration statement from the Department prior to engaging in the            |               |
| 7:26–2B.7(i)                            | Failure of solid waste composting and co-compost-  | Ψ1,000          | 7.26 2.2(0)2          | transportation of solid waste.   | \$8,000       |
|   | ing facility to comply with recordkeeping requirements.  | \$2,000         | 7:26–3.2(a)2          | Failure to ensure that any device used for the transportation of solid waste is registered with the          |               |
| 7:26–2B.7(j–n)                          | Failure of solid waste composting and co-compost-<br>ing facility to comply with monitoring and sampling |                 | 7:26-3.2(a)4          | Department. Failure of registrant to ensure registered vehicles,   | \$2,000       |
| 7:26–2B.7(o)                            | requirements. Failure of solid waste composting and co-compost-  | \$3,000         | .,                    | cabs, containers, etc. are not used, controlled or possessed by any other person.                            | \$5,000       |
| 7:26–2B.7(p)                            | ing facility to comply with labeling requirements. Failure of solid waste composting and co-compost-     | \$2,000         | 7:26-3.2(c)           | Failure to comply with any conditions or limita-<br>tions which may be specified on the approved             | , 200         |
| 1.20-20.1(p)                            | ing facility to comply with USEPA 40 CFR 503   | <b>#2</b> 000   | 7.26 2.26 1           | registration.  | \$5,000       |
| 7:26-2B.8(d)                            | general requirements. Failure of the owner or operator to conduct inspec-                                | \$2,000         | 7:26–3.2(d)           | Failure of a registrant to submit a transporter registration renewal updating information con-               |               |
|   | tions as indicated in the approved final O&M   |                 |                       | tained in the previous registration statement.   | \$2,000       |

|   |  | Base               |                              |  | Base                          |
|---|--|--------------------|------------------------------|--|-------------------------------|
| Rule<br>7:26–3.2(e)                     | Rule Summary Failure of registrant to notify the Department within 30 days of any change in the registration state-                          | Penalty            | Rule<br>7:26-3A.8(c)3        | Rule Summary Failure of a non-commercial collection facility or an intermediate handler treating their own waste to                    | Penalty                       |
| 7:26–3.4(b)                             | ment. Failure to deposit all collected solid waste at an   | \$2,000            | 7:26-3A.8(d)1                | register with the Department. Failure of commercial collection facility to register  | \$2,000                       |
|   | approved facility.   | \$5,000            |                              | with the Department.   | \$5,000                       |
| 7:26–3.4(c)                             | Failure to ensure solid does not remain or is stored in any solid waste vehicle in excess of 24 hours, unless an emergency.                  | \$2,000            | 7:26–3A.8(d)5,6<br>7:26–3A.9 | Failure of a non-commercial collection facility to register with the Department.  Failure of transporters', intermediate handlers' and | \$2,000                       |
| 7:26-3.4(d)                             | Failure to ensure design of solid waste vehicle is such that it will not cause spillage onto roadways.                                       | \$2,000            | 1.20-3A.9                    | destination facilities' supervisory personnel to at-<br>tend an education and training session and dissemi-                            |                               |
| 7:26–3.4(e)                             | Failure to ensure solid waste vehicle is not loaded beyond its design capacities or in such a manner that will cause spillage onto roadways. | \$2,000            | 7:26–3A.10(a)                | nate information to employees. Failure of generators of RMW to segregate for off-site transport prior to placement in containers.      | \$2,000<br>\$1,000<br>\$3,000 |
| 7:26-3.4(f)                             | Failure to keep all solid waste vehicles in good working condition and to provide a means of con-  |                    | 7:26-3A.10(d)                | Failure to handle a package of RMW mixed with  | \$1,000                       |
| 7:26–3.4(g)                             | tinuous service in the event an emergency arises.  Failure to protect property of customer.  | \$2,000<br>\$2,000 | 7:26–3A.11                   | other waste as RMW. Failure of a generator to ensure that RMW is   | \$3,000                       |
| 7:26–3.4(h)                             | Failure to properly mark each solid waste vehicle or to carry current DEP registration certificate.  | \$2,000            |                              | properly packaged before transporting or offering for transport off site.  | \$1,000<br>\$3,000            |
| 7:26-3.4(i)<br>7:26-3.4(j)              | Failure to use tarpaulins as needed. Failure to access or exit a solid waste facility  | \$2,000            | 7:26–3A.12(a)                | Failure to comply with RMW storage requirements.   | \$1,000<br>\$3,000            |
| •/                                      | pursuant to the district management plan or SWF  | <b>#2</b> 000      | 7:26-3A.12(b)                | Failure to comply with RMW storage periods.  | \$500                         |
| 7:26-3.5(a)1                            | permit.  Failure to design all solid waste vehicles used for the transportation of sewage sludge to preclude any                             | \$2,000            | 7:26-3A.12(c)                | Failure to secure sharps containers.   | \$1,000<br>\$1,000<br>\$3,000 |
| 7:26-3.5(a)2                            | spillage or leakage onto roadways. Failure to ensure sewage sludge and other fecal   | \$2,000            | 7:26–3A.13(a)                | Failure to comply with container decontamination and reuse requirements.   | \$1,000<br>\$3,000            |
|   | material is not intermixed with other wastes of a chemical or industrial nature.   | \$5,000            | 7:26–3A.14(a)                | Failure to comply with labeling requirements.  | \$500<br>\$1,000              |
| 7:26–3.5(b)                             | Failure to design all solid waste vehicles used for<br>the transportation of bulky waste to preclude any                                     | ,                  | 7:26-3A.15(a)                | Failure to comply with marking requirements.   | \$500<br>\$1,000              |
| 7:26-3.5(c)                             | spillage. Failure to ensure radioactive material and lethal  | \$2,000            | 7:26-3A.16(a)                | Failure to determine if waste is RMW.  | \$1,000<br>\$3,000            |
| • | chemicals are not transported in or through this<br>State without prior approval from authorities hav-                                       |                    | 7:26-3A.16(d)                | Failure to use properly registered transporters.   | \$1,000<br>\$3,000            |
| 7:26-3.5(d)1                            | ing jurisdiction, and from the Department.<br>Failure to design all solid waste vehicles used for  | \$5,000            | 7:26–3A.16(e)                | Failure to dispose of RMW at an authorized facility.   | \$5,000<br>\$10,000           |
|   | the transportation of asbestos waste so as to pre-<br>clude any spillage leakage or emissions therefrom.                                     | \$3,000            | 7:26–3A.16(h)                | Failure to comply with home self-care RMW requirements.  | \$500<br>\$1,000              |
| 7:26–3.5(d)2                            | Failure to package asbestos for transportation in accordance with 40 CFR 61.152 and N.J.A.C.   |                    | 7:26–3A.16(i)                | Failure to get approval from the department prior<br>to using an alternative or innovative technology                                  | \$1,000                       |
| 7:26-3.5(d)3                            | 7:26–2.12. Failure to transport asbestos in a manner that  | \$5,000            | 7:26-3A.19                   | for the treatment or destruction of RMW. Failure of a generator to comply with tracking  | \$5,000<br>\$500              |
|   | prevents the rupture of containers in loading, transporting and unloading operations.  | \$5,000            | 7:26–3A.21                   | form requirements. Failure to comply with generator recordkeeping  | \$2,000<br>\$500              |
| 7:26–3.5(d)4                            | Failure to transport collected asbestos directly from<br>the point of generation to the solid waste landfill                                 | ,                  | 7:26-3A.22                   | requirements. Failure of generator to comply with exception  | \$1,000<br>\$500              |
| 7:26-3.5(d)6                            | permitted to receive such wastes.<br>Failure to ensure no visible air emissions are gen-   | \$5,000            | 7:26-3A.25                   | reporting requirements. Failure of generator with on-site incinerator to   | \$1,000<br>\$1,000            |
|   | erated during loading, transporting, or unloading operations.  | \$5,000            | 7:26-3A.26                   | comply with recordkeeping requirements. Failure of owner/operator of on-site incinerator to  | \$3,000<br>\$1,000            |
| 7:26–3.7(a)                             | Failure to ensure waste materials to be collected<br>and transported show no evidence of smoking,  | ·                  | 7:26-3A.27(i)                | comply with reporting requirements. Failure of a transporter/collection facility to dispose  | \$3,000                       |
|   | smoldering or burning.   | \$5,000            |                              | of RMW stored in the vehicle within fourteen calendar days, or before it becomes putrescent.   | \$2,000                       |
| 6. The v                                | iolations of N.J.A.C. 7:26-3A, Regulated   | Med-               | 7:26–3A.28                   | Failure of a transporter to comply with RMW acceptance requirements.   | \$3,000                       |
|   | , and the civil administrative penalty an  |                    | 7:26-3A.30(a)1               | Failure of vehicle to have fully enclosed, leak resistant cargo carrying body.   | \$2,000                       |
|   | olation, are as set forth in the following<br>penalty amount applies to persons registe  |                    | 7:26-3A.30(a)2               | Failure to ensure RMW does not become putres-<br>cent and is not subjected to mechanical stress or                                     | ,                             |
| generator                               | categories 1 through 3 (<300 lbs/year)   | ). The             |                              | compaction during loading and unloading or during transit.   | \$2,000                       |
|   | alty amount applies to persons registe ategories 4 and 5 (>300 lbs/year).  | red in             | 7:26-3A.30(a)3               | Failure to maintain cargo carrying body in good sanitary condition.  | \$2,000                       |
| Bonormor                                | are general and a (a soo less, year).  | ,                  | 7:26-3A.30(a)4               | Failure to securely lock unattended cargo carrying body.   | \$5,000                       |
| Rule<br>N.J.A.C.                        | Rule Summary   | Base Penalty       | 7:26–3A.30(b)                | Failure to comply with vehicle identification requirements.  | \$1,000                       |
| 7:26–3A.8(a)                            | Failure of a generator of RMW to register with the Department.   | \$1,500<br>\$5,000 | 7:26–3A.30(c)                | Failure to manage RMW/solid waste mixture as RMW.  | \$5,000                       |
| 7:26-3A.8(a)1                           | Failure of a generator of RMW to register in the proper category.  | \$5,000<br>\$1,000 | 7:26–3A.31                   | Failure of transporter to comply with tracking form requirements.  | \$2,000                       |
| 7:26-3A.8(b)1                           | Failure of a commercial transporter of RMW to register with the Department.  | \$5,000            | 7:26–3A.32(a)                | Failure to deliver entire quantity of RMW to inter-<br>mediate hauler, destination facility or next trans-<br>porter.                  | <b>¢1</b> 000                 |
| 7:26–3A.8(b)2                           | Failure of a non-commercial transporter of RMW to register with the Department.  | \$2,500            | 7:26-3A.32(b)                | Failure to contact generator for directions and make changes accordingly, if RMW cannot be de-   | \$1,000                       |
| 7:26–3A.8(c)                            | Failure of commercial intermediate handlers and owner/operators of destination facilities to register  |                    | 7:26-3A.33(a)                | livered as intended. Failure to comply with requirements for consolidat-   | \$1,000                       |
|   | with the Department.   | \$5,000            |                              | ing waste to a new tracking form.  | \$2,000                       |

| •                | •  | _             |                  |  | _        |
|------------------|--|---------------|------------------|--|----------|
| <b>D</b> 1       | D 1 0  | Base          | D.J.             | Dula Commen  | Base     |
| Rule             | Rule Summary   | Penalty       | Rule             | Rule Summary   | Penalty  |
| 7:26–3A.34       | Failure of transporter to comply with recordkeeping requirements.  | \$3,000       |                  | by the NJDEP and DOH prior to any marketing, sale or use in New Jersey.                                  | \$5,000  |
| 7:26–3A.35       | Failure of transporter to comply with reporting requirements.  | \$3,000       | 7:26–3A.48(a,b)  | Failure of an out-of-State organization using the U.S. Postal Service or other parcel service and        |          |
| 7:26–3A.37(a)    | Failure of transporter to have an approved RMW spill management plan.  | \$2,000       |                  | disposing of regulated medical waste from New<br>Jersey to comply with certification requirements.       | \$2,000  |
| 7:26–3A.37(b)    | Failure of transporter to have a RMW spill con-<br>tainment and cleanup kit at all sites and in all  | , ,           | 7:26-3A.48(c)    | Failure of a RMW generator to ensure that RMW waste is not sent to any out-of-State facility which       |          |
| 7:26-3A.38(b)6   | vehicles used for the storage, handling, collection, treatment and collection of RMW.  Failure of RMW incinerator to ensure waste stored               | \$2,000       |                  | does not have a certificate on file with the Department.   | \$5,000  |
| , ,              | overnight is effectively treated.  | \$2,000       | 7. The           | violations of N.J.A.C. 7:26-6, Interdistri   | ct and   |
| 7:26–3A.38(b)7   | Failure to maintain facility property surrounding<br>the disposal area free of litter, debris, unprocessed<br>waste, processed residues and effluents. | \$2,000       | Intradistric     | ct Solid Waste Flow, and the civil adminis   | trative  |
| 7:26-3A.38(b)8   | Failure to ensure no odors are detected off-site.  | \$4,000       |                  | nounts for each violation, are as set forth  | in the   |
| 7:26–3A.38(b)9   | Failure to maintain all facility systems in a manner that facilitates proper operation and minimizes sys-  |               | following t      | able.  |          |
|                  | tem downtime.  | \$2,000       |                  |  | Base     |
| 7:26–3A.38(b)10  | Failure to maintain adequate water supply and fire fighting equipment, failure to post emergency num-  |               | Rule<br>N.J.A.C. | Rule Summary   | Penalty  |
|                  | bers (fire, police, ambulance, hospital).  | \$5,000       | 7:26–6.5         | Failure to comply with the district waste flow plan.   | \$10,000 |
| 7:26–3A.38(b)11  | Failure to effectively control insects, arthropods, rodents.   | \$2,000       | o The            | violetions of N.I.A.C. 7:26A. Domisling  | Dulas    |
| 7:26-3A.38(b)12  | Failure to maintain orderly operation and sanitary   |               |                  | violations of N.J.A.C. 7:26A, Recycling  |          |
|                  | conditions.  | \$2,000       | and the c        | civil administrative penalty amounts for   | r each   |
| 7:26–3A.38(b)14  | Failure to maintain O&M manual at the facility.  | \$3,000       | violation, a     | are as set forth in the following table.   |          |
| 7:26–3A.38(b)17  | Failure of facility to accept RMW only from prop-<br>erly registered transporters.   | \$2,000       |                  |  |          |
| 7:26-3A.39(i)1   | Failure to ensure stored waste does not exceed   | ψ2,000        | <b>~</b> .       | n  | Base     |
| **               | 300,000 pounds or amount as specified in authori-  |               | Rule<br>N.J.A.C. | Rule Summary   | Penalty  |
| 7.26 24.20(:)2   | zation.  | \$2,000       | 7:26A-3.1(a)     | Failure of approved recycling center to comply   |          |
| 7:26-3A.39(i)2   | Failure to ensure collection facility receives no more than 150,000 pounds of waste per day, or as   |               |                  | with all approval conditions.  | \$2,000  |
|                  | otherwise indicated in authorization.  | \$2,000       | 7:26A-3.5(f)     | Failure of recycling center to post a legible sign at  |          |
| 7:26-3A.39(i)4   | Failure to accept only RMW waste managed in  | <b>#2</b> 000 |                  | the recycling center entrance indicating its approval and listing items detailed in 3.2(a)13i and        |          |
| 7:26-3A.39(i)5   | accordance with N.J.A.C. 7:26–3A.  Failure to ensure only registered vehicles transport  | \$2,000       | 7.26 1 2 6       | ii.  | \$500    |
| 7,26 3 4 20(1)6  | to and from facility.  | \$2,000       | 7:26A-3.6        | Failure to submit renewal application for a general approval to the Department at least three            |          |
| 7:26–3A.39(i)6   | Failure to ensure all waste at all times remains fully contained, and does not leak.   | \$3,000       |                  | months prior to the current approval expiration and to comply with all submittal requirements.           | \$1,000  |
| 7:26–3A.39(i)9   | Failure to ensure no odors are detected off-site.<br>Odor causing waste to be disposed of immediately.   | \$4,000       | 7:26A-3.7(j)     | Failure, within 45 days after expiration of the  | Ψ1,000   |
| 7:26-3A.39(i)10  | . Failure to implement and maintain effective securi-  |               |                  | time period authorized by the limited approval to operate a recycling facility, to file a final report   |          |
| 7:26-3A.39 (i)13 | ty procedures.  Failure to implement routine housekeeping and  | . \$2,000     | 7.064 0.7(1-)    | with the Department.   | \$2,000  |
|                  | maintenance procedures.  | \$2,000       | 7:26A-3.7(k)     | Failure of persons operating a limited approved recycling center to ensure that no illegal dumping       |          |
| 7:26–3A.39(i)16  | Failure to ensure truck queuing is minimized, on-<br>site traffic controls implemented.  | \$2,000       | 7:26A-3.8(a)     | occurs.  Failure to limit processing methods for tires to  | \$2,000  |
| 7:26–3A.39(i)17  | Failure to ensure RMW is not staged, placed or<br>stored beyond confines of facility or vehicle.   | \$2,000       |                  | slicing, shredding, chipping, crumbing or other<br>methods approved by the Department, prohibi-          |          |
| 7:26-3A.39(j)2   | Failure to maintain O&M manual at the facility.  | \$3,000       |                  | tion to incinerating, landfilling, abandoning or   |          |
| 7:26–3A.39(j)3   | Failure to comply with training program require-<br>ments.   | \$2,000       | 7-2(A 2.0(L)     | otherwise illegally disposing of tires.  | \$3,000  |
| 7:26-3A.39(j)6   | Failure to maintain fire protection systems in oper-   |               | 7:26A-3.8(b)     | Failure by the owner or operator of the tire recycling center to ensure that no mosquito colo-           |          |
| 7:26-3A.39(j)7   | able condition, fire procedures posted.  Failure to ensure that noise levels do not exceed   | \$5,000       | 7:26A-3.8(c)     | ny formation develops.  Failure of a tire, tree stump, tree part or wood                                 | \$2,000  |
| 7:26-3A.39(j)8   | standards set forth in N.J.A.C. 7:29.<br>Failure to maintain on site operating records,  | \$4,000       |                  | waste recycling center to have an approved fire  | ቀኖ በበሳ   |
| •                | O&M manual.  | \$3,000       | 7:26A-3.9(a)     | control plan.  Failure of recycling center to ensure the tempo-  | \$5,000  |
| 7:26–3A.39(j)9   | Failure to maintain safety appliances in proper operating order, comply with O&M inspection  |               | , ,              | rary storage of Class B recyclable material does<br>not exceed the amount indicated in the general or    |          |
|                  | schedules, maintain inspection records.  | \$5,000       |                  | limited approval to operate.   | \$2,000  |
| 7:26–3A.39(k)    | Failure to comply with recordkeeping and reporting requirements.   | \$3,000       | 7:26A-3.9(b)     | Failure of recycling center to ensure that unpro-<br>cessed Class B recyclable material is not stored in |          |
| 7:26-3A.40(c)3   | Failure of intermediate handlers and destination   | ,             |                  | excess of one year from the date of receipt.   | \$2,000  |
|                  | facilities to ensure only approved treatment and<br>destruction processes authorized by NJDEP and  |               | 7:26A-3.10       | Failure of recycling center to comply with modifi-   | \$2,000  |
|                  | DOH are utilized.  | \$2,000       | 7:26A-3.15(a)    | cation requirements.  Failure to ensure a general or limited approval to                                 | \$2,000  |
| 7:26–3A.41       | Failure to comply with tracking form requirements.   | \$2,000       |                  | operate a recycling center is not transferred with-  |          |
| 7:26–3A.42       | Failure to comply with tracking form discrepancy requirements.   | \$500         | 7:264_3 15(a)    | out prior approval of the Department.  Failure to provide one copy of written request to                 | \$5,000  |
| 7:26-3A.43       | Failure to comply with recordkeeping requirements.   | \$3,000       | 7:26A-3.15(c)    | transfer approval to the recycling coordinator and   |          |
| 7:26-3A.44       | Failure of collection facilities, intermediate han-  |               |                  | one copy to the applicable municipal planning  |          |
|                  | dlers and/or destination facilities to comply with additional reporting requirements.  | \$2,000       | 7.264 2 17(0)    | board.   | \$2,000  |
| 7:26-3A.46       | Failure of rail transporter to comply with tracking  | φ2,000        | 7:26A-3.17(a)    | Failure of recycling center to comply with record-<br>keeping and annual reporting requirements.         | \$3,000  |
|                  | form requirements.   | \$2,000       | 7:26A-4.1(a)1i   | Failure of recycling center to ensure that recycla-  |          |
| 7:26–3A.47(a)    | Failure to ensure alternative or innovative technol-<br>ogy processes and any modifications are approved   |               |                  | ble material is separated at the point of genera-<br>tion from other waste material.                     | \$3,000  |
|                  |  |               |                  |  | ,        |

|                                   |  |                 |                                | •  | _                  |
|-----------------------------------|--|-----------------|--------------------------------|--|--------------------|
| Rule<br>7:26A-4.1(a)1ii           | Rule Summary Failure of recycling center to ensure only Class A,   | Base<br>Penalty | Rule<br>7:26A-4.5(a)15v        | Rule Summary Failure of Class C yard trimming operator to  | Base<br>Penalty    |
|                                   | Class B or Class C materials are received, stored, processed or transferred at the center.   | \$3,000         |                                | comply with material staging and processing buff-<br>er distance requirements.   | \$2,000            |
| 7:26A-4.1(a)1iii<br>7:26A-4.1(a)2 | Failure of recycling center to comply with commingling requirements.  Failure of recycling center to ensure residue is not   | \$2,000         | 7:26A-4.5(a)15vi               | Failure of Class C yard trimming operator to comply with 15 month finished compost storage requirement.  | \$1,000            |
| 7:26A-4.1(a)4                     | stored on-site in excess of six months.  Failure of recycling center to store residue sepa-  | \$2,000         | 7:26A-4.5(a)15vii              | Failure of Class C yard trimming operator to comply with finished compost testing require-   | Ψ1,000             |
| 71222 112(4)                      | rately from recyclable material and in a manner<br>which prevents run-off, leakage or seepage from<br>the residue storage area into, on or around the                                      |                 | 7:26A-4.5(a)15x                | ments. Failure of Class C yard trimming operator to comply with additional recordkeeping require-  | \$2,000            |
| 7:26A-4.1(a)5                     | soil of the residue storage area.<br>Failure of recycling center to ensure hazardous   | \$2,000         | 7:26A-4.5(b)1                  | ments. Failure of Class C material operator to ensure  | \$3,000            |
| ,                                 | wastes are not stored, processed or transferred at any recycling center.   | \$5,000         |                                | traffic associated with the center does not result in a degradation of a level of service of any major   | •                  |
| 7:26A-4.1(a)6                     | Failure of recycling center to ensure electronic components which contain polychlorinated biphenyls (PCBs) and which are attached to or detached from appliances or other scrap metal, are |                 | 7:26A-4.5(b)2                  | intersection or public roadway within a half-mile<br>radius.<br>Failure of Class C material operator to ensure<br>center has sufficient capacity to handle incoming  | \$2,000            |
| 7:26A-4.1(a)8                     | not shredded, sheared or baled.<br>Failure to operate a recycling center in such a   | \$5,000         | 7:26A-4.5(b)3                  | volumes. Failure of Class C material operator to ensure  | \$2,000            |
|                                   | manner that the recycling center property is main-<br>tained free of litter and debris and such that   |                 | 7:26A-4.5(b)4                  | center has effective visual screen buffer. Failure of Class C material operator to ensure  | \$2,000            |
| 7:26A-4.4(a)                      | Failure by the owner or operator of a recycling  | \$2,000         | 7:26A-4.5(b)5                  | unauthorized access to center is controlled.<br>Failure of Class C material operator to prevent  | \$2,000            |
| 7:26A-4.4(b)                      | center to provide a recycling tonnage report by February 1 of each year.  Failure by a transporter of recyclable materials to  | \$1,000         |                                | vehicular tracking of soil, generation of dust, by compaction or paving.   | \$2,000            |
| 1.2011-4.4(0)                     | provide a recycling tonnage report by February 1 of each year.   | \$1,000         | 7:26A-4.5(b)6                  | Failure of Class C material operator to comply with composting structure requirements, no ponding, leachate control.   | \$2,000            |
| 7:26A-4.4(c)                      | Failure of exempt person to submit required ton-<br>nage reports by February 1 of each year.   | \$1,000         | 7:26A-4.5(b)7                  | Failure of Class C material operator to maintain fully enclosed operation.   | \$2,000            |
| 7:26A-4.5(a)2                     | Failure of Class C yard trimming operator to ensure traffic associated with the center does not  |                 | 7:26A-4.5(b)9                  | Failure of Class C material operator to have adequate water supply, fire-fighting equipment,   | <b>42,</b> 000     |
|                                   | result in a degradation of a level of service of any major intersection or public roadway within a   | <b>#2.000</b>   | 7:26A-4.5(b)10                 | local fire department phone numbers posted. Failure of Class C material operator to comply   | \$5,000            |
| 7:26A-4.5(a)3                     | half-mile radius.  Failure of Class C yard trimming operator to ensure center has sufficient capacity to handle  | \$2,000         | 7:26A-4.5(b)12, 13             | with O&M manual requirements.<br>Failure of Class C material operator to comply  | \$3,000            |
| 7:26A-4.5(a)4                     | incoming volumes. Failure of Class C yard trimming operator to   | \$2,000         | 7:26A-4.5(b)14                 | with employee training requirements.  Failure of Class C material operator to have   | \$2,000            |
| 7:26A-4.5(a)5                     | ensure center has effective visual screen buffer.<br>Failure of Class C yard trimming operator to<br>ensure unauthorized access to center is con-  | \$2,000         | 7:26A-4.5(b)16                 | properly trained individual supervising operation. Failure of Class C material operator to comply with incoming organics processing timeframes and   | \$2,000            |
| 7:26A-4.5(a)6                     | trolled. Failure of Class C yard trimming operator to prevent vehicular tracking of soil, generation of  | \$2,000         | 7:26A-4.5(b)17                 | requirements.  Failure of Class C material operator to ensure incoming, upprocessed material is not mixed with   | \$2,000            |
| 7:26A-4.5(a)7                     | dust, by compaction or paving. Failure of Class C yard trimming operator to  | \$2,000         | 7:26A-4.5(b)18, 19             | finished compost.  Failure of Class C material operator to meet PFRB criteria and requirements.  | \$2,000<br>\$2,000 |
| 7:26A-4.5(a)8                     | maintain improved active composting surface, no ponding or runoff.  Failure of Class C yard trimming operator to post  | \$2,000         | 7:26A-4.5(b)21                 | Failure of Class C material operator to comply with 15 month finished compost storage require-   |                    |
| 7:26A-4.5(a)9                     | entrance sign identifying operating hours. Failure of Class C yard trimming operator to have   | \$100           | 7:26A-4.5(b)23-26              | ment. Failure of Class C material operator to comply   | \$1,000            |
|                                   | adequate water supply, fire-fighting equipment, local fire department phone numbers posted.  | \$5,000         | 7:26A-4.5(b)27, 28             | with monitoring and sampling requirements.  Failure of Class C material operator to comply with additional recordkeeping requirements.   | \$3,000<br>\$2,000 |
| 7:26A-4.5(a)10                    | Failure of Class C yard trimming operator to have<br>properly trained individual supervising operation,<br>access to facility prohibited when center is closed.                            | \$2,000         | 7:26A-4.5(c)1                  | Failure of Class C operator to comply with labeling requirements.  | \$2,000            |
| 7:26A-4.5(a)11                    | Failure of Class C yard trimming compost opera-<br>tors to attend, within one year of start up, ap-  | \$2,000         | 7:26A-4.5(c)2                  | Failure of Class C operator to comply with compost utilization requirements.   | \$2,000            |
| 7:26A-4.5(a)12                    | proved composting courses.  Failure of Class C yard trimming operator to ensure yard trimmings are only received during  | \$2,000         | 7:26A-5.1(a)                   | Failure to ensure no shearing, shredding, baling or other actions which could cause release of refrigerant fluid to take place, occurs prior to  |                    |
| 7:26A-4.5(a)13                    | times when operator is present.  Failure of Class C yard trimming operator to ensure all trimmings received are removed from   | \$2,000         | 7:26A-5.1(b)                   | recovery of such fluid.  Failure to recover refrigerant fluid in a manner such that no venting of refrigerant fluid occurs.  | \$5,000<br>\$5,000 |
| 7:26A-4.5(a)14                    | bags, boxes. Failure of Class C yard trimming operator to initiate processing of incoming materials containing grass within the working day.   | \$2,000         | 7:26A-5.1(c)                   | Failure to deliver recovered refrigerant fluid to a facility which has agreed to reprocess the fluid or, if such arrangements cannot be made, failure to store or dispose of the recovered fluid in necessary. |                    |
| 7:26A-4.5(a)15i                   | ing grass, within the working day.  Failure of Class C yard trimming operator to moisten, without excess runoff, dry yard trim-  | \$2,000         | 7:26A6.4(d)2                   | store or dispose of the recovered fluid in accor-<br>dance with applicable rules and regulations.<br>Failure of generator to ensure used oil is stored   | \$5,000            |
| 7:26A-4.5(a)15ii                  | mings prior to windrow formation.  Failure of Class C yard trimming operator to  | \$2,000         | 7,264 64(4)2                   | only in tanks, containers, or unit subject to N.J.A.C. 7:26G.  | \$3,000            |
| 7:26A-4.5(a)15iii                 | position windrows perpendicular to ground sur-<br>face contours.  Failure of Class C yard trimming operator to   | \$2,000         | 7:26A-6.4(d)3<br>7:26A-6.4(d)4 | Failure of generator to ensure used oil storage units are in good condition and not leaking.  Failure of generator to comply with used oil   | \$3,000            |
| 7:26A-4.5(a)15iv                  | install windsock. Failure of Class C yard trimming operator to   | \$1,000         | 7:26A-6.4(f)                   | labeling requirements.  Failure of generator to comply with used oil off-  | \$2,000            |
|                                   | comply with windrow composting requirements.   | \$2,000         |                                | site shipment requirements.  | \$2,000            |

|                      |  | Base    |                                      |  | Base      |
|----------------------|--|---------|--------------------------------------|--|-----------|
| Rule<br>7:26A-6.6(c) | Rule Summary Failure of a used oil transporter to have EPA   | Penalty | Rule                                 | Rule Summary used oil burner facilities that have EPA identifica-  | Penalty   |
| 7:26A-6.6(d)1        | identification number. Failure of a used oil transporter to comply with  | \$2,000 |                                      | tion numbers and burns the used oil in a device as identified in N.J.A.C. 7:26A-6.8(b)1.                                 | \$4,000   |
| 7:26A-6.6(f)3        | deliveries requirements. Failure of used oil transfer facility to ensure used  | \$2,000 | 7:26A-6.9(c)                         | Failure of used oil fuel marketer to comply with<br>on-specification used oil fuel requirements.                         | \$2,000   |
|                      | oil is stored only in tanks, containers, or unit subject to N.J.A.C. 7:26G.  | \$3,000 | 7:26A-6.9(d)                         | Failure of a used oil fuel marketer to comply with notification requirements.  | \$2,000   |
| 7:26A-6.6(f)4        | Failure of used oil transfer facility to ensure used<br>oil storage units are in good condition and not                        |         | 7:26A-6.9(e)                         | Failure of used oil marketer to comply with track-<br>ing requirements.  | \$2,000   |
| 7:26A-6.6(f)5        | leaking. Failure of used oil transfer facility to comply with  | \$3,000 | 7:26A-6.9(f)                         | Failure of used oil marketer to comply with No-<br>tice requirements.  | \$2,000   |
| 712011 0.0(1)5       | "secondary containment for containers" requirements.   | \$3,000 | 7:26A-7.2(d)                         | Failure of small quantity handler of universal waste to comply with waste management require-                            | <b>4,</b> |
| 7:26A-6.6(f)6        | Failure of used oil transfer facility to comply with<br>"secondary containment for existing aboveground tanks" requirements.   | \$3,000 | 7:26A-7.2(e)                         | ments. Failure of small quantity handler of universal waste to comply with labeling/marking require-                     | \$2,000   |
| 7:26A-6.6(f)7        | Failure of used oil transfer facility to comply with<br>"secondary containment for new aboveground                             |         | 7:26A-7.2(f)                         | ments. Failure of small quantity handler of universal  | \$2,000   |
| 7:26A-6.6(f)8        | tanks" requirements.  Failure of used oil transfer facility to comply with   | \$3,000 | 7:26A-7.2(g)                         | waste to comply with accumulation time limits.<br>Failure of small quantity handler of universal                         | \$2,000   |
| 7:26A-6.6(g)         | used oil labeling requirements. Failure of used oil transfer facility/transporter to   | \$3,000 |                                      | waste to comply with employee training requirements.   | \$3,000   |
| 7:26A-6.7(b)         | comply with tracking requirements.  Failure of used oil processor/re-refiner to comply   | \$2,000 | 7:26A-7.2(i)                         | Failure of small quantity handler of universal waste to comply with off-site shipment require-                           | ** ***    |
| 7:26A-6.7(c)1        | with notification requirements. Failure of used oil processor/re-refiner to comply   | \$2,000 | 7:26A-7.2(k)                         | ments. Failure of small quantity handler of universal  | \$2,000   |
| 7:26A-6.7(c)2i-v     | with preparedness and prevention requirements.  Failure of used oil processor/re-refiner to comply                             | \$5,000 | 7:26A-7.3(c)                         | waste to comply with exporting requirements.  Failure of large quantity handler of universal                             | \$2,000   |
| 7:26A-6.7(e)2        | with contingency plan requirements.<br>Failure of used oil processor/re-refiner to ensure                                      | \$5,000 | 7:26A-7.3(d)                         | waste to comply with notification requirements.<br>Failure of large quantity handler of universal                        | \$4,000   |
|                      | used oil is stored only in tanks, containers, or units subject to N.J.A.C. 7:26G.  | \$3,000 |                                      | waste to comply with waste management require-<br>ments.   | \$4,000   |
| 7:26A-6.7(e)3        | Failure of used oil processor/re-refiner to ensure used oil storage units are in good condition and not leaking.               | \$3,000 | 7:26A-7.3(e)                         | Failure of large quantity handler of universal waste to comply with labeling/marking requirements.                       | \$4,000   |
| 7:26A-6.7(e)4        | Failure of used oil processor/re-refiner to comply with "secondary containment for containers" re-                             | 45,000  | 7:26A-7.3(f)                         | Failure of large quantity handler of universal waste to comply with accumulation time limits.                            | \$4,000   |
| 7:26A-6.7(e)5        | quirements. Failure of used oil processor/re-refiner to comply with "secondary containment for existing above-                 | \$3,000 | 7:26A-7.3(g)                         | Failure of large quantity handler of universal waste to comply with employee training requirements.                      | \$4,000   |
| 7:26A-6.7(e)6        | ground tanks" requirements. Failure of used oil processor/re-refiner to comply   | \$3,000 | 7:26A-7.3(i)                         | Failure of large quantity handler of universal waste to comply with off-site shipment require-                           |           |
| 7.064 6.76N          | with "secondary containment for new above-<br>ground tanks" requirements.  | \$3,000 | 7:26A-7.3(j)                         | ments. Failure of large quantity handler of universal  | \$4,000   |
| 7:26A-6.7(e)7        | Failure of used oil processor/re-refiner to comply with used oil labeling requirements.  | \$3,000 | 7:26A-7.3(k)                         | waste to comply with waste tracking requirements.  Failure of large quantity handler of universal                        | \$4,000   |
| 7:26A-6.7(f)         | Failure of used oil processor/re-refiner to comply with analysis plan requirements.  | \$5,000 | 7:26A-7.4(c)                         | waste to comply with exporting requirements. Failure of universal waste transporter to comply                            | \$4,000   |
| 7:26A-6.7(g)         | Failure of used oil processor/re-refiner to comply with tracking requirements.   | \$2,000 | 7:26A-7.4(d)                         | with waste management requirements. Failure of universal waste transporter to comply                                     | \$3,000   |
| 7:26A-6.7(h)         | Failure of used oil processor/re-refiner to comply<br>with operating record and reporting requirements.                        | \$3,000 | 7:26A-7.4(f)                         | with storage time limits.  Failure of universal waste transporter to comply  | \$3,000   |
| 7:26A-6.7(i)         | Failure of used oil processor/re-refiner to use oil transporter with EPA identification number.                                | \$3,000 | 7:26A-7.4(g)                         | with off-site shipment requirements.  Failure of universal waste transporter to comply                                   | \$3,000   |
| 7:26A-6.8(b)         | Failure of used oil burner facility to comply with burning restrictions.   | \$3,000 | 7:26A-7.5(b)                         | with exporting requirements.  Failure of universal waste destination facility to   | \$3,000   |
| 7:26A-6.8(c)         | Failure of a used oil burner facility to comply with notification requirements.  | \$2,000 | 7:26A-7.5(c)                         | comply with off-site shipment requirements.  Failure of universal waste destination facility to                          | \$4,000   |
| 7:26A-6.8(e)2        | Failure of used oil burner facility to ensure used oil is stored only in tanks, containers, or unit subject to N.J.A.C. 7:26G. | \$3,000 | ,                                    | comply with universal waste tracking requirements.   | \$4,000   |
| 7:26A-6.8(e)3        | Failure of used oil burner facility to ensure used oil storage units are in good condition and not                             |         | Administrative (<br>See: 23 N.J.R. 3 | Correction in (g)7.  |           |
| 7:26A-6.8(e)4        | leaking.  Failure of used oil burner facility to comply with  "secondary containment for containers" require-                  | \$3,000 | Amended by R. See: 23 N.J.R. 3       | 1993 d.5, effective January 4, 1993.<br>3607(a) (see also 24 N.J.R. 2002(a)), 25 N.J.R. 9                                | 98(a).    |
| 7:26A-6.8(e)5        | ments. Failure of used oil burner facility to comply with  "secondary containment for existing aboveground                     | \$3,000 | Amended by R.                        | ndments to N.J.A.C. 7:26–7.6 and 9.4.<br>1996 d.500, effective October 21, 1996.<br>1693(a), 28 N.J.R. 4606(a).          |           |
| 7:26A-6.8(e)6        | tanks" requirements.  Failure of used oil burner facility to comply with  "secondary containment for new aboveground           | \$3,000 | Amended by R. See: 28 N.J.R. 2       | 1996 d.578, effective December 16, 1996.<br>2114(a), 28 N.J.R. 5248(a).<br>(f)2, amended N.J.A.C. references; in (f)4, a | mended    |
| 7:26A-6.8(e)7        | tanks" requirements. Failure of used oil burner facility to comply with  | \$3,000 | EXAMPLE; in                          | (1)2, amended N.J.A.C. references, in (1)4, a  | ded (g)1  |
| 7:26A-6.8(f)         | used oil labeling requirements.  Failure of used oil burner facility to comply with  | \$3,000 | through (g) 8.                       |  |           |
| 7:26A-6.8(g)         | tracking requirements.  Failure of used oil burner facility to comply with   | \$2,000 |                                      | Case Notes   |           |
| 7:26A-6.9(b)         | notice requirements.  Failure of used oil fuel marketer to ensure shipments of off-specification used oil is sent only to      | \$2,000 |                                      | oceedings to enforce agency orders, action brons of Pesticide Control Act. State, Dept. of I                             |           |

mental Protection v. Larchmont Farms, Inc., 266 N.J.Super. 16, 628 A.2d 761 (A.D.1993), certification denied 135 N.J. 302, 639 A.2d 301.

Administrative hearings concerning collection of penalties were not provided for in Solid Waste Management Act; violator is entitled to collection hearing in Superior Court on due process basis, though not to a preliminary Departmental administrative hearing. Bordentown Twp. Bd. of Health v. Interstate Waste Removal Co., Inc., 191 N.J.Super. 128, 465 A.2d 587 (Law Div.1983).

Failure to remove hazardous waste from manufacturing site within time allowed by Solid Waste Management Law mandates penalty even if violation was unintentional. DEPE v. Plasti-Glas Molded Products, Inc., 96 N.J.A.R.2d (EPE) 135.

Corporate successor to hazardous waste facility was strictly liable for failing to test holding tanks. Department of Environmental Protection v. Warner, 95 N.J.A.R.2d (EPE) 245.

Each shipment of hazardous waste constituted separate violation of regulations governing manifesting and disposing of hazardous waste. Department of Environmental Protection v. Rollins Environmental Services, Inc., 92 N.J.A.R.2d (EPE) 13.

## 7:26-5.5 Civil administrative penalty determination

- (a) The Department shall assess penalties under this section, and not under N.J.A.C. 7:26-5.4 when:
  - 1. Because of the specific circumstances of the violation, the Department determines that the penalty amount under N.J.A.C. 7:26-5.4 would be too low to provide a sufficient deterrent effect as required by the Act; or
    - 2. The violation is not listed under N.J.A.C. 7:26-5.4.
- (b) Each violation of the Act, or any rule promulgated, any administrative order, permit, license or other operating authority issued, any district solid waste management plan approved, and any parameter contained therein, pursuant to the Act, shall constitute an additional, separate and distinct violation.
- (c) Each day during which a violation continues shall constitute an additional, separate and distinct violation.
- (d) For each parameter that is required to be monitored, sampled or reported, the failure to so monitor, sample or report shall constitute an additional, separate and distinct violation.
- (e) Where any requirement of the Act, or any rule promulgated, any administrative order, permit, license or other operating authority issued, any district solid waste management plan approved, pursuant to the Act, may pertain to more than one act, condition, occurrence, item, unit, waste or parameter, the failure to comply with such requirement as it pertains to each such act, condition, occurrence, item, unit, waste or parameter shall constitute an additional, separate and distinct violation.
- (f) The Department shall assess a civil administrative penalty for violations described in this section on the basis of the seriousness of the violation and the conduct of the violator at the mid-point of the following ranges, unless adjusted pursuant to (i) below.

|         |          | SERIOUSNESS |           |           |  |  |
|---------|----------|-------------|-----------|-----------|--|--|
|         |          | Major       | Moderate  | Minor     |  |  |
|         | Major    | \$40,000-   | \$30,000- | \$15,000- |  |  |
| **      | ·        | \$50,000    | \$40,000  | \$25,000  |  |  |
| CONDUCT | Moderate | \$30,000-   | \$10,000- | \$3,000-  |  |  |
|         |          | \$40,000    | \$20,000  | \$6,000   |  |  |
|         | Minor    | \$15,000-   | \$3,000-  | \$1,000-  |  |  |
|         |          | \$25,000    | \$6,000   | \$2,500   |  |  |

- (g) The seriousness of the violation shall be determined as major, moderate or minor as follows:
  - 1. Major seriousness shall apply to any violation which:
  - i. Has caused or has the potential to cause serious harm to human health or the environment; or
  - ii. Seriously deviates from the requirements of the Act, or any rule promulgated, any administrative order, permit, license or other operating authority issued, any district solid waste management plan approved pursuant to the Act; serious deviation shall include, but not be limited to, those violations which are in complete contravention of the requirement, or if some of the requirement is met, which severely impair or undermine the operation or intent of the requirement;
  - Moderate seriousness shall apply to any violation which:
    - i. Has caused or has the potential to cause substantial harm to human health or the environment; or
    - ii. Substantially deviates from the requirements of the Act, or any rule promulgated, any administrative order, permit, license or other operating authority issued, any district solid waste management plan approved pursuant to the Act; substantial deviation shall include, but not be limited to, violations which are in substantial contravention of the requirements or which substantially impair or undermine the operation or intent of the requirement; and
  - 3. Minor seriousness shall apply to any violation not included in (g)1 or 2 above.
- (h) The conduct of the violator shall be determined as major, moderate or minor as follows:
  - 1. Major conduct shall include any intentional, deliberate, purposeful, knowing or willful act or omission by the violator;
  - 2. Moderate conduct shall include any unintentional but foreseeable act or omission by the violator; and
  - 3. Minor conduct shall include any other conduct not included in (h)1 or 2 above.
- (i) The Department may adjust the amount determined pursuant to (f), (g) and (h) above to assess a civil administrative penalty in an amount no greater than the maximum amount nor less than the minimum amount in the range described in (f) above, on the basis of the following factors: